

Shunji Suzuki

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4309117/publications.pdf>

Version: 2024-02-01

258
papers

2,013
citations

361296

20
h-index

395590

33
g-index

273
all docs

273
docs citations

273
times ranked

1908
citing authors

#	ARTICLE	IF	CITATIONS
1	Psychological status of postpartum women under the COVID-19 pandemic in Japan. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2022, 35, 1798-1800.	0.7	44
2	Women with Atypical Glandular Cells in Japan: The Clinical Significance and Utility of HPV-DNA Testing in Korean Women with Atypical Glandular Cells in Cervical Pap Tests. <i>Cancer Investigation</i> , 2022, 40, 234-234.	0.6	0
3	Clinical guide for women with mental health problems during the perinatal period. <i>Journal of Obstetrics and Gynaecology Research</i> , 2022, 48, 20-33.	0.6	3
4	Appropriate Support for "Specified Expectant Mothers". <i>JMA Journal</i> , 2022, 5, 17-22.	0.6	2
5	Proportion of Late Pregnant Women with Anxiety Symptom under COVID-19 Pandemic in Japan. <i>JMA Journal</i> , 2022, 5, 99-103.	0.6	0
6	Cephalic version by postural management in the lateral position without the knee-chest position for primiparous breech presentation: A retrospective cohort study. <i>Journal of Obstetrics and Gynaecology Research</i> , 2022, , .	0.6	1
7	Antimicrobial Resistance for <i>Chlamydia Trachomatis</i> Genital Infection during Pregnancy in Japan. <i>Infection and Chemotherapy</i> , 2022, 54, 173.	1.0	0
8	Habitual Smoking and Perinatal Outcomes in Japan. <i>Cureus</i> , 2022, 14, e22426.	0.2	1
9	Efficacy and Adverse Events of Carboplatin Desensitisation Therapy for Gynaecological Cancer: A Retrospective Study. <i>Medicines (Basel, Switzerland)</i> , 2022, 9, 26.	0.7	3
10	Twin anemia-polycythemia sequence with suspected cardiac dysfunction. <i>Clinical Case Reports (discontinued)</i> , 2022, 10, e05665.	0.2	0
11	Uterine cervical edema following cerclage. <i>Clinical Case Reports (discontinued)</i> , 2022, 10, e05670.	0.2	0
12	Maternal cell contamination in embryonic chromosome analysis of missed abortions. <i>Journal of Obstetrics and Gynaecology Research</i> , 2022, 48, 1641-1647.	0.6	3
13	Placental abruption associated with cerebral palsy. <i>Journal of Nippon Medical School</i> , 2022, , .	0.3	2
14	Treatment duration for syphilis in pregnant Japanese women by 2021. <i>Hypertension Research in Pregnancy</i> , 2022, , .	0.1	2
15	Outcomes of a one-day trial of vaginal breech delivery of singleton pregnancy at 37-38 weeks gestation at a Japanese perinatal center. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2021, 34, 3510-3513.	0.7	4
16	Trends in obstetric policies in cases of failed vacuum extraction in Japan. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2021, 34, 614-617.	0.7	0
17	Pregnant women with the complication of depression who visit the department of Oriental Medicine at a Japanese perinatal center. <i>Traditional & Kampo Medicine</i> , 2021, 8, 55-59.	0.2	1
18	Twin-twin transfusion syndrome with anemia-polycythemia developed during the third trimester of pregnancy. <i>Clinical Case Reports (discontinued)</i> , 2021, 9, 677-680.	0.2	0

#	ARTICLE	IF	CITATIONS
19	Influence of smoking habits on mental status in Japanese women during the first trimester of pregnancy. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2021, 34, 1284-1287.	0.7	0
20	Micturition syncope during postpartum first walking. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2021, 34, 1683-1684.	0.7	0
21	Factors associated with the development of spontaneous intertwin membrane separation in dichorionic twin pregnancy. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2021, 34, 841-844.	0.7	0
22	Cases of Pregnancy with Mild Intellectual Disabilities Managed at a Japanese Perinatal Center. <i>JMA Journal</i> , 2021, 4, 166-168.	0.6	0
23	Social Problems during Pregnancy under the Coronavirus Disease 2019 Epidemic in Japan. <i>JMA Journal</i> , 2021, 4, 163-165.	0.6	1
24	Current status of cervical cytology during pregnancy in Japan. <i>PLoS ONE</i> , 2021, 16, e0245282.	1.1	4
25	Recent Prevalence of Human T-cell Leukemia Virus Type 1 Carrier Associated with Horizontal Transmission in Pregnant Japanese Women. <i>Japanese Journal of Infectious Diseases</i> , 2021, 74, 576-578.	0.5	4
26	Trends in mode of breech delivery in Japan. <i>Hypertension Research in Pregnancy</i> , 2021, 9, 26-29.	0.1	3
27	Fetomaternal hemorrhage occurred in one fetus of dichorionic twin pregnancy. <i>Clinical Case Reports (discontinued)</i> , 2021, 9, e04330.	0.2	0
28	Beyond BRCA Status: Clinical Biomarkers May Predict Therapeutic Effects of Olaparib in Platinum-Sensitive Ovarian Cancer Recurrence. <i>Frontiers in Oncology</i> , 2021, 11, 697952.	1.3	2
29	Influence of second stage of labor duration on umbilical artery lactate levels in uncomplicated multiparous women. <i>Hypertension Research in Pregnancy</i> , 2021, 9, 55-59.	0.1	0
30	Influence of platelet counts on postpartum hemorrhage in elective cesarean section for Japanese twins. <i>Hypertension Research in Pregnancy</i> , 2021, 9, 51-54.	0.1	1
31	Goblet cell carcinoma of appendix detected during surgery for ovarian tumors. <i>Clinical Case Reports (discontinued)</i> , 2021, 9, e04784.	0.2	0
32	Successful surgical treatment of a giant uterine leiomyoma: A case report. <i>International Journal of Surgery Case Reports</i> , 2021, 87, 106416.	0.2	2
33	Postpartum Mental Status in Women with Social Problems at a Japanese perinatal center. <i>Hypertension Research in Pregnancy</i> , 2021, 9, .	0.1	0
34	Postpartum Depression Without Antenatal Depression in Primiparous Women. <i>Journal of Clinical Medicine Research</i> , 2021, 13, 517-519.	0.6	2
35	Gasless laparoscopic ovarian cystectomy for pregnant women. <i>Hypertension Research in Pregnancy</i> , 2021, , .	0.1	0
36	Ovarian dysgerminoma with a metastasis to para-aortic lymph node. <i>Clinical Case Reports (discontinued)</i> , 2021, 9, e05227.	0.2	2

#	ARTICLE	IF	CITATIONS
37	Spontaneous rupture of the ovarian vein in association with nutcracker syndrome: a case report. <i>Journal of Medical Case Reports</i> , 2021, 15, 602.	0.4	0
38	Current status of cervical cytology during pregnancy in Japan. , 2021, 16, e0245282.		0
39	Current status of cervical cytology during pregnancy in Japan. , 2021, 16, e0245282.		0
40	Current status of cervical cytology during pregnancy in Japan. , 2021, 16, e0245282.		0
41	Current status of cervical cytology during pregnancy in Japan. , 2021, 16, e0245282.		0
42	Current status of cervical cytology during pregnancy in Japan. , 2021, 16, e0245282.		0
43	Current status of cervical cytology during pregnancy in Japan. , 2021, 16, e0245282.		0
44	What is the effect of intertwin delivery interval on the outcome of the second twin delivered vaginally?. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2020, 33, 1758-1758.	0.7	0
45	Comparison of the Edinburgh Postnatal Depression Scale and the Whooley questions in screening for postpartum depression in Japan. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2020, 33, 2785-2788.	0.7	8
46	Excessively long umbilical cord: a preventive factor of miserable outcomes of pregnancies with true umbilical cord knots. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2020, 33, 3757-3760.	0.7	8
47	Changes in psychological status of postpartum women due to the COVID-19 pandemic in Japan. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2020, , 1-2.	0.7	5
48	Psychological status during the first trimester of pregnancy under the COVID-19 epidemic in Japan. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2020, , 1-2.	0.7	7
49	Coronavirus in pregnancy and delivery in Japan. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2020, , 1-1.	0.7	0
50	Implementation of nationwide screening of pregnant women for HTLV-1 infection in Japan: analysis of a repeated cross-sectional study. <i>BMC Public Health</i> , 2020, 20, 1150.	1.2	9
51	Spontaneous disruption of the dividing membrane in monochorionic diamniotic twin pregnancy. <i>Clinical Case Reports (discontinued)</i> , 2020, 8, 3638-3639.	0.2	0
52	Disruption of the dividing membrane in monochorionic diamniotic twin pregnancy. <i>Clinical Case Reports (discontinued)</i> , 2020, 8, 230-231.	0.2	0
53	Current Status of Social Problems during Pregnancy at a Perinatal Center in Japan. <i>JMA Journal</i> , 2020, 3, 307-312.	0.6	8
54	Factors Associated With Umbilical Cord Blood Collection Quality in Japan. <i>Journal of Hematology (Brossard, Quebec)</i> , 2020, 9, 9-12.	0.4	0

#	ARTICLE	IF	CITATIONS
55	Prevalence of rubella antibodies: comparison between women with pregnancy induced by infertility treatments and those with spontaneous pregnancy. <i>Journal of Preventive Medicine and Hygiene</i> , 2020, 61, E553-E555.	0.9	0
56	Association between clinical chorioamnionitis and histological funisitis at term. <i>Journal of Neonatal-Perinatal Medicine</i> , 2019, 12, 37-40.	0.4	13
57	Case Series of Intrauterine Subamniotic Hemorrhage. <i>Case Reports in Obstetrics and Gynecology</i> , 2019, 2019, 1-4.	0.2	1
58	Current prevalence of and obstetric outcomes in underweight Japanese women. <i>PLoS ONE</i> , 2019, 14, e0218573.	1.1	3
59	Acute twin-twin transfusion syndrome without labour. <i>Journal of Obstetrics and Gynaecology</i> , 2019, 39, 851-852.	0.4	3
60	Cardiotocography findings of early-stage chronic fetomaternal hemorrhage after the presentation of reduced fetal movement. <i>Clinical Case Reports (discontinued)</i> , 2019, 7, 564-567.	0.2	2
61	Current status of <i>Neisseria gonorrhoeae</i> cervicitis in pregnant women in Japan. <i>PLoS ONE</i> , 2019, 14, e0211595.	1.1	6
62	Clinical characteristics of pregnancies complicated by both fetal growth restriction and placenta previa or low-lying placenta. <i>Hypertension Research in Pregnancy</i> , 2019, 7, 70-74.	0.1	1
63	Application of Japanese guidelines for gestational weight gain to multiple pregnancy outcomes and its optimal range in 101,336 Japanese women. <i>Scientific Reports</i> , 2019, 9, 17310.	1.6	17
64	Risk factors for postpartum urinary retention after vaginal delivery at term without epidural anesthesia. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2019, 32, 3470-3472.	0.7	11
65	Clinical significance of pregnancy in adolescence in Japan. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2019, 32, 1864-1868.	0.7	16
66	Relationship between postpartum depression and lactation status at a Japanese perinatal center: A cross-sectional study. <i>F1000Research</i> , 2019, 8, 1845.	0.8	4
67	Outcomes of a one-day trial of vaginal delivery of twins™ at 36-37 weeks' gestation in Japan. <i>Obstetrics and Gynecology Science</i> , 2019, 62, 404.	0.6	1
68	Peripartum asymptomatic cerebral hemorrhage (PEACH). <i>Hypertension Research in Pregnancy</i> , 2019, 7, 36-38.	0.1	0
69	Relationship between postpartum depression and lactation status at a Japanese perinatal center: A cross-sectional study. <i>F1000Research</i> , 2019, 8, 1845.	0.8	3
70	Re: Antidepressant use in late gestation and risk of postpartum haemorrhage: a retrospective cohort study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2018, 125, 507-508.	1.1	0
71	Optimal weight gain during twin pregnancy in Japanese women with favorable perinatal outcomes. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2018, 31, 119-122.	0.7	7
72	Influence of intimate partner violence on mental status in Japanese women during the first trimester of pregnancy. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2018, 31, 1524-1526.	0.7	3

#	ARTICLE	IF	CITATIONS
73	Association between maternal weight and infant macrosomia in Japan. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2018, 31, 404-405.	0.7	1
74	Recent status of pregnant women with mental disorders at a Japanese perinatal center. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2018, 31, 2131-2135.	0.7	8
75	Comment on: Predicting the difficulty of operative vaginal delivery by ultrasound measurements of the fetal head station. <i>American Journal of Obstetrics and Gynecology</i> , 2018, 218, 149-150.	0.7	4
76	Trends in mode of delivery for breech presentation in Japan: "Transverse figure 8 breech delivery"™. <i>Hypertension Research in Pregnancy</i> , 2018, 6, 63-67.	0.1	7
77	Recent strategies in perinatal mental health care in Japan. <i>Hypertension Research in Pregnancy</i> , 2018, 6, 11-14.	0.1	15
78	Strategy to ensure a sufficient supply of cord blood stem cells in Japan. <i>Transfusion Medicine</i> , 2018, 28, 461-461.	0.5	1
79	Intertwin membrane separation in dichorionic twin pregnancy associated with intrauterine co-twin demise. <i>International Journal of Gynecology and Obstetrics</i> , 2018, 143, 246-247.	1.0	1
80	Optimal Weight Gain During Pregnancy in Japanese Women: Is It Okay?. <i>Journal of Clinical Medicine Research</i> , 2018, 10, 279-280.	0.6	1
81	Clinical Significance of Pregnancy in Japanese Women Aged 15 Years. <i>Journal of Clinical Medicine Research</i> , 2018, 10, 363-364.	0.6	0
82	Domestic violence against women during pregnancy in Japan. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2017, 30, 497-498.	0.7	3
83	Current status of syphilis in pregnant women in Japan. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2017, 30, 2881-2883.	0.7	11
84	Association of Intended Route of Delivery and Maternal Morbidity in Twin Pregnancy. <i>Obstetrics and Gynecology</i> , 2017, 129, 1135-1135.	1.2	1
85	Re: Maternal positioning to correct occiput posterior fetal position during the first stage of the labour: a randomised controlled trial. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2017, 124, 1123-1124.	1.1	1
86	Transient intertwin membrane separation in dichorionic twin pregnancy associated with the development of growth discordance. <i>Journal of Obstetrics and Gynaecology</i> , 2017, 37, 1087-1088.	0.4	2
87	Birth postures and birth canal lacerations. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2017, 30, 1243-1246.	0.7	3
88	Deterioration/relapse of depression during pregnancy in Japanese women associated with interruption of antidepressant medications. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2017, 30, 1129-1132.	0.7	9
89	Gestational weight gain in Japanese women with preeclampsia. <i>Hypertension Research in Pregnancy</i> , 2017, 5, 13-16.	0.1	2
90	The rules of computerized cardiotocography and middle cerebral artery for diagnosis of fetomaternal hemorrhage. <i>Taiwanese Journal of Obstetrics and Gynecology</i> , 2017, 56, 577.	0.5	1

#	ARTICLE	IF	CITATIONS
91	Therapeutic dilemma in patients with short cervixes during pregnancy after conization. International Journal of Women's Health, 2017, Volume 9, 101-103.	1.1	0
92	Effect of Acupressure, Acupuncture and Moxibustion in Women With Pregnancy-Related Anxiety and Previous Depression: A Preliminary Study. Journal of Clinical Medicine Research, 2017, 9, 525-527.	0.6	11
93	Gestational Weight Gain in Japanese Women With Favorable Perinatal Outcomes. Journal of Clinical Medicine Research, 2017, 9, 64-66.	0.6	9
94	Optimal Pre-Pregnancy Body Mass Index Cut-Offs for Obesity in Japan. Journal of Clinical Medicine Research, 2017, 9, 180-181.	0.6	3
95	Screening for Depressive and Anxiety Symptoms During Pregnancy and Postpartum at a Japanese Perinatal Center. Journal of Clinical Medicine Research, 2017, 9, 512-515.	0.6	15
96	Obstetric Outcomes of Twin Pregnancies in Japanese Women Aged 40 and Older. Journal of Clinical Medicine Research, 2017, 9, 860-863.	0.6	2
97	Hematological Characteristics in Neonates With Twin-Twin Blood Transfusion. Journal of Medical Cases, 2017, 8, 269-270.	0.4	2
98	Recent Reason for Hindering Medications for Perinatal Mental Disorders in Japan. Journal of Clinical Medicine Research, 2017, 9, 950-952.	0.6	1
99	Intestinal Injury Associated With Uterine Perforation due to Surgical Abortion in Japan. Gastroenterology Research, 2017, 10, 63-63.	0.4	2
100	Single Fetal Demise at 10 - 14 Weeks of Monochorionic and Dichorionic Twin Pregnancy. Journal of Clinical Medicine Research, 2016, 8, 331-333.	0.6	2
101	Recent Clinical Characteristics of Labors Using Three Japanese Systems of Midwife-Led Primary Delivery Care. Nursing Research and Practice, 2016, 2016, 1-4.	0.4	1
102	Distribution of <i>Chlamydia trachomatis</i> Infection Determined by Nucleic Acid Amplification Tests in Pregnant Women in Japan. Japanese Journal of Infectious Diseases, 2016, 69, 158-159.	0.5	5
103	Current Status of Condylomata Acuminata in Pregnant Japanese Women. Japanese Journal of Infectious Diseases, 2016, 69, 347-349.	0.5	9
104	Maternal blood pressure before the onset of eclampsia and stroke during labor at term. Hypertension Research in Pregnancy, 2016, 4, 65-67.	0.1	3
105	Perinatal Outcomes of Monochorionic-Diamniotic Twin Pregnancies Uncomplicated at 28 Weeks of Gestation. Japanese Clinical Medicine, 2016, 7, JCM.S38895.	1.9	6
106	Current status of women requiring perinatal mental health care for protecting their children in Japan. Asian Journal of Psychiatry, 2016, 22, 93.	0.9	6
107	Maternal depression from pregnancy to postpartum and emotional/behavioural difficulties in children. Archives of Women's Mental Health, 2016, 19, 433-433.	1.2	3
108	Optimal Weight Gain During Pregnancy in Japanese Women. Journal of Clinical Medicine Research, 2016, 8, 787-792.	0.6	22

#	ARTICLE	IF	CITATIONS
109	History of Assisted Reproductive Technology and Chlamydia Trachomatis Infection in Pregnancy. Journal of Clinical Medicine Research, 2016, 8, 244-245.	0.6	2
110	The Necessity of Awareness of Early Symptoms of Placental Abruption Among Pregnant Japanese Women. Journal of Clinical Medicine Research, 2016, 8, 674-675.	0.6	2
111	Current Proportion of Women Receiving Perinatal Psychosocial or Psychological Intervention in Japan. Journal of Clinical Medicine Research, 2016, 8, 472-474.	0.6	2
112	Clinical Characteristics of Pregnancies with a History of Recurrent Miscarriage at a Japanese Perinatal Center. Journal of Nippon Medical School, 2015, 82, 36-38.	0.3	2
113	Clinical Significance of Pregnancies Complicated by Velamentous Umbilical Cord Insertion Associated With Other Umbilical Cord/Placental Abnormalities. Journal of Clinical Medicine Research, 2015, 7, 853-856.	0.6	22
114	Clinical significance of adverse outcomes of placental abruption developing at home. Journal of Obstetrics and Gynaecology, 2015, 35, 433-434.	0.4	8
115	Relapse of depression during pregnancy and postpartum periods in Japanese women associated with self-interruption of their medications: Selective serotonin reuptake inhibitors. Asian Journal of Psychiatry, 2015, 18, 99.	0.9	2
116	Selective uterine fundal pressure maneuver during the second stage of the first twin delivery at near term. Journal of Maternal-Fetal and Neonatal Medicine, 2015, 28, 519-521.	0.7	4
117	Umbilical artery blood flows among pregnancies with single umbilical artery. Journal of Maternal-Fetal and Neonatal Medicine, 2015, 29, 1-2.	0.7	1
118	Fetal macrosomia: induction of labour or expectant management?. Lancet, The, 2015, 386, 1629.	6.3	2
119	Economic Problems and Mental Disorders in Japanese Pregnant Women. Journal of Clinical Medicine Research, 2015, 7, 367-367.	0.6	9
120	Clinical Significance of Precipitous Labor. Journal of Clinical Medicine Research, 2015, 7, 150-153.	0.6	17
121	Prevalence of Human T-Cell Leukemia Virus Type 1 Carrier in Japanese Pregnant Women in 2013. Journal of Clinical Medicine Research, 2015, 7, 499-500.	0.6	9
122	Current Status of the Screening of Chlamydia trachomatis Infection Among Japanese Pregnant Women. Journal of Clinical Medicine Research, 2015, 7, 582-584.	0.6	8
123	Trisomy 13 and Massive Fetomaternal Hemorrhage. Journal of Clinical Medicine Research, 2015, 7, 564-565.	0.6	1
124	Reasons Why Some Japanese Pregnant Women Choose Trial of Labor After Cesarean. Journal of Clinical Medicine Research, 2015, 7, 641-642.	0.6	4
125	Risk of Intrapartum Cervical Lacerations in Vaginal Singleton Deliveries in Women With Cerclage. Journal of Clinical Medicine Research, 2015, 7, 714-716.	0.6	2
126	Maternal Uncontrolled Anxiety Disorders Are Associated With the Increased Risk of Hypertensive Disorders in Japanese Pregnant Women. Journal of Clinical Medicine Research, 2015, 7, 791-794.	0.6	4

#	ARTICLE	IF	CITATIONS
127	Problems of Perinatal Mental Health Care in Tokyo, Japan. Journal of Clinical Medicine Research, 2015, 7, 1013-1013.	0.6	4
128	Investigation of Teenagers Giving Birth without Visiting Antenatal Clinics. Nihon Ika Daigaku Igakkai Zasshi, 2015, 11, 102-104.	0.0	0
129	Trend Analysis of Primary Midwife-led Delivery Care at a Japanese Perinatal Center. International Journal of Medical Sciences, 2014, 11, 466-470.	1.1	3
130	Maternal Age and Breastfeeding at 1 Month After Delivery at a Japanese Hospital. Breastfeeding Medicine, 2014, 9, 101-102.	0.8	3
131	What is the impact of first pregnancy outcome for future pregnancy planning in Japan?. Journal of Maternal-Fetal and Neonatal Medicine, 2014, 27, 215-215.	0.7	0
132	Instruction of feeding methods to Japanese pregnant women who cannot be confirmed as HTLV-1 carrier by western blot test. Journal of Maternal-Fetal and Neonatal Medicine, 2014, 27, 1392-1393.	0.7	2
133	Cases of difficult suture removal following the McDonald procedure. Journal of Maternal-Fetal and Neonatal Medicine, 2014, 27, 1280-1281.	0.7	0
134	The Effect of the Gelatinous Lactulose for Postoperative Bowel Movement in the Patients Undergoing Cesarean Section. International Scholarly Research Notices, 2014, 2014, 1-4.	0.9	0
135	Clinical trial of expectant management of severe preeclampsia that develops at ≥ 32 weeks gestation at a Japanese perinatal center. Journal of Maternal-Fetal and Neonatal Medicine, 2014, 27, 1568-1571.	0.7	3
136	Current status of HTLV-1 carrier in Japanese pregnant women. Journal of Maternal-Fetal and Neonatal Medicine, 2014, 27, 312-313.	0.7	15
137	Guidelines for obstetrical practice in Japan: Society of Obstetrics and Gynecology (JOG) and Japan Association of Obstetricians and Gynecologists (JAOG) 2014 edition. Journal of Obstetrics and Gynaecology Research, 2014, 40, 1469-1499.	0.6	307
138	Clinical significance of ptyalism gravidarum. Archives of Gynecology and Obstetrics, 2013, 287, 629-631.	0.8	2
139	Uterine perforation with omentum incarceration after dilatation and evacuation/curettage. Archives of Gynecology and Obstetrics, 2013, 287, 607-608.	0.8	8
140	Cesarean delivery as a factor promoting exclusive breastfeeding in Japan. Journal of Maternal-Fetal and Neonatal Medicine, 2013, 26, 1762-1763.	0.7	7
141	Neonatal Cardiopulmonary Arrest during Attachment Parenting in Bed. Pediatrics and Neonatology, 2013, 54, 285-286.	0.3	1
142	Effect of early skin-to-skin contact on breast-feeding. Journal of Obstetrics and Gynaecology, 2013, 33, 695-696.	0.4	21
143	Factors Associated with the Recent Increasing Cesarean Delivery Rate at a Japanese Perinatal Center. ISRN Obstetrics & Gynecology, 2013, 2013, 1-4.	1.2	9
144	Factors associated with delayed delivery of infant in Cesarean section. Journal of Maternal-Fetal and Neonatal Medicine, 2013, 26, 324-325.	0.7	2

#	ARTICLE	IF	CITATIONS
145	Case Series of Monoamniotic and Pseudomonoamniotic Twin Gestations. <i>ISRN Obstetrics & Gynecology</i> , 2013, 2013, 1-3.	1.2	15
146	Perinatal outcomes of low-risk planned home and hospital births under midwife-led care in Japan. <i>Journal of Obstetrics and Gynaecology Research</i> , 2013, 39, 1500-1504.	0.6	19
147	A Case of Intrauterine Intestinal Volvulus. <i>Nihon Ika Daigaku Igakkai Zasshi</i> , 2013, 9, 198-201.	0.0	0
148	The attitude of "low risk" pregnant women in Japan toward midwife-led care during pregnancy and labor. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2012, 25, 2141-2142.	0.7	2
149	Clinical Significance of Preterm Singleton Pregnancies Complicated by Placental Abruption following Preterm Premature Rupture of Membranes Compared with Those without p-PROM. <i>ISRN Obstetrics & Gynecology</i> , 2012, 2012, 1-4.	1.2	8
150	Subchorionic haematoma distinct from the placental tissue at 39 weeks gestation. <i>Journal of Obstetrics and Gynaecology</i> , 2012, 32, 304-305.	0.4	2
151	The effect of time of day on unscheduled cesarean delivery and perinatal outcome. <i>International Journal of Gynecology and Obstetrics</i> , 2012, 116, 177-178.	1.0	1
152	Risk factors for postpartum hemorrhage requiring transfusion in cesarean deliveries for Japanese twins: comparison with those for singletons. <i>Archives of Gynecology and Obstetrics</i> , 2012, 286, 1363-1367.	0.8	20
153	Perinatal Outcomes of Failed Vacuum Extraction. <i>Journal of Nippon Medical School</i> , 2012, 79, 280-283.	0.3	6
154	Clinical significance of pregnancies with extrachorial placentae. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2011, 24, 1185-1186.	0.7	0
155	Birth before Arrival at a Hospital in Eastern Tokyo, Japan. <i>Journal of Nippon Medical School</i> , 2011, 78, 334-335.	0.3	2
156	Neonatal small-for-gestational age status as a favorable factor for the complete vaginal delivery of both fetuses in Japanese dichorionic twins. <i>Journal of Obstetrics and Gynaecology Research</i> , 2011, 37, 843-850.	0.6	1
157	Clinical significance of singleton pregnancies complicated by placental abruption occurred at preterm compared with those occurred at term. <i>Archives of Gynecology and Obstetrics</i> , 2011, 283, 761-764.	0.8	6
158	Prenatal ultrasonographic findings of large pseudocysts and edema of the umbilical cord. <i>Journal of Medical Ultrasonics (2001)</i> , 2011, 38, 59-61.	0.6	0
159	Unexpected intrauterine fetal death in monochorionic-diamniotic twins near term. <i>Journal of Perinatal Medicine</i> , 2011, 39, 751; author reply 753.	0.6	2
160	Twins are a risk factor for developing severe hypertensive disorders in the puerperium following a normotensive pregnancy. <i>Journal of Perinatal Medicine</i> , 2011, 39, 103-4.	0.6	0
161	Influence of umbilical cord abnormalities (velamentous/marginal cord insertion and nuchal cord) on the perinatal outcomes of the second twin after vaginal delivery of the first twin. <i>Journal of Perinatal Medicine</i> , 2011, 39, 745-8.	0.6	2
162	Midwife-led care unit for "low risk" pregnant women in a Japanese hospital. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2011, 24, 1046-1050.	0.7	14

#	ARTICLE	IF	CITATIONS
163	Does the Use of Labor-inducing Drugs Cause Adverse Perinatal Outcomes?. Journal of Nippon Medical School, 2011, 78, 126-127.	0.3	2
164	The Hospitalization Assistance Policy System in Japan. Journal of Nippon Medical School, 2011, 78, 267-269.	0.3	10
165	Two Cases of Micturition Syncope after the First Postpartum Walk. Nihon Ika Daigaku Igakkai Zasshi, 2011, 7, 103-105.	0.0	0
166	Comparison of Transverse and Vertical Skin Incision for Emergency Cesarean Delivery. Obstetrics and Gynecology, 2010, 116, 773.	1.2	0
167	Abnormally shaped placentae in twin pregnancy. Archives of Gynecology and Obstetrics, 2010, 281, 65-69.	0.8	14
168	Perinatal outcomes of elderly primiparous dichorionic twin pregnancies conceived by in vitro fertilization compared with those conceived spontaneously. Archives of Gynecology and Obstetrics, 2010, 281, 87-90.	0.8	28
169	Effect of changes in renal circulation on serum uric acid levels in women with twin pregnancy. Clinical and Experimental Nephrology, 2010, 14, 436-439.	0.7	5
170	Twin Anemiaâ€“polycythemia Sequence with Placental Arterio-arterial Anastomoses. Placenta, 2010, 31, 652.	0.7	12
171	Time of Delivery and Perinatal Outcome. Journal of Nippon Medical School, 2010, 77, 277-281.	0.3	8
172	Clinical Significance of Singleton Pregnancies Complicated by Placental Abruption Associated with Histological Chorioamnionitis. Journal of Nippon Medical School, 2010, 77, 204-208.	0.3	4
173	Increased Rate of Elective Cesarean Delivery and Neonatal Respiratory Disorders in Twin Pregnancies. Journal of Nippon Medical School, 2010, 77, 93-96.	0.3	9
174	The Influence of Assisted Reproductive Technology on Women with Pregnancy-induced Hypertension: A Retrospective Study at a Japanese Regional Perinatal Center. Journal of Nippon Medical School, 2010, 77, 312-317.	0.3	9
175	History of intrauterine curettage and perinatal outcomes. Journal of Maternal-Fetal and Neonatal Medicine, 2010, 23, 465-466.	0.7	1
176	History of abortion and perinatal outcomes associated with preeclampsia in nulliparous Japanese women. Journal of Maternal-Fetal and Neonatal Medicine, 2010, 23, 1318-1319.	0.7	2
177	Acute intrapartum placentofetal or fetoplacental transfusion in monochorionic twin pregnancy. Journal of Obstetrics and Gynaecology, 2010, 30, 61-62.	0.4	4
178	Maternal obesity as a risk factor for very pre-term delivery in dichorionic twin pregnancies. Journal of Obstetrics and Gynaecology, 2010, 30, 354-356.	0.4	12
179	Comparison of short-term outcomes of late pre-term singletons and dichorionic twins and optimal timing of delivery. Journal of Obstetrics and Gynaecology, 2010, 30, 574-577.	0.4	13
180	Fetal Heart Rate Monitoring in Midwifery Maternity Care during Labor. Nihon Ika Daigaku Igakkai Zasshi, 2010, 6, 13-16.	0.0	0

#	ARTICLE	IF	CITATIONS
181	Fetal Heart Rate Patterns in Monochorionic Twins Following Acute Twin-Twin Transfusion. <i>Obstetrics and Gynecology International</i> , 2009, 2009, 1-3.	0.5	7
182	Obstetric outcomes of low-risk labors at "Japanese tatami" mat delivery room: a preliminary study. <i>Journal of Perinatal Medicine</i> , 2009, 37, 709-711.	0.6	8
183	Impact of Perinatal Outcome of the Presence of Fused or Separate Placentas in Dichorionic Twins. <i>Fetal Diagnosis and Therapy</i> , 2009, 26, 127-130.	0.6	1
184	Accuracy of ultrasonographic fetal weight estimation in Japanese twin pregnancies. <i>Journal of Medical Ultrasonics (2001)</i> , 2009, 36, 157-158.	0.6	2
185	Risk factors for preeclampsia in Japanese twin pregnancies: comparison with those in singleton pregnancies. <i>Archives of Gynecology and Obstetrics</i> , 2009, 280, 389-393.	0.8	26
186	Risk factors for emergency cesarean delivery of the second twin after vaginal delivery of the first twin. <i>Journal of Obstetrics and Gynaecology Research</i> , 2009, 35, 467-471.	0.6	23
187	<i>In vitro</i> fertilization as a risk factor for transfusion after vaginal singleton delivery. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2009, 22, 1217-1218.	0.7	1
188	Referrals during Labor in Midwifery Care. <i>Journal of Nippon Medical School</i> , 2009, 76, 226-228.	0.3	6
189	Ptyalism gravidarum. <i>North American Journal of Medical Sciences</i> , 2009, 1, 303-4.	1.7	5
190	Recurrence of urinary retention secondary to retroverted gravid uterus. <i>North American Journal of Medical Sciences</i> , 2009, 1, 54-7.	1.7	3
191	Clinical significance of pregnancies with circumvallate placenta. <i>Journal of Obstetrics and Gynaecology Research</i> , 2008, 34, 51-54.	0.6	27
192	Antenatal screening for circumvallate placenta. <i>Journal of Medical Ultrasonics (2001)</i> , 2008, 35, 71-73.	0.6	9
193	Obstetric outcomes in nulliparous women aged 35 and over with singleton pregnancies conceived by <i>in vitro</i> fertilization. <i>Archives of Gynecology and Obstetrics</i> , 2008, 277, 225-227.	0.8	12
194	Clinical significance of pregnancies with succenturiate lobes of placenta. <i>Archives of Gynecology and Obstetrics</i> , 2008, 277, 299-301.	0.8	88
195	MAGE-A protein and MAGE-A10 gene expressions in liver metastasis in patients with stomach cancer. <i>British Journal of Cancer</i> , 2008, 99, 350-356.	2.9	19
196	Lateral axillary nerve palsy as a complication of labor. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2008, 21, 217-218.	0.7	3
197	Transient Anhydramnios Associated with Spontaneous Membrane Rupture. <i>Fetal Diagnosis and Therapy</i> , 2008, 24, 264-266.	0.6	1
198	Duration of the active phase of labor in twin pregnancies. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2008, 21, 275-276.	0.7	0

#	ARTICLE	IF	CITATIONS
199	Risk Factors for Transient Tachypnea of the Newborn in Infants Delivered Vaginally at 37 Weeks or Later. <i>Journal of Nippon Medical School</i> , 2008, 75, 269-273.	0.3	20
200	Elective Cesarean as a Risk Factor for Transfusion after Delivery of Twins. <i>Journal of Nippon Medical School</i> , 2008, 75, 247-249.	0.3	14
201	Trends in mode of delivery of breech presentation over a 5-year period. <i>Journal of Perinatology</i> , 2007, 27, 464-464.	0.9	4
202	The Influence of Assisted Reproductive Technology on Growth Discordance in Dichorionic Twin Pregnancies. <i>Fetal Diagnosis and Therapy</i> , 2007, 22, 372-376.	0.6	10
203	Influence of chorionicity on umbilical arterial blood gas discordance in twin pairs following elective Cesarean delivery. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2007, 20, 773-775.	0.7	0
204	Risk Factors for Postpartum Hemorrhage after Vaginal Delivery of Twins. <i>Journal of Nippon Medical School</i> , 2007, 74, 414-417.	0.3	18
205	T Helper 1/T Helper 2 Cell Immunity in Preeclamptic Twin Pregnancy. <i>Journal of Nippon Medical School</i> , 2007, 74, 434-436.	0.3	1
206	Obstetric outcomes of elderly primiparous singleton pregnancies conceived by <i>in vitro</i> fertilization compared with those conceived spontaneously. <i>Reproductive Medicine and Biology</i> , 2007, 6, 219-222.	1.0	4
207	Increased blood loss in upright positions originates from perineal damage. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2007, 114, 1447-1447.	1.1	5
208	Obstetric outcomes in nulliparous women aged 35 and over with dichorionic twin pregnancy. <i>Archives of Gynecology and Obstetrics</i> , 2007, 276, 573-575.	0.8	17
209	Umbilical Cord Abnormalities and Pregnancy Outcome. <i>Nihon Ika Daigaku Igakkai Zasshi</i> , 2007, 3, 20-24.	0.0	0
210	Obstetric Outcomes in Older Primiparae with Dichorionic Twin Pregnancies. <i>Nihon Ika Daigaku Igakkai Zasshi</i> , 2007, 3, 179-182.	0.0	0
211	Relation between plasma adenosine and serum TSH levels in women with hyperemesis gravidarum. <i>Archives of Gynecology and Obstetrics</i> , 2006, 273, 331-336.	0.8	4
212	History of intrauterine curettage and placental complications. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2006, 19, 753-754.	0.7	2
213	Influence of parity on second-trimester uterine artery Doppler waveforms in twin pregnancy. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2006, 19, 193-194.	0.7	9
214	Plasma Adenosine Levels in Peri-Menopausal Women Having Frequent Hot Flashes. <i>Circulation Journal</i> , 2005, 69, 1540-1542.	0.7	0
215	Influence of spinal hypotension on fetal oxidative status during elective cesarean section in uncomplicated pregnancies. <i>Archives of Gynecology and Obstetrics</i> , 2005, 271, 292-295.	0.8	19
216	Resting oxygen consumption in patients with twin pregnancy. <i>Archives of Gynecology and Obstetrics</i> , 2005, 271, 152-153.	0.8	6

#	ARTICLE	IF	CITATIONS
217	HbA1C levels in Japanese women during early pregnancy. Archives of Gynecology and Obstetrics, 2005, 273, 174-175.	0.8	3
218	Maternal peripheral T helper 1-type and T helper 2-type immunity in women during the first trimester of twin pregnancy. Archives of Gynecology and Obstetrics, 2004, 270, 260-262.	0.8	9
219	Comparison between spontaneous ovarian hyperstimulation syndrome and hyperreactio luteinalis. Archives of Gynecology and Obstetrics, 2004, 269, 227-229.	0.8	30
220	Plasma adenosine concentrations increase in women with hyperemesis gravidarum. Clinica Chimica Acta, 2004, 342, 99-103.	0.5	24
221	Maternal Plasma Hypoxanthine Levels in Nonpreeclamptic Twin Pregnancies. Tohoku Journal of Experimental Medicine, 2004, 203, 349-352.	0.5	6
222	Feto-maternal interface in T helper 1-type and T helper 2-type immunity in labor. Archives of Gynecology and Obstetrics, 2003, 269, 51-52.	0.8	1
223	Basal metabolic rate in hyperemesis gravidarum: Comparison to normal pregnancy and response to treatment. American Journal of Obstetrics and Gynecology, 2003, 188, 434-438.	0.7	12
224	Role of Adenosine in Regulation of Uterine Blood Flow during Nonpreeclamptic Twin Gestation. Tohoku Journal of Experimental Medicine, 2003, 201, 127-130.	0.5	4
225	A Case of Maternal Reaction Due to Fetomaternal Transfusion.. Journal of Nippon Medical School, 2003, 70, 447-448.	0.3	0
226	Serum adenosine deaminase activity in women with hyperemesis gravidarum. Clinica Chimica Acta, 2002, 324, 141-145.	0.5	24
227	Relation between adenosine and T-helper 1/T-helper 2 imbalance in women with preeclampsia. Obstetrics and Gynecology, 2002, 99, 641-646.	1.2	34
228	Increased plasma adenosine concentrations and the severity of preeclampsia. Obstetrics and Gynecology, 2002, 100, 1266-1270.	1.2	48
229	Maternal Peripheral T-Helper 1-Type and T-Helper 2-Type Immunity in Nonpreeclamptic Twin Pregnancies. Gynecologic and Obstetric Investigation, 2002, 53, 140-143.	0.7	7
230	Maternal plasma adenosine and endothelin-1 levels in twin gestation complicated by preeclampsia. Archives of Gynecology and Obstetrics, 2002, 267, 72-75.	0.8	10
231	Massive Subchorionic Hematoma (Breus' Mole) Complicated by Intrauterine Growth Retardation.. Journal of Nippon Medical School, 2001, 68, 54-57.	0.3	21
232	Changes in Maternal Peripheral T Helper 1-Type and T Helper 2-Type Immunity during Labor.. Tohoku Journal of Experimental Medicine, 2001, 194, 137-140.	0.5	4
233	Incidence of intrauterine complications in monoamniotic twin gestation. Archives of Gynecology and Obstetrics, 2001, 265, 57-59.	0.8	20
234	Fetal position associated with an increased risk of cesarean delivery in nulliparous twin gestations. Acta Obstetrica Et Gynecologica Scandinavica, 2001, 80, 273-274.	1.3	3

#	ARTICLE	IF	CITATIONS
235	Megacolon in a fetus during the first trimester. <i>Prenatal Diagnosis</i> , 2001, 21, 422-423.	1.1	7
236	Acute fatty liver of pregnancy at 23 weeks of gestation. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2001, 108, 222-223.	1.1	11
237	Suicide Gene Therapy for Bladder Tumors.. <i>Journal of Nippon Medical School</i> , 2001, 68, 368-369.	0.3	0
238	Changes in Fetal Plasma Adenosine and Xanthine Concentrations during Fetal Asphyxia with Maternal Oxygen Administration in Ewes. <i>Tohoku Journal of Experimental Medicine</i> , 2000, 192, 275-281.	0.5	15
239	Bâ€Cellâ€™Type Malignant Lymphoma with Placental Involvement. <i>Journal of Obstetrics and Gynaecology Research</i> , 2000, 26, 39-43.	0.6	23
240	Preoperative diagnosis of dehiscence of the lower uterine segment in patients with a single previous Caesarean section. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2000, 40, 402-404.	0.4	30
241	Plasma adenosine levels increase in women with normal pregnancies. <i>American Journal of Obstetrics and Gynecology</i> , 2000, 182, 1200-1203.	0.7	50
242	Incidence of neonatal hypoglycemia in large-for-gestational-age infants of dichorionic twin pregnancies. <i>Archives of Gynecology and Obstetrics</i> , 2000, 264, 27-28.	0.8	3
243	A Retroviral Vector Capable of Targeted Gene Transfer into Cells Expressing HIV Envelope Glycoprotein. <i>Biochemical and Biophysical Research Communications</i> , 2000, 271, 672-676.	1.0	3
244	Relation between serum uric acid and plasma adenosine levels in twin pregnancies. <i>Obstetrics and Gynecology</i> , 2000, 96, 507-510.	1.2	11
245	CLINICAL USEFULNESS OF MATERNAL BODY MASS INDEX IN TWIN PREGNANCIES. <i>Hypertension in Pregnancy</i> , 2000, 19, 273-279.	0.5	13
246	Umbilical venous pulsation indicating tight cord entanglement in monoamniotic twin pregnancy.. <i>Journal of Ultrasound in Medicine</i> , 1999, 18, 425-427.	0.8	12
247	Characteristics of monochorionic-diamniotic growth-retarded twins during the third trimester. <i>Nippon Medical School Journal</i> , 1999, 66, 300-304.	0.1	0
248	Prenatal diagnosis of autosomal recessive polycystic kidney disease. A case report.. <i>Nippon Medical School Journal</i> , 1999, 66, 188-190.	0.1	0
249	10% Maltose Infusion Therapy for Oligohydramnios. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 1999, 39, 373-375.	0.4	4
250	Role of adenosine in regulation of brain temperature in fetal sheep. <i>American Journal of Obstetrics and Gynecology</i> , 1999, 181, 681-687.	0.7	11
251	Fetal brain death and Dandy-Walker malformation. <i>Prenatal Diagnosis</i> , 1999, 19, 777-779.	1.1	5
252	Sonographic evaluation of umbilical cord insertion with umbilical coiling index. , 1999, 27, 341-344.		25

#	ARTICLE	IF	CITATIONS
253	Prenatal diagnosis of acute massive fetomaternal hemorrhage. Nippon Medical School Journal, 1999, 66, 266-269.	0.1	7
254	Low level c-myc gene amplification in gastric cancer detected by dual color fluorescence in situ hybridization analysis. , 1997, 66, 173-178.		14
255	Chromosome 17 copy numbers and incidence of p53 gene deletion in gastric cancer cells. Dual color fluorescence in situ hybridization analysis.. Nippon Medical School Journal, 1997, 64, 22-29.	0.1	7
256	How to promote "discipline without tough love"™ during pregnancy: a randomized controlled trial. F1000Research, 0, 8, 1936.	0.8	0
257	How to promote "discipline without tough love"™ during pregnancy: a randomized controlled trial. F1000Research, 0, 8, 1936.	0.8	1
258	Evaluation of High-Risk Human Papillomavirus Testing in Women with Atypical Squamous Cells of Undetermined Significance to Detect Cervical Intraepithelial Neoplasia. Asian Journal of Oncology, 0, 08, 072-075.	0.2	0