

Paulo Schor

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4310674/paulo-schor-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

105
papers

1,358
citations

21
h-index

34
g-index

148
ext. papers

1,549
ext. citations

2.2
avg, IF

4.06
L-index

#	Paper	IF	Citations
105	Eye diseases during pregnancy: a study with the medical data warehouse in the eye clinic of the Ludwig-Maximilians-Universität München in Munich in Germany.. <i>Einstein (Sao Paulo, Brazil)</i> , 2022 , 20, eAO6613	1.2	0
104	Retinal autofluorescence findings after COVID-19. <i>International Journal of Retina and Vitreous</i> , 2021 , 7, 71	2.9	0
103	Eye disorders in patients with celiac disease and inflammatory bowel disease: A study using clinical data warehouse. <i>European Journal of Ophthalmology</i> , 2021 , 11206721211012849	1.9	0
102	COVID 19 repercussions in ophthalmology: a narrative review. <i>Sao Paulo Medical Journal</i> , 2021 , 139, 535-542	1.2	0
101	COVID-19 Retinal Findings in Patients Admitted to Intensive Care Units and Wards. <i>Ocular Immunology and Inflammation</i> , 2021 , 29, 705-708	2.8	2
100	Retinal microvascular density modifications during the water drinking test. <i>European Journal of Ophthalmology</i> , 2021 , 11206721211024058	1.9	0
99	Comment on: Eye drop technique and patient-reported problems in a real-world population of eye drop users <i>Eye</i> , 2021 , 35, 356	4.4	0
98	Ophthalmic image acquired by ophthalmologists and by allied health personnel as part of a telemedicine strategy: a comparative study of image quality. <i>Eye</i> , 2021 , 35, 1398-1404	4.4	3
97	Comment on: "Do We Have Enough Ophthalmologists to Manage Vision-Threatening Diabetic Retinopathy? A Global Perspective". <i>Eye</i> , 2021 , 35, 690-691	4.4	1
96	Presumed SARS-CoV-2 Viral Particles in the Human Retina of Patients With COVID-19. <i>JAMA Ophthalmology</i> , 2021 , 139, 1015-1021	3.9	7
95	Piezoelectric 3D bioprinting for ophthalmological applications: process development and viability analysis of the technology. <i>Biomedical Physics and Engineering Express</i> , 2020 , 6, 035021	1.5	4
94	Use of Artificial Intelligence to Assess Human Emotion. <i>Open Psychology Journal</i> , 2020 , 13, 14-16	0.5	0
93	Comparison of morphological changes of corneal collagen fibers treated with collagen crosslinking agents using second harmonic generation images. <i>International Journal of Biological Macromolecules</i> , 2020 , 165, 346-353	7.9	0
92	Results from the SERPICO-19 study - the role of retinal evaluation and in vivo vascular assessment in COVID-19. <i>EClinicalMedicine</i> , 2020 , 29, 100655	11.3	2
91	Response to Westermeyer et al, "Use of a Versatile, Inexpensive Ophthalmoscopy Teaching Model in Veterinary Medical Student Education Increases Ophthalmoscopy Proficiency". <i>Journal of Veterinary Medical Education</i> , 2020 , 47, 249	1.3	1
90	The use of telemedicine to support Brazilian primary care physicians in managing eye conditions: The TeleOftalmo Project. <i>PLoS ONE</i> , 2020 , 15, e0231034	3.7	11
89	Combining experiences of race gaming and natural driving affects gaze location strategy in simulated context. <i>Ergonomics</i> , 2019 , 62, 1392-1399	2.9	1

88	DSC characterization of enzymatic digestion of corneas treated with plant extracts rich in polyphenols. <i>Journal of Thermal Analysis and Calorimetry</i> , 2019 , 138, 3797-3802	4.1	1
87	Adverse effects of anxiety on attentional control differ as a function of experience: A simulated driving study. <i>Applied Ergonomics</i> , 2019 , 74, 41-47	4.2	9
86	Enzymatically obtaining hydrogels of PVA crosslinked with ferulic acid in the presence of laccase for biomedical applications. <i>European Polymer Journal</i> , 2019 , 112, 610-618	5.2	15
85	Implicit learning increases shot accuracy of football players when making strategic decisions during penalty kicking. <i>Human Movement Science</i> , 2018 , 61, 72-80	2.4	9
84	Characterization of PVA/glutaraldehyde hydrogels obtained using Central Composite Rotatable Design (CCRD). <i>Journal of Biomedical Materials Research - Part B Applied Biomaterials</i> , 2018 , 106, 1558-1566	3.5	13
83	The influence of anxiety on visual entropy of experienced drivers 2018 ,		1
82	Training of direct ophthalmoscopy using models. <i>Clinical Teacher</i> , 2017 , 14, 423-426	1.1	8
81	Development of a new tissue injector for subretinal transplantation of human embryonic stem cell derived retinal pigmented epithelium. <i>International Journal of Retina and Vitreous</i> , 2017 , 3, 41	2.9	19
80	Comments to: Comparison of eyedrop instillation technique with and without a delivery device in inexperienced patients. <i>European Journal of Ophthalmology</i> , 2017 , 27, e57	1.9	
79	Characterization of Rabbit Corneas Subjected to Stromal Stiffening by the Aβ Extract (Euterpe oleracea). <i>Current Eye Research</i> , 2017 , 42, 528-533	2.9	7
78	Argus [®] II Retinal Prosthesis System 2017 , 49-63		3
77	Eye disorders in children with celiac disease. <i>European Journal of Ophthalmology</i> , 2016 , 26, e83	1.9	1
76	Conditions for obtaining polyvinyl alcohol/trisodium trimetaphosphate hydrogels as vitreous humor substitute. <i>Journal of Biomedical Materials Research - Part B Applied Biomaterials</i> , 2016 , 104, 1386-95	3.5	9
75	Discriminant Value of Custom Ocular Response Analyzer Waveform Derivatives in Forme Fruste Keratoconus. <i>American Journal of Ophthalmology</i> , 2016 , 164, 14-21	4.9	32
74	Literatura e Humanizaç�o: uma Experi�ncia Did�tica de Educa�o Human�stica em Sa�de. <i>Revista Brasileira De Educa�o Medica</i> , 2016 , 40, 93-101	0.3	1
73	Ophthalmologic manifestations of celiac disease. <i>International Journal of Ophthalmology</i> , 2016 , 9, 159-62	2.4	8
72	Enhanced Combined Tomography and Biomechanics Data for Distinguishing Forme Fruste Keratoconus. <i>Journal of Refractive Surgery</i> , 2016 , 32, 479-94	3.3	52
71	Mitomycin C in pterygium treatment. <i>International Journal of Ophthalmology</i> , 2016 , 9, 465-8	1.4	27

70	INTRAOCCULAR PRESSURE CHANGES DURING VITRECTOMY USING CONSTELLATION VISION SYSTEM'S INTRAOCCULAR PRESSURE CONTROL FEATURE. <i>Retina</i> , 2016 , 36, 1275-80	3.6	5
69	Comments to: Recurrence and complications of pterygium extended removal followed by extended conjunctival transplant for primary pterygia. <i>European Journal of Ophthalmology</i> , 2016 , 26, e62	1.9	
68	The surgical challenges dense brunescant cataracts present. <i>Expert Review of Ophthalmology</i> , 2015 , 10, 13-22	1.5	1
67	Low-cost model for teaching ophthalmoscopy. <i>Medical Education</i> , 2015 , 49, 528	3.7	0
66	Ten-Year Follow-up of a Blind Patient Chronically Implanted with Epiretinal Prosthesis Argus I. <i>Ophthalmology</i> , 2015 , 122, 2545-52.e1	7.3	47
65	Preoperative automatic visual behavioural analysis as a tool for intraocular lens choice in cataract surgery. <i>Arquivos Brasileiros De Oftalmologia</i> , 2015 , 78, 94-9	1.1	1
64	December consultation #3. <i>Journal of Cataract and Refractive Surgery</i> , 2015 , 41, 2773-4	2.3	
63	Production of an intraocular device using 3D printing: an innovative technology for ophthalmology. <i>Arquivos Brasileiros De Oftalmologia</i> , 2015 , 78, 393-4	1.1	8
62	Teaching ophthalmoscopy to medical students (the TOTeMS Study). <i>American Journal of Ophthalmology</i> , 2014 , 157, 1329-30	4.9	2
61	Theoretical basis, laboratory evidence, and clinical research of chemical surgery of the cornea: cross-linking. <i>Journal of Ophthalmology</i> , 2014 , 2014, 890823	2	10
60	Reply: To PMID 23688870. <i>Journal of Cataract and Refractive Surgery</i> , 2013 , 39, 1790-1	2.3	1
59	Retrochop technique for rock-hard cataracts. <i>Journal of Cataract and Refractive Surgery</i> , 2013 , 39, 826-9	2.3	14
58	Special cannula to use 20-gauge instruments while performing a 23-gauge vitreous surgery in complicated cases. <i>Retina</i> , 2013 , 33, 1279-80	3.6	
57	ORA waveform-derived biomechanical parameters to distinguish normal from keratoconic eyes. <i>Arquivos Brasileiros De Oftalmologia</i> , 2013 , 76, 111-7	1.1	24
56	Corneal absorption of a new riboflavin-nanostructured system for transepithelial collagen cross-linking. <i>PLoS ONE</i> , 2013 , 8, e66408	3.7	36
55	Best waveform score for diagnosing keratoconus. <i>Revista Brasileira De Oftalmologia</i> , 2013 , 72, 361-365	1.8	4
54	Variability of subjective classifications of corneal topography maps from LASIK candidates. <i>Journal of Refractive Surgery</i> , 2013 , 29, 770-5	3.3	29
53	Psychometric properties of the NEI-RQL-42 questionnaire in keratoconus 2012 , 53, 7370-4		27

52	Measurements of microkeratome cuts in donor corneas with ultrasound and optical coherence tomography. <i>Cornea</i> , 2012 , 31, 145-9	3.1	11
51	Evaluation of Ocular Biomechanical Indices to Distinguish Normal from Keratoconus Eyes. <i>International Journal of Keratoconus and Ectatic Corneal Diseases</i> , 2012 , 1, 145-150	0	
50	Visual perception changes and optical stability after intracorneal ring segment implantation: comparison between 3 months and 1 year after surgery. <i>Clinical Ophthalmology</i> , 2011 , 5, 1057-62	2.5	3
49	Analysis of the correlation between ophthalmic examination and quality of life outcomes following intracorneal ring segment implantation for keratoconus. <i>Arquivos Brasileiros De Oftalmologia</i> , 2011 , 74, 410-3	1.1	9
48	Effect of corneal epithelium on ultraviolet-A and riboflavin absorption. <i>Arquivos Brasileiros De Oftalmologia</i> , 2011 , 74, 348-51	1.1	44
47	Interchangeability between Placido disc and Scheimpflug system: quantitative and qualitative analysis. <i>Arquivos Brasileiros De Oftalmologia</i> , 2010 , 73, 363-6	1.1	10
46	Novos conceitos em modelamento corneano. <i>Revista Brasileira De Oftalmologia</i> , 2010 , 69, 132-137	1.8	1
45	Avaliaçã da disciplina observaã da prãtica mãdica pelos graduandos de medicina da Unifesp - Escola Paulista de Medicina. <i>Revista Brasileira De Educaçao Medica</i> , 2010 , 34, 542-548	0.3	
44	Evaluation of the impact of intracorneal ring segments implantation on the quality of life of patients with keratoconus using the NEI-RQL (National Eye Institute Refractive Error Quality of life) instrument. <i>British Journal of Ophthalmology</i> , 2010 , 94, 101-5	5.5	17
43	Effect of collagen cross-linking in stromal fibril organization in edematous human corneas. <i>Cornea</i> , 2010 , 29, 789-93	3.1	29
42	Simulated cup/disc ratio: a tool for ophthalmologists. <i>Arquivos Brasileiros De Oftalmologia</i> , 2010 , 73, 320-2	1.1	
41	Guillotine performance: duty cycle analysis of vitrectomy systems. <i>Retinal Cases and Brief Reports</i> , 2009 , 3, 64-7	1.1	9
40	Keratoconus prediction using a finite element model of the cornea with local biomechanical properties. <i>Arquivos Brasileiros De Oftalmologia</i> , 2009 , 72, 139-45	1.1	26
39	Calculation of intraocular lens power using Orbscan II quantitative area topography after corneal refractive surgery. <i>Journal of Refractive Surgery</i> , 2009 , 25, 1061-74	3.3	18
38	Overlooked features of corneal topographers. <i>Journal of Cataract and Refractive Surgery</i> , 2008 , 34, 719-20		2
37	Long-term follow-up of orthokeratology corneal reshaping using wavefront aberrometry and contrast sensitivity. <i>Eye and Contact Lens</i> , 2008 , 34, 140-5	3.2	34
36	Validation of a new fiber electrode prototype for clinical electroretinography. <i>Arquivos Brasileiros De Oftalmologia</i> , 2008 , 71, 316-20	1.1	1
35	Fluid dynamics in three 25-gauge vitrectomy systems: principles for use in vitreoretinal surgery. <i>Acta Ophthalmologica</i> , 2008 , 86, 156-9	3.7	25

34	Immunofluorescence confocal microscopy of porcine corneas following collagen cross-linking treatment with riboflavin and ultraviolet A. <i>Journal of Refractive Surgery</i> , 2008 , 24, S715-9	3.3	54
33	A new device for ocular globe enucleation. <i>Ophthalmic Surgery Lasers and Imaging Retina</i> , 2008 , 39, 524-7.	1.4	1
32	Ocular wavefront aberrations in patients after diffuse lamellar keratitis. <i>Cornea</i> , 2007 , 26, 6-8	3.1	3
31	Corneal changes and wavefront analysis after orthokeratology fitting test. <i>American Journal of Ophthalmology</i> , 2007 , 144, 378-86	4.9	42
30	Determining corneal power using Orbscan II videokeratography for IOL calculation after excimer laser surgery for myopia. <i>Journal of Cataract and Refractive Surgery</i> , 2007 , 33, 1348-9; author reply 1349-50	2.3	3
29	Sectorial and Annular Quantitative Area Pachymetry With the Orbscan II. <i>Journal of Refractive Surgery</i> , 2007 , 23, 89-92	3.3	6
28	Limbal Relaxing Incisions to Correct Corneal Astigmatism During Phacoemulsification. <i>Journal of Refractive Surgery</i> , 2007 , 23, 499-504	3.3	63
27	Stability of Wavefront Aberrations During the Daytime After 6 Months of Overnight Orthokeratology Corneal Reshaping. <i>Journal of Refractive Surgery</i> , 2007 , 23, 978-983	3.3	5
26	Sectorial and annular quantitative area pachymetry with the Orbscan II. <i>Journal of Refractive Surgery</i> , 2007 , 23, 89-92	3.3	
25	Limbal relaxing incisions to correct corneal astigmatism during phacoemulsification. <i>Journal of Refractive Surgery</i> , 2007 , 23, 499-504	3.3	21
24	Stability of wavefront aberrations during the daytime after 6 months of overnight orthokeratology corneal reshaping. <i>Journal of Refractive Surgery</i> , 2007 , 23, 978-83	3.3	
23	Quantitative comparison of different-shaped wavefront sensors and preliminary results for defocus aberrations on a mechanical eye. <i>Arquivos Brasileiros De Oftalmologia</i> , 2006 , 69, 239-47	1.1	2
22	The Effect of Phenylephrine and Cyclopentolate on Objective Wavefront Measurements. <i>Journal of Refractive Surgery</i> , 2006 , 22, 472-481	3.3	14
21	The effect of phenylephrine and cyclopentolate on objective wavefront measurements. <i>Journal of Refractive Surgery</i> , 2006 , 22, 472-81	3.3	2
20	A new wavefront sensor with polar symmetry: quantitative comparisons with a Shack-Hartmann wavefront sensor. <i>Journal of Refractive Surgery</i> , 2006 , 22, 954-8	3.3	0
19	PTTL method applied to UV radiation detection during refractive surgery using excimer laser. <i>Radiation Protection Dosimetry</i> , 2005 , 113, 185-8	0.9	
18	Corneal Power Measurement After Laser In Situ Keratomileusis Reply. <i>JAMA Ophthalmology</i> , 2005 , 123, 410		3
17	Iris recognition as a biometric method after cataract surgery. <i>BioMedical Engineering OnLine</i> , 2004 , 3, 2	4.1	21

16	Shifting trends in in vitro antibiotic susceptibilities for common ocular isolates during a period of 15 years. <i>American Journal of Ophthalmology</i> , 2004 , 137, 43-51	4.9	102
15	Corneal infections after implantation of intracorneal ring segments. <i>Cornea</i> , 2004 , 23, 547-9	3.1	72
14	A direct method to measure the power of the central cornea after myopic laser in situ keratomileusis. <i>JAMA Ophthalmology</i> , 2004 , 122, 159-66		78
13	Descrição de uma ferramenta digital e de um ambiente virtual para fins de segunda opinião em oftalmologia. <i>Arquivos Brasileiros De Oftalmologia</i> , 2003 , 66, 583	1.1	3
12	Preliminary results of a high-resolution refractometer using the Hartmann-Shack wave-front sensor: part I. <i>Arquivos Brasileiros De Oftalmologia</i> , 2003 , 66, 261-268	1.1	
11	A clinical follow up of PRK and LASIK in eyes with preoperative abnormal corneal topographies. <i>British Journal of Ophthalmology</i> , 2003 , 87, 682-5	5.5	9
10	Ex-vivo corneal lamellar treatment for Staphylococcus aureus flap infection in a LASIK model. <i>Cornea</i> , 2003 , 22, 282	3.1	
9	Reasons not to select patients for corneal refractive surgery. <i>Arquivos Brasileiros De Oftalmologia</i> , 2002 , 65, 463-466	1.1	2
8	Frentes de ondas (wavefronts) e limites da visão humana Parte 2: aplicações. <i>Arquivos Brasileiros De Oftalmologia</i> , 2002 , 65, 685-690	1.1	
7	Videokeratoscopes for dioptric power measurement during surgery. <i>Journal of Cataract and Refractive Surgery</i> , 2002 , 28, 2006-16	2.3	6
6	Videokeratograph (VKS) for monitoring corneal curvature during surgery. <i>Arquivos Brasileiros De Oftalmologia</i> , 2002 , 65, 37-41	1.1	5
5	Ceratite por Staphylococcus aureus após ceratomileuse in situ por laser (LASIK): relato de caso. <i>Arquivos Brasileiros De Oftalmologia</i> , 2000 , 63, 143-145	1.1	2
4	Myopic angle-supported intraocular lenses: two-year follow-up. <i>Ophthalmology</i> , 2000 , 107, 1549-54	7.3	90
3	Factors Affecting Corneal Strip Stroma-to-Stroma Adhesion. <i>Journal of Refractive Surgery</i> , 1998 , 14, 460-462	3.5	16
2	HIV-Antibody Detection in Vitreous Humor and Serum by Enzyme Immunosorbent Assay and Particle Agglutination Test. <i>Cornea</i> , 1997 , 16, 541-544	3.1	3
1	Vision-Threatening Stromal Folds After Myopic Keratomileusis. <i>Journal of Refractive Surgery</i> , 1996 , 12, 567-568	3.3	1