

Catherine Arnaud

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4312257/publications.pdf>

Version: 2024-02-01

137
papers

10,164
citations

38742

50
h-index

37204

96
g-index

139
all docs

139
docs citations

139
times ranked

10519
citing authors

#	ARTICLE	IF	CITATIONS
1	Fluoxetine for motor recovery after acute ischaemic stroke (FLAME): a randomised placebo-controlled trial. <i>Lancet Neurology</i> , The, 2011, 10, 123-130.	10.2	795
2	Neurodevelopmental disabilities and special care of 5-year-old children born before 33 weeks of gestation (the EPIPAGE study): a longitudinal cohort study. <i>Lancet</i> , The, 2008, 371, 813-820.	13.7	758
3	Survival and Morbidity of Preterm Children Born at 22 Through 34 Weeksâ€™ Gestation in France in 2011. <i>JAMA Pediatrics</i> , 2015, 169, 230.	6.2	576
4	Self-reported quality of life of 8â€“12-year-old children with cerebral palsy: a cross-sectional European study. <i>Lancet</i> , The, 2007, 369, 2171-2178.	13.7	398
5	Behavioral Problems and Cognitive Performance at 5 Years of Age After Very Preterm Birth: The EPIPAGE Study. <i>Pediatrics</i> , 2009, 123, 1485-1492.	2.1	348
6	Cerebral Palsy Among Very Preterm Children in Relation to Gestational Age and Neonatal Ultrasound Abnormalities: The EPIPAGE Cohort Study. <i>Pediatrics</i> , 2006, 117, 828-835.	2.1	342
7	Neurodevelopmental outcome at 2 years for preterm children born at 22 to 34 weeksâ€™ gestation in France in 2011: EPIPAGE-2 cohort study. <i>BMJ: British Medical Journal</i> , 2017, 358, j3448.	2.3	317
8	Nocturnal blood pressure and 24-hour pulse pressure are potent indicators of mortality in hemodialysis patients. <i>Kidney International</i> , 2000, 57, 2485-2491.	5.2	211
9	Participation in life situations of 8-12 year old children with cerebral palsy: cross sectional European study. <i>BMJ: British Medical Journal</i> , 2009, 338, b1458-b1458.	2.3	203
10	Determinants of Child-Parent Agreement in Quality-of-Life Reports: A European Study of Children With Cerebral Palsy. <i>Pediatrics</i> , 2007, 120, e804-e814.	2.1	192
11	<i>lme4</i> and <i>glmmTMB</i> : R Packages to Cluster Longitudinal Data. <i>Journal of Statistical Software</i> , 2015, 65, .	3.7	192
12	White matter damage and intraventricular hemorrhage in very preterm infants: the EPIPAGE study. <i>Journal of Pediatrics</i> , 2003, 143, 477-483.	1.8	189
13	A nationwide survey of hepatitis E viral infection in French blood donors. <i>Hepatology</i> , 2016, 63, 1145-1154.	7.3	182
14	Psychological problems in children with cerebral palsy: a cross-sectional European study. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2008, 49, 405-413.	5.2	173
15	Neonatal Infection and 5-year Neurodevelopmental Outcome of Very Preterm Infants. <i>Pediatrics</i> , 2013, 132, e372-e380.	2.1	170
16	Parent-Reported Quality of Life of Children With Cerebral Palsy in Europe. <i>Pediatrics</i> , 2008, 121, 54-64.	2.1	156
17	Predictors of cerebral palsy in very preterm infants: the EPIPAGE prospective population-based cohort study. <i>Developmental Medicine and Child Neurology</i> , 2010, 52, e119-25.	2.1	151
18	Self-reported quality of life of adolescents with cerebral palsy: a cross-sectional and longitudinal analysis. <i>Lancet</i> , The, 2015, 385, 705-716.	13.7	148

#	ARTICLE	IF	CITATIONS
19	Behavioral Outcome at 3 Years of Age in Very Preterm Infants: The EIPAGE Study. <i>Pediatrics</i> , 2006, 117, 1996-2005.	2.1	144
20	Pain in young people aged 13 to 17 years with cerebral palsy: cross-sectional, multicentre European study. <i>Archives of Disease in Childhood</i> , 2013, 98, 434-440.	1.9	141
21	Neurodevelopmental outcomes at age 5 among children born preterm: EIPAGE-2 cohort study. <i>BMJ</i> , The, 2021, 373, n741.	6.0	125
22	Brain Injury in Very Preterm Children and Neurosensory and Cognitive Disabilities during Childhood: The EIPAGE Cohort Study. <i>PLoS ONE</i> , 2013, 8, e62683.	2.5	124
23	Determinants of students' attitudes towards peers with disabilities. <i>Developmental Medicine and Child Neurology</i> , 2009, 51, 473-479.	2.1	123
24	Prolonged Sedation and/or Analgesia and 5-Year Neurodevelopment Outcome in Very Preterm Infants. <i>JAMA Pediatrics</i> , 2008, 162, 728.	3.0	122
25	Socioeconomic Disparities and Prevalence of Autism Spectrum Disorders and Intellectual Disability. <i>PLoS ONE</i> , 2015, 10, e0141964.	2.5	119
26	Hyperghrelinemia Precedes Obesity in Prader-Willi Syndrome. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2008, 93, 2800-2805.	3.6	117
27	The Use of Oxytocin to Improve Feeding and Social Skills in Infants With Prader-Willi Syndrome. <i>Pediatrics</i> , 2017, 139, .	2.1	117
28	Frequency of participation of 12-year-old children with cerebral palsy: A multi-centre cross-sectional European study. <i>European Journal of Paediatric Neurology</i> , 2009, 13, 165-177.	1.6	116
29	Effect of Intra- and Extrauterine Growth on Long-Term Neurologic Outcomes of Very Preterm Infants. <i>Journal of Pediatrics</i> , 2016, 175, 93-99.e1.	1.8	112
30	Peer Victimization Among School-aged Children With Chronic Conditions. <i>Epidemiologic Reviews</i> , 2012, 34, 120-128.	3.5	102
31	European study of frequency of participation of adolescents with and without cerebral palsy. <i>European Journal of Paediatric Neurology</i> , 2014, 18, 282-294.	1.6	94
32	Previous induced abortions and the risk of very preterm delivery: results of the EIPAGE study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2005, 112, 430-437.	2.3	92
33	Oxytocin may be useful to increase trust in others and decrease disruptive behaviours in patients with Prader-Willi syndrome: a randomised placebo-controlled trial in 24 patients. <i>Orphanet Journal of Rare Diseases</i> , 2011, 6, 47.	2.7	91
34	Prevalence and Associated Factors of Minor Neuromotor Dysfunctions at Age 5 Years in Prematurely Born Children. <i>JAMA Pediatrics</i> , 2007, 161, 1053.	3.0	89
35	Association Between Participation in Life Situations of Children With Cerebral Palsy and Their Physical, Social, and Attitudinal Environment: A Cross-Sectional Multicenter European Study. <i>Archives of Physical Medicine and Rehabilitation</i> , 2012, 93, 2154-2164.	0.9	86
36	Victims of Bullying Among Students With a Disability or Chronic Illness and Their Peers: A Cross-National Study Between Ireland and France. <i>Journal of Adolescent Health</i> , 2011, 48, 461-466.	2.5	85

#	ARTICLE	IF	CITATIONS
37	Factors associated with early menarche: results from the French Health Behaviour in School-aged Children (HBSC) study. <i>BMC Public Health</i> , 2010, 10, 175.	2.9	81
38	Subjective quality of life in children with intellectual impairment – how can it be assessed?. <i>Developmental Medicine and Child Neurology</i> , 2005, 47, 281-285.	2.1	77
39	Are maternal hypertension and small-for-gestational age risk factors for severe intraventricular hemorrhage and cystic periventricular leukomalacia? Results of the EPIPAGE cohort study. <i>American Journal of Obstetrics and Gynecology</i> , 2005, 193, 178-184.	1.3	73
40	Endovascular repair of traumatic rupture of the aortic isthmus: Midterm results. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2006, 132, 1037-1041.	0.8	71
41	Peer victimization and subjective health among students reporting disability or chronic illness in 11 Western countries. <i>European Journal of Public Health</i> , 2013, 23, 421-426.	0.3	71
42	Prevalence of Autism Spectrum Disorder in 7-9-Year-Old Children in Denmark, Finland, France and Iceland: A Population-Based Registries Approach Within the ASDEU Project. <i>Journal of Autism and Developmental Disorders</i> , 2020, 50, 949-959.	2.7	70
43	Diagnostic performance of complete lower limb venous ultrasound in patients with clinically suspected acute pulmonary embolism. <i>Thrombosis and Haemostasis</i> , 2004, 91, 187-195.	3.4	68
44	Measuring children's attitudes towards peers with disabilities: a review of instruments. <i>Developmental Medicine and Child Neurology</i> , 2008, 50, 182-189.	2.1	68
45	Access of children with cerebral palsy to the physical, social and attitudinal environment they need: a cross-sectional European study. <i>Disability and Rehabilitation</i> , 2011, 33, 28-35.	1.8	65
46	Leading causes of preterm delivery as risk factors for intraventricular hemorrhage in very preterm infants: results of the EPIPAGE 2 cohort study. <i>American Journal of Obstetrics and Gynecology</i> , 2017, 216, 518.e1-518.e12.	1.3	65
47	Cause of Preterm Birth as a Prognostic Factor for Mortality. <i>Obstetrics and Gynecology</i> , 2016, 127, 40-48.	2.4	64
48	Parent and professional reports of the quality of life of children with cerebral palsy and associated intellectual impairment. <i>Developmental Medicine and Child Neurology</i> , 2008, 50, 618-624.	2.1	61
49	Cardiac MRI in pulmonary artery hypertension: correlations between morphological and functional parameters and invasive measurements. <i>European Radiology</i> , 2010, 20, 1149-1159.	4.5	59
50	Impact of Latency Duration on the Prognosis of Preterm Infants after Preterm Premature Rupture of Membranes at 24 to 32 Weeks' Gestation: A National Population-Based Cohort Study. <i>Journal of Pediatrics</i> , 2017, 182, 47-52.e2.	1.8	57
51	Prediction of Delayed Cerebral Ischemia After Subarachnoid Hemorrhage Using Cerebral Blood Flow Velocities and Cerebral Autoregulation Assessment. <i>Neurocritical Care</i> , 2015, 23, 253-258.	2.4	56
52	Improving attitudes towards children with disabilities in a school context: a cluster randomized intervention study. <i>Developmental Medicine and Child Neurology</i> , 2010, 52, e236-42.	2.1	52
53	Causes of death in Prader-Willi syndrome: lessons from 11 years' experience of a national reference center. <i>Orphanet Journal of Rare Diseases</i> , 2019, 14, 238.	2.7	50
54	Adolescents with Partial Growth Hormone (GH) Deficiency Develop Alterations of Body Composition after GH Discontinuation and Require Follow-Up. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2003, 88, 5101-5106.	3.6	49

#	ARTICLE	IF	CITATIONS
55	Prenatal Risk Factors for Cerebral Palsy in Very Preterm Singletons and Twins. <i>Obstetrics and Gynecology</i> , 2005, 105, 1341-1347.	2.4	45
56	Predictors of participation of adolescents with cerebral palsy: A European multi-centre longitudinal study. <i>Research in Developmental Disabilities</i> , 2015, 36, 551-564.	2.2	45
57	Gastrostomy tube feeding of children with cerebral palsy: variation across six European countries. <i>Developmental Medicine and Child Neurology</i> , 2012, 54, 938-944.	2.1	44
58	Cerebral palsy of post-neonatal origin: characteristics and risk factors. <i>Paediatric and Perinatal Epidemiology</i> , 2004, 18, 214-220.	1.7	40
59	Do very preterm twins and singletons differ in their neurodevelopment at 5 years of age?. <i>Archives of Disease in Childhood: Fetal and Neonatal Edition</i> , 2013, 98, F480-F487.	2.8	40
60	Growth patterns of patients with Noonan syndrome: correlation with age and genotype. <i>European Journal of Endocrinology</i> , 2016, 174, 641-650.	3.7	40
61	Low but Increasing Prevalence of Autism Spectrum Disorders in a French Area from Register-Based Data. <i>Journal of Autism and Developmental Disorders</i> , 2015, 45, 3255-3261.	2.7	39
62	Translating Neurodevelopmental Care Policies Into Practice: The Experience of Neonatal ICUs in France – The EPIPAGE-2 Cohort Study. <i>Pediatric Critical Care Medicine</i> , 2016, 17, 957-967.	0.5	39
63	Prevalence and characteristics of autism spectrum disorders in children with cerebral palsy. <i>Developmental Medicine and Child Neurology</i> , 2017, 59, 738-742.	2.1	38
64	Policy of feeding very preterm infants with their mother's own fresh expressed milk was associated with a reduced risk of bronchopulmonary dysplasia. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2017, 106, 755-762.	1.5	37
65	IMPACT OF HEPATITIS C VIRUS DURATION AND HEPATITIS C VIRUS GENOTYPES ON RENAL TRANSPLANT PATIENTS. <i>Transplantation</i> , 1998, 65, 930-936.	1.0	37
66	Midterm results of endovascular treatment of atherosclerotic aneurysms of the descending thoracic aorta. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2006, 132, 1030-1036.	0.8	36
67	Assessment of data quality in a multi-centre cross-sectional study of participation and quality of life of children with cerebral palsy. <i>BMC Public Health</i> , 2006, 6, 273.	2.9	36
68	Elevated Insulin-Like Growth Factor-I Values in Children with Prader-Willi Syndrome Compared with Growth Hormone (GH) Deficiency Children over Two Years of GH Treatment. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010, 95, 4600-4608.	3.6	36
69	Trends in prevalence and characteristics of post-neonatal cerebral palsy cases: A European registry-based study. <i>Research in Developmental Disabilities</i> , 2013, 34, 1669-1677.	2.2	35
70	Prenatal Low-Dose Aspirin and Neurobehavioral Outcomes of Children Born Very Preterm. <i>Pediatrics</i> , 2010, 125, e29-e34.	2.1	33
71	Predictors of parent-reported quality of life of adolescents with cerebral palsy: A longitudinal study. <i>Research in Developmental Disabilities</i> , 2017, 62, 259-270.	2.2	33
72	Intrauterine Growth Restriction, Head Size at Birth, and Outcome in Very Preterm Infants. <i>Journal of Pediatrics</i> , 2015, 167, 975-981.e2.	1.8	32

#	ARTICLE	IF	CITATIONS
73	Assessing Alzheimer's disease patients' quality of life: Discrepancies between patient and caregiver perspectives. <i>Alzheimer's and Dementia</i> , 2016, 12, 427-437.	0.8	31
74	Preventive interventions in offspring of parents with mental illness: a systematic review and meta-analysis of randomized controlled trials. <i>Psychological Medicine</i> , 2021, 51, 2321-2336.	4.5	30
75	The Influence of Fetal Growth Reference Standards on Assessment of Cognitive and Academic Outcomes of Very Preterm Children. <i>Journal of Pediatrics</i> , 2012, 161, 1053-1058.e1.	1.8	28
76	Family adaptation to cerebral palsy in adolescents: A European multicenter study. <i>Research in Developmental Disabilities</i> , 2017, 61, 138-150.	2.2	27
77	Improving Perinatal Regionalization by Predicting Neonatal Intensive Care Requirements of Preterm Infants: An EIPAGE-Based Cohort Study. <i>Pediatrics</i> , 2006, 118, 84-90.	2.1	26
78	Monitoring the prevalence of severe intellectual disability in children across Europe: feasibility of a common database. <i>Developmental Medicine and Child Neurology</i> , 2014, 56, 361-369.	2.1	25
79	Determinants of inclusive education of 8-12 year-old children with cerebral palsy in 9 European regions. <i>Research in Developmental Disabilities</i> , 2013, 34, 588-595.	2.2	24
80	The Origin of the Cerebral Palsies: Contribution of Population-Based Neuroimaging Data. <i>Neuropediatrics</i> , 2020, 51, 113-119.	0.6	24
81	Association between asthma and lung function in adolescents born very preterm: results of the EIPAGE cohort study. <i>Thorax</i> , 2018, 73, 1174-1176.	5.6	23
82	Severity of Cerebral Palsy – The Impact of Associated Impairments. <i>Neuropediatrics</i> , 2020, 51, 120-128.	0.6	23
83	Neonatal Mortality and Long-Term Outcome of Infants Born between 27 and 32 Weeks of Gestational Age in Breech Presentation: The EIPAGE Cohort Study. <i>PLoS ONE</i> , 2016, 11, e0145768.	2.5	22
84	Patient Refusal of Emergency Cesarean Delivery. <i>Obstetrics and Gynecology</i> , 2006, 108, 1121-1129.	2.4	21
85	Predictors of drop-out in a multi-centre longitudinal study of participation and quality of life of children with cerebral palsy. <i>BMC Research Notes</i> , 2012, 5, 300.	1.4	21
86	Association of Chorioamnionitis with Cerebral Palsy at Two Years after Spontaneous Very Preterm Birth: The EIPAGE-2 Cohort Study. <i>Journal of Pediatrics</i> , 2020, 222, 71-78.e6.	1.8	21
87	Trends in Prevalence and Severity of Pre/Perinatal Cerebral Palsy Among Children Born Preterm From 2004 to 2010: A SCPE Collaboration Study. <i>Frontiers in Neurology</i> , 2021, 12, 624884.	2.4	21
88	Urinary aquaporin-2 excretion during early human development. <i>Pediatric Nephrology</i> , 2006, 21, 947-952.	1.7	19
89	Relationship between paradoxical breathing and pleural diseases in dyspneic dogs and cats: 389 cases (2001-2009). <i>Journal of the American Veterinary Medical Association</i> , 2012, 240, 1095-1099.	0.5	19
90	French database of children and adolescents with Prader-Willi syndrome. <i>BMC Medical Genetics</i> , 2008, 9, 89.	2.1	18

#	ARTICLE	IF	CITATIONS
91	Mother-infant interaction assessment at discharge and at 6 months in a French cohort of infants born very preterm: The OLIMPE study. PLoS ONE, 2017, 12, e0188942.	2.5	18
92	LONG-TERM IMPACT OF SUPERINFECTION BY HEPATITIS G VIRUS IN HEPATITIS C VIRUS-POSITIVE RENAL TRANSPLANT PATIENTS. Transplantation, 1999, 67, 556-560.	1.0	17
93	Unit policies and breast milk feeding at discharge of very preterm infants: The EPIPAGE cohort study. Paediatric and Perinatal Epidemiology, 2019, 33, 59-69.	1.7	16
94	Planned delivery route of preterm breech singletons, and neonatal and 2-year outcomes: a population-based cohort study. BJOG: an International Journal of Obstetrics and Gynaecology, 2019, 126, 73-82.	2.3	16
95	Disparity of child/parent-reported quality of life in cerebral palsy persists into adolescence. Developmental Medicine and Child Neurology, 2021, 63, 68-74.	2.1	16
96	Visual impairment in children: prevalence, aetiology and care, 1976-85. Paediatric and Perinatal Epidemiology, 1998, 12, 228-239.	1.7	15
97	Measuring the concept of impact of childhood disability on parents: Validation of a multidimensional measurement in a cerebral palsy population. Research in Developmental Disabilities, 2012, 33, 1594-1604.	2.2	14
98	Social Context of Preterm Delivery in France in 2011 and Impact on Short-Term Health Outcomes: the EPIPAGE 2 Cohort Study. Paediatric and Perinatal Epidemiology, 2015, 29, 184-195.	1.7	14
99	Instrumental Rotation for Persistent Fetal Occiput Posterior Position: A Way to Decrease Maternal and Neonatal Injury?. PLoS ONE, 2013, 8, e78124.	2.5	14
100	Faecal incontinence after first instrumental vaginal delivery using Thierry's spatulas. International Urogynecology Journal, 2010, 21, 1195-1203.	1.4	13
101	Is STAN monitoring associated with a significant decrease in metabolic acidosis at birth compared with cardiotocography alone? Review of the three meta-analyses that included the recent US trial. Acta Obstetrica Et Gynecologica Scandinavica, 2016, 95, 1190-1191.	2.8	12
102	Educational and health outcomes associated with bronchopulmonary dysplasia in 15-year-olds born preterm. PLoS ONE, 2019, 14, e0222286.	2.5	12
103	Changes in tooth brushing frequency and its associated factors from 2006 to 2014 among French adolescents: Results from three repeated cross sectional HBSC studies. PLoS ONE, 2021, 16, e0249129.	2.5	12
104	Cognitive Impairment at Age 5 Years in Very Preterm Infants Born Following Premature Rupture of Membranes. Journal of Pediatrics, 2013, 163, 435-440.e2.	1.8	11
105	Socioeconomic and behavioral determinants of tooth brushing frequency: results from the representative French 2010 HBSC cross-sectional study. Journal of Public Health Dentistry, 2018, 78, 221-230.	1.2	11
106	Decreasing cerebral palsy prevalence in multiple births in the modern era: a population cohort study of European data. Archives of Disease in Childhood: Fetal and Neonatal Edition, 2021, 106, 125-130.	2.8	11
107	Echocardiographic Parameters Predictive of Poor Outcome in Persistent Pulmonary Hypertension of the Newborn (PPHN): Preliminary Results. Pediatric Cardiology, 2021, 42, 1848-1853.	1.3	11
108	Associations Between Life Contexts and Early Sexual Initiation Among Young Women in France. Perspectives on Sexual and Reproductive Health, 2014, 46, 31-39.	3.3	9

#	ARTICLE	IF	CITATIONS
109	Platelet Adhesion and Thrombus Formation in Whole Blood at Arterial Shear Rate at the End of Pregnancy. American Journal of Reproductive Immunology, 2015, 74, 533-541.	1.2	9
110	Maternal employment and socio-economic status of families raising children born very preterm with motor or cognitive impairments: the EPIPAGE cohort study. Developmental Medicine and Child Neurology, 2020, 62, 1182-1190.	2.1	9
111	The impact of chorionicity on pregnancy outcome and neurodevelopment at 2 years old among twins born preterm: the EPIPAGE cohort study. BJOG: an International Journal of Obstetrics and Gynaecology, 2021, 128, 281-291.	2.3	9
112	Induction of labor at term with vaginal misoprostol or a prostaglandin E2 pessary: a noninferiority randomized controlled trial. American Journal of Obstetrics and Gynecology, 2021, 225, 542.e1-542.e8.	1.3	9
113	Neurodevelopment at 2 years and umbilical artery Doppler in cases of very preterm birth after prenatal hypertensive disorder or suspected fetal growth restriction: EPIPAGE prospective population-based cohort study. Ultrasound in Obstetrics and Gynecology, 2020, 56, 557-565.	1.7	8
114	Association between extremely preterm caesarean delivery and maternal depressive and anxious symptoms: a national population-based cohort study. BJOG: an International Journal of Obstetrics and Gynaecology, 2021, 128, 594-602.	2.3	8
115	The Role of Neuroimaging and Genetic Analysis in the Diagnosis of Children With Cerebral Palsy. Frontiers in Neurology, 2020, 11, 628075.	2.4	8
116	Determinants of participation and quality of life of young adults with cerebral palsy: longitudinal approach and comparison with the general population – SPARCLE 3 study protocol. BMC Neurology, 2021, 21, 254.	1.8	8
117	Antibiotic prophylaxis in preterm premature rupture of membranes at 24–31 weeks gestation: Perinatal and 2-year outcomes in the EPIPAGE cohort. BJOG: an International Journal of Obstetrics and Gynaecology, 2022, 129, 1560-1573.	2.3	8
118	Association of cardiovascular risk factors with intima-media thickness of the carotid arteries in early postmenopausal women. Menopause, 2004, 11, 323-330.	2.0	7
119	Concordance for Curve Type in Familial Idiopathic Scoliosis. Spine, 2010, 35, 1602-1606.	2.0	7
120	Cervical length in asymptomatic twin pregnancies: prospective multicenter comparison of predictive indicators. Journal of Maternal-Fetal and Neonatal Medicine, 2015, 28, 37-40.	1.5	7
121	Arabin pessary to prevent adverse perinatal outcomes in twin pregnancies with a short cervix: a multicenter randomized controlled trial (PESSARONE). American Journal of Obstetrics and Gynecology, 2022, 227, 271.e1-271.e13.	1.3	7
122	Socialization Instances Linked to Cannabis Experimentation Among French Teenagers. Substance Use and Misuse, 2014, 49, 1808-1819.	1.4	6
123	Access to Intrathecal Baclofen Treatment for Children with Cerebral Palsy in European Countries: An SCPE Survey Reveals Important Differences. Neuropediatrics, 2020, 51, 129-134.	0.6	6
124	Subjective quality of life in children with intellectual impairment - how can it be assessed?. Developmental Medicine and Child Neurology, 2005, 47, 281-285.	2.1	5
125	Quality of Life in Young Adults With Cerebral Palsy: A Longitudinal Analysis of the SPARCLE Study. Frontiers in Neurology, 2021, 12, 733978.	2.4	5
126	Quality of life and mental health in emerging adults with cerebral palsy compared to the general population. Health and Quality of Life Outcomes, 2022, 20, 61.	2.4	5

#	ARTICLE	IF	CITATIONS
127	Impact of the French National Lockdown on Admissions to 14 Pediatric Intensive Care Units During the 2020 COVID-19 Pandemic—A Retrospective Multicenter Study. <i>Frontiers in Pediatrics</i> , 2021, 9, 764583.	1.9	5
128	Prevalence and characteristics of children with cerebral palsy according to socioeconomic status of areas of residence in a French department. <i>PLoS ONE</i> , 2022, 17, e0268108.	2.5	5
129	Comparison of three activated protein C resistance tests in the risk assessment of venous thrombosis in non-carriers of the factor V Leiden mutation. <i>Thrombosis and Haemostasis</i> , 2006, 95, 728-734.	3.4	3
130	Early discharge and hospital-assisted home care is associated with better neurodevelopmental outcome in preterm infants. <i>Early Human Development</i> , 2021, 161, 105451.	1.8	3
131	Is Long-Term Chronic Immunosuppression Therapy Detrimental in Hepatitis C Virus–Positive Renal Transplant Patients?. <i>Transplantation Proceedings</i> , 1998, 30, 1312-1313.	0.6	2
132	338: Cervical length in asymptomatic twin pregnancies: prospective multicenter comparison of predictive indicators. <i>American Journal of Obstetrics and Gynecology</i> , 2012, 206, S159.	1.3	1
133	Is ghrelin a biomarker of early-onset scoliosis in children with Prader–Willi syndrome?. <i>Orphanet Journal of Rare Diseases</i> , 2021, 16, 305.	2.7	1
134	A randomized EPIREMED protocol study on the long-term visuo spatial effects of very preterm children with a working memory deficit. <i>BMC Pediatrics</i> , 2021, 21, 402.	1.7	1
135	Association between asthma and lung function in adolescents born very preterm: results of the EPIPAGE cohort study.. , 2018, , .		1
136	Prenatal Low-Dose Aspirin and Neurobehavioral Outcomes of Children Born Very Preterm. <i>Obstetrical and Gynecological Survey</i> , 2010, 65, 305-306.	0.4	0
137	755: Impact of antenatal corticosteroid therapy and administration-to-delivery time interval in preterm twins versus singletons. <i>American Journal of Obstetrics and Gynecology</i> , 2014, 210, S371.	1.3	0