
## **Ilske Oschlies**

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4312659/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Clinical, histopathological and prognostic features of primary cutaneous acral <scp>CD8</scp> <sup>+</sup> Tâ€cell lymphoma and other dermal <scp>CD8</scp> <sup>+</sup> cutaneous lymphoproliferations: results of an <scp>EORTC</scp> Cutaneous Lymphoma Group workshop*. British Journal of Dermatology, 2022, 186, 887-897.	1.4	12
2	Antibody-Negative Paraneoplastic Autoimmune Multiorgan Syndrome (PAMS) in a Patient with Follicular Lymphoma Accompanied by an Excess of Peripheral Blood CD8+ Lymphocytes. Current Oncology, 2022, 29, 2395-2405.	0.9	4
3	Cutaneous B cell lymphomas: standards in diagnostic and clinical workâ€up. Hints, pitfalls and recent advances. Histopathology, 2022, 80, 184-195.	1.6	4
4	Co-Occurrence of EBV-Positive Mucocutaneous Ulcer (EBV-MCU) and CLL/SLL in the Head and Neck Region. Current Oncology, 2022, 29, 2749-2767.	0.9	3
5	The 5th edition of the World Health Organization Classification of Haematolymphoid Tumours: Lymphoid Neoplasms. Leukemia, 2022, 36, 1720-1748.	3.3	1,023
6	Clinical relevance of molecular characteristics in Burkitt lymphoma differs according to age. Nature Communications, 2022, 13, .	5.8	28
7	Molecular features of nonâ€anaplastic peripheral Tâ€cell lymphoma in children and adolescents. Pediatric Blood and Cancer, 2021, 68, e29285.	0.8	6
8	Lymphomas arising in immune-privileged sites: insights into biology, diagnosis, and pathogenesis. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2020, 476, 647-665.	1.4	55
9	The broad and challenging landscape of extranodal lymphoproliferations. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2020, 476, 633-646.	1.4	2
10	The clinico-pathological spectrum of primary cutaneous lymphoma other than mycosis fungoides/Sezary syndrome. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2020, 476, 683-699.	1.4	9
11	Update on lymphoproliferative disorders of the gastrointestinal tract: disease spectrum from indolent lymphoproliferations to aggressive lymphomas. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2020, 476, 667-681.	1.4	33
12	Experience with provisional WHOâ€entities large Bâ€cell lymphoma with <i>IRF4</i> â€rearrangement and Burkittâ€like lymphoma with 11q aberration in paediatric patients of the NHLâ€BFM group. British Journal of Haematology, 2020, 190, 753-763.	1.2	46
13	AL amyloidosis with a localized B cell neoplasia. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2019, 474, 353-363.	1.4	15
14	Skin involvement by chronic lymphocytic leukaemia is frequently associated with unrelated neoplastic or inflammatory cutaneous disease and is not indicative of general disease progression. British Journal of Dermatology, 2019, 180, 227-228.	1.4	14
15	Nonâ€leukemic pediatric mixed phenotype acute leukemia/lymphoma: Genomic characterization and clinical outcome in a prospective trial for pediatric lymphoblastic lymphoma. Genes Chromosomes and Cancer, 2019, 58, 365-372.	1.5	6
16	Maligne Lymphome bei Kindern und Adoleszenten – Besonderheiten und Differenzialdiagnose. , 2019, , 703-715.		0
17	Clinically defined subgroups of mycosis fungoides display differing histopathological features at initial biopsy. Leukemia and Lymphoma, 2018, 59, 2871-2879.	0.6	2
18	Spindle-Cell Variants of Primary Cutaneous Follicle Center B-Cell Lymphomas Are Germinal Center B-Cell Lymphomas by Gene Expression Profiling Using a Formalin-Fixed Paraffin-Embedded Specimen. Journal of Investigative Dermatology, 2017, 137, 2450-2453.	0.3	15

ILSKE OSCHLIES

#	Article	IF	CITATIONS
19	T-cell lymphomas in children. Diagnostic Histopathology, 2016, 22, 26-36.	0.2	1
20	The t(11;14)(q13;q32)/CCND1-IGH translocation is a recurrent secondary genetic aberration in relapsed chronic lymphocytic leukemia. Leukemia and Lymphoma, 2016, 57, 2672-2676.	0.6	8
21	In Europe expression of EBNA2 is associated with poor survival in EBV-positive diffuse large B-cell lymphoma of the elderly. Leukemia and Lymphoma, 2016, 57, 39-44.	0.6	20
22	Skin Involvement of Mantle Cell Lymphoma May Mimic Primary Cutaneous Diffuse Large B-cell Lymphoma, Leg Type. American Journal of Surgical Pathology, 2015, 39, 1093-1101.	2.1	30
23	<scp>ALK</scp> â€positive primary cutaneous Tâ€cellâ€lymphoma ( <scp>CTCL</scp> ) with unusual clinical presentation and aggressive course. Journal of Cutaneous Pathology, 2015, 42, 870-877.	0.7	12
24	High incidence of Epstein–Barr virus ( <scp>EBV</scp> )â€positive Hodgkin lymphoma and Hodgkin lymphomaâ€like Bâ€cell lymphoproliferations with <scp>EBV</scp> latency profile 2 in children with interleukinâ€2â€inducible Tâ€cell kinase deficiency. Histopathology, 2015, 67, 607-616.	1.6	32
25	Nonâ€anaplastic peripheral Tâ€cell lymphoma in children and adolescents – a retrospective analysis of the <scp>NHL</scp> â€ <scp>BFM</scp> study group. British Journal of Haematology, 2015, 168, 835-844.	1.2	42
26	Subcutaneous panniculitis-like T-cell lymphoma in children: a detailed clinicopathological description of 11 multifocal cases with a high frequency of haemophagocytic syndrome. British Journal of Dermatology, 2015, 172, 793-797.	1.4	31
27	Detection of EBV in reactive and neoplastic lymphoproliferations in adults—when and how?. Journal of Hematopathology, 2014, 7, 165-170.	0.2	21
28	ALK-positive anaplastic large cell lymphoma limited to the skin: clinical, histopathological and molecular analysis of 6 pediatric cases. A report from the ALCL99 study. Haematologica, 2013, 98, 50-56.	1.7	112
29	Intratumoral heterogeneity in anaplastic large cell lymphoma of non-common subtype. Journal of Hematopathology, 2012, 5, 109-116.	0.2	3
30	Prognostic Impact of Morphologic and Phenotypic Features of Childhood ALK-Positive Anaplastic Large-Cell Lymphoma: Results of the ALCL99 Study. Journal of Clinical Oncology, 2011, 29, 4669-4676.	0.8	142
31	Diagnosis and Immunophenotype of 188 Pediatric Lymphoblastic Lymphomas Treated Within a Randomized Prospective Trial. American Journal of Surgical Pathology, 2011, 35, 836-844.	2.1	54
32	Translocations activating IRF4 identify a subtype of germinal center-derived B-cell lymphoma affecting predominantly children and young adults. Blood, 2011, 118, 139-147.	0.6	281
33	Non-Hodgkin's lymphoma in adolescents: experiences in 378 adolescent NHL patients treated according to pediatric NHL-BFM protocols. Leukemia, 2011, 25, 153-160.	3.3	86
34	Relapsed or Refractory Anaplastic Large-Cell Lymphoma in Children and Adolescents After Berlin-Frankfurt-Muenster (BFM)–Type First-Line Therapy: A BFM-Group Study. Journal of Clinical Oncology, 2011, 29, 3065-3071.	0.8	101
35	Frequency and clinical relevance of DNA microsatellite alterations of the CDKN2A/B, ATM and p53 gene loci: a comparison between pediatric precursor T-cell lymphoblastic lymphoma and T-cell lymphoblastic leukemia. Haematologica, 2010, 95, 158-162.	1.7	32
36	Pediatric follicular lymphoma - a clinico-pathological study of a population-based series of patients treated within the Non-Hodgkin's Lymphoma - Berlin-Frankfurt-Munster (NHL-BFM) multicenter trials. Haematologica, 2010, 95, 253-259.	1.7	107

**ILSKE OSCHLIES** 

#	Article	IF	CITATIONS
37	Distribution of <i>NPM1â€ALK</i> and <i>Xâ€ALK</i> fusion transcripts in paediatric anaplastic large cell lymphoma: a molecular–histological correlation. British Journal of Haematology, 2009, 146, 306-309.	1.2	61
38	Prognostic factors in childhood anaplastic large cell lymphoma: results of a large European intergroup study. Blood, 2008, 111, 1560-1566.	0.6	156
39	Prognostic significance of circulating tumor cells in bone marrow or peripheral blood as detected by qualitative and quantitative PCR in pediatric NPM-ALK–positive anaplastic large-cell lymphoma. Blood, 2007, 110, 670-677.	0.6	130
40	Diffuse large B-cell lymphoma in pediatric patients belongs predominantly to the germinal-center type B-cell lymphomas: a clinicopathologic analysis of cases included in the German BFM (Berlin-Frankfurt-Muì^nster) Multicenter Trial. Blood, 2006, 107, 4047-4052.	0.6	163
41	The impact of age and gender on biology, clinical features and treatment outcome of non-Hodgkin lymphoma in childhood and adolescence. British Journal of Haematology, 2005, 131, 39-49.	1.2	278
42	Epstein-Barr virus infection in Western European pediatric non-Hodgkin lymphomas. Blood, 2003, 102, 4244-4244.	0.6	19
43	Characterization of IG-MYC-breakpoints and their application for quantitative minimal disease monitoring in high-risk pediatric Burkitt-lymphoma and -leukemia. Leukemia, 0, , .	3.3	1