

# David A Fiellin

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/4313791/david-a-fiellin-publications-by-year.pdf>

**Version:** 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

309  
papers

12,475  
citations

59  
h-index

99  
g-index

327  
ext. papers

14,228  
ext. citations

6  
avg, IF

6.38  
L-index

| #   | Paper  | IF   | Citations |
|-----|--|------|-----------|
| 309 | Perspectives About Emergency Department Care Encounters Among Adults With Opioid Use Disorder.. <i>JAMA Network Open</i> , <b>2022</b> , 5, e2144955   | 10.4 | 2         |
| 308 | Support Models for Addiction Related Treatment (SMART) for pregnant women: Study protocol of a cluster randomized trial of two treatment models for opioid use disorder in prenatal clinics.. <i>PLoS ONE</i> , <b>2022</b> , 17, e0261751   | 3.7  |           |
| 307 | The Relationship Between Drinking Behavior and Conversational Processes During a Brief Alcohol Reduction Intervention for People with HIV.. <i>AIDS and Behavior</i> , <b>2022</b> , 1   | 4.3  |           |
| 306 | Impact of intensity of behavioral treatment, with or without medication treatment, for opioid use disorder on HIV outcomes in persons with HIV. <i>Journal of Substance Abuse Treatment</i> , <b>2022</b> , 132, 108509  | 4.2  | 1         |
| 305 | Identifying opioid-related electronic health record phenotypes for emergency care research and surveillance: An expert consensus driven concept mapping process.. <i>Substance Abuse</i> , <b>2022</b> , 43, 841-847   | 3.8  |           |
| 304 | Patients' perspectives of medications for addiction treatment in HIV clinics: A qualitative study.. <i>Journal of Substance Abuse Treatment</i> , <b>2022</b> , 108767   | 4.2  | 0         |
| 303 | Strategic planning for addiction programs within academic medical centers: Examples from the Yale Program in Addiction Medicine. <i>Substance Abuse</i> , <b>2022</b> , 43, 1215-1220  | 3.8  |           |
| 302 | Analysis of Health Trajectories Leading to Adverse Opioid-Related Events. <i>AMIA Summits on Translational Science Proceedings</i> , <b>2021</b> , 2021, 248-256   | 1.1  |           |
| 301 | Emergency department-initiated buprenorphine protocols: A national evaluation. <i>Journal of the American College of Emergency Physicians Open</i> , <b>2021</b> , 2, e12606   | 1.6  | 2         |
| 300 | Research priorities for expanding access to methadone treatment for opioid use disorder in the United States: A National Institute on Drug Abuse Center for Clinical Trials Network Task Force report. <i>Substance Abuse</i> , <b>2021</b> , 42, 245-254  | 3.8  | 5         |
| 299 | Association of Poor Mental-Health Days With COVID-19 Infection Rates in the U.S.. <i>American Journal of Preventive Medicine</i> , <b>2021</b> ,   | 6.1  | 1         |
| 298 | Hospitalization Rates and Causes Among Persons With HIV in the United States and Canada, 2005-2015. <i>Journal of Infectious Diseases</i> , <b>2021</b> , 223, 2113-2123   | 7    | 5         |
| 297 | Implementation facilitation to introduce and support emergency department-initiated buprenorphine for opioid use disorder in high need, low resource settings: protocol for multi-site implementation-feasibility study. <i>Addiction Science &amp; Clinical Practice</i> , <b>2021</b> , 16, 16     | 4.1  | 2         |
| 296 | Psychiatric comorbidity and order of condition onset among patients seeking treatment for chronic pain and opioid use disorder. <i>Drug and Alcohol Dependence</i> , <b>2021</b> , 221, 108608   | 4.9  | 0         |
| 295 | The design and conduct of a randomized clinical trial comparing emergency department initiation of sublingual versus a 7-day extended-release injection formulation of buprenorphine for opioid use disorder: Project ED Innovation. <i>Contemporary Clinical Trials</i> , <b>2021</b> , 104, 106359 | 2.3  | 2         |
| 294 | Factors associated with phosphatidylethanol (PEth) sensitivity for detecting unhealthy alcohol use: An individual patient data meta-analysis. <i>Alcoholism: Clinical and Experimental Research</i> , <b>2021</b> , 45, 1166-1187  | 3.7  | 5         |
| 293 | Bringing Harm Reduction into Health Policy - Combating the Overdose Crisis. <i>New England Journal of Medicine</i> , <b>2021</b> , 384, 1781-1783  | 59.2 | 0         |

|     |   |      |    |
|-----|---|------|----|
| 292 | Association of Syndemic Unhealthy Alcohol Use, Smoking, and Depressive Symptoms on Incident Cardiovascular Disease among Veterans With and Without HIV-Infection. <i>AIDS and Behavior</i> , <b>2021</b> , 25, 2852-2862  | 4.3  | 0  |
| 291 | The development and evaluation of an HIV implementation science network in New England: lessons learned. <i>Implementation Science Communications</i> , <b>2021</b> , 2, 64   | 2.2  | 1  |
| 290 | Alcohol Use and Antiretroviral Adherence Among Patients Living with HIV: Is Change in Alcohol Use Associated with Change in Adherence?. <i>AIDS and Behavior</i> , <b>2021</b> , 25, 203-214  | 4.3  | 9  |
| 289 | Data Resource Profile: The Opioid Agonist Treatment and Safety (OATS) Study, New South Wales, Australia. <i>International Journal of Epidemiology</i> , <b>2021</b> , 49, 1774-1775   | 7.8  | 4  |
| 288 | Trends in Co-Prescribing of Opioids and Opioid Potentiators Among U.S. Adults, 2007-2018. <i>American Journal of Preventive Medicine</i> , <b>2021</b> , 60, 434-437  | 6.1  | 3  |
| 287 | Hospitalisations for non-fatal overdose among people with a history of opioid dependence in New South Wales, Australia, 2001-2018: Findings from the OATS retrospective cohort study. <i>Drug and Alcohol Dependence</i> , <b>2021</b> , 218, 108354  | 4.9  | 1  |
| 286 | Core outcomes set for research on the treatment of opioid use disorder (COS-OUD): the National Institute on Drug Abuse Clinical Trials Network protocol for an e-Delphi consensus study. <i>Trials</i> , <b>2021</b> , 22, 102  | 2.8  | 4  |
| 285 | A qualitative study of emergency department patients who survived an opioid overdose: Perspectives on treatment and unmet needs. <i>Academic Emergency Medicine</i> , <b>2021</b> , 28, 542-552   | 3.4  | 3  |
| 284 | Readiness to Provide Medications for Addiction Treatment in HIV Clinics: A Multisite Mixed-Methods Formative Evaluation. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , <b>2021</b> , 87, 959-970  | 3.1  | 6  |
| 283 | Emergency department patients with untreated opioid use disorder: A comparison of those seeking versus not seeking referral to substance use treatment. <i>Drug and Alcohol Dependence</i> , <b>2021</b> , 219, 108428  | 4.9  | 4  |
| 282 | HIV Infection Prevalence Significantly Intersects With COVID-19 Infection At the Area Level: A US County-Level Analysis. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , <b>2021</b> , 88, 125-131  | 3.1  | 3  |
| 281 | The Transitions Clinic Network: Post Incarceration Addiction Treatment, Healthcare, and Social Support (TCN-PATHS): A hybrid type-1 effectiveness trial of enhanced primary care to improve opioid use disorder treatment outcomes following release from jail. <i>Journal of Substance Abuse Treatment</i> , <b>2021</b> , 133, 108915 | 4.2  | 5  |
| 280 | Twelve-Month Retention in Opioid Agonist Treatment for Opioid Use Disorder Among Patients With and Without HIV. <i>AIDS and Behavior</i> , <b>2021</b> , 1  | 4.3  | 2  |
| 279 | Change in Alcohol Use Based on Self-Report and a Quantitative Biomarker, Phosphatidylethanol, in People With HIV. <i>AIDS and Behavior</i> , <b>2021</b> , 1  | 4.3  | 0  |
| 278 | Merging statewide data in a public/university collaboration to address opioid use disorder and overdose. <i>Addiction Science &amp; Clinical Practice</i> , <b>2021</b> , 16, 1   | 4.1  | 5  |
| 277 | Trends in the Use of Buprenorphine in US Emergency Departments, 2002-2017. <i>JAMA Network Open</i> , <b>2020</b> , 3, e2021209   | 10.4 | 13 |
| 276 | Barriers and Facilitators to Clinician Readiness to Provide Emergency Department-Initiated Buprenorphine. <i>JAMA Network Open</i> , <b>2020</b> , 3, e204561   | 10.4 | 46 |
| 275 | Correlates of sleep quality and excessive daytime sleepiness in people with opioid use disorder receiving methadone treatment. <i>Sleep and Breathing</i> , <b>2020</b> , 24, 1729-1737   | 3.1  | 9  |

|     |   |      |    |
|-----|---|------|----|
| 274 | Safety of Gabapentin Prescribed for Any Indication in a Large Clinical Cohort of 571,718 US Veterans with and without Alcohol Use Disorder. <i>Alcoholism: Clinical and Experimental Research</i> , <b>2020</b> , 44, 1807-1815                 | 3.7  | 4  |
| 273 | Developing a clinical decision support for opioid use disorders: a NIDA center for the clinical trials network working group report. <i>Addiction Science &amp; Clinical Practice</i> , <b>2020</b> , 15, 4                                     | 4.1  | 5  |
| 272 | Global opioid agonist treatment: a review of clinical practices by country. <i>Addiction</i> , <b>2020</b> , 115, 2243-2254   | 4.6  | 21 |
| 271 | Use of Amphetamine-Type Stimulants Among Emergency Department Patients With Untreated Opioid Use Disorder. <i>Annals of Emergency Medicine</i> , <b>2020</b> , 76, 782-787  | 2.1  | 9  |
| 270 | Predictors of initiation of and retention on medications for alcohol use disorder among people living with and without HIV. <i>Journal of Substance Abuse Treatment</i> , <b>2020</b> , 109, 14-22  | 4.2  | 10 |
| 269 | Validating Self-Reported Unhealthy Alcohol Use With Phosphatidylethanol (PEth) Among Patients With HIV. <i>Alcoholism: Clinical and Experimental Research</i> , <b>2020</b> , 44, 2053-2063   | 3.7  | 3  |
| 268 | Does Reducing Drinking in Patients with Unhealthy Alcohol Use Improve Pain Interference, Use of Other Substances, and Psychiatric Symptoms?. <i>Alcoholism: Clinical and Experimental Research</i> , <b>2020</b> , 44, 2257-2265                | 3.7  | 2  |
| 267 | Working with HIV clinics to adopt addiction treatment using implementation facilitation (WHAT-IF?): Rationale and design for a hybrid type 3 effectiveness-implementation study. <i>Contemporary Clinical Trials</i> , <b>2020</b> , 98, 106156 | 2.3  | 6  |
| 266 | Insights Provided by Depression Screening Regarding Pain, Anxiety, and Substance use in a Veteran Population. <i>Journal of Primary Care and Community Health</i> , <b>2020</b> , 11, 2150132720949123  | 2.1  | 2  |
| 265 | Are we missing opioid-related deaths among people with HIV?. <i>Drug and Alcohol Dependence</i> , <b>2020</b> , 212, 108003   | 4.9  | 1  |
| 264 | Patients With Opioid Use Disorder Deserve Trained Providers. <i>Annals of Internal Medicine</i> , <b>2020</b> , 172, 774-775  | 8    |    |
| 263 | Association of Alcohol Screening Scores With Adverse Mental Health Conditions and Substance Use Among US Adults. <i>JAMA Network Open</i> , <b>2020</b> , 3, e200895  | 10.4 | 10 |
| 262 | Integrated stepped alcohol treatment for patients with HIV and at-risk alcohol use: a randomized trial. <i>Addiction Science &amp; Clinical Practice</i> , <b>2020</b> , 15, 28   | 4.1  | 3  |
| 261 | Impact of behavioral and medication treatment for alcohol use disorder on changes in HIV-related outcomes among patients with HIV: A longitudinal analysis. <i>Drug and Alcohol Dependence</i> , <b>2020</b> , 217, 108272                      | 4.9  | 4  |
| 260 | Associations between obstructive sleep apnea and prescribed opioids among veterans. <i>Pain</i> , <b>2020</b> , 161, 2035-2040  | 8    | 1  |
| 259 | Marijuana Vaping in U.S. Adults: Evidence From the Behavioral Risk Factor Surveillance System. <i>American Journal of Preventive Medicine</i> , <b>2020</b> , 59, 449-454   | 6.1  | 9  |
| 258 | Opioid use trajectory groups and changes in a physical health biomarker among HIV-positive and uninfected patients receiving opioid agonist treatment. <i>Drug and Alcohol Dependence</i> , <b>2019</b> , 204, 107514                           | 4.9  | 6  |
| 257 | Electronic cigarette and tobacco use in individuals entering methadone or buprenorphine treatment. <i>Drug and Alcohol Dependence</i> , <b>2019</b> , 197, 37-41  | 4.9  | 5  |

|     |  |      |    |
|-----|--|------|----|
| 256 | Low levels of initiation, engagement, and retention in substance use disorder treatment including pharmacotherapy among HIV-infected and uninfected veterans. <i>Journal of Substance Abuse Treatment</i> , <b>2019</b> , 103, 23-32   | 4.2  | 15 |
| 255 | Implementation facilitation to promote emergency department-initiated buprenorphine for opioid use disorder: protocol for a hybrid type III effectiveness-implementation study (Project ED HEALTH). <i>Implementation Science</i> , <b>2019</b> , 14, 48                                       | 8.4  | 25 |
| 254 | Cost-effectiveness of integrating buprenorphine-naloxone treatment for opioid use disorder into clinical care for persons with HIV/hepatitis C co-infection who inject opioids. <i>International Journal of Drug Policy</i> , <b>2019</b> , 72, 160-168  | 5.5  | 16 |
| 253 | Predictors of timely opioid agonist treatment initiation among veterans with and without HIV. <i>Drug and Alcohol Dependence</i> , <b>2019</b> , 198, 70-75  | 4.9  | 18 |
| 252 | Proliferation of Cash-Only Buprenorphine Treatment Clinics: A Threat to the Nation's Response to the Opioid Crisis. <i>American Journal of Public Health</i> , <b>2019</b> , 109, 393-394  | 5.1  | 4  |
| 251 | Efficacy of Extended-Release Naltrexone on HIV-Related and Drinking Outcomes Among HIV-Positive Patients: A Randomized-Controlled Trial. <i>AIDS and Behavior</i> , <b>2019</b> , 23, 211-221  | 4.3  | 22 |
| 250 | Level of Alcohol Use Associated with HIV Care Continuum Targets in a National U.S. Sample of Persons Living with HIV Receiving Healthcare. <i>AIDS and Behavior</i> , <b>2019</b> , 23, 140-151  | 4.3  | 42 |
| 249 | Assessing Research Activity and Capacity of Community-Based Organizations: Refinement of the CREAT Instrument Using the Delphi Method. <i>Journal of Urban Health</i> , <b>2019</b> , 96, 912-922  | 5.8  | 3  |
| 248 | Patterns and Correlates of Prescription Opioid Receipt Among US Veterans: A National, 18-Year Observational Cohort Study. <i>AIDS and Behavior</i> , <b>2019</b> , 23, 3340-3349   | 4.3  | 6  |
| 247 | Integrated stepped alcohol treatment for patients with HIV and alcohol use disorder: a randomised controlled trial. <i>Lancet HIV, the</i> , <b>2019</b> , 6, e509-e517  | 7.8  | 27 |
| 246 | Association of Syndemic Unhealthy Alcohol Use, Cigarette Use, and Depression With All-Cause Mortality Among Adults Living With and Without HIV Infection: Veterans Aging Cohort Study. <i>Open Forum Infectious Diseases</i> , <b>2019</b> , 6, ofz188   | 1    | 7  |
| 245 | Integrated stepped alcohol treatment for patients with HIV and liver disease: A randomized trial. <i>Journal of Substance Abuse Treatment</i> , <b>2019</b> , 106, 97-106  | 4.2  | 10 |
| 244 | Vaping-Seeking Clarity in a Time of Uncertainty. <i>JAMA - Journal of the American Medical Association</i> , <b>2019</b> , 322, 1951-1952  | 27.4 | 6  |
| 243 | Patients With Opioid Use Disorder Deserve Trained Providers. <i>Annals of Internal Medicine</i> , <b>2019</b> , 171, 931-932   | 8    | 11 |
| 242 | Accidental drug overdose deaths in Connecticut, 2012-2018: The rise of polysubstance detection?. <i>Drug and Alcohol Dependence</i> , <b>2019</b> , 205, 107671  | 4.9  | 11 |
| 241 | Medical Intensive Care Unit Admission Among Patients With and Without HIV, Hepatitis C Virus, and Alcohol-Related Diagnoses in the United States: A National, Retrospective Cohort Study, 1997-2014. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , <b>2019</b> , 80, 145-151 | 3.1  | 1  |
| 240 | HIV Disease Severity Is Sensitive to Temporal Changes in Alcohol Use: A National Study of VA Patients With HIV. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , <b>2019</b> , 81, 448-455  | 3.1  | 13 |
| 239 | Measuring Exposure to Incarceration Using the Electronic Health Record. <i>Medical Care</i> , <b>2019</b> , 57 Suppl 6 Suppl 2, S157-S163  | 3.1  | 6  |

|     |   |      |    |
|-----|---|------|----|
| 238 | High-dose prescribed opioids are associated with increased risk of heroin use among United States military veterans. <i>Pain</i> , <b>2019</b> , 160, 2126-2135   | 8    | 11 |
| 237 | Past year and prior incarceration and HIV transmission risk among HIV-positive men who have sex with men in the US. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , <b>2019</b> , 31, 349-356  | 2.2  | 13 |
| 236 | A randomized clinical trial of the Recovery Line among methadone treatment patients with ongoing illicit drug use. <i>Journal of Substance Abuse Treatment</i> , <b>2019</b> , 97, 68-74  | 4.2  | 3  |
| 235 | An evaluation of the feasibility, acceptability, and preliminary efficacy of cognitive-behavioral therapy for opioid use disorder and chronic pain. <i>Drug and Alcohol Dependence</i> , <b>2019</b> , 194, 460-467   | 4.9  | 31 |
| 234 | Association Between Gabapentin Receipt for Any Indication and Alcohol Use Disorders Identification Test-Consumption Scores Among Clinical Subpopulations With and Without Alcohol Use Disorder. <i>Alcoholism: Clinical and Experimental Research</i> , <b>2019</b> , 43, 522-530 | 3.7  | 9  |
| 233 | Association of Prescribed Opioids With Increased Risk of Community-Acquired Pneumonia Among Patients With and Without HIV. <i>JAMA Internal Medicine</i> , <b>2019</b> , 179, 297-304   | 11.5 | 54 |
| 232 | Patterns of Alcohol Use Among Patients Living With HIV in Urban, Large Rural, and Small Rural Areas. <i>Journal of Rural Health</i> , <b>2019</b> , 35, 330-340   | 4.6  | 7  |
| 231 | Association of Cannabis, Stimulant, and Alcohol use with Mortality Prognosis Among HIV-Infected Men. <i>AIDS and Behavior</i> , <b>2018</b> , 22, 1341-1351   | 4.3  | 22 |
| 230 | AUDIT-C and ICD codes as phenotypes for harmful alcohol use: association with ADH1B polymorphisms in two US populations. <i>Addiction</i> , <b>2018</b> , 113, 2214-2224  | 4.6  | 13 |
| 229 | Racial/ethnic differences in the association between alcohol use and mortality among men living with HIV. <i>Addiction Science &amp; Clinical Practice</i> , <b>2018</b> , 13, 2  | 4.1  | 9  |
| 228 | Racial disparities in discontinuation of long-term opioid therapy following illicit drug use among black and white patients. <i>Drug and Alcohol Dependence</i> , <b>2018</b> , 192, 371-376  | 4.9  | 38 |
| 227 | Duration of opioid prescriptions predicts incident nonmedical use of prescription opioids among U.S. veterans receiving medical care. <i>Drug and Alcohol Dependence</i> , <b>2018</b> , 191, 348-354   | 4.9  | 11 |
| 226 | Implementing Treatment of Opioid-Use Disorder in Rural Settings: a Focus on HIV and Hepatitis C Prevention and Treatment. <i>Current HIV/AIDS Reports</i> , <b>2018</b> , 15, 315-323   | 5.9  | 16 |
| 225 | Past-year Prescription Drug Monitoring Program Opioid Prescriptions and Self-reported Opioid Use in an Emergency Department Population With Opioid Use Disorder. <i>Academic Emergency Medicine</i> , <b>2018</b> , 25, 508-516   | 3.4  | 18 |
| 224 | Complementary and Alternative Medicine Among Persons living with HIV in the Era of Combined Antiretroviral Treatment. <i>AIDS and Behavior</i> , <b>2018</b> , 22, 848-852  | 4.3  | 12 |
| 223 | 2224. Receipt and Virologic Outcomes of HCV Direct-Acting Antivirals by Alcohol Use and HIV Status. <i>Open Forum Infectious Diseases</i> , <b>2018</b> , 5, S657-S658  | 1    | 78 |
| 222 | Alcohol and Mortality: Combining Self-Reported (AUDIT-C) and Biomarker Detected (PEth) Alcohol Measures Among HIV Infected and Uninfected. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , <b>2018</b> , 77, 135-143  | 3.1  | 27 |
| 221 | Gender and alcohol use: influences on HIV care continuum in a national cohort of patients with HIV. <i>Aids</i> , <b>2018</b> , 32, 2247-2253   | 3.5  | 15 |

|     |   |      |     |
|-----|---|------|-----|
| 220 | Using routinely collected data to understand and predict adverse outcomes in opioid agonist treatment: Protocol for the Opioid Agonist Treatment Safety (OATS) Study. <i>BMJ Open</i> , <b>2018</b> , 8, e025204 <sup>3</sup>   |      | 16  |
| 219 | Provider verification of electronic health record receipt and nonreceipt of direct-acting antivirals for the treatment of hepatitis C virus infection. <i>Annals of Epidemiology</i> , <b>2018</b> , 28, 808-811  | 6.4  | 2   |
| 218 | Buprenorphine Supply, Access, and Quality: Where We Have Come and the Path Forward. <i>Journal of Law, Medicine and Ethics</i> , <b>2018</b> , 46, 272-278  | 1.2  | 5   |
| 217 | Changes in alcohol use associated with changes in HIV disease severity over time: A national longitudinal study in the Veterans Aging Cohort. <i>Drug and Alcohol Dependence</i> , <b>2018</b> , 189, 21-29   | 4.9  | 27  |
| 216 | Women and opioids: something different is happening here. <i>Lancet, The</i> , <b>2018</b> , 392, 9-11  | 40   | 52  |
| 215 | Primary Care Physicians' Willingness to Prescribe HIV Pre-exposure Prophylaxis for People who Inject Drugs. <i>AIDS and Behavior</i> , <b>2017</b> , 21, 1025-1033  | 4.3  | 59  |
| 214 | The Starting Treatment for Ethanol in Primary care Trials (STEP Trials): Protocol for Three Parallel Multi-Site Stepped Care Effectiveness Studies for Unhealthy Alcohol Use in HIV-Positive Patients. <i>Contemporary Clinical Trials</i> , <b>2017</b> , 52, 80-90          | 2.3  | 18  |
| 213 | Emergency Department-Initiated Buprenorphine for Opioid Dependence with Continuation in Primary Care: Outcomes During and After Intervention. <i>Journal of General Internal Medicine</i> , <b>2017</b> , 32, 660-666   | 4    | 133 |
| 212 | Effects of naloxone distribution alone or in combination with addiction treatment with or without pre-exposure prophylaxis for HIV prevention in people who inject drugs: a cost-effectiveness modelling study. <i>Lancet Public Health, The</i> , <b>2017</b> , 2, e133-e140 | 22.4 | 29  |
| 211 | Long-term alcohol use patterns and HIV disease severity. <i>Aids</i> , <b>2017</b> , 31, 1313-1321  | 3.5  | 38  |
| 210 | Abuse-Deterrent Opioid Formulations - Putting the Potential Benefits into Perspective. <i>New England Journal of Medicine</i> , <b>2017</b> , 376, 2103-2105  | 59.2 | 32  |
| 209 | Reply to Ruan et al. (2017): Non-medical use of prescription opioids is associated with heroin initiation among US veterans. <i>Addiction</i> , <b>2017</b> , 112, 728-729  | 4.6  | 0   |
| 208 | Mistrust and Endorsement of Human Immunodeficiency Virus Conspiracy Theories Among Human Immunodeficiency Virus-Infected African American Veterans. <i>Military Medicine</i> , <b>2017</b> , 182, e2073-e2079   | 1.3  | 12  |
| 207 | Cost-effectiveness of emergency department-initiated treatment for opioid dependence. <i>Addiction</i> , <b>2017</b> , 112, 2002-2010   | 4.6  | 62  |
| 206 | Reply to Osborne & Serdarevic (2017): Potential impact of exposure definition when examining non-medical use of prescription opioids among US veterans. <i>Addiction</i> , <b>2017</b> , 112, 1510-1511   | 4.6  |     |
| 205 | Minority Men Who Have Sex with Men Demonstrate Increased Risk for HIV Transmission. <i>AIDS and Behavior</i> , <b>2017</b> , 21, 1497-1510  | 4.3  | 7   |
| 204 | A Cross-Sectional Online Survey of HIV Pre-Exposure Prophylaxis Adoption Among Primary Care Physicians. <i>Journal of General Internal Medicine</i> , <b>2017</b> , 32, 62-70   | 4    | 107 |
| 203 | What are the Patterns Between Depression, Smoking, Unhealthy Alcohol Use, and Other Substance Use Among Individuals Receiving Medical Care? A Longitudinal Study of 5479 Participants. <i>AIDS and Behavior</i> , <b>2017</b> , 21, 2014-2022                                 | 4.3  | 19  |

|     |  |      |     |
|-----|--|------|-----|
| 202 | Customized recommendations and reminder text messages for automated, computer-based treatment during methadone. <i>Experimental and Clinical Psychopharmacology</i> , <b>2017</b> , 25, 485-495  | 3.2  | 4   |
| 201 | Video Game Intervention for Sexual Risk Reduction in Minority Adolescents: Randomized Controlled Trial. <i>Journal of Medical Internet Research</i> , <b>2017</b> , 19, e314   | 7.6  | 36  |
| 200 | Quality of HIV Care and Mortality Rates in HIV-Infected Patients. <i>Clinical Infectious Diseases</i> , <b>2016</b> , 62, 233-239  | 11.6 | 17  |
| 199 | Alcohol-Related Diagnoses and All-Cause Hospitalization Among HIV-Infected and Uninfected Patients: A Longitudinal Analysis of United States Veterans from 1997 to 2011. <i>AIDS and Behavior</i> , <b>2016</b> , 20, 555-64                                   | 4.3  | 21  |
| 198 | Number of Drinks to "Feel a Buzz" by HIV Status and Viral Load in Men. <i>AIDS and Behavior</i> , <b>2016</b> , 20, 504-13   | 4.1  | 28  |
| 197 | Non-medical use of prescription opioids is associated with heroin initiation among US veterans: a prospective cohort study. <i>Addiction</i> , <b>2016</b> , 111, 2021-2031  | 4.6  | 75  |
| 196 | Cognitive Behavioral Therapy Improves Treatment Outcomes for Prescription Opioid Users in Primary Care Buprenorphine Treatment. <i>Journal of Substance Abuse Treatment</i> , <b>2016</b> , 71, 54-57  | 4.2  | 48  |
| 195 | Comparison of AUDIT-C collected via electronic medical record and self-administered research survey in HIV infected and uninfected patients. <i>Drug and Alcohol Dependence</i> , <b>2016</b> , 168, 196-202   | 4.9  | 18  |
| 194 | The Availability of Ancillary Counseling in the Practices of Physicians Prescribing Buprenorphine. <i>Journal of Addiction Medicine</i> , <b>2016</b> , 10, 352-6  | 3.8  | 6   |
| 193 | The Effect of Substance Use Disorders on the Association Between Guideline-concordant Long-term Opioid Therapy and All-cause Mortality. <i>Journal of Addiction Medicine</i> , <b>2016</b> , 10, 418-428   | 3.8  | 7   |
| 192 | Primary care physicians' perspectives on the prescription opioid epidemic. <i>Drug and Alcohol Dependence</i> , <b>2016</b> , 165, 61-70   | 4.9  | 57  |
| 191 | The design and implementation of a randomized controlled trial of a risk reduction and human immunodeficiency virus prevention videogame intervention in minority adolescents: PlayForward: Elm City Stories. <i>Clinical Trials</i> , <b>2016</b> , 13, 400-8 | 2.2  | 15  |
| 190 | Implementation of integrated stepped care for unhealthy alcohol use in HIV clinics. <i>Addiction Science &amp; Clinical Practice</i> , <b>2016</b> , 11, 1   | 4.1  | 27  |
| 189 | Trends in Any and High-Dose Opioid Analgesic Receipt Among Aging Patients With and Without HIV. <i>AIDS and Behavior</i> , <b>2016</b> , 20, 679-86  | 4.3  | 37  |
| 188 | Estimating demand for primary care-based treatment for substance and alcohol use disorders. <i>Addiction</i> , <b>2016</b> , 111, 1376-84  | 4.6  | 31  |
| 187 | Risk of mortality and physiologic injury evident with lower alcohol exposure among HIV infected compared with uninfected men. <i>Drug and Alcohol Dependence</i> , <b>2016</b> , 161, 95-103   | 4.9  | 118 |
| 186 | The Association Between Receipt of Guideline-Concordant Long-Term Opioid Therapy and All-Cause Mortality. <i>Journal of General Internal Medicine</i> , <b>2016</b> , 31, 492-501  | 4    | 23  |
| 185 | Do Alcohol Misuse, Smoking, and Depression Vary Concordantly or Sequentially? A Longitudinal Study of HIV-Infected and Matched Uninfected Veterans in Care. <i>AIDS and Behavior</i> , <b>2016</b> , 20, 566-72  | 4.3  | 23  |



|     |   |      |     |
|-----|---|------|-----|
| 184 | Contemplation of smoking cessation and quit attempts in human immunodeficiency virus-infected and uninfected veterans. <i>Substance Abuse</i> , <b>2016</b> , 37, 315-22  | 3.8  | 9   |
| 183 | Risk factors associated with acute exacerbation of chronic obstructive pulmonary disease in HIV-infected and uninfected patients. <i>Aids</i> , <b>2016</b> , 30, 455-63  | 3.5  | 21  |
| 182 | Initial development of patient-reported instrument assessing harm, efficacy, and misuse of long-term opioid therapy. <i>Journal of Rehabilitation Research and Development</i> , <b>2016</b> , 53, 127-36         |      | 1   |
| 181 | Alcohol Use. <i>Annals of Internal Medicine</i> , <b>2016</b> , 165, 379-80   | 8    | 5   |
| 180 | In the Clinic. Alcohol Use. <i>Annals of Internal Medicine</i> , <b>2016</b> , 164, ITC1-16   | 8    | 26  |
| 179 | Incarceration History and Uncontrolled Blood Pressure in a Multi-Site Cohort. <i>Journal of General Internal Medicine</i> , <b>2016</b> , 31, 1496-1502   | 4    | 17  |
| 178 | Hepatic Safety of Buprenorphine in HIV-Infected and Uninfected Patients With Opioid Use Disorder: The Role of HCV-Infection. <i>Journal of Substance Abuse Treatment</i> , <b>2016</b> , 68, 62-7                 | 4.2  | 2   |
| 177 | The epidemiology of substance use disorders in US Veterans: A systematic review and analysis of assessment methods. <i>American Journal on Addictions</i> , <b>2016</b> , 25, 7-24                                | 3.7  | 58  |
| 176 | Opioid substitution therapy-time to replace the term. <i>Lancet, The</i> , <b>2015</b> , 385, 1508-9  | 4.0  | 16  |
| 175 | The impact of recent cocaine use on plasma levels of methadone and buprenorphine in patients with and without HIV-infection. <i>Journal of Substance Abuse Treatment</i> , <b>2015</b> , 51, 70-4                 | 4.2  | 4   |
| 174 | Emergency department-initiated buprenorphine/naloxone treatment for opioid dependence: a randomized clinical trial. <i>JAMA - Journal of the American Medical Association</i> , <b>2015</b> , 313, 1636-44        | 27.4 | 450 |
| 173 | Incarceration and health outcomes in HIV-infected patients: the impact of substance use, primary care engagement, and antiretroviral adherence. <i>American Journal on Addictions</i> , <b>2015</b> , 24, 178-184 | 3.7  | 10  |
| 172 | Consumers' Valuation of Primary Care-Based Treatment Options for Mental and Substance Use Disorders. <i>Psychiatric Services</i> , <b>2015</b> , 66, 772-4  | 3.3  | 4   |
| 171 | Buprenorphine/Naloxone dose and pain intensity among individuals initiating treatment for opioid use disorder. <i>Journal of Substance Abuse Treatment</i> , <b>2015</b> , 48, 128-31                             | 4.2  | 7   |
| 170 | Opioid Dependence Treatment in the Emergency Department--Reply. <i>JAMA - Journal of the American Medical Association</i> , <b>2015</b> , 314, 835  | 27.4 |     |
| 169 | Food insecurity and health: data from the Veterans Aging Cohort Study. <i>Public Health Reports</i> , <b>2015</b> , 130, 261-8  | 2.5  | 72  |
| 168 | Long-term Prescription of Opioids and/or Benzodiazepines and Mortality Among HIV-Infected and Uninfected Patients. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , <b>2015</b> , 69, 223-33       | 3.1  | 64  |
| 167 | Drinking trajectories among HIV-infected men who have sex with men: a cohort study of United States veterans. <i>Drug and Alcohol Dependence</i> , <b>2015</b> , 148, 69-76                                       | 4.9  | 36  |

|     |  |      |     |
|-----|--|------|-----|
| 166 | Addressing bias in observational studies of alcohol withdrawal syndrome: a call to the field. <i>Alcoholism: Clinical and Experimental Research</i> , <b>2015</b> , 39, 390  | 3.7  | 1   |
| 165 | Initial response as a predictor of 12-week buprenorphine-naloxone treatment response in a prescription opioid-dependent population. <i>Journal of Clinical Psychiatry</i> , <b>2015</b> , 76, 189-94   | 4.6  | 16  |
| 164 | Guideline-concordant management of opioid therapy among human immunodeficiency virus (HIV)-infected and uninfected veterans. <i>Journal of Pain</i> , <b>2014</b> , 15, 1130-1140  | 5.2  | 17  |
| 163 | Buprenorphine maintenance and mu-opioid receptor availability in the treatment of opioid use disorder: implications for clinical use and policy. <i>Drug and Alcohol Dependence</i> , <b>2014</b> , 144, 1-11                                  | 4.9  | 78  |
| 162 | Racial/ethnic differences in report of drug testing practices at the workplace level in the U.S. <i>American Journal on Addictions</i> , <b>2014</b> , 23, 357-62  | 3.7  | 3   |
| 161 | Increased hospital and emergency department utilization by individuals with recent criminal justice involvement: results of a national survey. <i>Journal of General Internal Medicine</i> , <b>2014</b> , 29, 1226-33                         | 4    | 53  |
| 160 | Methadone safety: a clinical practice guideline from the American Pain Society and College on Problems of Drug Dependence, in collaboration with the Heart Rhythm Society. <i>Journal of Pain</i> , <b>2014</b> , 15, 321-37                   | 5.2  | 163 |
| 159 | The impact of buprenorphine/naloxone treatment on HIV risk behaviors among HIV-infected, opioid-dependent patients. <i>Drug and Alcohol Dependence</i> , <b>2014</b> , 139, 79-85  | 4.9  | 28  |
| 158 | Relationship between alcohol use categories and noninvasive markers of advanced hepatic fibrosis in HIV-infected, chronic hepatitis C virus-infected, and uninfected patients. <i>Clinical Infectious Diseases</i> , <b>2014</b> , 58, 1449-58 | 11.6 | 66  |
| 157 | Assessing research activity and capacity of community-based organizations: development and pilot testing of an instrument. <i>Progress in Community Health Partnerships: Research, Education, and Action</i> , <b>2014</b> , 8, 421-32         | 1.2  | 4   |
| 156 | Source of prescription drugs used nonmedically in rural and urban populations. <i>American Journal of Drug and Alcohol Abuse</i> , <b>2014</b> , 40, 292-303   | 3.7  | 15  |
| 155 | Prescription opioid misuse in the United States and the United Kingdom: cautionary lessons. <i>International Journal of Drug Policy</i> , <b>2014</b> , 25, 1124-30  | 5.5  | 85  |
| 154 | Substance use in older HIV-infected patients. <i>Current Opinion in HIV and AIDS</i> , <b>2014</b> , 9, 317-24   | 4.2  | 24  |
| 153 | Primary care-based buprenorphine taper vs maintenance therapy for prescription opioid dependence: a randomized clinical trial. <i>JAMA Internal Medicine</i> , <b>2014</b> , 174, 1947-54  | 11.5 | 125 |
| 152 | Unobserved "home" induction onto buprenorphine. <i>Journal of Addiction Medicine</i> , <b>2014</b> , 8, 299-308  | 3.8  | 36  |
| 151 | Clinical case conference: unobserved "home" induction onto buprenorphine. <i>Journal of Addiction Medicine</i> , <b>2014</b> , 8, 309-14   | 3.8  | 1   |
| 150 | Reply to Marcellin et al. <i>Clinical Infectious Diseases</i> , <b>2014</b> , 59, 1192-3   | 11.6 |     |
| 149 | A research agenda for enhancing appropriate opioid prescribing in primary care. <i>Journal of General Internal Medicine</i> , <b>2013</b> , 28, 1364-7   | 4    | 9   |

|     |  |     |     |
|-----|--|-----|-----|
| 148 | Sex disparities in overall burden of disease among HIV-infected individuals in the Veterans Affairs healthcare system. <i>Journal of General Internal Medicine</i> , <b>2013</b> , 28 Suppl 2, S577-82                     | 4   | 10  |
| 147 | Receipt of opioid analgesics by HIV-infected and uninfected patients. <i>Journal of General Internal Medicine</i> , <b>2013</b> , 28, 82-90  | 4   | 81  |
| 146 | The next therapeutic challenge in HIV: polypharmacy. <i>Drugs and Aging</i> , <b>2013</b> , 30, 613-28   | 4.7 | 155 |
| 145 | The Recovery Line: A pilot trial of automated, telephone-based treatment for continued drug use in methadone maintenance. <i>Journal of Substance Abuse Treatment</i> , <b>2013</b> , 45, 63-9                             | 4.2 | 24  |
| 144 | Patient characteristics associated with buprenorphine/naloxone treatment outcome for prescription opioid dependence: Results from a multisite study. <i>Drug and Alcohol Dependence</i> , <b>2013</b> , 131, 112-8         | 4.9 | 93  |
| 143 | Antiretroviral adherence among rural compared to urban veterans with HIV infection in the United States. <i>AIDS and Behavior</i> , <b>2013</b> , 17, 174-80   | 4.3 | 20  |
| 142 | Instruments to assess patient-reported safety, efficacy, or misuse of current opioid therapy for chronic pain: a systematic review. <i>Pain</i> , <b>2013</b> , 154, 905-16  | 8   | 23  |
| 141 | Previous use of alcohol, cigarettes, and marijuana and subsequent abuse of prescription opioids in young adults. <i>Journal of Adolescent Health</i> , <b>2013</b> , 52, 158-63  | 5.8 | 81  |
| 140 | Prevalence of mood and substance use disorders among patients seeking primary care office-based buprenorphine/naloxone treatment. <i>Drug and Alcohol Dependence</i> , <b>2013</b> , 127, 243-7                            | 4.9 | 38  |
| 139 | Prevalence and correlates for nonmedical use of prescription opioids among urban and rural residents. <i>Drug and Alcohol Dependence</i> , <b>2013</b> , 127, 156-62   | 4.9 | 50  |
| 138 | Moving HIV pre-exposure prophylaxis into clinical settings: lessons from buprenorphine. <i>American Journal of Preventive Medicine</i> , <b>2013</b> , 44, S86-90  | 6.1 | 5   |
| 137 | A randomized trial of cognitive behavioral therapy in primary care-based buprenorphine. <i>American Journal of Medicine</i> , <b>2013</b> , 126, 74.e11-7  | 2.4 | 92  |
| 136 | Hepatitis C viremia and the risk of chronic kidney disease in HIV-infected individuals. <i>Journal of Infectious Diseases</i> , <b>2013</b> , 208, 1240-9  | 7   | 39  |
| 135 | Physician detection of unhealthy substance use on inpatient teaching and hospitalist medical services. <i>American Journal of Drug and Alcohol Abuse</i> , <b>2013</b> , 39, 121-9   | 3.7 | 5   |
| 134 | HIV testing and sexual risk reduction counseling in office-based buprenorphine/naloxone treatment. <i>Journal of Addiction Medicine</i> , <b>2013</b> , 7, 410-6   | 3.8 | 5   |
| 133 | Association between risk behaviors and antiretroviral resistance in HIV-infected patients receiving opioid agonist treatment. <i>Journal of Addiction Medicine</i> , <b>2013</b> , 7, 102-7                                | 3.8 | 7   |
| 132 | Comparing alcohol screening measures among HIV-infected and -uninfected men. <i>Alcoholism: Clinical and Experimental Research</i> , <b>2013</b> , 37, 435-42  | 3.7 | 35  |
| 131 | Pain and associated substance use among opioid dependent individuals seeking office-based treatment with buprenorphine-naloxone: a needs assessment study. <i>American Journal on Addictions</i> , <b>2013</b> , 22, 212-7 | 3.7 | 30  |

|     |  |      |     |
|-----|--|------|-----|
| 130 | Acetaminophen receipt among HIV-infected patients with advanced hepatic fibrosis. <i>Pharmacoepidemiology and Drug Safety</i> , <b>2013</b> , 22, 1352-6   | 2.6  | 12  |
| 129 | Measuring alcohol consumption using Timeline Followback in non-treatment-seeking medical clinic patients with and without HIV infection: 7-, 14-, or 30-day recall. <i>Journal of Studies on Alcohol and Drugs</i> , <b>2013</b> , 74, 500-4 | 1.9  | 18  |
| 128 | Agreement between electronic medical record-based and self-administered pain numeric rating scale: clinical and research implications. <i>Medical Care</i> , <b>2013</b> , 51, 245-50  | 3.1  | 52  |
| 127 | Treating Pain in Patients Receiving Methadone Maintenance for Opioid Dependence <b>2013</b> , 31-37  |      | 2   |
| 126 | Federal Plan for Prescriber Education on Opioids Misses Opportunities. <i>Annals of Internal Medicine</i> , <b>2012</b> , 157, 205   | 8    | 8   |
| 125 | Brief versus extended counseling along with buprenorphine/naloxone for HIV-infected opioid dependent patients. <i>Journal of Substance Abuse Treatment</i> , <b>2012</b> , 43, 433-9   | 4.2  | 34  |
| 124 | Development of a scale to measure practitioner adherence to a brief intervention in the emergency department. <i>Journal of Substance Abuse Treatment</i> , <b>2012</b> , 43, 382-8  | 4.2  | 20  |
| 123 | Screening, brief intervention, and referral to treatment (SBIRT) for alcohol and other drug use among adolescents: evaluation of a pediatric residency curriculum. <i>Substance Abuse</i> , <b>2012</b> , 33, 251-60                         | 3.8  | 21  |
| 122 | Current and potential pharmacological treatment options for maintenance therapy in opioid-dependent individuals. <i>Drugs</i> , <b>2012</b> , 72, 217-28   | 12.1 | 41  |
| 121 | A brief intervention reduces hazardous and harmful drinking in emergency department patients. <i>Annals of Emergency Medicine</i> , <b>2012</b> , 60, 181-92   | 2.1  | 149 |
| 120 | Cost-effectiveness of long-term outpatient buprenorphine-naloxone treatment for opioid dependence in primary care. <i>Journal of General Internal Medicine</i> , <b>2012</b> , 27, 669-76  | 4    | 60  |
| 119 | Hepatic safety and antiretroviral effectiveness in HIV-infected patients receiving naltrexone. <i>Alcoholism: Clinical and Experimental Research</i> , <b>2012</b> , 36, 318-24  | 3.7  | 31  |
| 118 | Prevalence of unhealthy substance use on teaching and hospitalist medical services: implications for education. <i>American Journal on Addictions</i> , <b>2012</b> , 21, 111-9  | 3.7  | 23  |
| 117 | Combining rapid HIV testing and a brief alcohol intervention in young unhealthy drinkers in the emergency department: a pilot study. <i>American Journal of Drug and Alcohol Abuse</i> , <b>2012</b> , 38, 539-43                            | 3.7  | 12  |
| 116 | Use of conventional, complementary, and alternative treatments for pain among individuals seeking primary care treatment with buprenorphine-naloxone. <i>Journal of Addiction Medicine</i> , <b>2012</b> , 6, 274-9                          | 3.8  | 16  |
| 115 | Counseling and directly observed medication for primary care buprenorphine maintenance: a pilot study. <i>Journal of Addiction Medicine</i> , <b>2012</b> , 6, 205-11  | 3.8  | 19  |
| 114 | Developing and implementing a multispecialty graduate medical education curriculum on Screening, Brief Intervention, and Referral to Treatment (SBIRT). <i>Substance Abuse</i> , <b>2012</b> , 33, 168-81                                    | 3.8  | 32  |
| 113 | Does an index composed of clinical data reflect effects of inflammation, coagulation, and monocyte activation on mortality among those aging with HIV?. <i>Clinical Infectious Diseases</i> , <b>2012</b> , 54, 984-94                       | 11.6 | 173 |

|     |  |     |    |
|-----|--|-----|----|
| 112 | Human immunodeficiency virus testing practices among buprenorphine-prescribing physicians. <i>Journal of Addiction Medicine</i> , <b>2012</b> , 6, 159-65  | 3.8 | 12 |
| 111 | Unhealthy alcohol and illicit drug use are associated with decreased quality of HIV care. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , <b>2012</b> , 61, 171-8  | 3.1 | 43 |
| 110 | Federal plan for prescriber education on opioids misses opportunities. <i>Annals of Internal Medicine</i> , <b>2012</b> , 157, 205-6   | 8   | 3  |
| 109 | Alcohol consumption and depressive symptoms over time: a longitudinal study of patients with and without HIV infection. <i>Drug and Alcohol Dependence</i> , <b>2011</b> , 117, 158-63   | 4.9 | 64 |
| 108 | Reply to Letter Additional Explanation for Lack of Pharmacodynamic Interaction Between Atazanavir and Buprenorphine Reported by Vergara-Rodriquez et al. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , <b>2011</b> , 58, e112-e113 | 3.1 |    |
| 107 | Hepatic safety and lack of antiretroviral interactions with buprenorphine/naloxone in HIV-infected opioid-dependent patients. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , <b>2011</b> , 56 Suppl 1, S62-7                        | 3.1 | 23 |
| 106 | Integration of buprenorphine/naloxone treatment into HIV clinical care: lessons from the BHIVES collaborative. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , <b>2011</b> , 56 Suppl 1, S68-75                                      | 3.1 | 51 |
| 105 | Opioid-prescribing practices and provider confidence recognizing opioid analgesic abuse in HIV primary care settings. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , <b>2011</b> , 56 Suppl 1, S91-7                                | 3.1 | 65 |
| 104 | Drug treatment outcomes among HIV-infected opioid-dependent patients receiving buprenorphine/naloxone. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , <b>2011</b> , 56 Suppl 1, S33-8   | 3.1 | 65 |
| 103 | The cost of integrated HIV care and buprenorphine/naloxone treatment: results of a cross-site evaluation. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , <b>2011</b> , 56 Suppl 1, S76-82   | 3.1 | 17 |
| 102 | Improving adherence to HIV quality of care indicators in persons with opioid dependence: the role of buprenorphine. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , <b>2011</b> , 56 Suppl 1, S83-90                                 | 3.1 | 38 |
| 101 | Improved quality of life for opioid-dependent patients receiving buprenorphine treatment in HIV clinics. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , <b>2011</b> , 56 Suppl 1, S39-45  | 3.1 | 53 |
| 100 | Nonmedical use of opioid analgesics obtained directly from physicians: prevalence and correlates. <i>Archives of Internal Medicine</i> , <b>2011</b> , 171, 1034-6   |     | 30 |
| 99  | A meta-analysis of the efficacy of nonphysician brief interventions for unhealthy alcohol use: implications for the patient-centered medical home. <i>American Journal on Addictions</i> , <b>2011</b> , 20, 343-56                                  | 3.7 | 59 |
| 98  | Nonmedical use of prescription opioids and pain in veterans with and without HIV. <i>Pain</i> , <b>2011</b> , 152, 1133-8  | 138 | 35 |
| 97  | Food insecurity is associated with poor virologic response among HIV-infected patients receiving antiretroviral medications. <i>Journal of General Internal Medicine</i> , <b>2011</b> , 26, 1012-8  | 4   | 80 |
| 96  | State variation in AIDS drug assistance program prescription drug coverage for modifiable cardiovascular risk factors. <i>Journal of General Internal Medicine</i> , <b>2011</b> , 26, 1426-33   | 4   | 6  |
| 95  | The impact of cocaine use on outcomes in HIV-infected patients receiving buprenorphine/naloxone. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , <b>2011</b> , 56 Suppl 1, S54-61  | 3.1 | 26 |

|    |   |      |     |
|----|---|------|-----|
| 94 | Participant characteristics and HIV risk behaviors among individuals entering integrated buprenorphine/naloxone and HIV care. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , <b>2011</b> , 56 Suppl 1, S14-21  | 3.1  | 28  |
| 93 | HIV treatment outcomes among HIV-infected, opioid-dependent patients receiving buprenorphine/naloxone treatment within HIV clinical care settings: results from a multisite study. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , <b>2011</b> , 56 Suppl 1, S22-32 | 3.1  | 200 |
| 92 | The BHIVES collaborative: organization and evaluation of a multisite demonstration of integrated buprenorphine/naloxone and HIV treatment. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , <b>2011</b> , 56 Suppl 1, S7-13  | 3.1  | 37  |
| 91 | Adding buprenorphine implants to counselling reduces opioid use over 6 months in opioid-dependent adults. <i>Evidence-Based Mental Health</i> , <b>2011</b> , 14, 30  | 11.1 |     |
| 90 | Adjunctive counseling during brief and extended buprenorphine-naloxone treatment for prescription opioid dependence: a 2-phase randomized controlled trial. <i>Archives of General Psychiatry</i> , <b>2011</b> , 68, 1238-46   |      | 371 |
| 89 | The association between cocaine use and treatment outcomes in patients receiving office-based buprenorphine/naloxone for the treatment of opioid dependence. <i>American Journal on Addictions</i> , <b>2010</b> , 19, 53-8   | 3.7  | 48  |
| 88 | Substance use in patients with sexually transmitted infections: results from a national U.S. survey. <i>American Journal on Addictions</i> , <b>2010</b> , 19, 504-9  | 3.7  | 11  |
| 87 | Evaluating interventions to improve antiretroviral adherence: how much of an effect is required for favorable value?. <i>Value in Health</i> , <b>2010</b> , 13, 535-42   | 3.3  | 6   |
| 86 | Patterns of drug use and abuse among aging adults with and without HIV: a latent class analysis of a US Veteran cohort. <i>Drug and Alcohol Dependence</i> , <b>2010</b> , 110, 208-20  | 4.9  | 83  |
| 85 | Unobserved versus observed office buprenorphine/naloxone induction: a pilot randomized clinical trial. <i>Addictive Behaviors</i> , <b>2010</b> , 35, 537-40  | 4.2  | 34  |
| 84 | Opioids, chronic pain, and addiction in primary care. <i>Journal of Pain</i> , <b>2010</b> , 11, 1442-50  | 5.2  | 82  |
| 83 | Clinic-based treatment of opioid-dependent HIV-infected patients versus referral to an opioid treatment program: A randomized trial. <i>Annals of Internal Medicine</i> , <b>2010</b> , 152, 704-11   | 8    | 82  |
| 82 | Depression symptoms and treatment among HIV infected and uninfected veterans. <i>AIDS and Behavior</i> , <b>2010</b> , 14, 272-9  | 4.3  | 12  |
| 81 | Erectile dysfunction drug receipt, risky sexual behavior and sexually transmitted diseases in HIV-infected and HIV-uninfected men. <i>Journal of General Internal Medicine</i> , <b>2010</b> , 25, 115-21   | 4    | 17  |
| 80 | Effect of incarceration history on outcomes of primary care office-based buprenorphine/naloxone. <i>Journal of General Internal Medicine</i> , <b>2010</b> , 25, 670-4  | 4    | 21  |
| 79 | The Physician Clinical Support System-Buprenorphine (PCSS-B): a novel project to expand/improve buprenorphine treatment. <i>Journal of General Internal Medicine</i> , <b>2010</b> , 25, 936-41   | 4    | 47  |
| 78 | HIV/AIDS, comorbidity, and alcohol: can we make a difference?. <i>Alcohol Research</i> , <b>2010</b> , 33, 258-66   |      | 26  |
| 77 | Integrating buprenorphine treatment into office-based practice: a qualitative study. <i>Journal of General Internal Medicine</i> , <b>2009</b> , 24, 218-25   | 4    | 84  |

|    |  |      |     |
|----|--|------|-----|
| 76 | The association between chronic pain and prescription drug abuse in Veterans. <i>Pain Medicine</i> , <b>2009</b> , 10, 531-6   | 2.8  | 53  |
| 75 | Cost analysis of clinic and office-based treatment of opioid dependence: results with methadone and buprenorphine in clinically stable patients. <i>Drug and Alcohol Dependence</i> , <b>2009</b> , 99, 132-40 | 4.9  | 49  |
| 74 | Factors affecting willingness to provide buprenorphine treatment. <i>Journal of Substance Abuse Treatment</i> , <b>2009</b> , 36, 244-51   | 4.2  | 127 |
| 73 | The payoff time: a flexible framework to help clinicians decide when patients with comorbid disease are not likely to benefit from practice guidelines. <i>Medical Care</i> , <b>2009</b> , 47, 610-7          | 3.1  | 46  |
| 72 | Gender and non-medical use of prescription opioids: results from a national US survey. <i>Addiction</i> , <b>2008</b> , 103, 258-68  | 4.6  | 141 |
| 71 | Buprenorphine/naloxone treatment in primary care is associated with decreased human immunodeficiency virus risk behaviors. <i>Journal of Substance Abuse Treatment</i> , <b>2008</b> , 35, 87-92               | 4.2  | 75  |
| 70 | Non-medical use, abuse and dependence on prescription opioids among U.S. adults: psychiatric, medical and substance use correlates. <i>Drug and Alcohol Dependence</i> , <b>2008</b> , 94, 38-47               | 4.9  | 320 |
| 69 | Opioid use disorder in the United States: insurance status and treatment access. <i>Drug and Alcohol Dependence</i> , <b>2008</b> , 94, 207-13   | 4.9  | 59  |
| 68 | Office-based maintenance treatment of opioid dependence: how does it compare with traditional approaches?. <i>CNS Drugs</i> , <b>2008</b> , 22, 99-111   | 6.7  | 36  |
| 67 | Treatment of adolescent opioid dependence: no quick fix. <i>JAMA - Journal of the American Medical Association</i> , <b>2008</b> , 300, 2057-9   | 27.4 | 26  |
| 66 | Narrative review: buprenorphine for opioid-dependent patients in office practice. <i>Annals of Internal Medicine</i> , <b>2008</b> , 148, 662-70   | 8    | 38  |
| 65 | Update in addiction medicine for the primary care clinician. <i>Journal of General Internal Medicine</i> , <b>2008</b> , 23, 2112-6  | 4    | 12  |
| 64 | Brief intervention for hazardous and harmful drinkers in the emergency department. <i>Annals of Emergency Medicine</i> , <b>2008</b> , 51, 742-750.e2  | 2.1  | 106 |
| 63 | Long-term treatment with buprenorphine/naloxone in primary care: results at 2-5 years. <i>American Journal on Addictions</i> , <b>2008</b> , 17, 116-20  | 3.7  | 117 |
| 62 | Major depression and recent physical or sexual abuse increase readmissions among high-utilising primary care patients. <i>Mental Health in Family Medicine</i> , <b>2008</b> , 5, 23-8                         |      |     |
| 61 | Women and opioid dependence treatment: office-based versus opioid treatment program-based care?. <i>Substance Abuse</i> , <b>2007</b> , 28, 3-8  | 3.8  | 12  |
| 60 | Patient satisfaction with primary care office-based buprenorphine/naloxone treatment. <i>Journal of General Internal Medicine</i> , <b>2007</b> , 22, 242-5  | 4    | 52  |
| 59 | Primary care office-based buprenorphine treatment: comparison of heroin and prescription opioid dependent patients. <i>Journal of General Internal Medicine</i> , <b>2007</b> , 22, 527-30                     | 4    | 124 |

|    |  |      |     |
|----|--|------|-----|
| 58 | Update in addiction medicine for the generalist. <i>Journal of General Internal Medicine</i> , <b>2007</b> , 22, 1190-4  | 4    | 7   |
| 57 | Effects of marijuana smoking on pulmonary function and respiratory complications: a systematic review. <i>Archives of Internal Medicine</i> , <b>2007</b> , 167, 221-8                             |      | 234 |
| 56 | Systematic review: opioid treatment for chronic back pain: prevalence, efficacy, and association with addiction. <i>Annals of Internal Medicine</i> , <b>2007</b> , 146, 116-27                    | 8    | 510 |
| 55 | The first three years of buprenorphine in the United States: experience to date and future directions. <i>Journal of Addiction Medicine</i> , <b>2007</b> , 1, 62-7                                | 3.8  | 53  |
| 54 | Non-medical use, abuse and dependence on sedatives and tranquilizers among U.S. adults: psychiatric and socio-demographic correlates. <i>Drug and Alcohol Dependence</i> , <b>2007</b> , 90, 280-7 | 4.9  | 73  |
| 53 | Utility of sweat patch testing for drug use monitoring in outpatient treatment for opiate dependence. <i>Journal of Substance Abuse Treatment</i> , <b>2007</b> , 33, 411-5                        | 4.2  | 15  |
| 52 | Counseling plus buprenorphine-naloxone maintenance therapy for opioid dependence. <i>New England Journal of Medicine</i> , <b>2006</b> , 355, 365-74   | 59.2 | 271 |
| 51 | A trial of integrated buprenorphine/naloxone and HIV clinical care. <i>Clinical Infectious Diseases</i> , <b>2006</b> , 43 Suppl 4, S184-90  | 11.6 | 57  |
| 50 | Mental health after deployment to Iraq or Afghanistan. <i>JAMA - Journal of the American Medical Association</i> , <b>2006</b> , 296, 515; author reply 516  | 27.4 | 3   |
| 49 | The association between marijuana smoking and lung cancer: a systematic review. <i>Archives of Internal Medicine</i> , <b>2006</b> , 166, 1359-67  |      | 107 |
| 48 | Opioid dependence: rationale for and efficacy of existing and new treatments. <i>Clinical Infectious Diseases</i> , <b>2006</b> , 43 Suppl 4, S173-7   | 11.6 | 34  |
| 47 | Initial strategies for integrating buprenorphine into HIV care settings in the United States. <i>Clinical Infectious Diseases</i> , <b>2006</b> , 43 Suppl 4, S191-6                               | 11.6 | 30  |
| 46 | Buprenorphine and HIV primary care: new opportunities for integrated treatment. <i>Clinical Infectious Diseases</i> , <b>2006</b> , 43 Suppl 4, S169-72  | 11.6 | 8   |
| 45 | A randomized trial of primary intensive care to reduce hospital admissions in patients with high utilization of inpatient services. <i>Disease Management: DM</i> , <b>2006</b> , 9, 328-38        |      | 31  |
| 44 | Evaluation of a combined online and in person training in the use of buprenorphine. <i>Substance Abuse</i> , <b>2006</b> , 27, 39-45   | 3.8  | 29  |
| 43 | Training HIV physicians to prescribe buprenorphine for opioid dependence. <i>Substance Abuse</i> , <b>2006</b> , 27, 13-8  | 3.8  | 19  |
| 42 | Alcohol problems and health care services use in human immunodeficiency virus (HIV)-infected and HIV-uninfected veterans. <i>Medical Care</i> , <b>2006</b> , 44, S44-51                           | 3.1  | 41  |
| 41 | Quality of care for acute myocardial infarction in elderly patients with alcohol-related diagnoses. <i>Alcoholism: Clinical and Experimental Research</i> , <b>2006</b> , 30, 70-5                 | 3.7  | 4   |



|    |   |      |     |
|----|---|------|-----|
| 40 | The practice of office-based buprenorphine treatment of opioid dependence: is it associated with new patients entering into treatment?. <i>Drug and Alcohol Dependence</i> , <b>2005</b> , 79, 113-6                    | 4.9  | 92  |
| 39 | The prevalence and impact of alcohol problems in major depression: a systematic review. <i>American Journal of Medicine</i> , <b>2005</b> , 118, 330-41   | 2.4  | 324 |
| 38 | Provider satisfaction with office-based treatment of opioid dependence: a systematic review. <i>Substance Abuse</i> , <b>2005</b> , 26, 15-22   | 3.8  | 23  |
| 37 | Development and implementation of an emergency practitioner-performed brief intervention for hazardous and harmful drinkers in the emergency department. <i>Academic Emergency Medicine</i> , <b>2005</b> , 12, 249-56  | 3.4  | 70  |
| 36 | Decreasing international HIV transmission: the role of expanding access to opioid agonist therapies for injection drug users. <i>Addiction</i> , <b>2005</b> , 100, 150-8   | 4.6  | 101 |
| 35 | Buprenorphine: its role in preventing HIV transmission and improving the care of HIV-infected patients with opioid dependence. <i>Clinical Infectious Diseases</i> , <b>2005</b> , 41, 891-6                            | 11.6 | 45  |
| 34 | Primary intensive care: pilot study of a primary care-based intervention for high-utilizing patients. <i>Disease Management: DM</i> , <b>2005</b> , 8, 169-77   |      | 16  |
| 33 | Development and Implementation of an Emergency Practitioner-Performed Brief Intervention for Hazardous and Harmful Drinkers in the Emergency Department. <i>Academic Emergency Medicine</i> , <b>2005</b> , 12, 249-256 | 3.4  | 40  |
| 32 | Hepatitis C and HIV infections: implications for clinical care in injection drug users. <i>American Journal on Addictions</i> , <b>2004</b> , 13, 1-20  | 3.7  | 29  |
| 31 | Buprenorphine for office-based practice: consensus conference overview. <i>American Journal on Addictions</i> , <b>2004</b> , 13 Suppl 1, S1-7  | 3.7  | 22  |
| 30 | Processes of care during a randomized trial of office-based treatment of opioid dependence in primary care. <i>American Journal on Addictions</i> , <b>2004</b> , 13 Suppl 1, S67-78                                    | 3.7  | 14  |
| 29 | Consensus statement on office-based treatment of opioid dependence using buprenorphine. <i>Journal of Substance Abuse Treatment</i> , <b>2004</b> , 27, 153-9   | 4.2  | 84  |
| 28 | Counseling Requirements for Buprenorphine Maintenance in Primary Care. <i>Addictive Disorders and Their Treatment</i> , <b>2004</b> , 3, 71-76  | 0.5  | 5   |
| 27 | Faculty development in small-group teaching skills associated with a training course on office-based treatment of opioid dependence. <i>Substance Abuse</i> , <b>2004</b> , 25, 35-40                                   | 3.8  | 17  |
| 26 | Substance use of disorders in HIV-infected patients: impact and new treatment strategies. <i>Topics in HIV Medicine: A Publication of the International AIDS Society, USA</i> , <b>2004</b> , 12, 77-82                 |      | 7   |
| 25 | . <i>Substance Abuse</i> , <b>2003</b> , 24, 1-3  | 3.8  | 1   |
| 24 | . <i>Substance Abuse</i> , <b>2003</b> , 24, 43-46  | 3.8  |     |
| 23 | Methadone syrup injection in Australia: a sentinel finding?. <i>Addiction</i> , <b>2003</b> , 98, 385-6   | 4.6  | 5   |

|    |   |      |     |
|----|---|------|-----|
| 22 | Coordination of medical care and opioid dependence treatment in primary care: a case report. <i>Substance Abuse</i> , <b>2003</b> , 24, 43-6  | 3.8  | 3   |
| 21 | Guideline development for office-based pharmacotherapies for opioid dependence. <i>Journal of Addictive Diseases</i> , <b>2003</b> , 22, 109-20   | 1.7  | 13  |
| 20 | New federal initiatives to enhance the medical treatment of opioid dependence. <i>Annals of Internal Medicine</i> , <b>2002</b> , 137, 688-92   | 8    | 67  |
| 19 | Gambling: an addictive behavior with health and primary care implications. <i>Journal of General Internal Medicine</i> , <b>2002</b> , 17, 721-32   | 4    | 134 |
| 18 | . <i>Substance Abuse</i> , <b>2002</b> , 23, 83-94  | 3.8  | 4   |
| 17 | Risk for delirium tremens in patients with alcohol withdrawal syndrome. <i>Substance Abuse</i> , <b>2002</b> , 23, 83-94  | 4.8  | 39  |
| 16 | The physician's role in caring for patients with substance use disorders: implications for medical education and training. <i>Substance Abuse</i> , <b>2002</b> , 23, 207-22              | 3.8  | 21  |
| 15 | Treatment of heroin dependence with buprenorphine in primary care. <i>American Journal of Drug and Alcohol Abuse</i> , <b>2002</b> , 28, 231-41   | 3.7  | 75  |
| 14 | Clinical practice. Office-based treatment of opioid-dependent patients. <i>New England Journal of Medicine</i> , <b>2002</b> , 347, 817-23  | 59.2 | 126 |
| 13 | Office-based treatment for opioid dependence: reaching new patient populations. <i>American Journal of Psychiatry</i> , <b>2001</b> , 158, 1200-4   | 11.9 | 39  |
| 12 | Innovations in treatment for drug abuse: solutions to a public health problem. <i>Annual Review of Public Health</i> , <b>2001</b> , 22, 249-72   | 20.6 | 23  |
| 11 | Patients with Alcohol Problems. <i>Annals of Internal Medicine</i> , <b>2001</b> , 135, 841   | 8    |     |
| 10 | Treatment of Heroin Dependence. <i>Annals of Internal Medicine</i> , <b>2001</b> , 134, 714   | 8    |     |
| 9  | Methadone maintenance in primary care: a randomized controlled trial. <i>JAMA - Journal of the American Medical Association</i> , <b>2001</b> , 286, 1724-31                              | 27.4 | 113 |
| 8  | Screening for alcohol problems in primary care: a systematic review. <i>Archives of Internal Medicine</i> , <b>2000</b> , 160, 1977-89  |      | 413 |
| 7  | Perceptions of benefit and risk of patients undergoing first-time elective percutaneous coronary revascularization. <i>Journal of General Internal Medicine</i> , <b>2000</b> , 15, 632-7 | 4    | 40  |
| 6  | Outpatient management of patients with alcohol problems. <i>Annals of Internal Medicine</i> , <b>2000</b> , 133, 815-27   |      | 38  |
| 5  | Pharmacologic treatment of heroin-dependent patients. <i>Annals of Internal Medicine</i> , <b>2000</b> , 133, 40-54   | 8    | 117 |

|   |  |     |     |
|---|--|-----|-----|
| 4 | New therapies for alcohol problems: application to primary care. <i>American Journal of Medicine</i> , <b>2000</b> , 108, 227-37 | 2.4 | 31  |
| 3 | Hazardous and harmful alcohol consumption in primary care. <i>Archives of Internal Medicine</i> , <b>1999</b> , 159, 1681-9      |     | 241 |
| 2 | . <i>Substance Abuse</i> , <b>1998</b> , 19, 23-31   | 3.8 |     |
| 1 | Reducing Bias in Observational Research on Alcohol Withdrawal Syndrome. <i>Substance Abuse</i> , <b>1998</b> , 19, 23-31         | 3.8 | 9   |