

Max Chavarra

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/431380/max-chavarria-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

52
papers

1,700
citations

19
h-index

41
g-index

65
ext. papers

2,271
ext. citations

4.7
avg, IF

4.84
L-index

#	Paper	IF	Citations
52	Biodeterioration and cellulolytic activity by fungi isolated from a nineteenth-century painting at the National Theatre of Costa Rica.. <i>Fungal Biology</i> , 2022 , 126, 101-112	2.8	2
51	Biodegradation of plastics at home composting conditions. <i>Environmental Challenges</i> , 2022 , 7, 100500	2.6	0
50	Transcriptional control of 2,4-dinitrotoluene degradation in Burkholderia sp. R34 bears a regulatory patch that eases pathway evolution. <i>Environmental Microbiology</i> , 2021 , 23, 2522-2531	5.2	2
49	Methylotrophs and Hydrocarbon-Degrading Bacteria Are Key Players in the Microbial Community of an Abandoned Century-Old Oil Exploration Well. <i>Microbial Ecology</i> , 2021 , 1	4.4	1
48	Reconfiguration of metabolic fluxes in Pseudomonas putida as a response to sub-lethal oxidative stress. <i>ISME Journal</i> , 2021 , 15, 1751-1766	11.9	26
47	Low CyaA expression and anti-cooperative binding of cAMP to CRP frames the scope of the cognate regulon of Pseudomonas putida. <i>Environmental Microbiology</i> , 2021 , 23, 1732-1749	5.2	1
46	Streptomyces sp. M54: an actinobacteria associated with a neotropical social wasp with high potential for antibiotic production. <i>Antonie Van Leeuwenhoek</i> , 2021 , 114, 379-398	2.1	2
45	The putative phosphate transporter PitB (PP1373) is involved in tellurite uptake in KT2440. <i>Microbiology (United Kingdom)</i> , 2021 , 167,	2.9	1
44	The potential of Pseudomonas for bioremediation of oxyanions. <i>Environmental Microbiology Reports</i> , 2021 , 13, 773-789	3.7	1
43	Temperature and elemental sulfur shape microbial communities in two extremely acidic aquatic volcanic environments. <i>Extremophiles</i> , 2021 , 25, 85-99	3	2
42	Microbial Community Structure Along a Horizontal Oxygen Gradient in a Costa Rican Volcanic Influenced Acid Rock Drainage System. <i>Microbial Ecology</i> , 2020 , 80, 793-808	4.4	1
41	ArsH protects Pseudomonas putida from oxidative damage caused by exposure to arsenic. <i>Environmental Microbiology</i> , 2020 , 22, 2230-2242	5.2	6
40	Microsatellite DNA fingerprinting of Coffea sp. germplasm conserved in Costa Rica through singleplex and multiplex PCR. <i>Crop Breeding and Applied Biotechnology</i> , 2020 , 20,	1.1	1
39	Concomitant prediction of environmental fate and toxicity of chemical compounds. <i>Biology Methods and Protocols</i> , 2020 , 5, bpaa025	2.4	1
38	Bocaparvovirus, Erythroparvovirus and Tetraparvovirus in New World Primates from Central America. <i>Transboundary and Emerging Diseases</i> , 2020 , 67, 377-387	4.2	2
37	The Bacterial Product Violacein Exerts an Immunostimulatory Effect Via TLR8. <i>Scientific Reports</i> , 2019 , 9, 13661	4.9	17
36	Phenolic variation among Chamaecrista nictitans subspecies and varieties revealed through UPLC-ESI(-)-MS/MS chemical fingerprinting. <i>Metabolomics</i> , 2019 , 15, 14	4.7	5

35	Field performance of hermaphrodite papaya plants obtained through molecular selection and micropropagation. <i>Crop Breeding and Applied Biotechnology</i> , 2019 , 19, 420-427	1.1	1
34	Phylogenetic analyses of antibiotic-producing <i>Streptomyces</i> sp. isolates obtained from the stingless-bee <i>Tetragonisca angustula</i> (Apidae: Meliponini). <i>Microbiology (United Kingdom)</i> , 2019 , 165, 292-301	2.9	14
33	Thermoplasmatales and sulfur-oxidizing bacteria dominate the microbial community at the surface water of a CO-rich hydrothermal spring located in Tenorio Volcano National Park, Costa Rica. <i>Extremophiles</i> , 2019 , 23, 177-187	3	19
32	The imbroglio of the physiological Cra effector clarified at last. <i>Molecular Microbiology</i> , 2018 , 109, 273-277	4.1	3
31	Two new cellulolytic fungal species isolated from a 19-century art collection. <i>Scientific Reports</i> , 2018 , 8, 7492	4.9	29
30	Pristine but metal-rich Río Sucio (Dirty River) is dominated by Gallionella and other iron-sulfur oxidizing microbes. <i>Extremophiles</i> , 2017 , 21, 235-243	3	7
29	Production of selenium nanoparticles in <i>Pseudomonas putida</i> KT2440. <i>Scientific Reports</i> , 2016 , 6, 37155	4.9	60
28	Canine Distemper Virus in Wild Felids of Costa Rica. <i>Journal of Wildlife Diseases</i> , 2016 , 52, 373-7	1.3	8
27	A Metabolic Widget Adjusts the Phosphoenolpyruvate-Dependent Fructose Influx in. <i>MSystems</i> , 2016 , 1,	7.6	23
26	From dirt to industrial applications: <i>Pseudomonas putida</i> as a Synthetic Biology chassis for hosting harsh biochemical reactions. <i>Current Opinion in Chemical Biology</i> , 2016 , 34, 20-29	9.7	151
25	Antibacterial biocomposite materials based on essential oils embedded in sol-gel hybrid silica matrices. <i>Journal of Sol-Gel Science and Technology</i> , 2016 , 79, 584-595	2.3	10
24	<i>Pseudomonas putida</i> KT2440 Strain Metabolizes Glucose through a Cycle Formed by Enzymes of the Entner-Doudoroff, Embden-Meyerhof-Parnas, and Pentose Phosphate Pathways. <i>Journal of Biological Chemistry</i> , 2015 , 290, 25920-32	5.4	192
23	Quantitative Physiology Approaches to Understand and Optimize Reducing Power Availability in Environmental Bacteria. <i>Springer Protocols</i> , 2015 , 39-70	0.3	11
22	Interplay of the PtsN (EIIA(Ntr)) protein of <i>Pseudomonas putida</i> with its target sensor kinase KdpD. <i>Environmental Microbiology Reports</i> , 2015 , 7, 899-907	3.7	6
21	The two paralogue <i>phoN</i> (phosphinothricin acetyl transferase) genes of <i>Pseudomonas putida</i> encode functionally different proteins. <i>Environmental Microbiology</i> , 2015 , 17, 3330-40	5.2	5
20	A second chromosomal copy of the <i>catA</i> gene endows <i>Pseudomonas putida</i> mt-2 with an enzymatic safety valve for excess of catechol. <i>Environmental Microbiology</i> , 2014 , 16, 1767-78	5.2	32
19	The metabolic cost of flagellar motion in <i>Pseudomonas putida</i> KT2440. <i>Environmental Microbiology</i> , 2014 , 16, 291-303	5.2	97
18	Fructose 1-phosphate is the one and only physiological effector of the Cra (FruR) regulator of <i>Pseudomonas putida</i> . <i>FEBS Open Bio</i> , 2014 , 4, 377-86	2.7	23

17	The IHF regulon of exponentially growing <i>Pseudomonas putida</i> cells. <i>Environmental Microbiology</i> , 2013 , 15, 49-63	5.2	9
16	Cra regulates the cross-talk between the two branches of the phosphoenolpyruvate : phosphotransferase system of <i>Pseudomonas putida</i> . <i>Environmental Microbiology</i> , 2013 , 15, 121-32	5.2	16
15	Accumulation of inorganic polyphosphate enables stress endurance and catalytic vigour in <i>Pseudomonas putida</i> KT2440. <i>Microbial Cell Factories</i> , 2013 , 12, 50	6.4	56
14	The Entner-Doudoroff pathway empowers <i>Pseudomonas putida</i> KT2440 with a high tolerance to oxidative stress. <i>Environmental Microbiology</i> , 2013 , 15, 1772-85	5.2	142
13	Endogenous stress caused by faulty oxidation reactions fosters evolution of 2,4-dinitrotoluene-degrading bacteria. <i>PLoS Genetics</i> , 2013 , 9, e1003764	6	51
12	The Standard European Vector Architecture (SEVA): a coherent platform for the analysis and deployment of complex prokaryotic phenotypes. <i>Nucleic Acids Research</i> , 2013 , 41, D666-75	20.1	372
11	Scattering of light by colloidal aluminosilicate particles produces the unusual sky-blue color of Rñ Celeste (Tenorio volcano complex, Costa Rica). <i>PLoS ONE</i> , 2013 , 8, e75165	3.7	8
10	Modeling and analysis of flux distributions in the two branches of the phosphotransferase system in <i>Pseudomonas putida</i> . <i>BMC Systems Biology</i> , 2012 , 6, 149	3.5	5
9	Regulatory tasks of the phosphoenolpyruvate-phosphotransferase system of <i>Pseudomonas putida</i> in central carbon metabolism. <i>MBio</i> , 2012 , 3,	7.8	67
8	The interplay of the EIIA(Ntr) component of the nitrogen-related phosphotransferase system (PTS(Ntr)) of <i>Pseudomonas putida</i> with pyruvate dehydrogenase. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2011 , 1810, 995-1005	4	30
7	Association of dnt genes of <i>Burkholderia</i> sp. DNT with the substrate-blind regulator DntR draws the evolutionary itinerary of 2,4-dinitrotoluene biodegradation. <i>Molecular Microbiology</i> , 2011 , 82, 287-99	4.1	26
6	Two New 3,4-Seco-ent-kaurenes and Other Constituents from the Costa Rican Endemic Species <i>Croton megistocarpus</i> . <i>Helvetica Chimica Acta</i> , 2011 , 94, 1888-1892	2	4
5	Fructose 1-phosphate is the preferred effector of the metabolic regulator Cra of <i>Pseudomonas putida</i> . <i>Journal of Biological Chemistry</i> , 2011 , 286, 9351-9	5.4	20
4	An electro-optical device from a biofilm structure created by bacterial activity. <i>Advanced Materials</i> , 2010 , 22, 4846-50	24	15
3	Microbial degradation of palm (<i>Elaeis guineensis</i>) biodiesel. <i>Revista De Biologia Tropical</i> , 2006 , 54, 59-63	1.3	53
2	A draft genome assembly of <i>Casipidium friedrichsthalianum</i> (O. Berg) Nied.): an indigenous crop of Costa Rica untapped. <i>Genetic Resources and Crop Evolution</i> , 1	2	0
1	Redox stress reshapes carbon fluxes of <i>Pseudomonas putida</i> for cytosolic glucose oxidation and NADPH generation		4