

J Michelle Kahlenberg

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4314225/j-michelle-kahlenberg-publications-by-year.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

93
papers

3,079
citations

27
h-index

54
g-index

104
ext. papers

4,048
ext. citations

6.8
avg, IF

5.76
L-index

#	Paper	IF	Citations
93	Nonlesional lupus skin contributes to inflammatory education of myeloid cells and primes for cutaneous inflammation.. <i>Science Translational Medicine</i> , 2022 , 14, eabn2263	17.5	3
92	B Cell Signatures Distinguish Cutaneous Lupus Erythematosus Subtypes and the Presence of Systemic Disease Activity. <i>Frontiers in Immunology</i> , 2021 , 12, 775353	8.4	1
91	Transcriptomic characterization of prurigo nodularis and the therapeutic response to nemolizumab. <i>Journal of Allergy and Clinical Immunology</i> , 2021 ,	11.5	3
90	Immunopathogenesis of skin injury in systemic lupus erythematosus. <i>Current Opinion in Rheumatology</i> , 2021 , 33, 173-180	5.3	3
89	Endoplasmic reticulum stress sensor IRE1 β propels neutrophil hyperactivity in lupus. <i>Journal of Clinical Investigation</i> , 2021 , 131,	15.9	7
88	OP0131 ANIFROLUMAB EFFECTS ON RASH AND ARTHRITIS IN PATIENTS WITH SLE AND IMPACT OF INTERFERON SIGNAL IN POOLED DATA FROM PHASE 3 TRIALS. <i>Annals of the Rheumatic Diseases</i> , 2021 , 80, 75-76	2.4	3
87	Interferons in Systemic Lupus Erythematosus. <i>Rheumatic Disease Clinics of North America</i> , 2021 , 47, 297-315	3.15	0
86	Cytokine responses in nonlesional psoriatic skin as clinical predictor to anti-TNF agents. <i>Journal of Allergy and Clinical Immunology</i> , 2021 ,	11.5	5
85	Rethinking the Pathogenesis of Cutaneous Lupus. <i>Journal of Investigative Dermatology</i> , 2021 , 141, 32-35	4.3	4
84	Comparison of Lesional Juvenile Myositis and Lupus Skin Reveals Overlapping Yet Unique Disease Pathophysiology. <i>Arthritis and Rheumatology</i> , 2021 , 73, 1062-1072	9.5	1
83	"Autoinflammatory psoriasis"-genetics and biology of pustular psoriasis. <i>Cellular and Molecular Immunology</i> , 2021 , 18, 307-317	15.4	14
82	(RIG-I)-related disease is associated with tissue-specific interferon pathway activation. <i>Journal of Medical Genetics</i> , 2021 ,	5.8	3
81	The skin 2021 , 217-230		
80	Mentorship of physician scientists: a critical imperative. <i>Nature Immunology</i> , 2021 , 22, 930-931	19.1	1
79	IFN- β is a Rheostat for Development of Psoriasiform Inflammation. <i>Journal of Investigative Dermatology</i> , 2021 ,	4.3	2
78	Phospholipase A2 enzymes represent a shared pathogenic pathway in psoriasis and pityriasis rubra pilaris. <i>JCI Insight</i> , 2021 , 6,	9.9	5
77	IRAK2 Has a Critical Role in Promoting Feed-Forward Amplification of Epidermal Inflammatory Responses. <i>Journal of Investigative Dermatology</i> , 2021 , 141, 2436-2448	4.3	2

76	Long-term efficacy and safety of canakinumab in patients with colchicine-resistant familial Mediterranean fever: results from the randomised phase III CLUSTER trial. <i>Annals of the Rheumatic Diseases</i> , 2020 , 79, 1362-1369	2.4	18
75	Biologics in the treatment of skin and rheumatologic diseases. <i>Journal of Allergy and Clinical Immunology</i> , 2020 , 145, 1138-1141	11.5	3
74	Treatment of cutaneous lupus erythematosus: current approaches and future strategies. <i>Current Opinion in Rheumatology</i> , 2020 , 32, 208-214	5.3	4
73	Neutrophil dysregulation is pathogenic in idiopathic inflammatory myopathies. <i>JCI Insight</i> , 2020 , 5,	9.9	23
72	IL18-containing 5-gene signature distinguishes histologically identical dermatomyositis and lupus erythematosus skin lesions. <i>JCI Insight</i> , 2020 , 5,	9.9	10
71	Contribution of plasma cells and B cells to hidradenitis suppurativa pathogenesis. <i>JCI Insight</i> , 2020 , 5,	9.9	31
70	Cytokines: the diverse contribution of keratinocytes to immune responses in skin. <i>JCI Insight</i> , 2020 , 5,	9.9	37
69	KLK6 expression in skin induces PAR1-mediated psoriasiform dermatitis and inflammatory joint disease. <i>Journal of Clinical Investigation</i> , 2020 , 130, 3151-3157	15.9	16
68	OP0272 LONG-TERM EFFICACY AND SAFETY OF CANAKINUMAB IN PATIENTS WITH COLCHICINE-RESISTANT FAMILIAL MEDITERRANEAN FEVER: RESULTS FROM THE RANDOMISED PHASE 3 CLUSTER TRIAL. <i>Annals of the Rheumatic Diseases</i> , 2020 , 79, 169.2-170	2.4	
67	IL-17A Softens the Skin: Antifibrotic Properties of IL-17A in Systemic Sclerosis. <i>Journal of Investigative Dermatology</i> , 2020 , 140, 13-14	4.3	1
66	Staphylococcus aureus Colonization Is Increased on Lupus Skin Lesions and Is Promoted by IFN-Mediated Barrier Disruption. <i>Journal of Investigative Dermatology</i> , 2020 , 140, 1066-1074.e4	4.3	16
65	Progression of acute-to-chronic atopic dermatitis is associated with quantitative rather than qualitative changes in cytokine responses. <i>Journal of Allergy and Clinical Immunology</i> , 2020 , 145, 1406-1415	11.5	32
64	Cutaneous and systemic connections in lupus. <i>Current Opinion in Rheumatology</i> , 2020 , 32, 583-589	5.3	5
63	The Role of Cutaneous Type I IFNs in Autoimmune and Autoinflammatory Diseases. <i>Journal of Immunology</i> , 2020 , 205, 2941-2950	5.3	2
62	Anti-Neutrophil Extracellular Trap Antibodies and Impaired Neutrophil Extracellular Trap Degradation in Antiphospholipid Syndrome. <i>Arthritis and Rheumatology</i> , 2020 , 72, 2130-2135	9.5	22
61	The influence of interferon on healthy and diseased skin. <i>Cytokine</i> , 2020 , 132, 154605	4	12
60	Advances in Disease Mechanisms and Translational Technologies: Clinicopathologic Significance of Inflammasome Activation in Autoimmune Diseases. <i>Arthritis and Rheumatology</i> , 2020 , 72, 386-395	9.5	14
59	Recent genetic advances in innate immunity of psoriatic arthritis. <i>Clinical Immunology</i> , 2020 , 214, 108405		9

58	Patients with lupus with COVID-19: University of Michigan experience. <i>Annals of the Rheumatic Diseases</i> , 2020 ,	2.4	20
57	IFN- β enhances cell-mediated cytotoxicity against keratinocytes via JAK2/STAT1 in lichen planus. <i>Science Translational Medicine</i> , 2019 , 11,	17.5	26
56	Chromagar β requires secondary confirmation strategies to minimize false positive/negative results for detection of <i>Staphylococcus aureus</i> . <i>Journal of Microbiological Methods</i> , 2019 , 161, 71-73	2.8	1
55	Integrative Approach to Reveal Cell Type Specificity and Gene Candidates for Psoriatic Arthritis Outside the MHC. <i>Frontiers in Genetics</i> , 2019 , 10, 304	4.5	5
54	Molecular Profiling of Cutaneous Lupus Lesions Identifies Subgroups Distinct from Clinical Phenotypes. <i>Journal of Clinical Medicine</i> , 2019 , 8,	5.1	24
53	Ultraviolet light induces increased T cell activation in lupus-prone mice via type I IFN-dependent inhibition of T regulatory cells. <i>Journal of Autoimmunity</i> , 2019 , 103, 102291	15.5	21
52	The female-biased factor VGLL3 drives cutaneous and systemic autoimmunity. <i>JCI Insight</i> , 2019 , 4,	9.9	28
51	Ectonucleotidase tri(di)phosphohydrolase-1 (ENTPD-1) disrupts inflammasome/interleukin 1 β -driven venous thrombosis. <i>Journal of Clinical Investigation</i> , 2019 , 129, 2872-2877	15.9	52
50	Hypersensitive IFN Responses in Lupus Keratinocytes Reveal Key Mechanistic Determinants in Cutaneous Lupus. <i>Journal of Immunology</i> , 2019 , 202, 2121-2130	5.3	21
49	Systemic levels of anti-PAD4 autoantibodies correlate with airway obstruction in cystic fibrosis. <i>Journal of Cystic Fibrosis</i> , 2019 , 18, 636-645	4.1	17
48	Sex bias in autoimmunity. <i>Current Opinion in Rheumatology</i> , 2019 , 31, 53-61	5.3	31
47	Distinct CD40L receptors mediate inflammasome activation and secretion of IL-1 β and MCP-1 in cultured human retinal pigment epithelial cells. <i>Experimental Eye Research</i> , 2018 , 170, 29-39	3.7	12
46	Herpes zoster infection after topical steroid use in the setting of tumid lupus erythematosus. <i>JAAD Case Reports</i> , 2018 , 4, 107-109	1.4	2
45	Barriers and Facilitators of Mentoring for Trainees and Early Career Investigators in Rheumatology Research: Current State, Identification of Needs, and Road Map to an Inter-Institutional Adult Rheumatology Mentoring Program. <i>Arthritis Care and Research</i> , 2018 , 70, 445-453	4.7	9
44	Transcriptional determinants of individualized inflammatory responses at anatomically separate sites. <i>Journal of Allergy and Clinical Immunology</i> , 2018 , 141, 805-808	11.5	3
43	Photosensitivity and type I IFN responses in cutaneous lupus are driven by epidermal-derived interferon kappa. <i>Annals of the Rheumatic Diseases</i> , 2018 , 77, 1653-1664	2.4	95
42	TLR7-Mediated Lupus Nephritis Is Independent of Type I IFN Signaling. <i>Journal of Immunology</i> , 2018 , 201, 393-405	5.3	16
41	Human and Murine Evidence for Mechanisms Driving Autoimmune Photosensitivity. <i>Frontiers in Immunology</i> , 2018 , 9, 2430	8.4	15

40	Enhanced Inflammasome Activity in Systemic Lupus Erythematosus Is Mediated via Type I Interferon-Induced Up-Regulation of Interferon Regulatory Factor 1. <i>Arthritis and Rheumatology</i> , 2017 , 69, 1840-1849	9.5	51
39	A vestigial pathway for sex differences in immune regulation. <i>Cellular and Molecular Immunology</i> , 2017 , 14, 578-580	15.4	3
38	IL-1 and IL-36 are dominant cytokines in generalized pustular psoriasis. <i>Journal of Allergy and Clinical Immunology</i> , 2017 , 140, 109-120	11.5	161
37	A gene network regulated by the transcription factor VGLL3 as a promoter of sex-biased autoimmune diseases. <i>Nature Immunology</i> , 2017 , 18, 152-160	19.1	67
36	Scleroderma keratinocytes promote fibroblast activation independent of transforming growth factor beta. <i>Rheumatology</i> , 2017 , 56, 1970-1981	3.9	32
35	Cutaneous purpura of Sjögren syndrome successfully treated with hydroxychloroquine. <i>JAAD Case Reports</i> , 2017 , 3, 326-328	1.4	3
34	Six-transmembrane epithelial antigens of the prostate comprise a novel inflammatory nexus in patients with pustular skin disorders. <i>Journal of Allergy and Clinical Immunology</i> , 2017 , 139, 1217-1227	11.5	24
33	Lupus Skin Is Primed for IL-6 Inflammatory Responses through a Keratinocyte-Mediated Autocrine Type I Interferon Loop. <i>Journal of Investigative Dermatology</i> , 2017 , 137, 115-122	4.3	58
32	Targeting the inflammasome in rheumatic diseases. <i>Translational Research</i> , 2016 , 167, 125-37	11	9
31	Dysfunction of endothelial progenitor cells is associated with the type I IFN pathway in patients with polymyositis and dermatomyositis. <i>Rheumatology</i> , 2016 , 55, 1987-1992	3.9	16
30	Epidermal Mineralocorticoid Receptor Plays Beneficial and Adverse Effects in Skin and Mediates Glucocorticoid Responses. <i>Journal of Investigative Dermatology</i> , 2016 , 136, 2417-2426	4.3	24
29	Caspase-1 is required for maintenance of marginal zone B cells in pristane-induced lupus. <i>Lupus</i> , 2016 , 25, 81-7	2.6	5
28	Hemorrhagic Pericardial Effusion with Tamponade: A Rare Adverse Effect of Infliximab-Case Report and Literature Review. <i>Case Reports in Rheumatology</i> , 2016 , 2016, 2576496	0.8	7
27	Anti-inflammatory panacea? The expanding therapeutics of interleukin-1 blockade. <i>Current Opinion in Rheumatology</i> , 2016 , 28, 197-203	5.3	7
26	Cutaneous lupus erythematosus: updates on pathogenesis and associations with systemic lupus. <i>Current Opinion in Rheumatology</i> , 2016 , 28, 453-9	5.3	47
25	IL-17 Responses Are the Dominant Inflammatory Signal Linking Inverse, Erythrodermic, and Chronic Plaque Psoriasis. <i>Journal of Investigative Dermatology</i> , 2016 , 136, 2498-2501	4.3	17
24	Staphylococcus aureus phenol-soluble modulins stimulate the release of proinflammatory cytokines from keratinocytes and are required for induction of skin inflammation. <i>Infection and Immunity</i> , 2015 , 83, 3428-37	3.7	49
23	Epidermal injury promotes nephritis flare in lupus-prone mice. <i>Journal of Autoimmunity</i> , 2015 , 65, 38-48	15.5	18

22	Barriers to and Facilitators of a Career as a Physician-Scientist Among Rheumatologists in the US. <i>Arthritis Care and Research</i> , 2015 , 67, 1191-1201	4.7	12
21	Interleukin 10 hampers endothelial cell differentiation and enhances the effects of interferon γ on lupus endothelial cell progenitors. <i>Rheumatology</i> , 2015 , 54, 1114-23	3.9	20
20	An essential role of caspase 1 in the induction of murine lupus and its associated vascular damage. <i>Arthritis and Rheumatology</i> , 2014 , 66, 152-62	9.5	62
19	Reply: To PMID 24449582. <i>Arthritis and Rheumatology</i> , 2014 , 66, 2311-2	9.5	
18	The inflammasome and lupus: another innate immune mechanism contributing to disease pathogenesis?. <i>Current Opinion in Rheumatology</i> , 2014 , 26, 475-81	5.3	98
17	Little peptide, big effects: the role of LL-37 in inflammation and autoimmune disease. <i>Journal of Immunology</i> , 2013 , 191, 4895-901	5.3	244
16	Neutrophil extracellular trap-associated protein activation of the NLRP3 inflammasome is enhanced in lupus macrophages. <i>Journal of Immunology</i> , 2013 , 190, 1217-26	5.3	283
15	Mechanisms of premature atherosclerosis in rheumatoid arthritis and lupus. <i>Annual Review of Medicine</i> , 2013 , 64, 249-63	17.4	93
14	Mechanisms of Acute Inflammation and Vascular Injury in SLE 2013 , 166-174		
13	Response to Comment on Inflammasome Activation of IL-18 Results in Endothelial Progenitor Cell Dysfunction in Systemic Lupus Erythematosus <i>Journal of Immunology</i> , 2012 , 189, 499.2-500	5.3	
12	Advances in the medical treatment of rheumatoid arthritis. <i>Hand Clinics</i> , 2011 , 27, 11-20	1.7	116
11	Neuromyelitis optica spectrum disorder as an initial presentation of primary Sjögren's syndrome. <i>Seminars in Arthritis and Rheumatism</i> , 2011 , 40, 343-8	5.3	46
10	Inflammasome activation of IL-18 results in endothelial progenitor cell dysfunction in systemic lupus erythematosus. <i>Journal of Immunology</i> , 2011 , 187, 6143-56	5.3	135
9	The interplay of inflammation and cardiovascular disease in systemic lupus erythematosus. <i>Arthritis Research and Therapy</i> , 2011 , 13, 203	5.7	40
8	Potentiation of caspase-1 activation by the P2X7 receptor is dependent on TLR signals and requires NF-kappaB-driven protein synthesis. <i>Journal of Immunology</i> , 2005 , 175, 7611-22	5.3	167
7	Inhibitory effects of chloride on the activation of caspase-1, IL-1beta secretion, and cytolysis by the P2X7 receptor. <i>Journal of Immunology</i> , 2005 , 175, 7623-34	5.3	82
6	Differing caspase-1 activation states in monocyte versus macrophage models of IL-1beta processing and release. <i>Journal of Leukocyte Biology</i> , 2004 , 76, 676-84	6.5	45
5	Mechanisms of caspase-1 activation by P2X7 receptor-mediated K+ release. <i>American Journal of Physiology - Cell Physiology</i> , 2004 , 286, C1100-8	5.4	267

4	Assembly and activation of site-specific recombination complexes. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2000 , 97, 7760-5	11.5	19
3	Protein-DNA complexes in mycobacteriophage L5 integrative recombination. <i>Journal of Bacteriology</i> , 1999 , 181, 454-61	3.5	21
2	The role of supercoiling in mycobacteriophage L5 integrative recombination. <i>Nucleic Acids Research</i> , 1998 , 26, 4012-8	20.1	12
1	Non-lesional and Lesional Lupus Skin Share Inflammatory Phenotypes that Drive Activation of CD16+ Dendritic Cells		1