
Dominik W Brunner

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4314588/publications.pdf Version: 2024-02-01



| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | A CO-based method to determine the regional biospheric signal in atmospheric CO ₂ . Tellus, Series B: Chemical and Physical Meteorology, 2022, 69, 1353388. | 0.8 | 15 |
| 2 | Mapping the spatial distribution of NO ₂ with in situ and remote sensing instruments during the Munich NO ₂ imaging campaign. Atmospheric Measurement Techniques, 2022, 15, 1609-1629. | 1.2 | 1 |
| 3 | Controlled-release experiment to investigate uncertainties in UAV-based emission quantification for methane point sources. Atmospheric Measurement Techniques, 2022, 15, 2177-2198. | 1.2 | 14 |
| 4 | Global nature run data with realistic high-resolution carbon weather for the year of the Paris Agreement. Scientific Data, 2022, 9, 160. | 2.4 | 3 |
| 5 | Assessing the Impact of Atmospheric CO2 and NO2 Measurements From Space on Estimating City-Scale Fossil Fuel CO2 Emissions in a Data Assimilation System. Frontiers in Remote Sensing, 2022, 3, . | 1.3 | 1 |
| 6 | Applications of top-down methods to anthropogenic GHG emission estimation. , 2022, , 455-481. | | 0 |
| 7 | Quantification of methane emissions from UK biogas plants. Waste Management, 2021, 124, 82-93. | 3.7 | 51 |
| 8 | The consolidated European synthesis of CH ₄ and N ₂ O emissions for the European Union and United Kingdom: 1990–2017. Earth System Science Data, 2021, 13, 2307-2362. | 3.7 | 16 |
| 9 | Quantifying CO2 Emissions of Power Plants With CO2 and NO2 Imaging Satellites. Frontiers in Remote Sensing, 2021, 2, . | 1.3 | 20 |
| 10 | The Community Inversion Framework v1.0: a unified system for atmospheric inversion studies. Geoscientific Model Development, 2021, 14, 5331-5354. | 1.3 | 15 |
| 11 | The CO2 Human Emissions (CHE) Project: First Steps Towards a European Operational Capacity to Monitor Anthropogenic CO2 Emissions. Frontiers in Remote Sensing, 2021, 2, . | 1.3 | 13 |
| 12 | Importance of satellite observations for high-resolution mapping of near-surface NO2 by machine learning. Remote Sensing of Environment, 2021, 264, 112573. | 4.6 | 20 |
| 13 | Nanoplastics transport to the remote, high-altitude Alps. Environmental Pollution, 2021, 288, 117697. | 3.7 | 54 |
| 14 | Impact of 3D radiative transfer on airborne NO ₂ imaging remote sensing over cities with buildings. Atmospheric Measurement Techniques, 2021, 14, 6469-6482. | 1.2 | 6 |
| 15 | Simulating urban climate at subâ€kilometre scale for representing the intraâ€urban variability of Zurich, Switzerland. International Journal of Climatology, 2020, 40, 458-476. | 1.5 | 21 |
| 16 | Characterisation of methane sources in Lutjewad, The Netherlands, using quasi-continuous isotopic composition measurements. Tellus, Series B: Chemical and Physical Meteorology, 2020, 72, 1-20. | 0.8 | 17 |
| 17 | Long-term Observations of Atmospheric Halogenated Organic Trace Gases. Chimia, 2020, 74, 136. | 0.3 | 2 |
| 18 | COSMO-BEP-Tree v1.0: a coupled urban climate model with explicit representation of street trees. Geoscientific Model Development, 2020, 13, 1685-1710. | 1.3 | 37 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Spatial and temporal representativeness of point measurements for nitrogen dioxide pollution levels in cities. Atmospheric Chemistry and Physics, 2020, 20, 13241-13251. | 1.9 | 13 |
| 20 | Integration and calibration of non-dispersive infrared (NDIR) CO ₂ low-cost sensors and their operation in a sensor network covering Switzerland. Atmospheric Measurement Techniques, 2020, 13, 3815-3834. | 1.2 | 25 |
| 21 | Three-dimensional radiative transfer effects on airborne and ground-based trace gas remote sensing. Atmospheric Measurement Techniques, 2020, 13, 4277-4293. | 1.2 | 10 |
| 22 | Quantifying CO ₂ emissions of a city with the Copernicus Anthropogenic CO ₂ Monitoring satellite mission. Atmospheric Measurement Techniques, 2020, 13, 6733-6754. | 1.2 | 18 |
| 23 | An online emission module for atmospheric chemistry transport models: implementation in COSMO-GHG v5.6a and COSMO-ART v5.1-3.1. Geoscientific Model Development, 2020, 13, 2379-2392. | 1.3 | 12 |
| 24 | Accounting for the vertical distribution of emissions in atmospheric CO ₂ simulations. Atmospheric Chemistry and Physics, 2019, 19, 4541-4559. | 1.9 | 37 |
| 25 | The Lagrangian particle dispersion model FLEXPART version 10.4. Geoscientific Model Development, 2019, 12, 4955-4997. | 1.3 | 238 |
| 26 | Detectability of CO ₂ emission plumes of cities and power plants with the Copernicus Anthropogenic CO ₂ Monitoring (CO2M) mission. Atmospheric Measurement Techniques, 2019, 12, 6695-6719. | 1.2 | 66 |
| 27 | An assessment of aerosol optical properties from remote-sensing observations and regional chemistry–climate coupled models over Europe. Atmospheric Chemistry and Physics, 2018, 18, 5021-5043. | 1.9 | 18 |
| 28 | Evaluating cloud properties in an ensemble of regional online coupled models against satellite observations. Atmospheric Chemistry and Physics, 2018, 18, 15183-15199. | 1.9 | 8 |
| 29 | Identification of spikes associated with local sources in continuous time series of atmospheric CO, CO ₂ and CH ₄ . Atmospheric Measurement Techniques, 2018, 11, 1599-1614. | 1.2 | 31 |
| 30 | Observations of Atmospheric Methane and Carbon Dioxide Mixing Ratios: Tall-Tower or Mountain-Top Stations?. Boundary-Layer Meteorology, 2017, 164, 135-159. | 1.2 | 6 |
| 31 | A cost-effective method for simulating city-wide air flow and pollutant dispersion at building resolving scale. Atmospheric Environment, 2017, 158, 181-196. | 1.9 | 31 |
| 32 | Key Issues for Seamless Integrated Chemistry–Meteorology Modeling. Bulletin of the American Meteorological Society, 2017, 98, 2285-2292. | 1.7 | 27 |
| 33 | Comparison of four inverse modelling systems applied to the estimation of HFC-125, HFC-134a, and SF ₆ emissions over Europe. Atmospheric Chemistry and Physics, 2017, 17, 10651-10674. | 1.9 | 45 |
| 34 | Regional effects of atmospheric aerosols on temperature: an evaluation of an ensemble of online coupled models. Atmospheric Chemistry and Physics, 2017, 17, 9677-9696. | 1.9 | 14 |
| 35 | PathfinderTURB: an automatic boundary layer algorithm. Development, validation and application to study the impact on in situ measurements at the Jungfraujoch. Atmospheric Chemistry and Physics, 2017, 17, 10051-10070. | 1.9 | 41 |
| 36 | Changes in domestic heating fuel use in Greece: effects on atmospheric chemistry and radiation. Atmospheric Chemistry and Physics, 2017, 17, 10597-10618. | 1.9 | 38 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Estimation of the fossil fuel component in atmospheric CO ₂ based on radiocarbon measurements at the Beromünster tall tower, Switzerland. Atmospheric Chemistry and Physics, 2017, 17, 10753-10766. | 1.9 | 18 |
| 38 | Spatiotemporal patterns of the fossil-fuel CO ₂ signal in central Europe: results from a high-resolution atmospheric transport model. Atmospheric Chemistry and Physics, 2017, 17, 14145-14169. | 1.9 | 20 |
| 39 | Evaluating the representation of aerosol optical properties using an online coupled model over the Iberian Peninsula. Atmospheric Chemistry and Physics, 2017, 17, 277-296. | 1.9 | 14 |
| 40 | Evaluation of high-resolution GRAMM–GRAL (v15.12/v14.8) NO _{<i>x</i>} simulations over the city of ZA1⁄4rich, Switzerland. Geoscientific Model Development, 2017, 10, 3441-3459. | 1.3 | 21 |
| 41 | Continuous CO ₂ /CH ₄ /CO measurements (2012–2014) at Beromünster tall tower station in Switzerland. Biogeosciences, 2016, 13, 2623-2635. | 1.3 | 30 |
| 42 | Measurements of greenhouse gases at Beromünster tall-tower station in Switzerland. Atmospheric Measurement Techniques, 2016, 9, 2603-2614. | 1.2 | 16 |
| 43 | An Algorithm for In-Flight Spectral Calibration of Imaging Spectrometers. Remote Sensing, 2016, 8, 1017. | 1.8 | 23 |
| 44 | Validation of the Swiss methane emission inventory by atmospheric observations and inverse modelling. Atmospheric Chemistry and Physics, 2016, 16, 3683-3710. | 1.9 | 103 |
| 45 | In situ observations of the isotopic composition of methane at the Cabauw tall tower site. Atmospheric Chemistry and Physics, 2016, 16, 10469-10487. | 1.9 | 77 |
| 46 | Insights into the deterministic skill of air quality ensembles from the analysis of AQMEII data. Atmospheric Chemistry and Physics, 2016, 16, 15629-15652. | 1.9 | 23 |
| 47 | Assessment of the MACC reanalysis and its influence as chemical boundary conditions for regional air quality modeling in AQMEII-2. Atmospheric Environment, 2015, 115, 371-388. | 1.9 | 59 |
| 48 | The CarboCount CH sites: characterization of a dense greenhouse gas observation network. Atmospheric Chemistry and Physics, 2015, 15, 11147-11164. | 1.9 | 38 |
| 49 | First Observations of the Fourth Generation Synthetic Halocarbons HFC-1234yf, HFC-1234ze(E), and HCFC-1233zd(E) in the Atmosphere. Environmental Science & Technology, 2015, 49, 2703-2708. | 4.6 | 56 |
| 50 | Influence of the choice of gas-phase mechanism on predictions of key gaseous pollutants during the AQMEII phase-2 intercomparison. Atmospheric Environment, 2015, 115, 553-568. | 1.9 | 92 |
| 51 | Comparative analysis of meteorological performance of coupled chemistry-meteorology models in the context of AQMEII phase 2. Atmospheric Environment, 2015, 115, 470-498. | 1.9 | 85 |
| 52 | Evaluation of operational on-line-coupled regional air quality models over Europe and North America in the context of AQMEII phase 2. Part I: Ozone. Atmospheric Environment, 2015, 115, 404-420. | 1.9 | 168 |
| 53 | The Greenhouse Gas Climate Change Initiative (GHG-CCI): Comparison and quality assessment of near-surface-sensitive satellite-derived CO2 and CH4 global data sets. Remote Sensing of Environment, 2015, 162, 344-362. | 4.6 | 112 |
| 54 | Analysis of meteorology–chemistry interactions during air pollution episodes using online coupled models within AQMEII phase-2. Atmospheric Environment, 2015, 115, 527-540. | 1.9 | 61 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Evaluation of operational online-coupled regional air quality models over Europe and North America in the context of AQMEII phase 2. Part II: Particulate matter. Atmospheric Environment, 2015, 115, 421-441. | 1.9 | 133 |
| 56 | Uncertainties of simulated aerosol optical properties induced by assumptions on aerosol physical and chemical properties: An AQMEII-2 perspective. Atmospheric Environment, 2015, 115, 541-552. | 1.9 | 84 |
| 57 | Anthropogenic and natural methane fluxes in Switzerland synthesized within a spatially explicit inventory. Biogeosciences, 2014, 11, 1941-1959. | 1.3 | 39 |
| 58 | Aircraftâ€based CH ₄ flux estimates for validation of emissions from an agriculturally dominated area in Switzerland. Journal of Geophysical Research D: Atmospheres, 2014, 119, 4874-4887. | 1.2 | 35 |
| 59 | Online coupled regional meteorology chemistry models in Europe: current status and prospects. Atmospheric Chemistry and Physics, 2014, 14, 317-398. | 1.9 | 271 |
| 60 | Transport of PAN and NOy from different source regions to the Swiss high alpine site Jungfraujoch. Atmospheric Environment, 2013, 64, 103-115. | 1.9 | 31 |
| 61 | Input Data Requirements for Lagrangian Trajectory Models. Bulletin of the American Meteorological Society, 2013, 94, 1051-1058. | 1.7 | 56 |
| 62 | An advanced scheme for wet scavenging and liquid-phase chemistry in a regional online-coupled chemistry transport model. Atmospheric Chemistry and Physics, 2013, 13, 1177-1192. | 1.9 | 22 |
| 63 | High-resolution NO ₂ remote sensing from the Airborne Prism EXperiment (APEX) imaging spectrometer. Atmospheric Measurement Techniques, 2012, 5, 2211-2225. | 1.2 | 52 |
| 64 | The Cabauw Intercomparison campaign for Nitrogen Dioxide measuring Instruments (CINDI): design, execution, and early results. Atmospheric Measurement Techniques, 2012, 5, 457-485. | 1.2 | 83 |
| 65 | Mapping of high resolution nitrogen dioxide vertical column densities with the Airborne Prism EXperiment (APEX) imaging spectrometer over Zurich, Switzerland. , 2012, , . | | 2 |
| 66 | Long-term in situ measurements of NO _x and NO _y at Jungfraujoch 1998–2009: time series analysis and evaluation. Atmospheric Chemistry and Physics, 2012, 12, 2551-2566. | 1.9 | 29 |
| 67 | An extended Kalman-filter for regional scale inverse emission estimation. Atmospheric Chemistry and Physics, 2012, 12, 3455-3478. | 1.9 | 56 |
| 68 | Future Emissions and Atmospheric Fate of HFC-1234yf from Mobile Air Conditioners in Europe. Environmental Science & Technology, 2012, 46, 1650-1658. | 4.6 | 65 |
| 69 | European Emissions of Halogenated Greenhouse Gases Inferred from Atmospheric Measurements. Environmental Science & Technology, 2012, 46, 217-225. | 4.6 | 48 |
| 70 | Improving and applying Lagrangian models of the atmosphere. Eos, 2012, 93, 32-32. | 0.1 | 1 |
| 71 | Changes in OMI tropospheric NO2 columns over Europe from 2004 to 2009 and the influence of meteorological variability. Atmospheric Environment, 2012, 46, 482-495. | 1.9 | 85 |
| 72 | Studying atmospheric transport through Lagrangian models. Eos, 2011, 92, 177-178. | 0.1 | 11 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | Evidence for underâ€reported western European emissions of the potent greenhouse gas HFCâ€23. Geophysical Research Letters, 2011, 38, . | 1.5 | 29 |
| 74 | Ground-based and airborne in-situ measurements of the Eyjafjallajökull volcanic aerosol plume in Switzerland in spring 2010. Atmospheric Chemistry and Physics, 2011, 11, 10011-10030. | 1.9 | 87 |
| 75 | Continuous isotopic composition measurements of tropospheric CO ₂ at Jungfraujoch (3580 m a.s.l.), Switzerland: real-time observation of regional pollution events. Atmospheric Chemistry and Physics, 2011, 11, 1685-1696. | 1.9 | 72 |
| 76 | European source and sink areas of CO ₂ retrieved from Lagrangian transport model interpretation of combined O ₂ and CO ₂ measurements at the high alpine research station Jungfraujoch. Atmospheric Chemistry and Physics, 2011, 11, 8017-8036. | 1.9 | 33 |
| 77 | Towards an online-coupled chemistry-climate model: evaluation of trace gases and aerosols in COSMO-ART. Geoscientific Model Development, 2011, 4, 1077-1102. | 1.3 | 78 |
| 78 | Eight-component retrievals from ground-based MAX-DOAS observations. Atmospheric Measurement Techniques, 2011, 4, 1027-1044. | 1.2 | 150 |
| 79 | MERIS albedo climatology for FRESCO+ O ₂ A-band cloud retrieval. Atmospheric Measurement Techniques, 2011, 4, 463-483. | 1.2 | 52 |
| 80 | An improved tropospheric NO ₂ column retrieval algorithm for the Ozone Monitoring Instrument. Atmospheric Measurement Techniques, 2011, 4, 1905-1928. | 1.2 | 550 |
| 81 | Missing Stratospheric Ozone Decrease at Southern Hemisphere Middle Latitudes after Mt. Pinatubo: A Dynamical Perspective. Journals of the Atmospheric Sciences, 2011, 68, 1922-1945. | 0.6 | 25 |
| 82 | Data Quality and Validation of Satellite Measurements of Tropospheric Composition. Physics of Earth and Space Environments, 2011, , 315-364. | 0.5 | 2 |
| 83 | Evidence for the effectiveness of the Montreal Protocol to protect the ozone layer. Atmospheric Chemistry and Physics, 2010, 10, 12161-12171. | 1.9 | 90 |
| 84 | Accounting for surface reflectance anisotropy in satellite retrievals of tropospheric NO ₂ . Atmospheric Measurement Techniques, 2010, 3, 1185-1203. | 1.2 | 53 |
| 85 | Aviation and Climate Protection Flugverkehr und Klimaschutz – Ein Überblick über die Erfassung und Regulierung der Klimawirkun gen des Flugverkehrs. Gaia, 2009, 18, 32-40. | 0.3 | 1 |
| 86 | Modulation of tropical convection by breaking Rossby waves. Quarterly Journal of the Royal Meteorological Society, 2009, 135, 125-137. | 1.0 | 34 |
| 87 | Summertime buildup and decay of lightning NO _x and aged thunderstorm outflow above North America. Journal of Geophysical Research, 2009, 114, . | 3.3 | 34 |
| 88 | Unprecedented evidence for deep convection hydrating the tropical stratosphere. Geophysical Research Letters, 2008, 35, . | 1.5 | 188 |
| 89 | Strong influence of lowermost stratospheric ozone on lower tropospheric background ozone changes over Europe. Geophysical Research Letters, 2007, 34, . | 1.5 | 128 |
| 90 | A process-oriented regression model for column ozone. Journal of Geophysical Research, 2007, 112, . | 3.3 | 59 |

Dominik W Brunner

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 91 | Statistical modeling of total ozone: Selection of appropriate explanatory variables. Journal of Geophysical Research, 2007, 112, . | 3.3 | 59 |
| 92 | A Kalman filter reconstruction of the vertical ozone distribution in an equivalent latitude–potential temperature framework from TOMS/GOME/SBUV total ozone observations. Journal of Geophysical Research, 2006, 111, . | 3.3 | 23 |
| 93 | Determination of eddy diffusivity in the lowermost stratosphere. Geophysical Research Letters, 2005, 32, . | 1.5 | 17 |
| 94 | Integrated equivalent latitude as a proxy for dynamical changes in ozone column. Geophysical Research Letters, 2005, 32, . | 1.5 | 31 |
| 95 | Seasonal variations of a mixing layer in the lowermost stratosphere as identified by the CO-O3correlation from in situ measurements. Journal of Geophysical Research, 2002, 107, ACL 1-1-ACL 1-11. | 3.3 | 169 |
| 96 | High-resolution measurements and simulation of stratospheric and tropospheric intrusions in the vicinity of the polar jet stream. Geophysical Research Letters, 2002, 29, 18-1. | 1.5 | 16 |
| 97 | Detection of lightning-produced NO in the midlatitude upper troposphere during STREAM 1998. Journal of Geophysical Research, 2001, 106, 27777-27785. | 3.3 | 19 |
| 98 | Nitrogen oxides and ozone in the tropopause region of the northern hemisphere: Measurements from commercial aircraft in 1995/1996 and 1997. Journal of Geophysical Research, 2001, 106, 27673-27699. | 3.3 | 58 |
| 99 | Improvement and evaluation of the parameterisation of nitrogen oxide production by lightning. Physics and Chemistry of the Earth, Part C: Solar, Terrestrial and Planetary Science, 2001, 26, 577-583. | 0.2 | 58 |
| 100 | Origin and variability of upper tropospheric nitrogen oxides and ozone at northern mid-latitudes. Atmospheric Environment, 2001, 35, 3421-3433. | 1.9 | 145 |
| 101 | Data composites of airborne observations of tropospheric ozone and its precursors. Journal of Geophysical Research, 2000, 105, 20497-20538. | 3.3 | 175 |
| 102 | Measurements of nitrogen oxides at the tropopause: Attribution to convection and correlation with lightning. Journal of Geophysical Research, 2000, 105, 3679-3700. | 3.3 | 37 |
| 103 | An Automated System for the Measurement of Nitrogen Oxides and Ozone Concentrations from a Passenger Aircraft:Â Instrumentation and First Results of the NOXAR Project. Environmental Science & Technology, 1998, 32, 3228-3236. | 4.6 | 28 |
| 104 | Emission factors from road traffic from a tunnel study (Gubrist tunnel, Switzerland). Part I: concept and first results. Science of the Total Environment, 1995, 169, 141-147. | 3.9 | 51 |
| 105 | Clobal-Scale Tropospheric Lagrangian Particle Models With Linear Chemistry. Geophysical Monograph Series, 0, , 235-250. | 0.1 | 3 |
| 106 | Atmospheric Chemistry in Lagrangian Models-Overview. Geophysical Monograph Series, 0, , 224-234. | 0.1 | 4 |
| 107 | Estimating European Halocarbon Emissions Using Lagrangian Backward Transport Modeling and in Situ Measurements at the Jungfraujoch High-Alpine Site. Geophysical Monograph Series, 0, , 207-222. | 0.1 | 10 |
| 108 | History of Lagrangian Stochastic Models for Turbulent Dispersion. Geophysical Monograph Series, 0, , 19-36. | 0.1 | 28 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 109 | Analyzing Local Carbon Dioxide and Nitrogen Oxide Emissions From Space Using the Divergence Method: An Application to the Synthetic SMARTCARB Dataset. Frontiers in Remote Sensing, 0, 3, . | 1.3 | 3 |
| 110 | The Lagrangian Atmospheric Radionuclide Transport Model (ARTM) — development, description and sensitivity analysis. Air Quality, Atmosphere and Health, 0, , . | 1.5 | 3 |