

Wolfgang Tress

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4315784/wolfgang-tress-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

101
papers

23,176
citations

55
h-index

104
g-index

104
ext. papers

26,655
ext. citations

18.3
avg, IF

7.31
L-index

#	Paper	IF	Citations
101	Conformal quantum dot-SnO layers as electron transporters for efficient perovskite solar cells.. <i>Science</i> , 2022 , 375, 302-306	33.3	181
100	Perovskite light-emitting diodes. <i>Nature Electronics</i> , 2022 , 5, 203-216	28.4	27
99	The Bottlenecks of Cs ₂ AgBiBr ₆ Solar Cells: How Contacts and Slow Transients Limit the Performance. <i>Advanced Optical Materials</i> , 2021 , 9, 2100202	8.1	10
98	Copolymer-Templated Nickel Oxide for High-Efficiency Mesoscopic Perovskite Solar Cells in Inverted Architecture. <i>Advanced Functional Materials</i> , 2021 , 31, 2102237	15.6	12
97	When photoluminescence, electroluminescence, and open-circuit voltage diverge ¶light soaking and halide segregation in perovskite solar cells. <i>Journal of Materials Chemistry A</i> , 2021 , 9, 13967-13978	13	2
96	Crystal-Size-Induced Band Gap Tuning in Perovskite Films. <i>Angewandte Chemie - International Edition</i> , 2021 , 60, 21368-21376	16.4	3
95	Mobile ions determine the luminescence yield of perovskite light-emitting diodes under pulsed operation. <i>Nature Communications</i> , 2021 , 12, 4899	17.4	9
94	Crystal-Size-Induced Band Gap Tuning in Perovskite Films. <i>Angewandte Chemie</i> , 2021 , 133, 21538-21546	3.6	3
93	Interfaces and Interfacial Layers in Inorganic Perovskite Solar Cells. <i>Angewandte Chemie - International Edition</i> , 2021 , 60, 26440-26453	16.4	16
92	Transient Photovoltage Measurements on Perovskite Solar Cells with Varied Defect Concentrations and Inhomogeneous Recombination Rates. <i>Small Methods</i> , 2020 , 4, 2000290	12.8	13
91	Highly efficient, stable and hysteresis-less planar perovskite solar cell based on chemical bath treated Zn ₂ SnO ₄ electron transport layer. <i>Nano Energy</i> , 2020 , 75, 105038	17.1	42
90	Intermediate Phase Enhances Inorganic Perovskite and Metal Oxide Interface for Efficient Photovoltaics. <i>Joule</i> , 2020 , 4, 507-508	27.8	2
89	Consensus statement for stability assessment and reporting for perovskite photovoltaics based on ISOS procedures. <i>Nature Energy</i> , 2020 , 5, 35-49	62.3	369
88	Vapor-assisted deposition of highly efficient, stable black-phase FAPbI perovskite solar cells. <i>Science</i> , 2020 , 370,	33.3	257
87	Intermediate Phase Enhances Inorganic Perovskite and Metal Oxide Interface for Efficient Photovoltaics. <i>Joule</i> , 2020 , 4, 222-234	27.8	55
86	Formamidinium-Based Dion-Jacobson Layered Hybrid Perovskites: Structural Complexity and Optoelectronic Properties. <i>Advanced Functional Materials</i> , 2020 , 30, 2003428	15.6	34
85	Unravelling the structural complexity and photophysical properties of adamantyl-based layered hybrid perovskites. <i>Journal of Materials Chemistry A</i> , 2020 , 8, 17732-17740	13	7

84	Outstanding Passivation Effect by a Mixed-Salt Interlayer with Internal Interactions in Perovskite Solar Cells. <i>ACS Energy Letters</i> , 2020 , 5, 3159-3167	20.1	22
83	Performance of perovskite solar cells under simulated temperature-illumination real-world operating conditions. <i>Nature Energy</i> , 2019 , 4, 568-574	62.3	117
82	How far does the defect tolerance of lead-halide perovskites range? The example of Bi impurities introducing efficient recombination centers. <i>Journal of Materials Chemistry A</i> , 2019 , 7, 23838-23853	13	38
81	Dopant-Free Hole-Transporting Polymers for Efficient and Stable Perovskite Solar Cells. <i>Macromolecules</i> , 2019 , 52, 2243-2254	5.5	33
80	Electroluminescence Dynamics in Perovskite Solar Cells Reveals Giant Overshoot Effect. <i>Journal of Physical Chemistry Letters</i> , 2019 , 10, 1779-1783	6.4	12
79	Phosphonic Acid Modification of the Electron Selective Contact: Interfacial Effects in Perovskite Solar Cells. <i>ACS Applied Energy Materials</i> , 2019 , 2, 2402-2408	6.1	19
78	A partially-planarised hole-transporting quart-p-phenylene for perovskite solar cells. <i>Journal of Materials Chemistry C</i> , 2019 , 7, 4332-4335	7.1	5
77	Origin of apparent light-enhanced and negative capacitance in perovskite solar cells. <i>Nature Communications</i> , 2019 , 10, 1574	17.4	109
76	Review on Recent Progress of All-Inorganic Metal Halide Perovskites and Solar Cells. <i>Advanced Materials</i> , 2019 , 31, e1902851	24	191
75	Ba-induced phase segregation and band gap reduction in mixed-halide inorganic perovskite solar cells. <i>Nature Communications</i> , 2019 , 10, 4686	17.4	65
74	Perovskite Solar Cells Yielding Reproducible Photovoltage of 1.20 V. <i>Research</i> , 2019 , 2019, 8474698	7.8	17
73	Europium-Doped CsPbI ₂ Br for Stable and Highly Efficient Inorganic Perovskite Solar Cells. <i>Joule</i> , 2019 , 3, 205-214	27.8	290
72	Low-Temperature Nb-Doped SnO ₂ Electron-Selective Contact Yields over 20% Efficiency in Planar Perovskite Solar Cells. <i>ACS Energy Letters</i> , 2018 , 3, 773-778	20.1	119
71	Planar Perovskite Solar Cells with High Open-Circuit Voltage Containing a Supramolecular Iron Complex as Hole Transport Material Dopant. <i>ChemPhysChem</i> , 2018 , 19, 1363-1370	3.2	13
70	Carbon Nanoparticles in High-Performance Perovskite Solar Cells. <i>Advanced Energy Materials</i> , 2018 , 8, 1702719	21.8	59
69	Poly(ethylene glycol)-[60]Fullerene-Based Materials for Perovskite Solar Cells with Improved Moisture Resistance and Reduced Hysteresis. <i>ChemSusChem</i> , 2018 , 11, 1032-1039	8.3	43
68	Systematic investigation of the impact of operation conditions on the degradation behaviour of perovskite solar cells. <i>Nature Energy</i> , 2018 , 3, 61-67	62.3	427
67	Interpretation and evolution of open-circuit voltage, recombination, ideality factor and subgap defect states during reversible light-soaking and irreversible degradation of perovskite solar cells. <i>Energy and Environmental Science</i> , 2018 , 11, 151-165	35.4	425

66	Design rules for minimizing voltage losses in high-efficiency organic solar cells. <i>Nature Materials</i> , 2018 , 17, 703-709	27	500
65	Reducing Surface Recombination by a Poly(4-vinylpyridine) Interlayer in Perovskite Solar Cells with High Open-Circuit Voltage and Efficiency. <i>ACS Omega</i> , 2018 , 3, 5038-5043	3.9	29
64	How the formation of interfacial charge causes hysteresis in perovskite solar cells. <i>Energy and Environmental Science</i> , 2018 , 11, 2404-2413	35.4	211
63	Relating open-circuit voltage losses to the active layer morphology and contact selectivity in organic solar cells. <i>Journal of Materials Chemistry A</i> , 2018 , 6, 12574-12581	13	53
62	Enhanced charge carrier mobility and lifetime suppress hysteresis and improve efficiency in planar perovskite solar cells. <i>Energy and Environmental Science</i> , 2018 , 11, 78-86	35.4	202
61	Addition of adamantylammonium iodide to hole transport layers enables highly efficient and electroluminescent perovskite solar cells. <i>Energy and Environmental Science</i> , 2018 , 11, 3310-3320	35.4	118
60	Migration of cations induces reversible performance losses over day/night cycling in perovskite solar cells. <i>Energy and Environmental Science</i> , 2017 , 10, 604-613	35.4	387
59	High Temperature-Stable Perovskite Solar Cell Based on Low-Cost Carbon Nanotube Hole Contact. <i>Advanced Materials</i> , 2017 , 29, 1606398	24	173
58	Changes from Bulk to Surface Recombination Mechanisms between Pristine and Cycled Perovskite Solar Cells. <i>ACS Energy Letters</i> , 2017 , 2, 681-688	20.1	99
57	The rapid evolution of highly efficient perovskite solar cells. <i>Energy and Environmental Science</i> , 2017 , 10, 710-727	35.4	811
56	Perovskite Solar Cells on the Way to Their Radiative Efficiency Limit – Insights Into a Success Story of High Open-Circuit Voltage and Low Recombination. <i>Advanced Energy Materials</i> , 2017 , 7, 1602358	21.8	331
55	The effect of illumination on the formation of metal halide perovskite films. <i>Nature</i> , 2017 , 545, 208-212	50.4	197
54	Metal Halide Perovskites as Mixed Electronic-Ionic Conductors: Challenges and Opportunities-From Hysteresis to Memristivity. <i>Journal of Physical Chemistry Letters</i> , 2017 , 8, 3106-3114	6.4	134
53	Identifying and suppressing interfacial recombination to achieve high open-circuit voltage in perovskite solar cells. <i>Energy and Environmental Science</i> , 2017 , 10, 1207-1212	35.4	242
52	Globularity-Selected Large Molecules for a New Generation of Multication Perovskites. <i>Advanced Materials</i> , 2017 , 29, 1702005	24	67
51	Promises and challenges of perovskite solar cells. <i>Science</i> , 2017 , 358, 739-744	33.3	1016
50	Additive-Free Transparent Triarylamine-Based Polymeric Hole-Transport Materials for Stable Perovskite Solar Cells. <i>ChemSusChem</i> , 2016 , 9, 2567-2571	8.3	56
49	Highly efficient and stable planar perovskite solar cells by solution-processed tin oxide. <i>Energy and Environmental Science</i> , 2016 , 9, 3128-3134	35.4	603

48	Highly Efficient and Stable Perovskite Solar Cells based on a Low-Cost Carbon Cloth. <i>Advanced Energy Materials</i> , 2016 , 6, 1601116	21.8	91
47	Unreacted Pbl ₂ as a Double-Edged Sword for Enhancing the Performance of Perovskite Solar Cells. <i>Journal of the American Chemical Society</i> , 2016 , 138, 10331-43	16.4	537
46	Inverted Current-Voltage Hysteresis in Mixed Perovskite Solar Cells: Polarization, Energy Barriers, and Defect Recombination. <i>Advanced Energy Materials</i> , 2016 , 6, 1600396	21.8	174
45	Photovoltaic and Amplified Spontaneous Emission Studies of High-Quality Formamidinium Lead Bromide Perovskite Films. <i>Advanced Functional Materials</i> , 2016 , 26, 2846-2854	15.6	57
44	Band structure engineering in organic semiconductors. <i>Science</i> , 2016 , 352, 1446-9	33.3	186
43	New method for lateral mapping of bimolecular recombination in thin-film organic solar cells. <i>Progress in Photovoltaics: Research and Applications</i> , 2016 , 24, 1096-1108	6.8	7
42	Cesium-containing triple cation perovskite solar cells: improved stability, reproducibility and high efficiency. <i>Energy and Environmental Science</i> , 2016 , 9, 1989-1997	35.4	374 ⁰
41	Ionic polarization-induced current-voltage hysteresis in CH ₃ NH ₃ PbX ₃ perovskite solar cells. <i>Nature Communications</i> , 2016 , 7, 10334	17.4	500
40	Efficient luminescent solar cells based on tailored mixed-cation perovskites. <i>Science Advances</i> , 2016 , 2, e1501170	14.3	1498
39	Unbroken Perovskite: Interplay of Morphology, Electro-optical Properties, and Ionic Movement. <i>Advanced Materials</i> , 2016 , 28, 5031-7	24	208
38	Not All That Glitters Is Gold: Metal-Migration-Induced Degradation in Perovskite Solar Cells. <i>ACS Nano</i> , 2016 , 10, 6306-14	16.7	759
37	Room Temperature as a Goldilocks Environment for CH ₃ NH ₃ PbI ₃ Perovskite Solar Cells: The Importance of Temperature on Device Performance. <i>Journal of Physical Chemistry C</i> , 2016 , 120, 11382-11393	28	50
36	Incorporation of rubidium cations into perovskite solar cells improves photovoltaic performance. <i>Science</i> , 2016 , 354, 206-209	33.3	2628
35	Extended Intermolecular Interactions Governing Photocurrent-Voltage Relations in Ternary Organic Solar Cells. <i>Journal of Physical Chemistry Letters</i> , 2016 , 7, 3936-3944	6.4	9
34	Maximum Efficiency and Open-Circuit Voltage of Perovskite Solar Cells 2016 , 53-77		21
33	Mixed interlayers at the interface between PEDOT:PSS and conjugated polymers provide charge transport control. <i>Journal of Materials Chemistry C</i> , 2015 , 3, 2664-2676	7.1	23
32	A charge carrier transport model for donor-acceptor blend layers. <i>Journal of Applied Physics</i> , 2015 , 117, 045501	2.5	11
31	Light Harvesting and Charge Recombination in CH ₃ NH ₃ PbI ₃ Perovskite Solar Cells Studied by Hole Transport Layer Thickness Variation. <i>ACS Nano</i> , 2015 , 9, 4200-9	16.7	167

30	Highly efficient planar perovskite solar cells through band alignment engineering. <i>Energy and Environmental Science</i> , 2015 , 8, 2928-2934	35.4	949
29	Predicting the Open-Circuit Voltage of CH ₃ NH ₃ PbI ₃ Perovskite Solar Cells Using Electroluminescence and Photovoltaic Quantum Efficiency Spectra: the Role of Radiative and Non-Radiative Recombination. <i>Advanced Energy Materials</i> , 2015 , 5, 1400812	21.8	358
28	Working Principles of Perovskite Photodetectors: Analyzing the Interplay Between Photoconductivity and Voltage-Driven Energy-Level Alignment. <i>Advanced Functional Materials</i> , 2015 , 25, 6936-6947	15.6	114
27	Temperature dependence of charge carrier generation in organic photovoltaics. <i>Physical Review Letters</i> , 2015 , 114, 128701	7.4	84
26	Understanding the rate-dependent J _V hysteresis, slow time component, and aging in CH ₃ NH ₃ PbI ₃ perovskite solar cells: the role of a compensated electric field. <i>Energy and Environmental Science</i> , 2015 , 8, 995-1004	35.4	998
25	A new fullerene-free bulk-heterojunction system for efficient high-voltage and high-fill factor solution-processed organic photovoltaics. <i>Advanced Materials</i> , 2015 , 27, 1900-7	24	77
24	Sub-glass transition annealing enhances polymer solar cell performance. <i>Journal of Materials Chemistry A</i> , 2014 , 2, 6146-6152	13	43
23	Improving Cathodes with a Polymer Interlayer in Reversed Organic Solar Cells. <i>Advanced Energy Materials</i> , 2014 , 4, 1400643	21.8	31
22	The role of the hole-transport layer in perovskite solar cells - reducing recombination and increasing absorption 2014 ,		19
21	Exploiting diffusion currents at Ohmic contacts for trap characterization in organic semiconductors. <i>Organic Electronics</i> , 2014 , 15, 2428-2432	3.5	9
20	Light trapping in thin film organic solar cells. <i>Materials Today</i> , 2014 , 17, 389-396	21.8	111
19	Light Trapping with Dielectric Scatterers in Single- and Tandem-Junction Organic Solar Cells. <i>Advanced Energy Materials</i> , 2013 , 3, 1606-1613	21.8	28
18	Simple experimental test to distinguish extraction and injection barriers at the electrodes of (organic) solar cells with S-shaped current-voltage characteristics. <i>Solar Energy Materials and Solar Cells</i> , 2013 , 117, 599-603	6.4	65
17	Electric potential mapping by thickness variation: A new method for model-free mobility determination in organic semiconductor thin films. <i>Organic Electronics</i> , 2013 , 14, 3460-3471	3.5	20
16	Investigation of Driving Forces for Charge Extraction in Organic Solar Cells: Transient Photocurrent Measurements on Solar Cells Showing S-Shaped Current-Voltage Characteristics. <i>Advanced Energy Materials</i> , 2013 , 3, 873-880	21.8	89
15	Dominating recombination mechanisms in organic solar cells based on ZnPc and C ₆₀ . <i>Applied Physics Letters</i> , 2013 , 102, 163901	3.4	50
14	Photoconductivity as loss mechanism in organic solar cells. <i>Physica Status Solidi - Rapid Research Letters</i> , 2013 , 7, 401-405	2.5	15
13	Correlation of Absorption Profile and Fill Factor in Organic Solar Cells: The Role of Mobility Imbalance. <i>Advanced Energy Materials</i> , 2013 , 3, 631-638	21.8	44

12	Correlation of open-circuit voltage and energy levels in zinc-phthalocyanine: C60 bulk heterojunction solar cells with varied mixing ratio. <i>Physical Review B</i> , 2013 , 88,	3.3	61
11	Optimum mobility, contact properties, and open-circuit voltage of organic solar cells: A drift-diffusion simulation study. <i>Physical Review B</i> , 2012 , 85,	3.3	154
10	Tetrapropyl-tetraphenyl-diindenoperylene derivative as a green absorber for high-voltage stable organic solar cells. <i>Physical Review B</i> , 2011 , 83,	3.3	13
9	Imbalanced mobilities causing S-shaped IV curves in planar heterojunction organic solar cells. <i>Applied Physics Letters</i> , 2011 , 98, 063301	3.4	189
8	Effect of concentration gradients in ZnPc:C60 bulk heterojunction organic solar cells. <i>Solar Energy Materials and Solar Cells</i> , 2011 ,	6.4	4
7	Influence of Hole-Transport Layers and Donor Materials on Open-Circuit Voltage and Shape of IV Curves of Organic Solar Cells. <i>Advanced Functional Materials</i> , 2011 , 21, 2140-2149	15.6	248
6	Open circuit voltage and IV curve shape of ZnPc:C60 solar cells with varied mixing ratio and hole transport layer. <i>Journal of Photonics for Energy</i> , 2011 , 1, 011114	1.2	29
5	Photoelectron spectroscopy study of systematically varied doping concentrations in an organic semiconductor layer using a molecular p-dopant. <i>Journal of Applied Physics</i> , 2009 , 106, 103711	2.5	117
4	Small-molecule solar cells-status and perspectives. <i>Nanotechnology</i> , 2008 , 19, 424001	3.4	254
3	Cs ₂ AgBiBr ₆ Double Perovskites as Lead-Free Alternatives for Perovskite Solar Cells?. <i>Solar Rrl</i> , 2100770	7.1	5
2	2D/3D Hybrid Cs ₂ AgBiBr ₆ Double Perovskite Solar Cells: Improved Energy Level Alignment for Higher Contact-Selectivity and Large Open Circuit Voltage. <i>Advanced Energy Materials</i> , 2103215	21.8	10
1	Interfaces and Interfacial Layers in Inorganic Perovskite Solar Cells. <i>Angewandte Chemie</i> ,	3.6	1