

# Marco A De Velasco

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4316440/publications.pdf>

Version: 2024-02-01

161  
papers

2,809  
citations

159525

30  
h-index

197736

49  
g-index

162  
all docs

162  
docs citations

162  
times ranked

5082  
citing authors

#	ARTICLE	IF	CITATIONS
1	A Missense Mutation in KIT Kinase Domain 1 Correlates with Imatinib Resistance in Gastrointestinal Stromal Tumors. <i>Cancer Research</i> , 2004, 64, 5913-5919.	0.4	334
2	FOXQ1 Is Overexpressed in Colorectal Cancer and Enhances Tumorigenicity and Tumor Growth. <i>Cancer Research</i> , 2010, 70, 2053-2063.	0.4	169
3	A Novel Human AlkB Homologue, ALKBH8, Contributes to Human Bladder Cancer Progression. <i>Cancer Research</i> , 2009, 69, 3157-3164.	0.4	135
4	The OCT4 pseudogene POU5F1B is amplified and promotes an aggressive phenotype in gastric cancer. <i>Oncogene</i> , 2015, 34, 199-208.	2.6	115
5	Progastrin expression predisposes mice to colon carcinomas and adenomas in response to a chemical carcinogen. <i>Gastroenterology</i> , 2000, 119, 162-171.	0.6	103
6	Inhibition of aberrant crypt growth by non-steroidal anti-inflammatory agents and differentiation agents in the rat colon. <i>International Journal of Cancer</i> , 1995, 60, 515-519.	2.3	89
7	Activin A inhibits vascular endothelial cell growth and suppresses tumour angiogenesis in gastric cancer. <i>British Journal of Cancer</i> , 2011, 105, 1210-1217.	2.9	83
8	Sensitivities to various epidermal growth factor receptor tyrosine kinase inhibitors of uncommon epidermal growth factor receptor mutations L861Q and S768I: What is the optimal epidermal growth factor receptor tyrosine kinase inhibitor?. <i>Cancer Science</i> , 2016, 107, 1134-1140.	1.7	78
9	Activin signal promotes cancer progression and is involved in cachexia in a subset of pancreatic cancer. <i>Cancer Letters</i> , 2015, 356, 819-827.	3.2	75
10	Comparison of Akt/mTOR signaling in primary breast tumors and matched distant metastases. <i>Cancer</i> , 2008, 112, 2352-2358.	2.0	56
11	Protective effects of zinc chelation in traumatic brain injury correlate with upregulation of neuroprotective genes in rat brain. <i>Neuroscience Letters</i> , 2004, 355, 221-225.	1.0	55
12	Hypoxia induces resistance to ALK inhibitors in the H3122 non-small cell lung cancer cell line with an ALK rearrangement via epithelial-mesenchymal transition. <i>International Journal of Oncology</i> , 2014, 45, 1430-1436.	1.4	52
13	Frequent amplification of <i>ORAO1</i> gene in esophageal squamous cell cancer promotes an aggressive phenotype via proline metabolism and ROS production. <i>Oncotarget</i> , 2014, 5, 2962-2973.	0.8	51
14	Role of syndecan-1 (CD138) in cell survival of human urothelial carcinoma. <i>Cancer Science</i> , 2010, 101, 155-160.	1.7	47
15	Intestinal expression of mutant and wild-type progastrin significantly increases colon carcinogenesis in response to azoxymethane in transgenic mice. <i>Cancer</i> , 2004, 100, 1311-1323.	2.0	45
16	Inhibition of $\beta$ -Catenin Enhances the Anticancer Effect of Irreversible EGFR-TKI in EGFR-Mutated Non-small-cell Lung Cancer with a T790M Mutation. <i>Journal of Thoracic Oncology</i> , 2015, 10, 93-101.	0.5	44
17	KIAA1199 interacts with glycogen phosphorylase kinase $\beta$ -subunit (PHKB) to promote glycogen breakdown and cancer cell survival. <i>Oncotarget</i> , 2014, 5, 7040-7050.	0.8	44
18	Syndecan-1, a new target molecule involved in progression of androgen-independent prostate cancer. <i>Cancer Science</i> , 2009, 100, 1248-1254.	1.7	43

#	ARTICLE	IF	CITATIONS
19	Activated MET acts as a salvage signal after treatment with alectinib, a selective ALK inhibitor, in ALK-positive non-small cell lung cancer. <i>International Journal of Oncology</i> , 2015, 46, 1025-1030.	1.4	42
20	Prostate cancer immunotherapy. <i>Current Opinion in Urology</i> , 2018, 28, 15-24.	0.9	40
21	Delivery of PTEN via a novel gene microcapsule sensitizes prostate cancer cells to irradiation. <i>Molecular Cancer Therapeutics</i> , 2008, 7, 1864-1870.	1.9	38
22	Allium vegetables: their role in the prevention of cancer. <i>Biochemical Society Transactions</i> , 1996, 24, 811-814.	1.6	37
23	Micronuclei, a biomarker for chemoprevention trials: Results of a randomized study in oral pre-malignancy. <i>International Journal of Cancer</i> , 1994, 59, 457-459.	2.3	36
24	Increased <i>FGF19</i> copy number is frequently detected in hepatocellular carcinoma with a complete response after sorafenib treatment. <i>Oncotarget</i> , 2016, 7, 49091-49098.	0.8	35
25	Gut microbiome and prostate cancer. <i>International Journal of Urology</i> , 2022, 29, 793-798.	0.5	35
26	Antitumor Activity of BIBF 1120, a Triple Angiokinase Inhibitor, and Use of VEGFR2+pTyr+ Peripheral Blood Leukocytes as a Pharmacodynamic Biomarker <i>In Vivo</i> . <i>Clinical Cancer Research</i> , 2011, 17, 1373-1381.	3.2	34
27	Carvedilol protects tubular epithelial cells from ischemia-reperfusion injury by inhibiting oxidative stress. <i>International Journal of Urology</i> , 2010, 17, 989-995.	0.5	32
28	Homozygous deletion of the activin A receptor, type IB gene is associated with an aggressive cancer phenotype in pancreatic cancer. <i>Molecular Cancer</i> , 2014, 13, 126.	7.9	31
29	Identification of Programmed Death Ligand 1-derived Peptides Capable of Inducing Cancer-reactive Cytotoxic T Lymphocytes From HLA-A24+ Patients With Renal Cell Carcinoma. <i>Journal of Immunotherapy</i> , 2015, 38, 285-291.	1.2	31
30	Chronic nicotine exposure mediates resistance to EGFR-TKI in EGFR -mutated lung cancer via an EGFR signal. <i>Lung Cancer</i> , 2015, 88, 16-23.	0.9	31
31	<i>FGFR</i> gene alterations in lung squamous cell carcinoma are potential targets for the multikinase inhibitor nintedanib. <i>Cancer Science</i> , 2016, 107, 1667-1676.	1.7	31
32	Efficacy of irreversible EGFR-TKIs for the uncommon secondary resistant EGFR mutations L747S, D761Y, and T854A. <i>BMC Cancer</i> , 2017, 17, 281.	1.1	31
33	Extended RAS and BRAF Mutation Analysis Using Next-Generation Sequencing. <i>PLoS ONE</i> , 2015, 10, e0121891.	1.1	30
34	Overexpression of heparan sulfate 6-O-sulfotransferase-2 in colorectal cancer. <i>Molecular and Clinical Oncology</i> , 2013, 1, 845-850.	0.4	29
35	Synergistic antitumor effects of S-1 with eribulin in vitro and in vivo for triple-negative breast cancer cell lines. <i>SpringerPlus</i> , 2014, 3, 417.	1.2	29
36	Deletion of functional gastrin gene markedly increases colon carcinogenesis in response to azoxymethane in mice. <i>Gastroenterology</i> , 2002, 123, 516-530.	0.6	27

#	ARTICLE	IF	CITATIONS
37	Slug increases sensitivity to tubulin-binding agents via the downregulation of $\beta$ III and $\beta$ IV-tubulin in lung cancer cells. <i>Cancer Medicine</i> , 2013, 2, 144-154.	1.3	26
38	Targeting castration-resistant prostate cancer with androgen receptor antisense oligonucleotide therapy. <i>JCI Insight</i> , 2019, 4, .	2.3	26
39	MEK inhibitors against MET-amplified non-small cell lung cancer. <i>International Journal of Oncology</i> , 2016, 49, 2236-2244.	1.4	24
40	Androgen deprivation induces phenotypic plasticity and promotes resistance to molecular targeted therapy in a <i>PTEN</i> -deficient mouse model of prostate cancer. <i>Carcinogenesis</i> , 2014, 35, 2142-2153.	1.3	23
41	Osteopontin knockdown in the kidneys of hyperoxaluric rats leads to reduction in renal calcium oxalate crystal deposition. <i>Urolithiasis</i> , 2014, 42, 195-202.	1.2	20
42	Efficacy of targeted AKT inhibition in genetically engineered mouse models of <i>PTEN</i> -deficient prostate cancer. <i>Oncotarget</i> , 2016, 7, 15959-15976.	0.8	20
43	Melanoma Transition Is Frequently Accompanied by a Loss of Cytoglobin Expression in Melanocytes: A Novel Expression Site of Cytoglobin. <i>PLoS ONE</i> , 2014, 9, e94772.	1.1	19
44	Significance of FGF9 gene in resistance to anti-EGFR therapies targeting colorectal cancer: A subset of colorectal cancer patients with FGF9 upregulation may be resistant to anti-EGFR therapies. <i>Molecular Carcinogenesis</i> , 2017, 56, 106-117.	1.3	19
45	Expression of Cellular Adhesion Proteins and Abnormal Glycoproteins in Human Aberrant Crypt Foci. <i>Applied Immunohistochemistry and Molecular Morphology</i> , 2004, 12, 350-355.	0.6	18
46	Aza-derivatives of resveratrol are potent macrophage migration inhibitory factor inhibitors. <i>Investigational New Drugs</i> , 2012, 30, 1878-1886.	1.2	18
47	Clonal composition of human ovarian cancer based on copy number analysis reveals a reciprocal relation with oncogenic mutation status. <i>Cancer Letters</i> , 2017, 405, 22-28.	3.2	17
48	Integrative analysis of gut microbiome and host transcriptomes reveals associations between treatment outcomes and immunotherapy-induced colitis. <i>Molecular Oncology</i> , 2022, 16, 1493-1507.	2.1	17
49	<i>l</i> -Arginine Decreases Fluid-Perfusion Injury-Induced Neuronal Nitrotyrosine Immunoreactivity in Rats. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2008, 28, 1733-1741.	2.4	16
50	MEK Inhibitor for Gastric Cancer with <i>MEK1</i> Gene Mutations. <i>Molecular Cancer Therapeutics</i> , 2014, 13, 3098-3106.	1.9	16
51	Clinicopathological and genetic differences between low-grade and high-grade colorectal mucinous adenocarcinomas. <i>Cancer</i> , 2015, 121, 4359-4368.	2.0	16
52	Afatinib against Esophageal or Head-and-Neck Squamous Cell Carcinoma: Significance of Activating Oncogenic <i>HER4</i> Mutations in HNSCC. <i>Molecular Cancer Therapeutics</i> , 2016, 15, 1988-1997.	1.9	16
53	Clinical significance of Akt2 in advanced pancreatic cancer treated with erlotinib. <i>International Journal of Oncology</i> , 2017, 50, 2049-2058.	1.4	15
54	HOXA10 expression profiling in prostate cancer. <i>Prostate</i> , 2019, 79, 554-563.	1.2	15

#	ARTICLE	IF	CITATIONS
55	Connecting the Dots Between the Gut-IGF-1-Prostate Axis: A Role of IGF-1 in Prostate Carcinogenesis. <i>Frontiers in Endocrinology</i> , 2022, 13, 852382.	1.5	15
56	Immunological evaluation of personalized peptide vaccination monotherapy in patients with castration-resistant prostate cancer. <i>Cancer Science</i> , 2010, 101, 601-608.	1.7	14
57	Preclinical Remodeling of Human Prostate Cancer through the PTEN/AKT Pathway. <i>Advances in Urology</i> , 2012, 2012, 1-12.	0.6	14
58	EGFR and HER2 signals play a salvage role in MEK1-mutated gastric cancer after MEK inhibition. <i>International Journal of Oncology</i> , 2015, 47, 499-505.	1.4	14
59	Functional Analyses of Mutations in Receptor Tyrosine Kinase Genes in Non-Small Cell Lung Cancer: Double-Edged Sword of <i>DDR2</i> . <i>Clinical Cancer Research</i> , 2016, 22, 3663-3671.	3.2	14
60	Tumor vaccines in renal cell carcinoma. <i>World Journal of Urology</i> , 2008, 26, 147-154.	1.2	13
61	Generation of PTEN-knockout (â€) murine prostate cancer cells using the CRISPR/Cas9 system and comprehensive gene expression profiling. <i>Oncology Reports</i> , 2018, 40, 2455-2466.	1.2	13
62	Micronuclei in bronchial biopsy specimens from heavy smokers: Characterization of an intermediate marker of lung carcinogenesis. <i>International Journal of Cancer</i> , 1992, 52, 44-47.	2.3	12
63	Effects of the <i>Rho</i> kinase inhibitor, hydroxyfasudil, on bladder dysfunction and inflammation in rats with <i>HCl</i> -induced cystitis. <i>International Journal of Urology</i> , 2013, 20, 1136-1143.	0.5	12
64	Evaluation of in vivo responses of sorafenib therapy in a preclinical mouse model of PTEN-deficient of prostate cancer. <i>Journal of Translational Medicine</i> , 2015, 13, 150.	1.8	12
65	An activating ALK gene mutation in ALK IHC-positive/FISH-negative nonsmall-cell lung cancer. <i>Annals of Oncology</i> , 2015, 26, 1800-1801.	0.6	11
66	Mucosal microbiota and gene expression are associated with long-term remission after discontinuation of adalimumab in ulcerative colitis. <i>Scientific Reports</i> , 2020, 10, 19186.	1.6	10
67	Intestinal Microbiota and Gene Expression Reveal Similarity and Dissimilarity Between Immune-Mediated Colitis and Ulcerative Colitis. <i>Frontiers in Oncology</i> , 2021, 11, 763468.	1.3	10
68	Performance of a novel KRAS mutation assay for formalin-fixed paraffin embedded tissues of colorectal cancer. <i>SpringerPlus</i> , 2015, 4, 7.	1.2	9
69	Hypoxia-inducing factor (HIF)-1 $\alpha$ -derived peptide capable of inducing cancer-reactive cytotoxic T lymphocytes from HLA-A24+ patients with renal cell carcinoma. <i>International Immunopharmacology</i> , 2017, 44, 197-202.	1.7	9
70	Chemopreventive effects of nanoparticle curcumin in a mouse model of Pten-deficient prostate cancer. <i>Human Cell</i> , 2020, 33, 730-736.	1.2	8
71	Identification of erythropoietin receptor-derived peptides having the potential to induce cancer-reactive cytotoxic T lymphocytes from HLA-A24+ patients with renal cell carcinoma. <i>International Immunopharmacology</i> , 2014, 20, 59-65.	1.7	7
72	Transcriptome Profiling and Metagenomic Analysis Help to Elucidate Interactions in an Inflammation-Associated Cancer Mouse Model. <i>Cancers</i> , 2021, 13, 3683.	1.7	7

#	ARTICLE	IF	CITATIONS
73	Conditional PTEN-deficient Mice as a Prostate Cancer Chemoprevention Model. Asian Pacific Journal of Cancer Prevention, 2015, 16, 1827-1831.	0.5	7
74	Abstract 4702: PD-L1 blockade in preclinical models of PTEN-deficient prostate cancer. , 2017, , .		6
75	Performance of Idylla <sup>®</sup> , <sup>®</sup> RAS-BRAF mutation test for formalin-fixed paraffin-embedded tissues of colorectal cancer. International Journal of Clinical Oncology, 2022, 27, 1180-1187.	1.0	5
76	A new molecular targeted therapeutic approach for renal cell carcinoma with a p16 functional peptide using a novel transporter system. Oncology Reports, 2011, 26, 327-33.	1.2	4
77	Context-Specific Efficacy of Apalutamide Therapy in Preclinical Models of Pten-Deficient Prostate Cancer. Cancers, 2021, 13, 3975.	1.7	4
78	SCF-KIT signaling induces endothelin-3 synthesis and secretion: Thereby activates and regulates endothelin-B-receptor for generating temporally- and spatially-precise nitric oxide to modulate SCF- and or KIT-expressing cell functions. PLoS ONE, 2017, 12, e0184154.	1.1	4
79	New polycomb group protein enhancer of zeste homolog (EZH) 2-derived peptide with the potential to induce cancer-reactive cytotoxic T lymphocytes in prostate cancer patients with HLA-A3 supertype alleles. International Immunopharmacology, 2015, 26, 133-138.	1.7	3
80	Higher neutrophil-to-lymphocyte ratio after the first cycle of the first-line chemotherapy is associated with poor cancer specific survival of upper urinary tract carcinoma patients. Translational Andrology and Urology, 2021, 10, 2838-2847.	0.6	2
81	Abstract 1568: A2aR inhibition enhances the antitumor activity of CTLA4 blockade in mouse Pten-deficient prostate cancer. Cancer Research, 2021, 81, 1568-1568.	0.4	2
82	Disseminated intravascular coagulation induced by pazopanib following combination therapy of nivolumab plus ipilimumab in a patient with metastatic renal cell carcinoma. Anti-Cancer Drugs, 2021, Publish Ahead of Print, .	0.7	2
83	Abstract 4699: Preclinical activity of the AKT inhibitor AZD5363 in PTEN-deficient mouse models of prostate cancer. Cancer Research, 2015, 75, 4699-4699.	0.4	2
84	Abstract 3629: HOXA10 expression profiles in prostate cancer. , 2012, , .		1
85	Abstract 3864: The Jak1/2 inhibitor AZD1480 suppresses tumor growth and metastasis in genetically engineered mouse models of PTEN-deficient prostate cancer. , 2016, , .		1
86	Abstract 5169: Novel target molecules for treatment of cancer of unknown primary. , 2018, , .		1
87	Abstract 3340: Prostate cancer alters gut microbiota in mice. , 2020, , .		1
88	Patients with polyclonal hepatocellular carcinoma are at a high risk of early recurrence and have a poor recurrence-free survival period. Hepatology International, 2022, 16, 135-147.	1.9	1
89	GFP image analysis in the mouse orthotopic bladder cancer model. Oncology Reports, 2008, 20, 543-7.	1.2	1
90	GFP image analysis in the mouse orthotopic bladder cancer model. Oncology Reports, 1994, 20, 543.	1.2	0

#	ARTICLE	IF	CITATIONS
91	882: Intravesical Instillation of Liposomal Doxorubicin Nanoparticles in Mouse Superficial Bladder Cancer. <i>Journal of Urology</i> , 2007, 177, 293-293.	0.2	0
92	A NOVEL p16 PEPTIDE THERAPY RADIOSENSITIZES PROSTATE CANCER. <i>Journal of Urology</i> , 2008, 179, 228-229.	0.2	0
93	FUNCTIONAL PEPTIDE THERAPY WITH PTEN IN PROSTATE CANCER. <i>Journal of Urology</i> , 2008, 179, 224-224.	0.2	0
94	1769 A PHASE I TRIAL OF VEGFR1 PEPTIDE VACCINES FOR PATIENTS WITH METASTATIC RENAL CELL CARCINOMA. <i>Journal of Urology</i> , 2011, 185, .	0.2	0
95	Intravesical Bacillus Calmette-Guerin Therapy for Grade 3 Non-Muscle Invasive Bladder Cancer: Results of Six or Eight Successive Instillations. <i>Current Urology</i> , 2011, 5, 41-45.	0.4	0
96	Construction of a 3D Culture Assay System for Anti-Cancer Drug Testing. <i>Annals of Oncology</i> , 2013, 24, ix77.	0.6	0
97	259 Fibroblast growth factor 9 gene amplification can induce resistance to anti-EGFR therapy in colorectal cancer. <i>European Journal of Cancer</i> , 2015, 51, S46.	1.3	0
98	EGFR and HER2 signals play a salvage role in MEK1-mutated gastric cancer after MEK inhibition. <i>Annals of Oncology</i> , 2015, 26, vii129.	0.6	0
99	Abstract 1780: Associations between gut microbiota and PD-L1 immunotherapy/JAK1/2 inhibition in mousePten-deficient prostate cancer. , 2021, , .		0
100	Abstract 1781: Correlates of androgen deprivation and gut microbiome in mousePten-deficient prostate cancer. , 2021, , .		0
101	Abstract 622: Gene panel-based immune profiling of human cancers. , 2021, , .		0
102	Abstract 1438: Acute immune responses to apalutamide in mousePten-deficient prostate cancer. , 2021, , .		0
103	650: The Role of PTEN in Hormone Independent Prostate Cancer Derived by Prostate Specific Deletion of PTEN. <i>Journal of Urology</i> , 2007, 177, 218-219.	0.2	0
104	Abstract 956: Targeting prostate cancer chemoprevention via the androgen receptor in a preclinical mouse model. , 2010, , .		0
105	Abstract 843: Increased consumption of dietary fat contributes to increased prostate cancer-specific mortality in a transgenic mouse model of prostate cancer. , 2011, , .		0
106	Abstract 3579: Sorafenib inhibits tumor development and growth in a transgenic mouse model of prostate cancer. , 2011, , .		0
107	Abstract 2167: Identification of aberrant expression of HOXA10 in prostate cancer. , 2011, , .		0
108	Abstract 1095: Short Poly A sequence in HGF promoter region is involved in overexpression of HGF in cancer cells. , 2011, , .		0

#	ARTICLE	IF	CITATIONS
109	Abstract 433: Altered expression of lumican in prostate cancer is identified by microarray analysis. , 2011, , .		0
110	Abstract 806: Anti-tumor effects of low temperature whole body hyperthermia on human bladder cancer cellsin vivo. , 2011, , .		0
111	Abstract 539: A preclinical model to evaluate the risk of increased dietary fat consumption and prostate cancer progression. , 2012, , .		0
112	Abstract 424: Amplification ofOCT4-pseudogenePOU5F1Bis a poor prognostic factor in gastric cancer. , 2012, , .		0
113	Abstract 3876: Role of Stat3 transcriptional activation in a preclinical mouse model of prostate cancer and potential as a therapeutic target. , 2012, , .		0
114	Abstract 2755: Enhanced anti-tumor effects using a combinatorial targeted treatment strategy in a preclinical model of prostate cancer. , 2012, , .		0
115	Abstract 5178: Evaluation of lumican expression profiles in prostate cancer. , 2012, , .		0
116	Abstract 3517: Use of a novel synthetic biomaterial to induce mild whole body hyperthermia for the treatment of cancer in a preclinical model. , 2012, , .		0
117	Abstract 3688: Leptin contributes to prostate cancer progression.. , 2013, , .		0
118	Abstract 4608: Autophagy is required for prostate cancer progression.. , 2013, , .		0
119	Abstract 1201: Establishment and characterization of cell lines derived from a murine model of PTEN-deficient prostate cancer. , 2014, , .		0
120	Abstract 3912: The role of autophagy in prostate tumorigenesis and its therapeutic implications. , 2014, , .		0
121	Abstract 4729: Expression of lumican is negatively associated with the risk of biochemical recurrence in human prostate cancer. , 2014, , .		0
122	Abstract 5271: Homozygous deletion of the activin A receptor, type IB gene is associated with an aggressive cancer phenotype in pancreatic cancer. , 2014, , .		0
123	Abstract 613: Combining PI3K and 5alpha-reductase inhibitors improves the treatment response in a mouse model of PTEN-deficient prostate cancer. , 2014, , .		0
124	Abstract 84: Functional evaluation of synchronous inactivation of PTEN and P53 in a murine model of prostate cancer. , 2014, , .		0
125	Abstract 611: Co-targeting the PI3K and androgen receptor signal pathways in castration resistant prostate cancer. , 2014, , .		0
126	Abstract 1845: Chloroquine demonstrates limited effectiveness in an autochthonous preclinical model of prostate cancer. , 2015, , .		0



#	ARTICLE	IF	CITATIONS
127	Abstract 4958: Melanoma transition is frequently accompanied by a loss of cytoglobin, a putative tumor suppressor, in melanocytes. , 2015, , .		0
128	Abstract 1857: Effects of long-term chloroquine chemotherapy in a preclinical model of PTEN-deficient prostate cancer. , 2015, , .		0
129	Abstract 1856: Preclinical effects of dual AKT/MAPK inhibition in PTEN-deficient prostate cancer. , 2015, , .		0
130	Abstract 5456: FGF9 gene amplification can induce resistance to anti-EGFR therapy in colorectal cancer. , 2015, , .		0
131	Abstract 3402: Activin signal promotes cancer progression and is involved in cachexia in a subset of pancreatic cancer. , 2015, , .		0
132	Abstract 4212: Inhibition of mouse PTEN-deficient prostate cancer with next generation antisense oligonucleotide targeting the androgen receptor. , 2015, , .		0
133	Abstract 1850: Evaluation of Pim-1 kinase inhibition in a preclinical model of mouse prostate cancer. , 2015, , .		0
134	An activating ALK gene mutation in ALK IHC-positive/FISH-negative non-small cell lung cancer. Annals of Oncology, 2015, 26, vii73.	0.6	0
135	Abstract 3538: Effects of oral chloroquine administration on a preclinical mouse model of PTEN/p53-deficient prostate cancer. , 2016, , .		0
136	Abstract 4315: Effects of increased dietary fat consumption on prostate cancer progression in genetically engineered mice. , 2016, , .		0
137	Abstract 954: Analysis of noncoding RNA expression in a mouse model of PTEN-deficient prostate cancer. , 2016, , .		0
138	Abstract 2014: Alternative splicing is a frequent event in mouse PTEN-deficient prostate cancer. , 2016, , .		0
139	Abstract 1096: Co-targeting of AKT and Pim kinases in mousePTEN-deficient prostate cancer. , 2017, , .		0
140	Abstract 1582: Therapeutic potential of combination therapy using a next generation antisense oligonucleotide targeting the androgen receptor and AKT inhibition with AZD5363 in genetically engineered mouse models of prostate cancer. , 2017, , .		0
141	Abstract 751: Characterization of STAT3 activation in human prostate cancer. , 2017, , .		0
142	Abstract 3684: Inhibition of STAT3 by antisense oligonucleotide treatment decreases the immune suppressive tumor microenvironment in syngeneic and GEM tumor models. , 2017, , .		0
143	Abstract 3737: Apalutamide (ARN-509) demonstrates therapeutic efficacy in genetically engineered mouse models ofPten-deficient prostate cancer. , 2018, , .		0
144	Abstract 4825: Targeting PIM and AKT kinases impairs tumor growth and improves overall survival in a murine model of advanced castration-resistant prostate cancer. , 2018, , .		0

#	ARTICLE	IF	CITATIONS
145	Abstract 4439: Genetic alterations in specific RNA processing genes is associated with poor patient outcome in prostate cancer. , 2018, , .		0
146	Abstract 2868: Preclinical evaluation of the multi tyrosine kinase inhibitor TAS-115 in genetically engineered mouse models of prostate cancer. , 2018, , .		0
147	Abstract 947: Influence of abiraterone therapy on anti-tumor immunity in genetically engineered mouse prostate cancer models. , 2018, , .		0
148	Abstract 1715: Treatment-dependent effects of androgen receptor signaling suppression on immune modulation in mousePten-deficient prostate cancer. , 2018, , .		0
149	Abstract 3951: Apalutamide reworks the immune composition of prostate tumors. , 2019, , .		0
150	Abstract 4996: A real-time PCR-based approach to quantitatively assess tumor immune profiles and immune responses. , 2019, , .		0
151	Abstract 5023: Immunomodulation of the multi-tyrosine kinase inhibitor TAS-115 in a mouse model of prostate cancer. , 2019, , .		0
152	Abstract 1613: Dietary isoflavone decreases prostate cancer progression and improves survival in conditionalPten/Trp53-deficient mice. , 2019, , .		0
153	Abstract 4468: Cross-species analysis and immunophenotyping using of a focused panel of immune-responsive genes. , 2020, , .		0
154	Abstract 3341: Systemic targeted JAK1/2 therapy for mousePten-deficient prostate cancer model influences the diversity and composition of the gut microbiome. , 2020, , .		0
155	Abstract 5610: The multi tyrosine kinase inhibitor TAS-115 promotes innate and adaptive immune responses of androgen deprivation therapy in mouse prostate cancer. , 2020, , .		0
156	Abstract 3416: Androgen deprivation following JAK1/2 and PD-L1 inhibition improves antitumor efficacy in mouse models ofPten-deficient prostate cancer. , 2020, , .		0
157	Abstract 1071: Targeting A2aR in mousePten-deficient prostate cancer. , 2020, , .		0
158	Abstract 1613: Dietary isoflavone decreases prostate cancer progression and improves survival in conditionalPten/Trp53-deficient mice. , 2019, , .		0
159	Abstract 3951: Apalutamide reworks the immune composition of prostate tumors. , 2019, , .		0
160	Abstract 4996: A real-time PCR-based approach to quantitatively assess tumor immune profiles and immune responses. , 2019, , .		0
161	Abstract 5023: Immunomodulation of the multi-tyrosine kinase inhibitor TAS-115 in a mouse model of prostate cancer. , 2019, , .		0