

Heitor S Ribeiro

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4320182/publications.pdf>

Version: 2024-02-01

28
papers

142
citations

1684188

5
h-index

1372567

10
g-index

29
all docs

29
docs citations

29
times ranked

108
citing authors

#	ARTICLE	IF	CITATIONS
1	A Strategy to Improve the Presence of Exercise Professionals in Dialysis Units. , 2022, 32, 489-490.		3
2	Obesity phenotypes are, in part, associated with physical activity in diabetic hemodialysis patients. International Urology and Nephrology, 2022, 54, 1751-1759.	1.4	3
3	SARCÇ and SARCÇF are associated with sarcopenia traits in hemodialysis patients. Nutrition in Clinical Practice, 2022, 37, 1356-1365.	2.4	8
4	Profile of professionals working in intradialytic exercise programs in Brazil: a national survey. Jornal Brasileiro De Nefrologia: Orgao Oficial De Sociedades Brasileira E Latino-Americana De Nefrologia, 2022, , .	0.9	0
5	Recognizing the importance of physical activity on sarcopenia in chronic kidney disease. Osteoporosis and Sarcopenia, 2022, 8, 30-31.	1.9	2
6	Association between sarcopenia and clinical outcomes in chronic kidney disease patients: A systematic review and meta-analysis. Clinical Nutrition, 2022, 41, 1131-1140.	5.0	42
7	MO567: Is Sarcopenia Associated With Clinical Outcomes in Chronic Kidney Disease Patients? A Systematic Review and Meta-Analysis. Nephrology Dialysis Transplantation, 2022, 37, .	0.7	0
8	Implementing a resistance training programme for patients on short daily haemodialysis: A feasibility study. Journal of Renal Care, 2022, , .	1.2	3
9	Physical activity and the "pediatric inactivity triad"™ in children living with chronic kidney disease: a narrative review. Therapeutic Advances in Chronic Disease, 2022, 13, 204062232211099.	2.5	7
10	Influence of the ACTN3 Genotype and the Exercise Intensity on the Respiratory Exchange Ratio and Excess Oxygen Consumption After Exercise. Journal of Strength and Conditioning Research, 2021, 35, 1380-1388.	2.1	1
11	Intradialytic isometric handgrip exercise does not cause hemodynamic instability: A randomized, <sc>cross&over</sc>, pilot study. Therapeutic Apheresis and Dialysis, 2021, 25, 282-289.	0.9	5
12	Exercise interventions improve depression and anxiety in chronic kidney disease patients: a systematic review and meta-analysis. International Urology and Nephrology, 2021, 53, 925-933.	1.4	21
13	COVID-19 quarantine in chronic kidney disease patients: A focus on sarcopenia traits. Jornal Brasileiro De Nefrologia: Orgao Oficial De Sociedades Brasileira E Latino-Americana De Nefrologia, 2021, 43, 293-294.	0.9	4
14	Epidemiological profile of acute kidney injury in critically ill patients admitted to intensive care units: A Prospective Brazilian Cohort. Jornal Brasileiro De Nefrologia: Orgao Oficial De Sociedades Brasileira E Latino-Americana De Nefrologia, 2021, 43, 580-585.	0.9	5
15	Poor handgrip strength determined clinically is associated with falls in older women. Journal of Frailty, Sarcopenia and Falls, 2021, 06, 43-49.	1.2	14
16	Post-COVID-19 rehabilitation: a special look at chronic kidney disease patients. Renal Replacement Therapy, 2021, 7, 33.	0.7	3
17	Global Prevalence of Osteoporosis in Chronic Kidney Disease: Protocol for a Systematic Review. Kidney and Dialysis, 2021, 1, 47-52.	1.0	2
18	The attenuation of postprandial lipemia by aerobic exercise depends on allelic variations of the Apolipoprotein B gene. Science and Sports, 2021, 36, e159-e166.	0.5	0

#	ARTICLE	IF	CITATIONS
19	Associação entre os sintomas depressivos e a gordura corporal em pacientes com doença renal crônica em hemodiálise. Revista Psicologia, Diversidade E Saúde, 2021, 10, 407-414.	0.1	1
20	Sarcopenia diagnosis in patients receiving hemodialysis: Agreement among different consensuses. Nutrition in Clinical Practice, 2021, , .	2.4	2
21	Physical activity is associated with nutritional biomarkers in hemodialysis patients: A cross-sectional study. Therapeutic Apheresis and Dialysis, 2021, , .	0.9	3
22	Comments on "Supervised Exercise Intervention and Overall Activity in CKD" by Pike et al.. Kidney International Reports, 2020, 5, 2404-2405.	0.8	4
23	Agreement and reproducibility of field and laboratory tests in the prediction of running speed in a 10-km race in amateur runners. Kinesiology, 2020, 52, 299-307.	0.6	0
24	A CAPACIDADE PREDITIVA DE INDICADORES DE COMPOSIÇÃO CORPORAL, APTIDÃO AERÓBICA E COORDENAÇÃO MOTORA SOBRE A ATENÇÃO E FUNÇÃO EXECUTIVA EM CRIANÇAS DE 6 A 11 ANOS. Revista Brasileira De Ciência E Movimento, 2020, 28, 60.	0.5	2
25	Frailty syndrome in older adults from the community and long-term care institutions: an exploratory analysis. Geriatrics Gerontology and Aging, 2019, 13, 141-148.	0.3	1
26	Avaliação da prevalência de distúrbios osteomusculares e possíveis fatores associados em funcionários de uma empresa multinacional. Revista Brasileira De Qualidade De Vida, 2018, 10, .	0.1	0
27	Critical velocity estimates running velocity in a 10-km running race in recreational runners. Revista Brasileira De Cineantropometria E Desempenho Humano, 0, 22, .	0.5	1
28	Association of magnesium abnormalities at intensive care unit admission with kidney outcomes and mortality: a prospective cohort study. Clinical and Experimental Nephrology, 0, , .	1.6	4