David Danielpour

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4320603/publications.pdf

Version: 2024-02-01

840776 888059 20 997 11 17 citations h-index g-index papers 21 21 21 1350 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	A novel mitochondrial septin-like protein, ARTS, mediates apoptosis dependent on its P-loop motif. Nature Cell Biology, 2000, 2, 915-921.	10.3	226
2	The Androgen Receptor Represses Transforming Growth Factor- \hat{l}^2 Signaling through Interaction with Smad3. Journal of Biological Chemistry, 2002, 277, 1240-1248.	3.4	178
3	Novel roles of Akt and mTOR in suppressing TGF-β/ALK5-mediated Smad3 activation. EMBO Journal, 2006, 25, 58-69.	7.8	169
4	Functions and regulation of transforming growth factor-beta (TGF- \hat{l}^2) in the prostate. European Journal of Cancer, 2005, 41, 846-857.	2.8	110
5	Cross-talk between IGF-I and TGF- \hat{I}^2 signaling pathways. Cytokine and Growth Factor Reviews, 2006, 17, 59-74.	7.2	80
6	Androgenic Control of Transforming Growth Factor-β Signaling in Prostate Epithelial Cells through Transcriptional Suppression of Transforming Growth Factor-β Receptor II. Cancer Research, 2008, 68, 8173-8182.	0.9	46
7	The role of transforming growth factor- \hat{l}^2 1, - \hat{l}^2 2, and - \hat{l}^2 3 in androgen-responsive growth of NRP-152 rat prostatic epithelial cells. , 1998, 175, 184-192.		45
8	Critical Role of a Survivin/TGF- \hat{l}^2 /mTORC1 Axis in IGF-I-Mediated Growth of Prostate Epithelial Cells. PLoS ONE, 2013, 8, e61896.	2.5	28
9	The crucial p53-dependent oncogenic role of JAB1 in osteosarcoma in vivo. Oncogene, 2020, 39, 4581-4591.	5.9	22
10	A Signaling Network Controlling Androgenic Repression of c-Fos Protein in Prostate Adenocarcinoma Cells. Journal of Biological Chemistry, 2016, 291, 5512-5526.	3.4	20
11	HEXIM1 plays a critical role in the inhibition of the androgen receptor by anti-androgens. Biochemical Journal, 2014, 462, 315-327.	3.7	18
12	Regulation of trespin expression by modulators of cell growth, differentiation, and apoptosis in prostatic epithelial cells. Experimental Cell Research, 2003, 284, 301-313.	2.6	13
13	Neuroendocrine prostate carcinoma cells originate from the p63-expressing basal cells but not the pre-existing adenocarcinoma cells in mice. Cell Research, 2019, 29, 420-422.	12.0	13
14	JAB1/COPS5 is a putative oncogene that controls critical oncoproteins deregulated in prostate cancer. Biochemical and Biophysical Research Communications, 2019, 518, 374-380.	2.1	10
15	Early Cellular Responses of Prostate Carcinoma Cells to Sepantronium Bromide (YM155) Involve Suppression of mTORC1 by AMPK. Scientific Reports, 2019, 9, 11541.	3.3	9
16	Jagged-1 is induced by mTOR inhibitors in renal cancer cells through an Akt/ALK5/Smad4-dependent mechanism. Current Research in Pharmacology and Drug Discovery, 2022, 3, 100117.	3.6	5
17	HMBA is a putative HSP70 activator stimulating HEXIM1 expression that is down-regulated by estrogen. Journal of Steroid Biochemistry and Molecular Biology, 2017, 168, 91-101.	2.5	4
18	Hypoxia represses early responses of prostate and renal cancer cells to YM155 independent of HIF-1α and HIF-2α. Current Research in Pharmacology and Drug Discovery, 2022, 3, 100076.	3.6	1

#	Article	IF	CITATIONS
19	Adaptive cell plasticity in autocrine $TGF\hat{l}^22$ coordinated transcriptome-metabolome reprogramming of EGFR-mutant lung cancer in precision therapy escape Journal of Clinical Oncology, 2014, 32, e19043-e19043.	1.6	0
20	The transcription co-factor JAB1/COPS5, serves as a potential oncogenic hub of human chondrosarcoma cells. American Journal of Cancer Research, 2021, 11, 5063-5075.	1.4	0