

Pengcheng Yao

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4321764/pengcheng-yao-publications-by-year.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

29
papers

6,206
citations

23
h-index

29
g-index

29
ext. papers

7,615
ext. citations

14.7
avg, IF

6.06
L-index

#	Paper	IF	Citations
29	Interfacial Solar Vapor Generation: Materials and Structural Design. <i>Accounts of Materials Research</i> , 2021 , 2, 198-209	7.5	15
28	A Nano-shield Design for Separators to Resist Dendrite Formation in Lithium-Metal Batteries. <i>Angewandte Chemie</i> , 2020 , 132, 6623-6628	3.6	6
27	A Nano-shield Design for Separators to Resist Dendrite Formation in Lithium-Metal Batteries. <i>Angewandte Chemie - International Edition</i> , 2020 , 59, 6561-6566	16.4	63
26	3D hollow reduced graphene oxide foam as a stable host for high-capacity lithium metal anodes. <i>Materials Chemistry Frontiers</i> , 2019 , 3, 339-343	7.8	18
25	Towards high energy density lithium battery anodes: silicon and lithium. <i>Chemical Science</i> , 2019 , 10, 7132-7148	7.6	76
24	Graphene oxide based materials for desalination. <i>Carbon</i> , 2019 , 146, 320-328	10.4	68
23	A water lily-inspired hierarchical design for stable and efficient solar evaporation of high-salinity brine. <i>Science Advances</i> , 2019 , 5, eaaw7013	14.3	182
22	Li-Containing, Continuous Silica Nanofibers for High Li Conductivity in Composite Polymer Electrolyte. <i>Small</i> , 2019 , 15, e1902729	11	29
21	Full Dissolution of the Whole Lithium Sulfide Family (Li ₂ S ₈ to Li ₂ S) in a Safe Eutectic Solvent for Rechargeable Lithium-Sulfur Batteries. <i>Angewandte Chemie</i> , 2019 , 131, 5613-5617	3.6	4
20	Full Dissolution of the Whole Lithium Sulfide Family (Li ₂ S ₈ to Li ₂ S) in a Safe Eutectic Solvent for Rechargeable Lithium-Sulfur Batteries. <i>Angewandte Chemie - International Edition</i> , 2019 , 58, 5557-5561	16.4	57
19	Minimized lithium trapping by isovalent isomorphism for high initial Coulombic efficiency of silicon anodes. <i>Science Advances</i> , 2019 , 5, eaax0651	14.3	64
18	Flexible and Salt Resistant Janus Absorbers by Electrospinning for Stable and Efficient Solar Desalination. <i>Advanced Energy Materials</i> , 2018 , 8, 1702884	21.8	423
17	Enhancement of Interfacial Solar Vapor Generation by Environmental Energy. <i>Joule</i> , 2018 , 2, 1331-1338	27.8	301
16	Omnidirectional and effective salt-rejecting absorber with rationally designed nanoarchitecture for efficient and durable solar vapour generation. <i>Journal of Materials Chemistry A</i> , 2018 , 6, 22976-22986	13	35
15	Interfacial Solar Steam Generation Enables Fast-Responsive, Energy-Efficient, and Low-Cost Off-Grid Sterilization. <i>Advanced Materials</i> , 2018 , 30, e1805159	24	146
14	In operando plasmonic monitoring of electrochemical evolution of lithium metal. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018 , 115, 11168-11173	11.5	16
13	PVDF/Palygorskite Nanowire Composite Electrolyte for 4 V Rechargeable Lithium Batteries with High Energy Density. <i>Nano Letters</i> , 2018 , 18, 6113-6120	11.5	138

12	Mushrooms as Efficient Solar Steam-Generation Devices. <i>Advanced Materials</i> , 2017 , 29, 1606762	24	654
11	Simultaneous Perforation and Doping of Si Nanoparticles for Lithium-Ion Battery Anode. <i>ACS Applied Materials & Interfaces</i> , 2017 , 9, 44452-44457	9.5	25
10	Poly(dimethylsiloxane) Thin Film as a Stable Interfacial Layer for High-Performance Lithium-Metal Battery Anodes. <i>Advanced Materials</i> , 2017 , 29, 1603755	24	354
9	Tailoring Graphene Oxide-Based Aerogels for Efficient Solar Steam Generation under One Sun. <i>Advanced Materials</i> , 2017 , 29, 1604031	24	537
8	Graphene oxide-based efficient and scalable solar desalination under one sun with a confined 2D water path. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016 , 113, 13953-13958	11.5	724
7	Self-assembly of highly efficient, broadband plasmonic absorbers for solar steam generation. <i>Science Advances</i> , 2016 , 2, e1501227	14.3	742
6	3D self-assembly of aluminium nanoparticles for plasmon-enhanced solar desalination. <i>Nature Photonics</i> , 2016 , 10, 393-398	33.9	1238
5	Precise Perforation and Scalable Production of Si Particles from Low-Grade Sources for High-Performance Lithium Ion Battery Anodes. <i>Nano Letters</i> , 2016 , 16, 7210-7215	11.5	89
4	Simultaneous Purification and Perforation of Low-Grade Si Sources for Lithium-Ion Battery Anode. <i>Nano Letters</i> , 2015 , 15, 7742-7	11.5	55
3	Nanopurification of silicon from 84% to 99.999% purity with a simple and scalable process. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015 , 112, 13473-7	11.5	46
2	Scalable Production of Si Nanoparticles Directly from Low Grade Sources for Lithium-Ion Battery Anode. <i>Nano Letters</i> , 2015 , 15, 5750-4	11.5	98
1	Greener and higher conversion of esterification via interfacial photothermal catalysis. <i>Nature Sustainability</i> ,	22.1	3