

# Fang Fang

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4322025/publications.pdf>

Version: 2024-02-01

65  
papers

1,816  
citations

361045

20  
h-index

276539

41  
g-index

66  
all docs

66  
docs citations

66  
times ranked

2267  
citing authors

#	ARTICLE	IF	CITATIONS
1	Biventricular Pacing in Patients with Bradycardia and Normal Ejection Fraction. <i>New England Journal of Medicine</i> , 2009, 361, 2123-2134.	13.9	392
2	Quantitative Analysis of Mitral Valve Morphology in Mitral Valve Prolapse With Real-Time 3-Dimensional Echocardiography. <i>Circulation</i> , 2013, 127, 832-841.	1.6	157
3	Biventricular pacing is superior to right ventricular pacing in bradycardia patients with preserved systolic function: 2-year results of the PACE trial. <i>European Heart Journal</i> , 2011, 32, 2533-2540.	1.0	111
4	Improvement of Atrial Function and Atrial Reverse Remodeling After Cardiac Resynchronization Therapy for Heart Failure. <i>Journal of the American College of Cardiology</i> , 2007, 50, 778-785.	1.2	88
5	Quantification of left ventricular regional myocardial function using two-dimensional speckle tracking echocardiography in healthy volunteers – A multi-center study. <i>International Journal of Cardiology</i> , 2013, 167, 495-501.	0.8	85
6	Long-term follow-up results of the Pacing to Avoid Cardiac Enlargement (PACE) trial. <i>European Journal of Heart Failure</i> , 2014, 16, 1016-1025.	2.9	54
7	Feasibility of single-beat full-volume capture real-time three-dimensional echocardiography for quantification of right ventricular volume: Validation by cardiac magnetic resonance imaging. <i>International Journal of Cardiology</i> , 2013, 168, 3991-3995.	0.8	49
8	Beyond auscultation: Acoustic cardiography in clinical practice. <i>International Journal of Cardiology</i> , 2014, 172, 548-560.	0.8	48
9	Left ventricular long-axis performance during exercise is an important prognosticator in patients with heart failure and preserved ejection fraction. <i>International Journal of Cardiology</i> , 2015, 178, 131-135.	0.8	46
10	Early pacing-induced systolic dyssynchrony is a strong predictor of left ventricular adverse remodeling: Analysis from the Pacing to Avoid Cardiac Enlargement (PACE) trial. <i>International Journal of Cardiology</i> , 2013, 168, 723-728.	0.8	42
11	Improvement of long-term survival by cardiac contractility modulation in heart failure patients: A case-control study. <i>International Journal of Cardiology</i> , 2016, 206, 122-126.	0.8	42
12	Improvement of left atrial function is associated with lower incidence of atrial fibrillation and mortality after cardiac resynchronization therapy. <i>Heart Rhythm</i> , 2008, 5, 780-786.	0.3	41
13	Three-dimensional speckle strain echocardiography is more accurate and efficient than 2D strain in the evaluation of left ventricular function. <i>International Journal of Cardiology</i> , 2014, 176, 360-366.	0.8	41
14	Deleterious effect of right ventricular apical pacing on left ventricular diastolic function and the impact of pre-existing diastolic disease. <i>European Heart Journal</i> , 2011, 32, 1891-1899.	1.0	39
15	Left atrial function in heart failure with impaired and preserved ejection fraction. <i>Current Opinion in Cardiology</i> , 2014, 29, 430-436.	0.8	36
16	Improved coronary artery blood flow following the correction of systolic dyssynchrony with cardiac resynchronization therapy. <i>International Journal of Cardiology</i> , 2013, 167, 2167-2171.	0.8	31
17	Prevalence and determinants of left ventricular systolic dyssynchrony in patients with normal ejection fraction received right ventricular apical pacing: a real-time three-dimensional echocardiographic study. <i>European Journal of Echocardiography</i> , 2010, 11, 109-118.	2.3	28
18	The healthcare burden of hypertension in Asia. <i>Heart Asia</i> , 2013, 5, 238-243.	1.1	27

#	ARTICLE	IF	CITATIONS
19	Left atrial remodeling and reduced atrial pump function after chronic right ventricular apical pacing in patients with preserved ejection fraction. <i>International Journal of Cardiology</i> , 2012, 157, 364-369.	0.8	26
20	Obstructive sleep apnoea, intermittent hypoxia and heart failure with a preserved ejection fraction. <i>Heart</i> , 2021, 107, 190-194.	1.2	26
21	What can three-dimensional speckle-tracking echocardiography contribute to evaluate global left ventricular systolic performance in patients with heart failure?. <i>International Journal of Cardiology</i> , 2014, 172, 132-137.	0.8	24
22	The Prevalence and Prognosis of Resistant Hypertension in Patients with Heart Failure. <i>PLoS ONE</i> , 2014, 9, e114958.	1.1	21
23	Acoustic cardiography helps to identify heart failure and its phenotypes. <i>International Journal of Cardiology</i> , 2013, 167, 681-686.	0.8	20
24	Quantification of Mitral Valve Morphology With Three-Dimensional Echocardiography. <i>Circulation Journal</i> , 2014, 78, 1029-1037.	0.7	19
25	The Pacing to Avoid Cardiac Enlargement (PACE) Trial: Clinical Background, Rationale, Design, and Implementation. <i>Journal of Cardiovascular Electrophysiology</i> , 2007, 18, 735-739.	0.8	18
26	Elevated plasma interleukin-37 playing an important role in acute coronary syndrome through suppression of ROCK activation. <i>Oncotarget</i> , 2017, 8, 9686-9695.	0.8	18
27	Difference in prevalence and pattern of mechanical dyssynchrony in left bundle branch block occurring in right ventricular apical pacing versus systolic heart failure. <i>American Heart Journal</i> , 2008, 156, 989-995.	1.2	17
28	Prevalence and Determinants of Incomplete Right Atrial Reverse Remodeling After Device Closure of Atrial Septal Defects. <i>American Journal of Cardiology</i> , 2011, 108, 114-119.	0.7	17
29	Changes of ventricular and peripheral performance in patients with heart failure and normal ejection fraction: insights from ergometry stress echocardiography. <i>European Journal of Heart Failure</i> , 2014, 16, 888-897.	2.9	17
30	Characterization of mid-term atrial geometrical and electrical remodeling following device closure of atrial septal defects in adults. <i>International Journal of Cardiology</i> , 2013, 168, 467-471.	0.8	16
31	Rapid bedside identification of high-risk population in heart failure with reduced ejection fraction by acoustic cardiography. <i>International Journal of Cardiology</i> , 2013, 168, 1881-1886.	0.8	16
32	Dynamic assessment of the changing geometry of the mitral apparatus in 3D could stratify abnormalities in functional mitral regurgitation and potentially guide therapy. <i>International Journal of Cardiology</i> , 2014, 176, 878-884.	0.8	14
33	Prognostic value of acoustic cardiography in patients with chronic heart failure. <i>International Journal of Cardiology</i> , 2016, 219, 121-126.	0.8	14
34	Left Atrial Function Assessed by Tissue Doppler Imaging as a New Predictor of Cardiac Events after Non-ST-Elevation Acute Coronary Syndrome. <i>Echocardiography</i> , 2012, 29, 785-792.	0.3	13
35	Potential Role of Biventricular Pacing Beyond Advanced Systolic Heart Failure. <i>Circulation Journal</i> , 2013, 77, 1364-1369.	0.7	13
36	Predictors of mid-term functional tricuspid regurgitation after device closure of atrial septal defect in adults: Impact of pre-operative tricuspid valve remodeling. <i>International Journal of Cardiology</i> , 2015, 187, 447-452.	0.8	13

#	ARTICLE	IF	CITATIONS
37	Acute Effects of Right Ventricular Apical Pacing on Left Atrial Remodeling and Function. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2012, 35, 856-862.	0.5	12
38	New pulmonary vein Doppler echocardiographic index predicts significant interatrial shunting in secundum atrial septal defect. <i>International Journal of Cardiology</i> , 2012, 160, 59-65.	0.8	11
39	Right ventricular long-axis response to different chronic loading conditions: Its relevance to clinical symptoms. <i>International Journal of Cardiology</i> , 2013, 167, 378-382.	0.8	10
40	Automated left heart chamber volumetric assessment using three-dimensional echocardiography in Chinese adolescents. <i>Journal of Animal Science and Technology</i> , 2017, 4, 53-61.	0.8	10
41	Importance of chronotropic response and left ventricular long-axis function for exercise performance in patients with heart failure and preserved ejection fraction. <i>International Journal of Cardiology</i> , 2016, 202, 339-343.	0.8	9
42	Deciphering the Mysteries of Crisscross Heart by Transthoracic Echocardiography. <i>Echocardiography</i> , 2011, 28, 104-108.	0.3	8
43	Atrial Dysfunction and Interatrial Dyssynchrony Predict Atrial High Rate Episodes: Insight into the Distinct Effects of Right Atrial Appendage Pacing. <i>Journal of Cardiovascular Electrophysiology</i> , 2012, 23, 384-390.	0.8	8
44	Does Masked Hypertension Cause Early Left Ventricular Impairment in Youth?. <i>Frontiers in Pediatrics</i> , 2018, 6, 167.	0.9	8
45	A Rare Etiology of Severe Acute Heart Failure: Subacute Spinal Subdural Hematoma in a Young Woman. <i>International Journal of Cardiology</i> , 2015, 195, 61-63.	0.8	7
46	Should All Patients With Heart Block Receive Biventricular Pacing?. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2015, 8, 722-729.	2.1	7
47	Abnormal mitral-aortic intervalvular coupling in mitral valve diseases: a study using real-time three-dimensional transesophageal echocardiography. <i>Clinical Research in Cardiology</i> , 2015, 104, 831-842.	1.5	7
48	Personalized Three-Dimensional Printing and Echoguided Procedure Facilitate Single Device Closure for Multiple Atrial Septal Defects. <i>Journal of Interventional Cardiology</i> , 2020, 2020, 1-8.	0.5	7
49	Left anterior descending coronary artery flow impaired by right ventricular apical pacing: The role of systolic dyssynchrony. <i>International Journal of Cardiology</i> , 2014, 176, 80-85.	0.8	6
50	Deterioration of left ventricular systolic function in extended Pacing to Avoid Cardiac Enlargement (PACE) trial: the predictive value of early systolic dyssynchrony. <i>Europace</i> , 2015, 17, ii47-ii53.	0.7	5
51	Cardiac Resynchronisation Therapy and Heart Failure: Persepctive from 5P Medicine. <i>Cardiac Failure Review</i> , 2015, 1, 35.	1.2	5
52	Subclinical left ventricular systolic dysfunction detected in obstructive sleep apnea with automated function imaging and its association with nocturnal hypoxia. <i>Sleep and Breathing</i> , 2021, 25, 2015-2023.	0.9	4
53	Identification of Unusual Conditions after Atrial Septal Defect Repair by Systematic Transthoracic Echocardiographic Assessment. <i>Echocardiography</i> , 2008, 25, 1094-1100.	0.3	3
54	TAPSE should be a routine clinical tool in assessing congenital heart diseases with right ventricular involvement. <i>International Journal of Cardiology</i> , 2013, 167, 1647.	0.8	2

#	ARTICLE	IF	CITATIONS
55	Dextrocardia and symmetric hypertrophic cardiomyopathy with multiple mutations of genes encoding the sarcomere proteins. <i>International Journal of Cardiology</i> , 2015, 187, 581-584.	0.8	2
56	The fallacy of resting echocardiographic parameters of cardiac function in heart failure with preserved ejection fraction. <i>European Journal of Heart Failure</i> , 2018, 20, 619-619.	2.9	2
57	Shall CRT-D Be Downgraded to CRT-P in Super-responders of Cardiac Resynchronization Therapy?. <i>Revista Espanola De Cardiologia (English Ed )</i> , 2014, 67, 875-877.	0.4	1
58	Detrimental effects of cardiac resynchronization therapy on the non-responders. <i>International Journal of Cardiology</i> , 2015, 197, 203-205.	0.8	1
59	Advantageous effect of biventricular pacing on cardiac function and coronary flow: A case report. <i>International Journal of Cardiology</i> , 2015, 190, 236-238.	0.8	1
60	Passive Prescription of Secondary Prevention Medical Therapy during Index Hospitalization for Acute Myocardial Infarction Is Prevalent and Associated with Adverse Clinical Outcomes. <i>Journal of Healthcare Engineering</i> , 2021, 2021, 1-8.	1.1	1
61	Expanding the indications for cardiac resynchronisation therapy. <i>Heart</i> , 2014, 100, 447-449.	1.2	0
62	Chest distress in a young adult due to simultaneous occurrence of single left coronary artery anomaly and coronary-left ventricular fistula. <i>International Journal of Cardiology</i> , 2015, 195, 37-39.	0.8	0
63	Ascending aortic obstruction with hypoplastic innominate artery. <i>International Journal of Cardiology</i> , 2015, 199, 356-357.	0.8	0
64	Successful repair of mitral valve with acute infective endocarditis located in anterior mitral leaflet: The evidence of Three-dimensional echocardiography. <i>International Journal of Cardiology</i> , 2015, 190, 294-295.	0.8	0
65	Fast assessment of left ventricular systolic function in obstructive sleep apnea patients with automated function imaging: Comparison with mitral annular plane systolic excursion. <i>Echocardiography</i> , 2022, , .	0.3	0