
## Sandra M Monteiro

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4323611/publications.pdf Version: 2024-02-01



| #  | Article  | IF                | CITATIONS       |
|----|--|-------------------|-----------------|
| 1  | Seasonal Differences in Water Pollution and Liver Histopathology of Iberian Barbel (Luciobarbus) Tj ETQq1 1 0.78<br>(Switzerland), 2022, 14, 444.  | 4314 rgBT<br>1.2  | /Overlock<br>13 |
| 2  | Toxicity of microplastics and copper, alone or combined, in blackspot seabream (Pagellus bogaraveo)<br>larvae. Environmental Toxicology and Pharmacology, 2022, 91, 103835.  | 2.0               | 12              |
| 3  | Enantioselective Ecotoxicity of Venlafaxine in Aquatic Organisms: Daphnia and Zebrafish.<br>Environmental Toxicology and Chemistry, 2022, 41, 1851-1864.   | 2.2               | 8               |
| 4  | Oxidative stress, apoptosis and serotonergic system changes in zebrafish (Danio rerio) gills after<br>long-term exposure to microplastics and copper. Comparative Biochemistry and Physiology Part - C:<br>Toxicology and Pharmacology, 2022, 258, 109363. | 1.3               | 19              |
| 5  | Microplastics- and copper-induced changes in neurogenesis and DNA methyltransferases in the early life stages of zebrafish. Chemico-Biological Interactions, 2022, 363, 110021.  | 1.7               | 9               |
| 6  | Multi-Biomarker Responses of Asian Clam Corbicula fluminea (Bivalvia, Corbiculidea) to Cadmium and<br>Microplastics Pollutants. Water (Switzerland), 2021, 13, 394.  | 1.2               | 26              |
| 7  | The Role of Aquatic Ecosystems (River Tua, Portugal) as Reservoirs of Multidrug-Resistant Aeromonas spp Water (Switzerland), 2021, 13, 698.  | 1.2               | 9               |
| 8  | Microplastics alone or co-exposed with copper induce neurotoxicity and behavioral alterations on zebrafish larvae after a subchronic exposure. Aquatic Toxicology, 2021, 235, 105814.  | 1.9               | 63              |
| 9  | Exposure to aluminium causes behavioural alterations and oxidative stress in the brain of adult zebrafish. Environmental Toxicology and Pharmacology, 2021, 85, 103636.  | 2.0               | 22              |
| 10 | Apoptosis, oxidative stress and genotoxicity in developing zebrafish after aluminium exposure.<br>Aquatic Toxicology, 2021, 236, 105872.   | 1.9               | 30              |
| 11 | RIVER RESTORATION FOR THE REPLACEMENT OF LOST SPAWNING GROUNDS DUE TO DAM CONSTRUCTION. , 2021, , .  |                   | 1               |
| 12 | Single and combined acute and subchronic toxic effects of microplastics and copper in zebrafish<br>(Danio rerio) early life stages. Chemosphere, 2021, 277, 130262.  | 4.2               | 42              |
| 13 | Zebrafish male differentiation: Do all testes go through a "juvenile ovary―stage?. Tissue and Cell,<br>2021, 72, 101545.   | 1.0               | 3               |
| 14 | 24-Epibrassinolide modulates the neurodevelopmental outcomes of high caffeine exposure in<br>zebrafish (Danio rerio) embryos. Comparative Biochemistry and Physiology Part - C: Toxicology and<br>Pharmacology, 2021, 249, 109143.                         | 1.3               | 2               |
| 15 | Inflammatory, Oxidative Stress, and Apoptosis Effects in Zebrafish Larvae after Rapid Exposure to a<br>Commercial Glyphosate Formulation. Biomedicines, 2021, 9, 1784.   | 1.4               | 22              |
| 16 | MS-222 and Propofol Sedation during and after the Simulated Transport of Nile tilapia (Oreochromis) Tj ETQq0 0   | 0 rgBT /O\<br>1.9 | veglock 10 T    |
| 17 | Toxicological effects induced on early life stages of zebrafish (Danio rerio) after an acute exposure  | 4.9               | 79 -            |

| 17 | Toxicological effects induced on early life stages of zebrafish (Danio rerio) after an acute exposure to microplastics alone or co-exposed with copper. Chemosphere, 2020, 261, 127748. | 4.2 | 72 |  |
|----|---|-----|----|--|
| 18 | 24-Epibrassinolide protects against ethanol-induced behavioural teratogenesis in zebrafish embryo.<br>Chemico-Biological Interactions, 2020, 328, 109193.                               | 1.7 | 6  |  |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | Current and Future Ecological Status Assessment: A New Holistic Approach for Watershed<br>Management. Water (Switzerland), 2020, 12, 2839.   | 1.2 | 5         |
| 20 | Behavioural toxicity of environmental relevant concentrations of a glyphosate commercial<br>formulation - RoundUp® UltraMax - During zebrafish embryogenesis. Chemosphere, 2020, 253, 126636.  | 4.2 | 21        |
| 21 | A Gill Histopathology Study in two Native Fish Species from the Hydrographic Douro Basin.<br>Microscopy and Microanalysis, 2019, 25, 236-243.  | 0.2 | 9         |
| 22 | Dose-dependent effects of a glyphosate commercial formulation – Roundup® UltraMax - on the early zebrafish embryogenesis. Chemosphere, 2019, 223, 514-522.   | 4.2 | 45        |
| 23 | Ketamine induction of p53-dependent apoptosis and oxidative stress in zebrafish (Danio rerio) embryos.<br>Chemosphere, 2018, 201, 730-739.   | 4.2 | 66        |
| 24 | General Whole-Mount Immunohistochemistry of Zebrafish (Danio rerio) Embryos and Larvae<br>Protocol. Methods in Molecular Biology, 2018, 1797, 365-371.   | 0.4 | 16        |
| 25 | The impact of freshwater metal concentrations on the severity of histopathological changes in fish gills: A statistical perspective. Science of the Total Environment, 2017, 599-600, 217-226.   | 3.9 | 55        |
| 26 | Copper induced apoptosis in Caco-2 and Hep-G2 cells: Expression of caspases 3, 8 and 9, AIF and p53.<br>Comparative Biochemistry and Physiology Part - C: Toxicology and Pharmacology, 2016, 185-186, 138-146.                                   | 1.3 | 26        |
| 27 | Ketamine-induced oxidative stress at different developmental stages of zebrafish (Danio rerio)<br>embryos. RSC Advances, 2016, 6, 61254-61266.   | 1.7 | 45        |
| 28 | A multiple index integrating different levels of organization. Ecotoxicology and Environmental Safety, 2016, 132, 270-278.   | 2.9 | 10        |
| 29 | Disruption of apoptosis pathways involved in zebrafish gonad differentiation by 17α-ethinylestradiol<br>and fadrozole exposures. Aquatic Toxicology, 2016, 177, 269-284.   | 1.9 | 35        |
| 30 | Development and recovery of histopathological alterations in the gonads of zebrafish (Danio rerio)<br>after single and combined exposure to endocrine disruptors (17α-ethinylestradiol and fadrozole).<br>Aquatic Toxicology, 2016, 175, 90-105. | 1.9 | 44        |
| 31 | Effects of 17î±-ethinylestradiol at different water temperatures on zebrafish sex differentiation and gonad development. Aquatic Toxicology, 2016, 174, 22-35.   | 1.9 | 38        |
| 32 | From catchment to fish: Impact of anthropogenic pressures on gill histopathology. Science of the Total Environment, 2016, 550, 972-986.  | 3.9 | 62        |
| 33 | Zebrafish sex differentiation and gonad development after exposure to 17α-ethinylestradiol, fadrozole<br>and their binary mixture: A stereological study. Aquatic Toxicology, 2015, 166, 83-95.  | 1.9 | 47        |
| 34 | Neuroendocrine and Eosinophilic Granule Cells in the Gills of Tilapia, Oreochromis niloticus: Effects<br>of Waterborne Copper Exposure. Archives of Environmental Contamination and Toxicology, 2015, 69,<br>566-576.                            | 2.1 | 2         |
| 35 | Biochemical and histological changes in the liver and gills of Nile tilapia Oreochromis niloticus exposed to Red 195 dye. RSC Advances, 2015, 5, 87168-87178.  | 1.7 | 19        |
| 36 | Effects of Cd injection on osmoregulation and stress indicators in freshwater Nile tilapia.<br>Comparative Biochemistry and Physiology Part - C: Toxicology and Pharmacology, 2015, 167, 81-89.  | 1.3 | 6         |

SANDRA M MONTEIRO

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 37 | Gill histopathological and oxidative stress evaluation in native fish captured in Portuguese northwestern rivers. Ecotoxicology and Environmental Safety, 2013, 90, 157-166.                                   | 2.9 | 46        |
| 38 | Effects of Exposure to Cadmium on Some Endocrine Parameters in Tilapia, Oreochromis niloticus.<br>Bulletin of Environmental Contamination and Toxicology, 2013, 90, 55-59.                                     | 1.3 | 26        |
| 39 | Copper induced upregulation of apoptosis related genes in zebrafish (Danio rerio) gill. Aquatic<br>Toxicology, 2013, 128-129, 183-189.   | 1.9 | 116       |
| 40 | A Histological Study of Oogenesis in the Freshwater Mussel <i>Anodonta cygnea</i> (Linnaeus, 1758) in<br>Mira Lagoon, Portugal. Malacologia, 2012, 55, 251-261.  | 0.2 | 11        |
| 41 | Fine structure of the branchial epithelium in the teleost <i>Oreochromis niloticus</i> . Journal of Morphology, 2010, 271, 621-633.  | 0.6 | 17        |
| 42 | An immunohistochemical study of gill epithelium cells in the Nile tilapia, Oreochromis niloticus<br>Folia Histochemica Et Cytobiologica, 2010, 48, 112-21.   | 0.6 | 12        |
| 43 | An immunohistochemical study of gill epithelium cells in the Nile tilapia, Oreochromis niloticus.<br>Comparative Biochemistry and Physiology Part A, Molecular & Integrative Physiology, 2009, 153,<br>S111.   | 0.8 | Ο         |
| 44 | A stereological study of copper toxicity in gills of Oreochromis niloticus. Ecotoxicology and Environmental Safety, 2009, 72, 213-223.   | 2.9 | 32        |
| 45 | Copper toxicity in gills of the teleost fish, Oreochromis niloticus: Effects in apoptosis induction and cell proliferation. Aquatic Toxicology, 2009, 94, 219-228.   | 1.9 | 74        |
| 46 | Quantitative histopathology of <i>Oreochromis niloticus </i> gills after copper exposure. Journal of Fish Biology, 2008, 73, 1376-1392.  | 0.7 | 67        |
| 47 | Gill histopathological alterations in Nile tilapia, Oreochromis niloticus exposed to treated sewage<br>Water. Brazilian Archives of Biology and Technology, 2008, 51, 1057-1063.                               | 0.5 | 23        |
| 48 | Histopathological changes in liver and gill epithelium of Nile tilapia, Oreochromis niloticus, exposed<br>to waterborne copper. Pesquisa Veterinaria Brasileira, 2007, 27, 103-109.                            | 0.5 | 149       |
| 49 | Histopathological gill changes in wild leaping grey mullet ( <i>Liza saliens</i> ) from the<br>Esmorizâ€Paramos coastal lagoon, Portugal. Environmental Toxicology, 2007, 22, 443-448.                         | 2.1 | 28        |
| 50 | Changes in plasma electrolytes and Gill Histopathology in Wild Liza saliens from the Esmoriz-Paramos<br>Coastal Lagoon, Portugal. Bulletin of Environmental Contamination and Toxicology, 2007, 79, 301-305.   | 1.3 | 16        |
| 51 | Copper induced alterations of biochemical parameters in the gill and plasma of Oreochromis<br>niloticus. Comparative Biochemistry and Physiology Part - C: Toxicology and Pharmacology, 2005, 141,<br>375-383. | 1.3 | 70        |
| 52 | Effect of dietary sodium chloride acclimation on growth and plasma thyroid hormones in tilapia<br>Oreochromis niloticus (L.) in relation to sex. Aquaculture Research, 2000, 31, 507-517.                      | 0.9 | 23        |
| 53 | Title is missing!. Aquaculture International, 2000, 8, 299-313.  | 1.1 | 8         |
| 54 | Anesthesia Overdose Versus Rapid Cooling for Euthanasia of Adult Zebrafish. Zebrafish, 0, , .  | 0.5 | 4         |