

Laura HÃ¶rkÃ¶nen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/432377/publications.pdf>

Version: 2024-02-01

28
papers

560
citations

623574

14
h-index

610775

24
g-index

28
all docs

28
docs citations

28
times ranked

496
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Explorative behavior increases vulnerability to angling in hatchery-reared brown trout (<i>Salmo trutta</i>) Tj ETQq1 1 0.784314 rgBT /Overlock 1 | 0.7 | 82 |
| 2 | Fennoscandian distribution of an important parasite of cervids, the deer ked (<i>Lipoptena cervi</i>), revisited. <i>Parasitology Research</i> , 2010, 107, 117-125. | 0.6 | 42 |
| 3 | Experiments on the ectoparasitic deer ked that often attacks humans; preferences for body parts, colour and temperature. <i>Bulletin of Entomological Research</i> , 2010, 100, 279-285. | 0.5 | 42 |
| 4 | Predicting range expansion of an ectoparasite – the effect of spring and summer temperatures on deer ked (<i>Lipoptena cervi</i>) (Diptera: Hippoboscidae) performance along a latitudinal gradient. <i>Ecography</i> , 2010, 33, 906-912. | 2.1 | 41 |
| 5 | Molecular detection of <i>Bartonella</i> spp. in deer ked pupae, adult keds and moose blood in Finland. <i>Epidemiology and Infection</i> , 2015, 143, 578-585. | 1.0 | 41 |
| 6 | New bedding site examination-based method to analyse deer ked (<i>Lipoptena cervi</i>) infection in cervids. <i>Parasitology Research</i> , 2009, 104, 919-925. | 0.6 | 35 |
| 7 | Behavioural variation in Eurasian perch populations with respect to relative catchability. <i>Acta Ethologica</i> , 2016, 19, 21-31. | 0.4 | 31 |
| 8 | Months of Asynchrony in Offspring Production but Synchronous Adult Emergence: The Role of Diapause in an Ectoparasite's Life Cycle. <i>Environmental Entomology</i> , 2013, 42, 1408-1414. | 0.7 | 28 |
| 9 | Acute impacts of the deer ked (<i>Lipoptena cervi</i>) infestation on reindeer (<i>Rangifer tarandus tarandus</i>) behaviour. <i>Parasitology Research</i> , 2014, 113, 1489-1497. | 0.6 | 27 |
| 10 | Geographical variation in host use of a blood-feeding ectoparasitic fly: implications for population invasiveness. <i>Oecologia</i> , 2011, 166, 985-995. | 0.9 | 25 |
| 11 | The relationship between loading history and proximal femoral diaphysis cross-sectional geometry. <i>American Journal of Human Biology</i> , 2017, 29, e22965. | 0.8 | 23 |
| 12 | High cold tolerance through four seasons and all free-living stages in an ectoparasite. <i>Parasitology</i> , 2012, 139, 926-933. | 0.7 | 18 |
| 13 | Threat of An Invasive Parasitic Fly, the Deer Ked (<i>Lipoptena cervi</i>), to the Reindeer (<i>Rangifer</i>) Tj ETQq1 1 0.784314 rgBT /Overlock 17 28-36. | 0.2 | 17 |
| 14 | Northward invasion of the parasitic deer ked (<i>Lipoptena cervi</i>), is there geographical variation in pupal size and development duration?. <i>Parasitology</i> , 2011, 138, 354-363. | 0.7 | 16 |
| 15 | Unexpected seasonal variation in offspring size and performance in a viviparous ectoparasite. <i>Parasitology</i> , 2013, 140, 229-236. | 0.7 | 13 |
| 16 | Early-life temperature modifies adult encapsulation response in an invasive ectoparasite. <i>Parasitology</i> , 2015, 142, 1290-1296. | 0.7 | 13 |
| 17 | Experimental infection of the deer ked (<i>Lipoptena cervi</i>) has no negative effects on the physiology of the captive reindeer (<i>Rangifer tarandus tarandus</i>). <i>Veterinary Parasitology</i> , 2011, 179, 180-188. | 0.7 | 11 |
| 18 | Growth, survival and interspecific social learning in the first hatchery generation of Eurasian perch (<i>Perca fluviatilis</i>). <i>Aquaculture</i> , 2017, 466, 64-71. | 1.7 | 11 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | The cross-sectional area of the gluteus maximus muscle varies according to habitual exercise loading: Implications for activity-related and evolutionary studies. <i>HOMO- Journal of Comparative Human Biology</i> , 2016, 67, 125-137. | 0.3 | 8 |
| 20 | Avian predation on a parasitic fly of cervids during winter: can host-related cues increase the predation risk?. <i>Biological Journal of the Linnean Society</i> , 2012, 106, 275-286. | 0.7 | 7 |
| 21 | Do bone geometric properties of the proximal femoral diaphysis reflect loading history, muscle properties, or body dimensions?. <i>American Journal of Human Biology</i> , 2019, 31, e23246. | 0.8 | 7 |
| 22 | Postrelease exploration and diel activity of hatchery, wild, and hybrid strain brown trout in seminatural streams. <i>Canadian Journal of Fisheries and Aquatic Sciences</i> , 2020, 77, 1772-1779. | 0.7 | 7 |
| 23 | Wintertime growth in Atlantic salmon under changing climate: the importance of ice cover for individual growth dynamics. <i>Canadian Journal of Fisheries and Aquatic Sciences</i> , 2021, 78, 1479-1485. | 0.7 | 5 |
| 24 | Cross-sectional properties of reindeer long bones and metapodials allow identification of activity patterns. <i>Archaeological and Anthropological Sciences</i> , 2021, 13, 1. | 0.7 | 5 |
| 25 | 9. Host Dynamics and Ectoparasite Life Histories of Invasive And Non-Invasive Deer Ked Populations. , 2015, , 212-229. | | 2 |
| 26 | Night reveals individuality in a shoaling fish. <i>Behavioral Ecology</i> , 2019, 30, 785-791. | 1.0 | 2 |
| 27 | Host-specific variation in off-host performance of a temperate ectoparasite. <i>Biological Journal of the Linnean Society</i> , 2015, 116, 902-910. | 0.7 | 1 |
| 28 | Management of human-induced contemporary evolution to maintain and restore genetic diversity in brown trout. , 2018, , . | | 0 |