Tero A H Jrvinen

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/4323882/tero-a-h-jarvinen-publications-by-year.pdf

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

70 4,813 30 69 g-index

81 5,350 6 avg, IF 5.43

L-index

#	Paper	IF	Citations
70	Adapting the Scar-in-a-Jar to Skin Fibrosis and Screening Traditional and Contemporary Anti-Fibrotic Therapies. <i>Frontiers in Bioengineering and Biotechnology</i> , 2021 , 9, 756399	5.8	О
69	Muscle Precursor Cells Enhance Functional Muscle Recovery and Show Synergistic Effects With Postinjury Treadmill Exercise in a Muscle Injury Model in Rats. <i>American Journal of Sports Medicine</i> , 2021 , 49, 1073-1085	6.8	2
68	Pathological Angiogenesis Requires Syndecan-4 for Efficient VEGFA-Induced VE-Cadherin Internalization. <i>Arteriosclerosis, Thrombosis, and Vascular Biology,</i> 2021 , 41, 1374-1389	9.4	7
67	Probing Vasculature by In Vivo Phage Display for Target Organ-Specific Delivery in Regenerative Medicine. <i>Reference Series in Biomedical Engineering</i> , 2021 , 179-204		
66	Exposed CendR Domain in Homing Peptide Yields Skin-Targeted Therapeutic in Epidermolysis Bullosa. <i>Molecular Therapy</i> , 2020 , 28, 1833-1845	11.7	4
65	A Histoarchitectural Approach to Skeletal Muscle Injury: Searching for a Common Nomenclature. <i>Orthopaedic Journal of Sports Medicine</i> , 2020 , 8, 2325967120909090	3.5	14
64	Histopathology and immunohistochemical analysis of 5-fluorouracil and triamcinolone treated keloids in double-blinded randomized controlled trial. <i>Wound Repair and Regeneration</i> , 2020 , 28, 385-39	9 3 .6	4
63	Exploration of Oxygen-Induced Retinopathy Model to Discover New Therapeutic Drug Targets in Retinopathies. <i>Frontiers in Pharmacology</i> , 2020 , 11, 873	5.6	10
62	Systemically Administered, Target-Specific, Multi-Functional Therapeutic Recombinant Proteins in Regenerative Medicine. <i>Nanomaterials</i> , 2020 , 10,	5.4	7
61	Basic Muscle Physiology in Relation to Hamstring Injury and Repair 2020 , 31-63		1
60	Probing Vasculature by In Vivo Phage Display for Target Organ-Specific Delivery in Regenerative Medicine 2020 , 1-26		
59	Oxygen-Induced Retinopathy Model for Ischemic Retinal Diseases in Rodents. <i>Journal of Visualized Experiments</i> , 2020 ,	1.6	2
58	Generation of a multi-functional, target organ-specific, anti-fibrotic molecule by molecular engineering of the extracellular matrix protein, decorin. <i>British Journal of Pharmacology</i> , 2019 , 176, 16-	2 ^{8.6}	22
57	Chemical-Induced Skin Carcinogenesis Model Using Dimethylbenz[a]Anthracene and 12-O-Tetradecanoyl Phorbol-13-Acetate (DMBA-TPA). <i>Journal of Visualized Experiments</i> , 2019 ,	1.6	3
56	R-Ras regulates vascular permeability, but not overall healing in skin wounds. <i>Experimental Dermatology</i> , 2019 , 28, 202-206	4	3
55	Rescue plan for Achilles: Therapeutics steering the fate and functions of stem cells in tendon wound healing. <i>Advanced Drug Delivery Reviews</i> , 2018 , 129, 352-375	18.5	63
54	Arthroscopic partial meniscectomy versus placebo surgery for a degenerative meniscus tear: a 2-year follow-up of the randomised controlled trial. <i>Annals of the Rheumatic Diseases</i> , 2018 , 77, 188-195	5 ^{2.4}	75

53	Furin deficiency in myeloid cells leads to attenuated revascularization in a mouse-model of oxygen-induced retinopathy. <i>Experimental Eye Research</i> , 2018 , 166, 160-167	3.7	9	
52	SWATH-MS Proteomic Analysis of Oxygen-Induced Retinopathy Reveals Novel Potential Therapeutic Targets 2018 , 59, 3294-3306		11	
51	Systemically Administered, Target-Specific Therapeutic Recombinant Proteins and Nanoparticles for Regenerative Medicine. <i>ACS Biomaterials Science and Engineering</i> , 2017 , 3, 1273-1282	5.5	11	
50	R-Ras deficiency does not affect papain-induced IgE production in mice. <i>Immunity, Inflammation and Disease</i> , 2017 , 5, 280-288	2.4	1	
49	Postinjury Exercise and Platelet-Rich Plasma Therapies Improve Skeletal Muscle Healing in Rats But Are Not Synergistic When Combined. <i>American Journal of Sports Medicine</i> , 2017 , 45, 2131-2141	6.8	18	
48	Role of carbonic anhydrases in skin wound healing. <i>Experimental and Molecular Medicine</i> , 2017 , 49, e334	12.8	23	
47	Recombinant Decorin Fusion Protein Attenuates Murine Abdominal Aortic Aneurysm Formation and Rupture. <i>Scientific Reports</i> , 2017 , 7, 15857	4.9	11	
46	T-cell-expressed proprotein convertase FURIN inhibits DMBA/TPA-induced skin cancer development. <i>Oncolmmunology</i> , 2016 , 5, e1245266	7.2	10	
45	Lack of R-Ras Leads to Increased Vascular Permeability in Ischemic Retinopathy 2016 , 57, 4898-4909		20	
44	Resistance of R-Ras knockout mice to skin tumour induction. <i>Scientific Reports</i> , 2015 , 5, 11663	4.9	13	
43	Systemically Administered, Target Organ-Specific Therapies for Regenerative Medicine. <i>International Journal of Molecular Sciences</i> , 2015 , 16, 23556-71	6.3	12	
42	Decorin: A Growth Factor Antagonist for Tumor Growth Inhibition. <i>BioMed Research International</i> , 2015 , 2015, 654765	3	64	
41	A novel vascular homing peptide strategy to selectively enhance pulmonary drug efficacy in pulmonary arterial hypertension. <i>American Journal of Pathology</i> , 2014 , 184, 369-75	5.8	38	
40	Targeted Antiscarring Therapy for Tissue Injuries. Advances in Wound Care, 2013, 2, 50-54	4.8	31	
39	Deep vascular imaging in wounds by two-photon fluorescence microscopy. <i>PLoS ONE</i> , 2013 , 8, e67559	3.7	21	
38	Regeneration of injured skeletal muscle after the injury. <i>Muscles, Ligaments and Tendons Journal</i> , 2013 , 3, 337-45	1.9	61	
37	IAMP tackles a void in medical education: leadership. <i>Lancet, The</i> , 2012 , 379, e25	40	1	
36	Design of target-seeking antifibrotic compounds. <i>Methods in Enzymology</i> , 2012 , 509, 243-61	1.7	14	

35	Peptide-directed highly selective targeting of pulmonary arterial hypertension. <i>American Journal of Pathology</i> , 2011 , 178, 2489-95	5.8	40
34	Target-seeking antifibrotic compound enhances wound healing and suppresses scar formation in mice. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010 , 107, 21671	-6 ^{11.5}	81
33	Skeletal Muscle Repair After Exercise-Induced Injury 2008 , 217-242		5
32	Muscle injuries: optimising recovery. Best Practice and Research in Clinical Rheumatology, 2007, 21, 317	-3ჭ.3	261
31	Fragile external phenotype of modern human proximal femur in comparison with medieval bone. <i>Journal of Bone and Mineral Research</i> , 2007 , 22, 537-43	6.3	16
30	Molecular changes in the vasculature of injured tissues. <i>American Journal of Pathology</i> , 2007 , 171, 702-	1 5.8	56
29	Peptides selected for binding to clotted plasma accumulate in tumor stroma and wounds. Proceedings of the National Academy of Sciences of the United States of America, 2006, 103, 2800-4	11.5	131
28	Simultaneous amplification of HER-2 (ERBB2) and topoisomerase IIalpha (TOP2A) genesmolecular basis for combination chemotherapy in cancer. <i>Current Cancer Drug Targets</i> , 2006 , 6, 579-602	2.8	45
27	Muscle injuries: biology and treatment. American Journal of Sports Medicine, 2005, 33, 745-64	6.8	746
26	Paratendinopathy. Foot and Ankle Clinics, 2005, 10, 279-92	2.4	27
25	Achilles tendon disorders: etiology and epidemiology. Foot and Ankle Clinics, 2005, 10, 255-66	2.4	342
24	Painful Achilles tendon and its treatment. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2004 , 14, 69-71	4.6	6
23	Collagen fibres of the spontaneously ruptured human tendons display decreased thickness and crimp angle. <i>Journal of Orthopaedic Research</i> , 2004 , 22, 1303-9	3.8	111
22	Restoration of myofiber continuity after transection injury in the rat soleus. <i>Neuromuscular Disorders</i> , 2004 , 14, 421-8	2.9	45
21	HER-2/neu and topoisomerase IIalpha in breast cancer. <i>Breast Cancer Research and Treatment</i> , 2003 , 78, 299-311	4.4	75
20	Mechanical loading regulates the expression of tenascin-C in the myotendinous junction and tendon but does not induce de novo synthesis in the skeletal muscle. <i>Journal of Cell Science</i> , 2003 , 116, 857-66	5.3	110
19	HER-2/neu and topoisomerase IIalphasimultaneous drug targets in cancer. <i>Combinatorial Chemistry and High Throughput Screening</i> , 2003 , 6, 455-70	1.3	15

LIST OF PUBLICATIONS

17	Evaluation of HER-2/NEU protein expression in breast cancer by immunohistochemistry: an interlaboratory study assessing the reproducibility of HER-2/NEU testing. <i>Breast Cancer Research and Treatment</i> , 2002 , 74, 113-20	4.4	62
16	Organization and distribution of intramuscular connective tissue in normal and immobilized skeletal muscles. An immunohistochemical, polarization and scanning electron microscopic study. <i>Journal of Muscle Research and Cell Motility</i> , 2002 , 23, 245-54	3.5	153
15	Treatment of tendon disorders. Is there a role for corticosteroid injection?. <i>Foot and Ankle Clinics</i> , 2002 , 7, 501-13	2.4	119
14	Achilles tendinopathy. Journal of Bone and Joint Surgery - Series A, 2002, 84, 2062-76	5.6	281
13	HER-2 amplification and topoisomerase IIalpha gene aberrations as predictive markers in node-positive breast cancer patients randomly treated either with an anthracycline-based therapy or with cyclophosphamide, methotrexate, and 5-fluorouracil. <i>Clinical Cancer Research</i> , 2002 , 8, 1107-16	12.9	185
12	PREDICTORS OF BIOLOGICAL AGGRESSIVENESS OF PROSTATE SPECIFIC ANTIGEN SCREENING DETECTED PROSTATE CANCER. <i>Journal of Urology</i> , 2001 , 165, 1569-1574	2.5	8
11	Achilles tendon injuries. Current Opinion in Rheumatology, 2001, 13, 150-5	5.3	126
10	Estrogen receptor beta is coexpressed with ERalpha and PR and associated with nodal status, grade, and proliferation rate in breast cancer. <i>American Journal of Pathology</i> , 2000 , 156, 29-35	5.8	230
9	Amplification and deletion of topoisomerase IIalpha associate with ErbB-2 amplification and affect sensitivity to topoisomerase II inhibitor doxorubicin in breast cancer. <i>American Journal of Pathology</i> , 2000 , 156, 839-47	5.8	333
8	Effects of HER-2/neu on chemosensitivity of tumor cells. <i>Drug Resistance Updates</i> , 2000 , 3, 319-324	23.2	12
7	Characterization of topoisomerase IIlgene amplification and deletion in breast cancer. <i>Genes Chromosomes and Cancer</i> , 1999 , 26, 142-150	5	166
6	Characterization of topoisomerase IIIgene amplification and deletion in breast cancer 1999 , 26, 142		5
5	Location and distribution of non-collagenous matrix proteins in musculoskeletal tissues of rat. <i>The Histochemical Journal</i> , 1998 , 30, 799-810		61
4	Free mobilization and low- to high-intensity exercise in immobilization-induced muscle atrophy. Journal of Applied Physiology, 1998 , 84, 1418-24	3.7	60
3	Endogenous nitric oxide and prostaglandin E2 do not regulate the synthesis of each other in interleukin-1 beta-stimulated rat articular cartilage. <i>Inflammation</i> , 1996 , 20, 683-92	5.1	12
2	Number and morphology of mechanoreceptors in the myotendinous junction of paralysed human muscle. <i>Journal of Pathology</i> , 1996 , 178, 195-200	9.4	11
1	Types and Causes of Injuries1-24		2