

# Patrick Wagner

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4324458/publications.pdf>

Version: 2024-02-01

285  
papers

5,585  
citations

76326

40  
h-index

133252

59  
g-index

289  
all docs

289  
docs citations

289  
times ranked

5780  
citing authors

#	ARTICLE	IF	CITATIONS
1	Observation of the subgap optical absorption in polymer-fullerene blend solar cells. <i>Applied Physics Letters</i> , 2006, 88, 052113.	3.3	158
2	Spin Dependent Hopping and Colossal Negative Magnetoresistance in Epitaxial $\text{Nd}_{0.52}\text{Sr}_{0.48}\text{MnO}_3$ Films in Fields up to 50 T. <i>Physical Review Letters</i> , 1998, 81, 3980-3983.	7.8	148
3	Nernst, Seebeck, and Hall effects in the mixed state of $\text{YBa}_2\text{Cu}_3\text{O}_{7-x}$ and $\text{Bi}_2\text{Sr}_2\text{CaCu}_2\text{O}_{8+x}$ thin films: A comparative study. <i>Physical Review B</i> , 1994, 50, 3312-3329.	3.2	146
4	Absorption phenomena in organic thin films for solar cell applications investigated by photothermal deflection spectroscopy. <i>Journal of Materials Science</i> , 2005, 40, 1413-1418.	3.7	145
5	A Review on Synthetic Receptors for Bioparticle Detection Created by Surface-Imprinting Techniques—From Principles to Applications. <i>ACS Sensors</i> , 2016, 1, 1171-1187.	7.8	99
6	A MIP-based impedimetric sensor for the detection of low-MW molecules. <i>Biosensors and Bioelectronics</i> , 2008, 23, 913-918.	10.1	93
7	Nanocrystalline diamond impedimetric aptasensor for the label-free detection of human IgE. <i>Biosensors and Bioelectronics</i> , 2011, 26, 2987-2993.	10.1	77
8	MIP-based sensor platforms for the detection of histamine in the nano- and micromolar range in aqueous media. <i>Sensors and Actuators B: Chemical</i> , 2010, 148, 392-398.	7.8	76
9	$\text{Hf}$ -magnetic phase diagrams of electron-doped $\text{Sm}_{1-x}\text{Ca}_x\text{MnO}_3$ : Evidence for phase separation and metamagnetic transitions. <i>Physical Review B</i> , 2001, 63, .	3.2	75
10	Heat-Transfer Resistance at Solid–Liquid Interfaces: A Tool for the Detection of Single-Nucleotide Polymorphisms in DNA. <i>ACS Nano</i> , 2012, 6, 2712-2721.	14.6	74
11	Selective Identification of Macrophages and Cancer Cells Based on Thermal Transport through Surface-Imprinted Polymer Layers. <i>ACS Applied Materials &amp; Interfaces</i> , 2013, 5, 7258-7267.	8.0	69
12	Separation of intra- and intergranular magnetotransport properties in nanocrystalline diamond films on the metallic side of the metal–insulator transition. <i>New Journal of Physics</i> , 2011, 13, 083008.	2.9	68
13	Towards a Real-Time, Label-Free, Diamond-Based DNA Sensor. <i>Langmuir</i> , 2007, 23, 13193-13202.	3.5	66
14	Development of an impedimetric sensor for the label-free detection of the amino acid sarcosine with molecularly imprinted polymer receptors. <i>Sensors and Actuators B: Chemical</i> , 2017, 246, 461-470.	7.8	65
15	Label-Free Detection of <i>Escherichia coli</i> Based on Thermal Transport through Surface Imprinted Polymers. <i>ACS Sensors</i> , 2016, 1, 1140-1147.	7.8	64
16	EDC-mediated DNA attachment to nanocrystalline CVD diamond films. <i>Biosensors and Bioelectronics</i> , 2006, 22, 170-177.	10.1	63
17	<i>t</i> -BuXPhos: a highly efficient ligand for Buchwald–Hartwig coupling in water. <i>Green Chemistry</i> , 2014, 16, 4170-4178.	9.0	62
18	Direct visualization of boron dopant distribution and coordination in individual chemical vapor deposition nanocrystalline B-doped diamond grains. <i>Applied Physics Letters</i> , 2012, 101, 041907.	3.3	61

#	ARTICLE	IF	CITATIONS
19	Fourier-Transform Photocurrent Spectroscopy for a fast and highly sensitive spectral characterization of organic and hybrid solar cells. <i>Thin Solid Films</i> , 2008, 516, 7135-7138.	1.8	59
20	Thermal detection of histamine with a graphene oxide based molecularly imprinted polymer platform prepared by reversible addition-fragmentation chain transfer polymerization. <i>Sensors and Actuators B: Chemical</i> , 2014, 203, 527-535.	7.8	59
21	The Heat-Transfer Method: A Versatile Low-Cost, Label-Free, Fast, and User-Friendly Readout Platform for Biosensor Applications. <i>ACS Applied Materials &amp; Interfaces</i> , 2014, 6, 13309-13318.	8.0	59
22	MIP-based biomimetic sensor for the electronic detection of serotonin in human blood plasma. <i>Sensors and Actuators B: Chemical</i> , 2012, 171-172, 602-610.	7.8	58
23	Hierarchical Carbon Nanowire Microarchitectures Made by Plasma-Assisted Pyrolysis of Photoresist. <i>ACS Nano</i> , 2011, 5, 6593-6600.	14.6	55
24	Importance of Adjunctive Heart Failure Optimization Immediately After Implantation to Improve Long-Term Outcomes With Cardiac Resynchronization Therapy. <i>American Journal of Cardiology</i> , 2011, 108, 409-415.	1.6	55
25	Preparation and structural characterization of thin epitaxial Bi <sub>2</sub> Sr <sub>2</sub> CaCu <sub>2</sub> O <sub>8</sub> + $\delta$ films with Tc in the 90 K range. <i>Physica C: Superconductivity and Its Applications</i> , 1993, 215, 123-131.	1.2	54
26	Thermally activated flux movement and critical transport current density in epitaxial Bi <sub>2</sub> Sr <sub>2</sub> CaCu <sub>2</sub> O <sub>8</sub> + $\delta$ films. <i>Physical Review B</i> , 1994, 49, 13184-13192.	3.2	54
27	Impedimetric Detection of Histamine in Bowel Fluids Using Synthetic Receptors with pH-Optimized Binding Characteristics. <i>Analytical Chemistry</i> , 2013, 85, 1475-1483.	6.5	54
28	Evidence for a vortex-liquid to vortex-glass transition in epitaxial Bi <sub>2</sub> Sr <sub>2</sub> Ca <sub>2</sub> Cu <sub>3</sub> O <sub>10</sub> + $\delta$ thin films. <i>Physical Review B</i> , 1995, 51, 1206-1212.	3.2	53
29	Diamond-based DNA sensors: surface functionalization and readout strategies. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2009, 206, 391-408.	1.8	53
30	Chip-based amperometric enzyme sensor system for monitoring of bioprocesses by flow-injection analysis. <i>Journal of Biotechnology</i> , 2013, 163, 371-376.	3.8	51
31	A MIP-based biomimetic sensor for the impedimetric detection of histamine in different pH environments. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2010, 207, 837-843.	1.8	50
32	DNA Sensors with Diamond as a Promising Alternative Transducer Material. <i>Sensors</i> , 2009, 9, 5600-5636.	3.8	49
33	Superconducting transport properties of Bi <sub>2</sub> Sr <sub>2</sub> CaCu <sub>2</sub> O <sub>8</sub> + $\delta$ bicrystal grain boundary junctions. <i>Applied Physics Letters</i> , 1993, 63, 996-998.	3.3	47
34	Local boron environment in B-doped nanocrystalline diamond films. <i>Nanoscale</i> , 2012, 4, 5960.	5.6	46
35	Influence of Interface Morphology onto the Photovoltaic Properties of Nanopatterned ZnO/Poly(3-hexylthiophene) Hybrid Solar Cells. An Impedance Spectroscopy Study. <i>Journal of Physical Chemistry C</i> , 2011, 115, 16695-16700.	3.1	45
36	Heat-transfer-based detection of l-nicotine, histamine, and serotonin using molecularly imprinted polymers as biomimetic receptors. <i>Analytical and Bioanalytical Chemistry</i> , 2013, 405, 6453-6460.	3.7	45

#	ARTICLE	IF	CITATIONS
37	Impedimetric, diamond-based immunosensor for the detection of C-reactive protein. <i>Sensors and Actuators B: Chemical</i> , 2011, 157, 130-138.	7.8	43
38	Sensitive and specific detection of E. coli using biomimetic receptors in combination with a modified heat-transfer method. <i>Biosensors and Bioelectronics</i> , 2019, 136, 97-105.	10.1	43
39	QCM-D Study of Time-Resolved Cell Adhesion and Detachment: Effect of Surface Free Energy on Eukaryotes and Prokaryotes. <i>ACS Applied Materials &amp; Interfaces</i> , 2020, 12, 18258-18272.	8.0	43
40	Buchwald's Hartwig reactions in water using surfactants. <i>Tetrahedron</i> , 2014, 70, 3413-3421.	1.9	42
41	Growth of high quality YBa <sub>2</sub> Cu <sub>3</sub> O <sub>7</sub> films on various substrate materials and influence of Zn-doping on superconductivity. <i>Physica C: Superconductivity and Its Applications</i> , 1990, 171, 231-237.	1.2	41
42	Phase transitions in lipid vesicles detected by a complementary set of methods: heat transfer measurements, adiabatic scanning calorimetry, and dissipation mode quartz crystal microbalance. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2014, 211, 1377-1388.	1.8	41
43	Cell detection by surface imprinted polymers SIPs: A study to unravel the recognition mechanisms. <i>Sensors and Actuators B: Chemical</i> , 2018, 255, 907-917.	7.8	41
44	In situ-preparation of Bi <sub>2</sub> Sr <sub>2</sub> CaCu <sub>2</sub> O <sub>y</sub> -thin films by DC-sputtering. <i>Physica C: Superconductivity and Its Applications</i> , 1992, 195, 258-262.	1.2	40
45	Magnetotransport in epitaxial thin films of the magnetic perovskite Pr <sub>0.5</sub> Sr <sub>0.5</sub> MnO <sub>3</sub> . <i>Physical Review B</i> , 1997, 55, 3699-3707.	3.2	40
46	Impedimetric immunosensors based on the conjugated polymer PPV. <i>Biosensors and Bioelectronics</i> , 2005, 20, 2151-2156.	10.1	40
47	Carrier density variation in films of Nd <sub>0.5</sub> Sr <sub>0.5</sub> MnO <sub>3</sub> . <i>Europhysics Letters</i> , 1998, 41, 49-54.	2.0	38
48	Structural and Optical Properties of DNA Layers Covalently Attached to Diamond Surfaces. <i>Langmuir</i> , 2008, 24, 7269-7277.	3.5	38
49	Vortex unbinding and layer decoupling in epitaxial Bi <sub>2</sub> Sr <sub>2</sub> Ca <sub>2</sub> Cu <sub>3</sub> O <sub>10</sub> + $\delta$ films. <i>Physical Review B</i> , 1995, 52, 4553-4558.	3.2	37
50	Temperature dependent memory effects in the bilayer manganite (La <sub>0.4</sub> Pr <sub>0.6</sub> ) <sub>1.2</sub> Sr <sub>1.8</sub> Mn <sub>2</sub> O <sub>7</sub> . <i>Physical Review B</i> , 2001, 64, .	3.2	37
51	In-plane paraconductivity in La <sub>2-x</sub> Sr <sub>x</sub> CuO <sub>4</sub> thin film superconductors at high reduced temperatures: Independence of the normal-state pseudogap. <i>Physical Review B</i> , 2003, 68, .	3.2	36
52	Role of grain size in superconducting boron-doped nanocrystalline diamond thin films grown by CVD. <i>Physical Review B</i> , 2011, 84, .	3.2	36
53	Topographical and Functional Characterization of the ssDNA Probe Layer Generated Through EDC-Mediated Covalent Attachment to Nanocrystalline Diamond Using Fluorescence Microscopy. <i>Langmuir</i> , 2008, 24, 9125-9134.	3.5	35
54	Rapid assessment of the stability of DNA duplexes by impedimetric real-time monitoring of chemically induced denaturation. <i>Lab on A Chip</i> , 2011, 11, 1656.	6.0	35

#	ARTICLE	IF	CITATIONS
55	Matching and surface barrier effects of the flux-line lattice in superconducting films and multilayers. <i>Physical Review B</i> , 1996, 53, 8658-8670.	3.2	34
56	Grain size tuning of nanocrystalline chemical vapor deposited diamond by continuous electrical bias growth: Experimental and theoretical study. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2012, 209, 1675-1682.	1.8	33
57	Molecularly imprinted polymers as synthetic receptors for the QCM-D-based detection of l-nicotine in diluted saliva and urine samples. <i>Analytical and Bioanalytical Chemistry</i> , 2013, 405, 6479-6487.	3.7	33
58	Study of Interdigitated Electrode Arrays Using Experiments and Finite Element Models for the Evaluation of Sterilization Processes. <i>Sensors</i> , 2015, 15, 26115-26127.	3.8	33
59	Biomimetic Bacterial Identification Platform Based on Thermal Wave Transport Analysis (TWTA) through Surface-Imprinted Polymers. <i>ACS Infectious Diseases</i> , 2017, 3, 388-397.	3.8	33
60	Diamond Nucleation by Carbon Transport from Buried Nanodiamond TiO <sub>2</sub> Sol-Gel Composites. <i>Advanced Materials</i> , 2009, 21, 670-673.	21.0	32
61	Label-free Protein Detection Based on the Heat-Transfer Method—A Case Study with the Peanut Allergen Ara h 1 and Aptamer-Based Synthetic Receptors. <i>ACS Applied Materials &amp; Interfaces</i> , 2015, 7, 10316-10323.	8.0	32
62	Label-Free Detection of Small Organic Molecules by Molecularly Imprinted Polymer Functionalized Thermocouples: Toward In Vivo Applications. <i>ACS Sensors</i> , 2017, 2, 583-589.	7.8	31
63	Bose-glass behavior of the vortex system in epitaxial Bi <sub>2</sub> Sr <sub>2</sub> CaCu <sub>2</sub> O <sub>8</sub> + $\delta$ films with columnar defects. <i>Physical Review B</i> , 1995, 51, 3953-3956.	3.2	30
64	High Electronic Conductance through Double-Helix DNA Molecules with Fullerene Anchoring Groups. <i>Journal of Physical Chemistry A</i> , 2017, 121, 1182-1188.	2.5	30
65	Scaling of the angular dependence of the critical current density in high-T <sub>c</sub> superconductors. <i>Physical Review B</i> , 1993, 47, 12099-12103.	3.2	29
66	DNA attachment to nanocrystalline diamond films. <i>Physica Status Solidi A</i> , 2005, 202, 2212-2216.	1.7	29
67	Heat-Transfer-Method-Based Cell Culture Quality Assay through Cell Detection by Surface Imprinted Polymers. <i>Langmuir</i> , 2015, 31, 2043-2050.	3.5	29
68	Thermocatalytic Behavior of Manganese (IV) Oxide as Nanoporous Material on the Dissociation of a Gas Mixture Containing Hydrogen Peroxide. <i>Nanomaterials</i> , 2018, 8, 262.	4.1	29
69	Mobile Application for Impedance-Based Biomimetic Sensor Readout. <i>IEEE Sensors Journal</i> , 2013, 13, 2659-2665.	4.7	27
70	A critical comparison of cell-based sensor systems for the detection of Cr(VI) in aquatic environment. <i>Sensors and Actuators B: Chemical</i> , 2013, 182, 58-65.	7.8	27
71	Phase Transitions of Binary Lipid Mixtures: A Combined Study by Adiabatic Scanning Calorimetry and Quartz Crystal Microbalance with Dissipation Monitoring. <i>Advances in Condensed Matter Physics</i> , 2015, 2015, 1-14.	1.1	27
72	Fabrication of optomicrofluidics for real-time bioassays based on hollow sphere colloidal photonic crystals with wettability patterns. <i>Journal of Materials Chemistry C</i> , 2016, 4, 7853-7858.	5.5	27

#	ARTICLE	IF	CITATIONS
73	Laser-Grafted Molecularly Imprinted Polymers for the Detection of Histamine from Organocatalyzed Atom Transfer Radical Polymerization. <i>Macromolecules</i> , 2019, 52, 2304-2313.	4.8	27
74	Development of multichannel quartz crystal microbalances for MIP-based biosensing. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2012, 209, 892-899.	1.8	26
75	Optimizing the Thermal Read-Out Technique for MIP-Based Biomimetic Sensors: Towards Nanomolar Detection Limits. <i>Sensors</i> , 2013, 13, 9148-9159.	3.8	26
76	Heat-Transfer Resistance Measurement Method (HTM)-Based Cell Detection at Trace Levels Using a Progressive Enrichment Approach with Highly Selective Cell-Binding Surface Imprints. <i>Langmuir</i> , 2014, 30, 3631-3639.	3.5	26
77	Penicillin detection with nanocrystalline-diamond field-effect sensor. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2008, 205, 2141-2145.	1.8	25
78	Capacitively coupled electrolyte-conductivity sensor based on high-k material of barium strontium titanate. <i>Sensors and Actuators B: Chemical</i> , 2014, 198, 102-109.	7.8	25
79	Anomalous Hall effect in thin films of Pr <sub>0.5</sub> Sr <sub>0.5</sub> MnO <sub>3</sub> . <i>Physical Review B</i> , 1997, 55, R14721-R14724.	3.2	24
80	Characterisation of capacitive field-effect sensors with a nanocrystalline-diamond film as transducer material for multi-parameter sensing. <i>Biosensors and Bioelectronics</i> , 2009, 24, 1298-1304.	10.1	24
81	Melittin disruption of raft and non-raft-forming biomimetic membranes: A study by quartz crystal microbalance with dissipation monitoring. <i>Colloids and Surfaces B: Biointerfaces</i> , 2014, 123, 938-944.	5.0	24
82	Differential imaging of the metabolism of bacteria and eukaryotic cells based on light-addressable potentiometric sensors. <i>Electrochimica Acta</i> , 2017, 246, 234-241.	5.2	24
83	Influence of the cooperative Jahn-Teller effect on the transport and magnetic properties of La <sub>7/8</sub> Sr <sub>1/8</sub> MnO <sub>3</sub> single crystals. <i>Physical Review B</i> , 2000, 61, 529-537.	3.2	23
84	Covalent immobilization of DNA on CVD diamond films. <i>Physica Status Solidi A</i> , 2003, 199, 44-48.	1.7	23
85	Microfluidic chip with integrated microvalves based on temperature- and pH-responsive hydrogel thin films. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2012, 209, 839-845.	1.8	23
86	Array Formatting of the Heat-Transfer Method (HTM) for the Detection of Small Organic Molecules by Molecularly Imprinted Polymers. <i>Sensors</i> , 2014, 14, 11016-11030.	3.8	23
87	Improved Molecular Imprinting Based on Colloidal Particles Made from Miniemulsion: A Case Study on Testosterone and Its Structural Analogues. <i>Macromolecules</i> , 2016, 49, 2559-2567.	4.8	23
88	Comparative Hall studies in the electron- and hole-doped manganites La <sub>0.33</sub> Ca <sub>0.67</sub> MnO <sub>3</sub> and La <sub>0.70</sub> Ca <sub>0.30</sub> MnO <sub>3</sub> . <i>Physical Review B</i> , 2000, 62, 11633-11638.	3.2	22
89	Miniaturised eight-channel impedance spectroscopy unit as sensor platform for biosensor applications. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2011, 208, 1357-1363.	1.8	22
90	Cross-linked degradable poly( $\beta$ -thioester) networks via amine-catalyzed thiol-ene click polymerization. <i>Polymer</i> , 2014, 55, 3525-3532.	3.8	22

#	ARTICLE	IF	CITATIONS
91	Effect of Cholesterol on the Phase Behavior of Solid-Supported Lipid Vesicle Layers. <i>Journal of Physical Chemistry B</i> , 2015, 119, 4985-4992.	2.6	22
92	Scaling of the transport properties in the $\text{Y}_{1-x}\text{Pr}_x\text{Ba}_2\text{Cu}_3\text{O}_x$ system. <i>Physical Review B</i> , 2001, 64, .	3.2	21
93	Boron-Doped Diamond Functionalization by an Electrografting/Alkyne-Azide Click Chemistry Sequence. <i>ChemElectroChem</i> , 2014, 1, 1145-1154.	3.4	21
94	Impedimetric immunosensor for the detection of histamine based on reduced graphene oxide. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2015, 212, 1327-1334.	1.8	21
95	Nanocrystalline-diamond thin films with high pH and penicillin sensitivity prepared on a capacitive $\text{SiO}_2$ structure. <i>Electrochimica Acta</i> , 2009, 54, 5981-5985.	5.2	20
96	Synthetic diamond films as a platform material for label-free protein sensors. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2009, 206, 520-526.	1.8	20
97	Customized impedance spectroscopy device as possible sensor platform for biosensor applications. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2010, 207, 919-923.	1.8	20
98	Electrochemical sensor array for bioprocess monitoring. <i>Electrochimica Acta</i> , 2011, 56, 9673-9678.	5.2	20
99	Determination of the extracellular acidification of <i>Escherichia coli</i> K12 with a multi-chamber-based LAPS system. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2016, 213, 1479-1485.	1.8	20
100	ScFv-modified graphene-coated IDE-arrays for label-free™ screening of cardiovascular disease biomarkers in physiological saline. <i>Biosensors and Bioelectronics</i> , 2018, 102, 574-581.	10.1	20
101	Universal behavior of the in-plane paraconductivity of cuprate superconductors in the short-wavelength fluctuation regime. <i>Physical Review B</i> , 2002, 65, .	3.2	18
102	Light-Addressable Actuator-Sensor Platform for Monitoring and Manipulation of pH Gradients in Microfluidics: A Case Study with the Enzyme Penicillinase. <i>Biosensors</i> , 2021, 11, 171.	4.7	18
103	Spin-dependent hopping in the paramagnetic state of the bilayer manganite $(\text{La}_{0.4}\text{Pr}_{0.6})_{1.2}\text{Sr}_{1.8}\text{Mn}_2\text{O}_7$ . <i>Europhysics Letters</i> , 2002, 58, 285-291.	2.0	17
104	Intrinsic granularity in nanocrystalline boron-doped diamond films measured by scanning tunneling microscopy. <i>Physical Review B</i> , 2009, 80, .	3.2	17
105	Selective <i>Campylobacter</i> detection and quantification in poultry: A sensor tool for detecting the cause of a common zoonosis at its source. <i>Sensors and Actuators B: Chemical</i> , 2021, 332, 129484.	7.8	17
106	Tracing Gold Nanoparticle Charge by Electrolyte-Insulator-Semiconductor Devices. <i>Journal of Physical Chemistry C</i> , 2011, 115, 4439-4445.	3.1	16
107	Molecular imprinted polymer films on RFID tags: a first step towards disposable packaging sensors. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2013, 210, 938-944.	1.8	16
108	Anisotropic In-Situ-Coated AuNPs on Screen-Printed Carbon Surface for Enhanced Prostate-Specific Antigen Impedimetric Aptasensor. <i>Journal of Electronic Materials</i> , 2017, 46, 3542-3552.	2.2	16

#	ARTICLE	IF	CITATIONS
109	Single-Shot Detection of Neurotransmitters in Whole-Blood Samples by Means of the Heat-Transfer Method in Combination with Synthetic Receptors. <i>Sensors</i> , 2017, 17, 2701.	3.8	16
110	Phase-slip dissipation and dimensionality above the irreversibility line in Bi <sub>2</sub> Sr <sub>2</sub> CaCu <sub>2</sub> O <sub>8+x</sub> . <i>Physical Review B</i> , 1994, 50, 12920-12926.	3.2	15
111	Thermally activated dissipation in epitaxial Bi <sub>2</sub> Sr <sub>2</sub> CaCu <sub>2</sub> O <sub>8</sub> + $\hat{\Gamma}$ films evidence for the occurrence of vortex strings with three-dimensional fluctuations in low magnetic fields. <i>Physica C: Superconductivity and Its Applications</i> , 1994, 234, 249-254.	1.2	15
112	Real-time study of protein adsorption on thin nanocrystalline diamond. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2011, 208, 2093-2098.	1.8	15
113	Analytical TEM study of CVD diamond growth on TiO <sub>2</sub> sol-gel layers. <i>Diamond and Related Materials</i> , 2012, 23, 93-99.	3.9	15
114	Controlled synthesis of ultrathin ZnO nanowires using micellar gold nanoparticles as catalyst templates. <i>Nanoscale</i> , 2013, 5, 7046.	5.6	15
115	From colossal magnetoresistance to solar cells: An overview on 66 years of research into perovskites. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2017, 214, 1700394.	1.8	15
116	Metallization of Ultra-thin, Non-thiol SAMs with Flat-Lying Molecular Units: Pd on 1, 4-Dicyanobenzene. <i>ChemPhysChem</i> , 2010, 11, 2951-2956.	2.1	14
117	Granular superconductivity in metallic and insulating nanocrystalline boron-doped diamond thin films. <i>Journal Physics D: Applied Physics</i> , 2010, 43, 374019.	2.8	14
118	Scalable fabrication and application of nanoscale IDE-arrays as multi-electrode platform for label-free biosensing. <i>Sensors and Actuators B: Chemical</i> , 2018, 265, 115-125.	7.8	14
119	Impedimetric Sensing of DNA with Silicon Nanowire Transistors as Alternative Transducer Principle. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2018, 215, 1700740.	1.8	14
120	Title is missing!. <i>Journal of Low Temperature Physics</i> , 1999, 117, 681-685.	1.4	13
121	Chinese hamster ovary cell viability on hydrogen and oxygen terminated nano- and microcrystalline diamond surfaces. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2009, 206, 2042-2047.	1.8	13
122	Biological modification of carbon nanowalls with DNA strands and hybridization experiments with complementary and mismatched DNA. <i>Chemical Physics Letters</i> , 2010, 485, 196-201.	2.6	13
123	Improving the sensitivity of the heat-transfer method (HTM) for cancer cell detection with optimized sensor chips. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2015, 212, 1320-1326.	1.8	13
124	DNA detection with top-down fabricated silicon nanowire transistor arrays in linear operation regime. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2016, 213, 1510-1519.	1.8	13
125	Towards a catheter-based impedimetric sensor for the assessment of intestinal histamine levels in IBS patients. <i>Biosensors and Bioelectronics</i> , 2020, 158, 112152.	10.1	13
126	Detection of yeast strains by combining surface-imprinted polymers with impedance-based readout. <i>Sensors and Actuators B: Chemical</i> , 2021, 340, 129917.	7.8	13



#	ARTICLE	IF	CITATIONS
127	Enhancement of critical current density by confinement of vortices in Bi <sub>2</sub> Sr <sub>2</sub> CaCu <sub>2</sub> O <sub>x</sub> single crystals and thin films. <i>Applied Physics Letters</i> , 1993, 63, 2821-2823.	3.3	12
128	Concept for a solid-state multi-parameter sensor system for cell-culture monitoring. <i>Electrochimica Acta</i> , 2009, 54, 6107-6112.	5.2	12
129	Diamond and Cubic Boron Nitride: Properties, Growth and Applications. <i>AIP Conference Proceedings</i> , 2010, , .	0.4	12
130	Monitoring of irritant gas using a whole-cell-based sensor system. <i>Sensors and Actuators B: Chemical</i> , 2012, 175, 208-217.	7.8	12
131	Characterization of biodegradable polymers with capacitive field-effect sensors. <i>Sensors and Actuators B: Chemical</i> , 2013, 187, 2-7.	7.8	12
132	Metabolic responses of <i>Escherichia coli</i> upon glucose pulses captured by a capacitive field-effect sensor. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2013, 210, 926-931.	1.8	12
133	Implementing heat transfer resistivity as a key element in a nanocrystalline diamond based single nucleotide polymorphism detection array. <i>Diamond and Related Materials</i> , 2013, 38, 45-51.	3.9	12
134	Ionic strength controls long-term cell-surface interactions – A QCM-D study of <i>S. cerevisiae</i> adhesion, retention and detachment. <i>Journal of Colloid and Interface Science</i> , 2021, 585, 583-595.	9.4	12
135	Sign inversion of the high-field Hall slope in epitaxial La <sub>0.5</sub> Ca <sub>0.5</sub> MnO <sub>3</sub> thin films. <i>Physical Review B</i> , 2003, 68, .	3.2	11
136	Negative magnetoresistance in boron-doped nanocrystalline diamond films. <i>Journal of Applied Physics</i> , 2009, 106, 033711.	2.5	11
137	A silicon-based multi-sensor chip for monitoring of fermentation processes. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2011, 208, 1364-1369.	1.8	11
138	Evidence for phase separation of ethanol-water mixtures at the hydrogen terminated nanocrystalline diamond surface. <i>Journal of Chemical Physics</i> , 2012, 137, 044702.	3.0	11
139	Analysis of an optical biosensor based on elastic light scattering from diamond, glass, and sapphire microspheres. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2012, 209, 1804-1810.	1.8	11
140	Degradation of thin poly(lactic acid) films: Characterization by capacitance-voltage, atomic force microscopy, scanning electron microscopy and contact-angle measurements. <i>Electrochimica Acta</i> , 2013, 113, 779-784.	5.2	11
141	Multi-sensor chip for the investigation of different types of metal oxides for the detection of H <sub>2</sub> O <sub>2</sub> in the ppm range. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2013, 210, 898-904.	1.8	11
142	A LAPS-Based Differential Sensor for Parallelized Metabolism Monitoring of Various Bacteria. <i>Sensors</i> , 2019, 19, 4692.	3.8	11
143	Quantitative differential monitoring of the metabolic activity of <i>Corynebacterium glutamicum</i> cultures utilizing a light-addressable potentiometric sensor system. <i>Biosensors and Bioelectronics</i> , 2019, 139, 111332.	10.1	11
144	Passive permeability assay of doxorubicin through model cell membranes under cancerous and normal membrane potential conditions. <i>European Journal of Pharmaceutics and Biopharmaceutics</i> , 2020, 146, 133-142.	4.3	11

#	ARTICLE	IF	CITATIONS
145	AlN on nanocrystalline diamond piezoelectric cantilevers for sensors/actuators. <i>Procedia Chemistry</i> , 2009, 1, 40-43.	0.7	10
146	Routine fabrication of reduced graphene oxide microarray devices via all solution processing. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2013, 210, 968-974.	1.8	10
147	Heat-transfer based characterization of DNA on synthetic sapphire chips. <i>Sensors and Actuators B: Chemical</i> , 2016, 230, 260-271.	7.8	10
148	Transition to the normal state of superconducting Y1Ba2Cu3O7- $\delta$ thin films induced by high current densities. <i>Superconductor Science and Technology</i> , 2001, 14, 748-753.	3.5	9
149	Transport properties at the insulator $\leftrightarrow$ superconductor phase boundary of La $_{2-x}$ Sr $_x$ CuO $_4$ thin films. <i>Physica C: Superconductivity and Its Applications</i> , 2001, 356, 107-114.	1.2	9
150	pH sensitivity of nanocrystalline diamond films. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2007, 204, 2925-2930.	1.8	9
151	Magnetic field-driven superconductor $\leftrightarrow$ insulator transition in boron-doped nanocrystalline chemical vapor deposition diamond. <i>Journal of Applied Physics</i> , 2010, 108, .	2.5	9
152	Eukaryotic cell lines as a sensitive layer for direct monitoring of carbon monoxide. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2011, 208, 1345-1350.	1.8	9
153	Study on the giant positive magnetoresistance and Hall effect in ultrathin graphite flakes. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2011, 208, 1252-1258.	1.8	9
154	Detection of nicotine with dissipation mode quartz crystal microbalance using molecular imprinted polymers. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2012, 209, 905-910.	1.8	9
155	Trisubstitution of pyridine through sequential and regioselective palladium cross-coupling reactions affording analogs of known GPR54 antagonists. <i>RSC Advances</i> , 2013, 3, 10296.	3.6	9
156	Reduced graphene oxide micropatterns as an interface for adherent cells. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2013, 210, 975-982.	1.8	9
157	Heat-transfer-based detection of SNPs in the PAH gene of PKU patients. <i>International Journal of Nanomedicine</i> , 2014, 9, 1629.	6.7	9
158	Light-addressable Potentiometric Sensor (LAPS) Combined with Multi-chamber Structures to Investigate the Metabolic Activity of Cells. <i>Procedia Engineering</i> , 2015, 120, 384-387.	1.2	9
159	Detection of triacetone triperoxide using temperature cycled metal $\xrightarrow{\text{oxide}}$ semiconductor gas sensors. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2015, 212, 1289-1298.	1.8	9
160	Real-time monitoring of interactions between Ebola fusion peptide and solid-supported phospholipid membranes: Effect of peptide concentration and layer geometry. <i>Physics in Medicine</i> , 2017, 4, 1-7.	1.3	9
161	Development of a package-sterilization process for aseptic filling machines: A numerical approach and validation for surface treatment with hydrogen peroxide. <i>Sensors and Actuators A: Physical</i> , 2020, 303, 111691.	4.1	9
162	LAPS-based monitoring of metabolic responses of bacterial cultures in a paper fermentation broth. <i>Sensors and Actuators B: Chemical</i> , 2020, 320, 128232.	7.8	9

#	ARTICLE	IF	CITATIONS
163	Towards a multi-sensor system for the evaluation of aseptic processes employing hydrogen peroxide vapour ( $H_2O_2$ ). <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2011, 208, 1351-1356.	1.8	8
164	Impact of Functional Groups onto the Electronic Structure of Metal Electrodes in Molecular Junctions. <i>Journal of Physical Chemistry C</i> , 2012, 116, 21810-21815.	3.1	8
165	Combined amperometric/field-effect sensor for the detection of dissolved hydrogen. <i>Sensors and Actuators B: Chemical</i> , 2013, 187, 168-173.	7.8	8
166	Reduced graphene oxide-based sensing platform for electric cell-substrate impedance sensing. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2014, 211, 1404-1409.	1.8	8
167	Multiparameter Sensor Chip with Barium Strontium Titanate as Multipurpose Material. <i>Electroanalysis</i> , 2014, 26, 980-987.	2.9	8
168	Heat transfer resistance as a tool to quantify hybridization efficiency of DNA on a nanocrystalline diamond surface. <i>Diamond and Related Materials</i> , 2014, 48, 32-36.	3.9	8
169	Optimization and characterization of a flow cell for heat-transfer-based biosensing. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2017, 214, 1600758.	1.8	8
170	Contribution of Zn Impurity Atoms to the Anisotropic Pinning Force Density of Thin Epitaxial $YBa_{2-x}Cu_{1-x}Zn_xO_{7-\delta}$ Films. <i>Europhysics Letters</i> , 1992, 18, 641-646.	2.0	7
171	Heavy-ion-induced effects on the transport critical current density in epitaxial 2212-BSCCO thin films. <i>Physica C: Superconductivity and Its Applications</i> , 1994, 235-240, 2971-2972.	1.2	7
172	Dimensional crossover in the pinning of heavy-ion irradiated Bi-2212 films. <i>Physica C: Superconductivity and Its Applications</i> , 1996, 259, 142-150.	1.2	7
173	Boron doped nanocrystalline diamond temperature regulator for sensing applications. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2010, 207, 2110-2113.	1.8	7
174	Air Quality Monitoring using a Whole-Cell based Sensor System. <i>Procedia Engineering</i> , 2011, 25, 1421-1424.	1.2	7
175	Ultrafast Self-Assembly Using Ultrasound: A Facile Route to the Rapid Fabrication of Well-Ordered Dense Arrays of Inorganic Nanostructures. <i>Angewandte Chemie - International Edition</i> , 2013, 52, 9709-9713.	13.8	7
176	Combining Electrochemical Impedance Spectroscopy and Surface Plasmon Resonance into one Simultaneous Read-Out System for the Detection of Surface Interactions. <i>Sensors</i> , 2013, 13, 14650-14661.	3.8	7
177	Photonic detection and characterization of DNA using sapphire microspheres. <i>Journal of Biomedical Optics</i> , 2014, 19, 097006.	2.6	7
178	Graphite oxide multilayers for device fabrication: Enzyme-based electrical sensing of glucose. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2015, 212, 1335-1341.	1.8	7
179	Monitoring of the Enzymatically Catalyzed Degradation of Biodegradable Polymers by Means of Capacitive Field-Effect Sensors. <i>Analytical Chemistry</i> , 2015, 87, 6607-6613.	6.5	7
180	Cell detection by surface imprinted polymers (SIPs) – A study of the sensor surface by optical and dielectric relaxation spectroscopy. <i>IEEE Transactions on Dielectrics and Electrical Insulation</i> , 2018, 25, 816-821.	2.9	7

#	ARTICLE	IF	CITATIONS
181	Electropolymerized Receptor Coatings for the Quantitative Detection of Histamine with a Catheter-Based, Diagnostic Sensor. <i>ACS Sensors</i> , 2021, 6, 100-110.	7.8	7
182	The hot-wire concept: Towards a one-element thermal biosensor platform. <i>Biosensors and Bioelectronics</i> , 2021, 179, 113043.	10.1	7
183	Thermally activated flux-flow in epitaxially grown $\text{YBa}_2(\text{Cu}_{1-x}\text{Zn}_x)\text{O}_{7-\delta}$ thin films. <i>Physica C: Superconductivity and Its Applications</i> , 1991, 185-189, 2175-2176.	1.2	6
184	Head-On Immobilization of DNA Fragments on CVD-Diamond Layers. <i>Materials Science Forum</i> , 2005, 492-493, 267-272.	0.3	6
185	Using a cell-based gas biosensor for investigation of adverse effects of acetone vapors in vitro. <i>Biosensors and Bioelectronics</i> , 2013, 40, 393-400.	10.1	6
186	Optimization of Cell-Based Multi-Chamber LAPS Measurements Utilizing FPGA-Controlled Laser Diode Modules. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2018, 215, 1800058.	1.8	6
187	Searching for a common origin of heat-transfer effects in bio- and chemosensors: A study on thiols as a model system. <i>Sensors and Actuators B: Chemical</i> , 2020, 310, 127627.	7.8	6
188	FEM-based modeling of a calorimetric gas sensor for hydrogen peroxide monitoring. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2017, 214, 1600912.	1.8	6
189	Wagner et al. Reply. <i>Physical Review Letters</i> , 2000, 84, 4018-4018.	7.8	5
190	High field transport properties of La Sr CuO epitaxial thin films. <i>European Physical Journal B</i> , 2002, 29, 369-375.	1.5	5
191	Low-level optical absorption phenomena in organic thin films for solar cell applications investigated by highly sensitive photocurrent and photothermal techniques. , 2004, , .		5
192	Real-time detection of CO by eukaryotic cells. <i>Procedia Engineering</i> , 2010, 5, 17-20.	1.2	5
193	Homopolymers as nanocarriers for the loading of block copolymer micelles with metal salts: a facile way to large-scale ordered arrays of transition-metal nanoparticles. <i>Journal of Materials Chemistry C</i> , 2014, 2, 701-707.	5.5	5
194	Graphite oxide electrical sensors are able to distinguish single nucleotide polymorphisms in physiological buffers. <i>FlatChem</i> , 2018, 7, 1-9.	5.6	5
195	Electrochemical Evaluation of Light-Addressable Electrodes Based on $\text{TiO}_2$ for the Integration in Lab-on-a-Chip Systems. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2018, 215, 1800150.	1.8	5
196	Introducing a Thermal-Based Method for Measuring Dynamic Thin Film Thickness in Real Time as a Tool for Sensing Applications. <i>IEEE Transactions on Instrumentation and Measurement</i> , 2021, 70, 1-10.	4.7	5
197	Pulsed Thermal Method for Monitoring Cell Proliferation in Real-Time. <i>Sensors</i> , 2021, 21, 2440.	3.8	5
198	Low Cost, Sensitive Impedance Detection of <i>E. coli</i> Bacteria in Food Matrix Samples Using Surface-Imprinted Polymers as Whole-Cell Receptors. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2022, 219, 2100405.	1.8	5

#	ARTICLE	IF	CITATIONS
199	Characterization of YBa <sub>2</sub> Cu <sub>3</sub> O <sub>7</sub> /PrBa <sub>2</sub> Cu <sub>3</sub> O <sub>7</sub> superlattices. Journal of Superconductivity and Novel Magnetism, 1994, 7, 197-200.	0.5	4
200	Characterization of epitaxial Bi <sub>2</sub> Sr <sub>2</sub> CaCu <sub>2</sub> O <sub>8</sub> +? thin films. Journal of Superconductivity and Novel Magnetism, 1994, 7, 217-219.	0.5	4
201	Thermally assisted flux flow in epitaxial Bi <sub>2</sub> Sr <sub>2</sub> Ca <sub>2</sub> Cu <sub>3</sub> O <sub>10</sub> +? thin films: Estimation of the anisotropy parameter. Journal of Superconductivity and Novel Magnetism, 1995, 8, 293-297.	0.5	4
202	High field magnetotransport in high temperature superconductors. Physica C: Superconductivity and Its Applications, 2004, 404, 385-394.	1.2	4
203	High field magnetoresistivity of epitaxial La <sub>2</sub> xSr <sub>x</sub> CuO <sub>4</sub> thin films. Physica C: Superconductivity and Its Applications, 2005, 432, 81-98.	1.2	4
204	In/extrinsic granularity in superconducting boron-doped diamond. Physica C: Superconductivity and Its Applications, 2010, 470, 853-856.	1.2	4
205	Monitoring of peptide induced disruption of artificial lipid membrane constructed on boron-doped nanocrystalline diamond by electrochemical impedance spectroscopy. Physica Status Solidi (A) Applications and Materials Science, 2011, 208, 2099-2103.	1.8	4
206	Impedance spectroscopy: A tool for real-time in situ monitoring of the degradation of biopolymers. Physica Status Solidi (A) Applications and Materials Science, 2013, 210, 905-910.	1.8	4
207	Rapid fabrication of micron-sized CVD diamond structures by microfluidic contact printing. Physica Status Solidi (A) Applications and Materials Science, 2014, 211, 1448-1454.	1.8	4
208	An application of field-effect sensors for in-situ monitoring of degradation of biopolymers. Sensors and Actuators B: Chemical, 2015, 207, 954-959.	7.8	4
209	Multiple sensor-type system for monitoring the microbicidal effectiveness of aseptic sterilisation processes. Food Control, 2015, 47, 615-622.	5.5	4
210	Development of an in-line evaporation unit for the production of gas mixtures containing hydrogen peroxide – numerical modeling and experimental results. International Journal of Heat and Mass Transfer, 2019, 143, 118519.	4.8	4
211	Understanding the Dehydration Stress in Lipid Vesicles by a Combined Quartz Crystal Microbalance and Dielectric Spectroscopy Study. Physica Status Solidi (A) Applications and Materials Science, 2020, 217, 1900986.	1.8	4
212	Measuring Thermal Conductivity in a Microfluidic Device With the Transient Thermal Offset (TTO) Method. IEEE Sensors Journal, 2021, 21, 7298-7307.	4.7	4
213	Assessing the impact of exposome on the course of chronic obstructive pulmonary disease and cystic fibrosis. Environmental Epidemiology, 2021, 5, e165.	3.0	4
214	Formation of controllable pH gradients inside microchannels by using light-addressable electrodes. Sensors and Actuators B: Chemical, 2021, 346, 130422.	7.8	4
215	Formation and electrical characterization of black lipid membranes in porous filter materials. Physica Status Solidi (A) Applications and Materials Science, 2017, 214, 1700104.	1.8	4
216	Synchronized, Spontaneous, and Oscillatory Detachment of Eukaryotic Cells: A New Tool for Cell Characterization and Identification. Advanced Science, 2022, 9, .	11.2	4

#	ARTICLE	IF	CITATIONS
217	Impurity pinning in epitaxial $\text{YBa}_{2-x}(\text{Cu}_{1-x}\text{TM}_x)\text{O}_{7-\delta}$ (TM=Zn, Ni)-thin films. IEEE Transactions on Applied Superconductivity, 1993, 3, 1468-1471.	1.7	3
218	A systematic comparison of transport properties and pinning potentials in YBCO and BiSCCO thin films. Physica C: Superconductivity and Its Applications, 1994, 235-240, 2625-2626.	1.2	3
219	Preparation of epitaxial films of the transparent conductive oxide $\text{Al}_n\text{Z}_n\text{O}_n$ by reactive high-pressure sputtering in $\text{Ar}/\text{O}_2$ mixtures. Physica Status Solidi (A) Applications and Materials Science, 2013, 210, 1013-1018.	1.8	3
220	Surface plasmon resonance-based DNA microarrays: Comparison of thiol and phosphorothioate modified oligonucleotides. Physica Status Solidi (A) Applications and Materials Science, 2013, 210, 918-925.	1.8	3
221	Electronic monitoring of chemical DNA denaturation on nanocrystalline diamond electrodes with different molarities and flow rates. Physica Status Solidi (A) Applications and Materials Science, 2013, 210, 911-917.	1.8	3
222	Elastic scattering from a sapphire microsphere placed on a silica optical fiber coupler: Possible applications to biosensing. European Physical Journal: Special Topics, 2014, 223, 1995-2002.	2.6	3
223	SIP-Based Thermal Detection Platform for the Direct Detection of Bacteria Obtained from a Contaminated Surface. Physica Status Solidi (A) Applications and Materials Science, 2018, 215, 1700777.	1.8	3
224	A Novel Modular Device for Biological Impedance Measurements: The Differential Impedimetric Sensor Cell (DISC). Physica Status Solidi (A) Applications and Materials Science, 2018, 215, 1701029.	1.8	3
225	Integrating Thermal Sensors in a Microplate Format: Simultaneous Real-Time Quantification of Cell Number and Metabolic Activity. ACS Applied Materials & Interfaces, 2022, 14, 2440-2451.	8.0	3
226	Ionic strength tunes yeast viscoelasticity and promotes trace-level cell detection. Physics in Medicine, 2022, 14, 100049.	1.3	3
227	Superconductivity and transport properties of epitaxial $\text{YBa}_2(\text{Cu}_{1-x}\text{Zn}_x)\text{O}_7$ -thin films. Superconductor Science and Technology, 1992, 5, S133-S136.	3.5	2
228	Pinning and irreversibility behavior in Au-irradiated Bi-2212 films. Physica C: Superconductivity and Its Applications, 1994, 235-240, 2739-2740.	1.2	2
229	Fermi surfaces of $\text{Bi}_2\text{Sr}_2\text{CaCu}_2\text{O}_{8+\delta}$ thin film. Physica C: Superconductivity and Its Applications, 1996, 261, 153-156.	1.2	2
230	INTERPLAY BETWEEN TRANSPORT, MAGNETIC-, AND STRUCTURAL PROPERTIES OF MN-PEROVSKITES WITH VARIOUS DOPING LEVEL. International Journal of Modern Physics B, 2000, 14, 3735-3740.	2.0	2
231	Influence of the morphology on the magneto-transport properties of laser-ablated ultrathin $\text{La}_{0.7}\text{Ba}_{0.3}\text{MnO}_3$ films. Journal of Applied Physics, 2001, 90, 1429-1435.	2.5	2
232	Influence of fluctuation conductivity on the high-field magnetoresistivity in epitaxial $\text{La}_{2-x}\text{Sr}_x\text{CuO}_4$ thin films. Physica B: Condensed Matter, 2004, 346-347, 339-343.	2.7	2
233	One-chip integrated dual amperometric/field-effect sensor for the detection of dissolved hydrogen. Procedia Engineering, 2011, 25, 1161-1164.	1.2	2
234	Characterisation of aseptic sterilisation processes using an electronic nose. International Journal of Nanotechnology, 2013, 10, 470.	0.2	2

#	ARTICLE	IF	CITATIONS
235	Cell proliferation monitoring by multiplexed electrochemical impedance spectroscopy on microwell assays. <i>Physica Status Solidi C: Current Topics in Solid State Physics</i> , 2013, 10, 882-888.	0.8	2
236	Real-time analysis of dual-display phage immobilization and autoantibody screening using quartz crystal microbalance with dissipation monitoring. <i>International Journal of Nanomedicine</i> , 2015, 10, 5237.	6.7	2
237	Photonic studies on polymer-coated sapphire-spheres: A model system for biological ligands. <i>Sensors and Actuators A: Physical</i> , 2015, 222, 212-219.	4.1	2
238	Mechanism of Nonpolar Model Substances to Inhibit Primary Gushing Induced by Hydrophobin HFBI. <i>Journal of Agricultural and Food Chemistry</i> , 2015, 63, 4673-4682.	5.2	2
239	An imaging study and spectroscopic curing analysis on polymers for synthetic whole-cell receptors for bacterial detection. <i>Japanese Journal of Applied Physics</i> , 2020, 59, SD0802.	1.5	2
240	Vortex State and Dimensionality. , 1994, , 293-302.		2
241	Field-Effect Capacitors Decorated with Ligand-Stabilized Gold Nanoparticles: Modeling and Experiments. <i>Biosensors</i> , 2022, 12, 334.	4.7	2
242	Depletion of wild-type target enhances the hybridization-based sensitivity of low-abundant mutation detection by reference capture probes. <i>Sensors and Actuators B: Chemical</i> , 2022, 368, 132175.	7.8	2
243	AC conductivity in superconducting YBa <sub>2</sub> Cu <sub>3</sub> O <sub>7</sub> and Bi <sub>2</sub> Sr <sub>2</sub> CaCu <sub>2</sub> O <sub>8</sub> thin films. <i>Physica B: Condensed Matter</i> , 1993, 186-188, 986-988.	2.7	1
244	Scaling behavior of U(I)-characteristics and zero-field resistive transitions in epitaxial Bi <sub>2</sub> Sr <sub>2</sub> CaCu <sub>2</sub> O <sub>8</sub> + $\delta$ thin films. <i>Physica C: Superconductivity and Its Applications</i> , 1994, 235-240, 3165-3166.	1.2	1
245	Comparative study of the magnetoresistivity of YBa <sub>2</sub> Cu <sub>3</sub> O <sub>7-<math>\delta</math></sub> and Bi <sub>2</sub> Sr <sub>2</sub> Ca Cu <sub>2</sub> O <sub>8+x</sub> epitaxial thin films in the fluctuation regime. <i>Physica C: Superconductivity and Its Applications</i> , 1994, 235-240, 1933-1934.	1.2	1
246	Comparison of the transport mechanism in underdoped high-temperature superconductors and in spin ladders. <i>Physica C: Superconductivity and Its Applications</i> , 2000, 337, 260-264.	1.2	1
247	Normal state resistivity of underdoped YBa <sub>2</sub> Cu <sub>3</sub> O <sub>7-d</sub> films and La <sub>2</sub> -XSrXCuO <sub>4</sub> ultra-thin films in fields up to 60 T. <i>Physica C: Superconductivity and Its Applications</i> , 2000, 341-348, 903-904.	1.2	1
248	HIGH-FIELD MAGNETOTRANSPORT OF EPITAXIAL LA <sub>2</sub> -XSrXCuO <sub>4</sub> THIN FILMS IN THE REGIME OF LOW SR-DOPING. <i>International Journal of Modern Physics B</i> , 2000, 14, 3747-3752.	2.0	1
249	Diagnóstico y tratamiento de la anemia en pacientes con enfermedad renal crónica en todos sus estadios. Consenso del Anemia Working Group Latin America (AWGLA). <i>Dialisis Y Trasplante</i> , 2009, 30, 104-108.	0.4	1
250	Controlling aseptic sterilization processes by means of a multi-sensor system. , 2011, , .		1
251	Influence of methane concentration on the electric transport properties in heavily boron-doped nanocrystalline CVD diamond films. <i>Materials Research Society Symposia Proceedings</i> , 2011, 1282, 87.	0.1	1
252	MIP-based Sensor Platforms for Detection of Analytes in Nano- and Micromolar Range. , 2012, , 91-124.		1

#	ARTICLE	IF	CITATIONS
253	Morphological TEM studies and magnetoresistance analysis of sputtered Al $\epsilon$ -substituted ZnO films: The role of oxygen. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2015, 212, 1191-1201.	1.8	1
254	Heat Transfer as a New Sensing Technique for the Label-Free Detection of Biomolecules. <i>Springer Series on Chemical Sensors and Biosensors</i> , 2017, , 383-407.	0.5	1
255	On-Line Monitoring of the Metabolic Activity of Bacteria and Eukaryotic Cells Utilizing Light-Addressable Potentiometric Sensors. <i>Proceedings (mdpi)</i> , 2017, 1, 716.	0.2	1
256	Experimental and Numerical Analyzes of a Sensor Based on Interdigitated Electrodes for Studying Microbiological Alterations. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2018, 215, 1700920.	1.8	1
257	A compact device for simultaneous dielectric spectroscopy and microgravimetric analysis under controlled humidity. <i>Review of Scientific Instruments</i> , 2019, 90, 125106.	1.3	1
258	PINNING FORCE DENSITY IN YBa <sub>2</sub> Cu <sub>3</sub> O <sub>7</sub> -FILMS AND YBa <sub>2</sub> Cu <sub>3</sub> O <sub>7</sub> /PrBa <sub>2</sub> Cu <sub>3</sub> O <sub>7</sub> -SUPERLATTICES. <i>International Journal of Modern Physics B</i> , 1993, 07, 135-138.	2.0	0
259	ANISOTROPIC SUPERCONDUCTING PROPERTIES OF YBa <sub>2</sub> Cu <sub>3</sub> O <sub>7</sub> BASED THIN FILMS AND SUPERLATTICES. <i>International Journal of Modern Physics B</i> , 1993, 07, 113-122.	2.0	0
260	COMPLEX CONDUCTIVITY IN THIN FILMS OF YBa <sub>2</sub> Cu <sub>3</sub> O <sub>7</sub> AND YBa <sub>2</sub> (Cu <sub>1-x</sub> M <sub>x</sub> ) <sub>3</sub> O <sub>7</sub> WITH M = Zn AND Ni. <i>International Journal of Modern Physics B</i> , 1993, 07, 139-142.	2.0	0
261	In situ-preparation, characterization and transport-properties of high quality Bi <sub>2</sub> Sr <sub>2</sub> CaCu <sub>2</sub> O <sub>y</sub> -thin films. <i>Physica B: Condensed Matter</i> , 1994, 194-196, 2193-2194.	2.7	0
262	Hopping conductivity of magnetic polarons in epitaxial Pr <sub>0.5</sub> Sr <sub>0.5</sub> MnO <sub>3</sub> films. <i>European Physical Journal D</i> , 1996, 46, 2005-2006.	0.4	0
263	Stripe formation and disorder induced stripe fragmentation. <i>Physica C: Superconductivity and Its Applications</i> , 2000, 341-348, 1799-1802.	1.2	0
264	EVIDENCE FOR THE PAIR FORMATION FAR ABOVE T <sub>c</sub> IN EPITAXIAL La <sub>2-x</sub> Sr <sub>x</sub> CuO <sub>4</sub> THIN FILMS. <i>International Journal of Modern Physics B</i> , 2002, 16, 3223-3226.	2.0	0
265	Colossal Negative Magnetoresistivity of Nd <sub>0.5</sub> Sr <sub>0.5</sub> MnO <sub>3</sub> Films in Fields up to 50 T. , 2002, , 481-486.		0
266	Orbital Ordering and the Cooperative Jahn $\epsilon$ -Teller Effect in Single Crystals of the Magnetic Perovskite La <sub>7/8</sub> Sr <sub>1/8</sub> MnO <sub>3</sub> . <i>Advances in Quantum Chemistry</i> , 2003, 44, 563-578.	0.8	0
267	Transport properties of La <sub>2-x</sub> Sr <sub>x</sub> CuO <sub>4</sub> epitaxial thin films in high magnetic fields. <i>Physica C: Superconductivity and Its Applications</i> , 2004, 404, 405-409.	1.2	0
268	Nanocrystalline Diamond-Based Field-Effect Capacitive pH Sensor. , 2007, , .		0
269	Capacitive Field-effect (bio-)chemical Sensors Based on Nanocrystalline Diamond Films. <i>Materials Research Society Symposia Proceedings</i> , 2009, 1203, 1.	0.1	0
270	Preface: <i>Phys. Status Solidi A</i> 206/3. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2009, 206, 389-390.	1.8	0



#	ARTICLE	IF	CITATIONS
271	The diamond-solution interface: the surface energy of hydrogen terminated nanocrystalline CVD diamond derived from contact angle measurements. Materials Research Society Symposia Proceedings, 2011, 1362, 1.	0.1	0
272	Engineering of Functional Interfaces. Physica Status Solidi (A) Applications and Materials Science, 2011, 208, 1216-1216.	1.8	0
273	Optimization of a Boron Doped Nanocrystalline Diamond Temperature Regulator for Sensing Applications. Materials Research Society Symposia Proceedings, 2011, 1282, 123.	0.1	0
274	Embedded Unit for Point-of-Care Impedance Based Biosensor Readout. , 2012, , .		0
275	Engineering of Functional Surfaces and Interfaces. Physica Status Solidi (A) Applications and Materials Science, 2012, 209, 803-804.	1.8	0
276	Engineering of Functional Interfaces. Physica Status Solidi (A) Applications and Materials Science, 2013, 210, 845-845.	1.8	0
277	Enzymatically Catalyzed Degradation of Biodegradable Polymers Investigated by Means of a Semiconductor-based Field-effect Sensor. Procedia Engineering, 2014, 87, 1314-1317.	1.2	0
278	Engineering of Functional Interfaces. Physica Status Solidi (A) Applications and Materials Science, 2014, 211, 1339-1339.	1.8	0
279	Integration of heat-transfer resistance measurements onto a digital microfluidic platform towards the miniaturized and automated label-free detection of biomolecular interactions. , 2014, , .		0
280	Engineering of Functional Interfaces. Physica Status Solidi (A) Applications and Materials Science, 2015, 212, 1183-1183.	1.8	0
281	Engineering of Functional Interfaces 2016. Physica Status Solidi (A) Applications and Materials Science, 2016, 213, 1393-1394.	1.8	0
282	Engineering of Functional Interfaces. Physica Status Solidi (A) Applications and Materials Science, 2017, 214, 1770154.	1.8	0
283	High-Tc-based Josephson-junctions and SQUIDs by mechanically induced growth disorder. European Physical Journal Special Topics, 1994, 04, C6-217-C6-222.	0.2	0
284	Magnetic Transitions and Magneto-Transport in Epitaxial $\text{Pr}_{0.5}\text{Sr}_{0.5}\text{MnO}_3$ Thin Films. European Physical Journal Special Topics, 1996, 06, C3-309-C3-314.	0.2	0
285	Measuring Thermal Conductivity in a Microfluidic Device with the Transient Thermal Offset (TTO) Method. , 2020, , .		0