

# Patrick Wagner

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4324458/publications.pdf>

Version: 2024-02-01

282  
papers

5,585  
citations

76196

40  
h-index

133063

59  
g-index

289  
all docs

289  
docs citations

289  
times ranked

5780  
citing authors

#	ARTICLE	IF	CITATIONS
1	Low Cost, Sensitive Impedance Detection of <i>E. coli</i> Bacteria in Food Matrix Samples Using Surface-Imprinted Polymers as Whole-Cell Receptors. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2022, 219, 2100405.	0.8	5
2	Integrating Thermal Sensors in a Microplate Format: Simultaneous Real-Time Quantification of Cell Number and Metabolic Activity. <i>ACS Applied Materials &amp; Interfaces</i> , 2022, 14, 2440-2451.	4.0	3
3	Ionic strength tunes yeast viscoelasticity and promotes trace-level cell detection. <i>Physics in Medicine</i> , 2022, 14, 100049.	0.6	3
4	Field-Effect Capacitors Decorated with Ligand-Stabilized Gold Nanoparticles: Modeling and Experiments. <i>Biosensors</i> , 2022, 12, 334.	2.3	2
5	Depletion of wild-type target enhances the hybridization-based sensitivity of low-abundant mutation detection by reference capture probes. <i>Sensors and Actuators B: Chemical</i> , 2022, 368, 132175.	4.0	2
6	Synchronized, Spontaneous, and Oscillatory Detachment of Eukaryotic Cells: A New Tool for Cell Characterization and Identification. <i>Advanced Science</i> , 2022, 9, .	5.6	4
7	Electropolymerized Receptor Coatings for the Quantitative Detection of Histamine with a Catheter-Based, Diagnostic Sensor. <i>ACS Sensors</i> , 2021, 6, 100-110.	4.0	7
8	Ionic strength controls long-term cell-surface interactions – A QCM-D study of <i>S. cerevisiae</i> adhesion, retention and detachment. <i>Journal of Colloid and Interface Science</i> , 2021, 585, 583-595.	5.0	12
9	Introducing a Thermal-Based Method for Measuring Dynamic Thin Film Thickness in Real Time as a Tool for Sensing Applications. <i>IEEE Transactions on Instrumentation and Measurement</i> , 2021, 70, 1-10.	2.4	5
10	Measuring Thermal Conductivity in a Microfluidic Device With the Transient Thermal Offset (TTO) Method. <i>IEEE Sensors Journal</i> , 2021, 21, 7298-7307.	2.4	4
11	Pulsed Thermal Method for Monitoring Cell Proliferation in Real-Time. <i>Sensors</i> , 2021, 21, 2440.	2.1	5
12	Selective <i>Campylobacter</i> detection and quantification in poultry: A sensor tool for detecting the cause of a common zoonosis at its source. <i>Sensors and Actuators B: Chemical</i> , 2021, 332, 129484.	4.0	17
13	The hot-wire concept: Towards a one-element thermal biosensor platform. <i>Biosensors and Bioelectronics</i> , 2021, 179, 113043.	5.3	7
14	Light-Addressable Actuator-Sensor Platform for Monitoring and Manipulation of pH Gradients in Microfluidics: A Case Study with the Enzyme Penicillinase. <i>Biosensors</i> , 2021, 11, 171.	2.3	18
15	Detection of yeast strains by combining surface-imprinted polymers with impedance-based readout. <i>Sensors and Actuators B: Chemical</i> , 2021, 340, 129917.	4.0	13
16	Assessing the impact of exposome on the course of chronic obstructive pulmonary disease and cystic fibrosis. <i>Environmental Epidemiology</i> , 2021, 5, e165.	1.4	4
17	Formation of controllable pH gradients inside microchannels by using light-addressable electrodes. <i>Sensors and Actuators B: Chemical</i> , 2021, 346, 130422.	4.0	4
18	Passive permeability assay of doxorubicin through model cell membranes under cancerous and normal membrane potential conditions. <i>European Journal of Pharmaceutics and Biopharmaceutics</i> , 2020, 146, 133-142.	2.0	11

#	ARTICLE	IF	CITATIONS
19	Searching for a common origin of heat-transfer effects in bio- and chemosensors: A study on thiols as a model system. <i>Sensors and Actuators B: Chemical</i> , 2020, 310, 127627.	4.0	6
20	Development of a package-sterilization process for aseptic filling machines: A numerical approach and validation for surface treatment with hydrogen peroxide. <i>Sensors and Actuators A: Physical</i> , 2020, 303, 111691.	2.0	9
21	An imaging study and spectroscopic curing analysis on polymers for synthetic whole-cell receptors for bacterial detection. <i>Japanese Journal of Applied Physics</i> , 2020, 59, SD0802.	0.8	2
22	LAPS-based monitoring of metabolic responses of bacterial cultures in a paper fermentation broth. <i>Sensors and Actuators B: Chemical</i> , 2020, 320, 128232.	4.0	9
23	QCM-D Study of Time-Resolved Cell Adhesion and Detachment: Effect of Surface Free Energy on Eukaryotes and Prokaryotes. <i>ACS Applied Materials &amp; Interfaces</i> , 2020, 12, 18258-18272.	4.0	43
24	Understanding the Dehydration Stress in Lipid Vesicles by a Combined Quartz Crystal Microbalance and Dielectric Spectroscopy Study. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2020, 217, 1900986.	0.8	4
25	Towards a catheter-based impedimetric sensor for the assessment of intestinal histamine levels in IBS patients. <i>Biosensors and Bioelectronics</i> , 2020, 158, 112152.	5.3	13
26	Measuring Thermal Conductivity in a Microfluidic Device with the Transient Thermal Offset (TTO) Method. , 2020, , .		0
27	A LAPS-Based Differential Sensor for Parallelized Metabolism Monitoring of Various Bacteria. <i>Sensors</i> , 2019, 19, 4692.	2.1	11
28	Development of an in-line evaporation unit for the production of gas mixtures containing hydrogen peroxide – numerical modeling and experimental results. <i>International Journal of Heat and Mass Transfer</i> , 2019, 143, 118519.	2.5	4
29	Quantitative differential monitoring of the metabolic activity of <i>Corynebacterium glutamicum</i> cultures utilizing a light-addressable potentiometric sensor system. <i>Biosensors and Bioelectronics</i> , 2019, 139, 111332.	5.3	11
30	Sensitive and specific detection of <i>E. coli</i> using biomimetic receptors in combination with a modified heat-transfer method. <i>Biosensors and Bioelectronics</i> , 2019, 136, 97-105.	5.3	43
31	Laser-Grafted Molecularly Imprinted Polymers for the Detection of Histamine from Organocatalyzed Atom Transfer Radical Polymerization. <i>Macromolecules</i> , 2019, 52, 2304-2313.	2.2	27
32	A compact device for simultaneous dielectric spectroscopy and microgravimetric analysis under controlled humidity. <i>Review of Scientific Instruments</i> , 2019, 90, 125106.	0.6	1
33	Cell detection by surface imprinted polymers SIPs: A study to unravel the recognition mechanisms. <i>Sensors and Actuators B: Chemical</i> , 2018, 255, 907-917.	4.0	41
34	Scalable fabrication and application of nanoscale IDE-arrays as multi-electrode platform for label-free biosensing. <i>Sensors and Actuators B: Chemical</i> , 2018, 265, 115-125.	4.0	14
35	Impedimetric Sensing of DNA with Silicon Nanowire Transistors as Alternative Transducer Principle. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2018, 215, 1700740.	0.8	14
36	Graphite oxide electrical sensors are able to distinguish single nucleotide polymorphisms in physiological buffers. <i>FlatChem</i> , 2018, 7, 1-9.	2.8	5

#	ARTICLE	IF	CITATIONS
37	SIP-Based Thermal Detection Platform for the Direct Detection of Bacteria Obtained from a Contaminated Surface. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2018, 215, 1700777.	0.8	3
38	ScFv-modified graphene-coated IDE-arrays for "label-free"™ screening of cardiovascular disease biomarkers in physiological saline. <i>Biosensors and Bioelectronics</i> , 2018, 102, 574-581.	5.3	20
39	A Novel Modular Device for Biological Impedance Measurements: The Differential Impedimetric Sensor Cell (DISC). <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2018, 215, 1701029.	0.8	3
40	Thermocatalytic Behavior of Manganese (IV) Oxide as Nanoporous Material on the Dissociation of a Gas Mixture Containing Hydrogen Peroxide. <i>Nanomaterials</i> , 2018, 8, 262.	1.9	29
41	Cell detection by surface imprinted polymers (SIPs) " A study of the sensor surface by optical and dielectric relaxation spectroscopy. <i>IEEE Transactions on Dielectrics and Electrical Insulation</i> , 2018, 25, 816-821.	1.8	7
42	Experimental and Numerical Analyzes of a Sensor Based on Interdigitated Electrodes for Studying Microbiological Alterations. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2018, 215, 1700920.	0.8	1
43	Optimization of Cell-Based Multi-Chamber LAPS Measurements Utilizing FPGA-Controlled Laser-Diode Modules. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2018, 215, 1800058.	0.8	6
44	Electrochemical Evaluation of Light-Addressable Electrodes Based on TiO <sub>2</sub> for the Integration in Lab-on-a-Chip Systems. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2018, 215, 1800150.	0.8	5
45	High Electronic Conductance through Double-Helix DNA Molecules with Fullerene Anchoring Groups. <i>Journal of Physical Chemistry A</i> , 2017, 121, 1182-1188.	1.1	30
46	Optimization and characterization of a flow cell for heat-transfer-based biosensing. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2017, 214, 1600758.	0.8	8
47	Development of an impedimetric sensor for the label-free detection of the amino acid sarcosine with molecularly imprinted polymer receptors. <i>Sensors and Actuators B: Chemical</i> , 2017, 246, 461-470.	4.0	65
48	Biomimetic Bacterial Identification Platform Based on Thermal Wave Transport Analysis (TWTA) through Surface-Imprinted Polymers. <i>ACS Infectious Diseases</i> , 2017, 3, 388-397.	1.8	33
49	Label-Free Detection of Small Organic Molecules by Molecularly Imprinted Polymer Functionalized Thermocouples: Toward In Vivo Applications. <i>ACS Sensors</i> , 2017, 2, 583-589.	4.0	31
50	Differential imaging of the metabolism of bacteria and eukaryotic cells based on light-addressable potentiometric sensors. <i>Electrochimica Acta</i> , 2017, 246, 234-241.	2.6	24
51	Anisotropic In-Situ-Coated AuNPs on Screen-Printed Carbon Surface for Enhanced Prostate-Specific Antigen Impedimetric Aptasensor. <i>Journal of Electronic Materials</i> , 2017, 46, 3542-3552.	1.0	16
52	From colossal magnetoresistance to solar cells: An overview on 66 years of research into perovskites. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2017, 214, 1700394.	0.8	15
53	Real-time monitoring of interactions between Ebola fusion peptide and solid-supported phospholipid membranes: Effect of peptide concentration and layer geometry. <i>Physics in Medicine</i> , 2017, 4, 1-7.	0.6	9
54	Heat Transfer as a New Sensing Technique for the Label-Free Detection of Biomolecules. <i>Springer Series on Chemical Sensors and Biosensors</i> , 2017, , 383-407.	0.5	1

#	ARTICLE	IF	CITATIONS
55	Single-Shot Detection of Neurotransmitters in Whole-Blood Samples by Means of the Heat-Transfer Method in Combination with Synthetic Receptors. <i>Sensors</i> , 2017, 17, 2701.	2.1	16
56	On-Line Monitoring of the Metabolic Activity of Bacteria and Eukaryotic Cells Utilizing Light-Addressable Potentiometric Sensors. <i>Proceedings (mdpi)</i> , 2017, 1, 716.	0.2	1
57	FEM-based modeling of a calorimetric gas sensor for hydrogen peroxide monitoring. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2017, 214, 1600912.	0.8	6
58	Formation and electrical characterization of black lipid membranes in porous filter materials. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2017, 214, 1700104.	0.8	4
59	Determination of the extracellular acidification of <i>Escherichia coli</i> K12 with a multi-chamber based LAPS system. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2016, 213, 1479-1485.	0.8	20
60	DNA detection with top-down fabricated silicon nanowire transistor arrays in linear operation regime. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2016, 213, 1510-1519.	0.8	13
61	Fabrication of optomicrofluidics for real-time bioassays based on hollow sphere colloidal photonic crystals with wettability patterns. <i>Journal of Materials Chemistry C</i> , 2016, 4, 7853-7858.	2.7	27
62	Label-Free Detection of <i>Escherichia coli</i> Based on Thermal Transport through Surface Imprinted Polymers. <i>ACS Sensors</i> , 2016, 1, 1140-1147.	4.0	64
63	A Review on Synthetic Receptors for Bioparticle Detection Created by Surface-Imprinting Techniques—From Principles to Applications. <i>ACS Sensors</i> , 2016, 1, 1171-1187.	4.0	99
64	Engineering of Functional Interfaces 2016. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2016, 213, 1393-1394.	0.8	0
65	Improved Molecular Imprinting Based on Colloidal Particles Made from Miniemulsion: A Case Study on Testosterone and Its Structural Analogues. <i>Macromolecules</i> , 2016, 49, 2559-2567.	2.2	23
66	Heat-transfer based characterization of DNA on synthetic sapphire chips. <i>Sensors and Actuators B: Chemical</i> , 2016, 230, 260-271.	4.0	10
67	Light-addressable Potentiometric Sensor (LAPS) Combined with Multi-chamber Structures to Investigate the Metabolic Activity of Cells. <i>Procedia Engineering</i> , 2015, 120, 384-387.	1.2	9
68	Graphite oxide multilayers for device fabrication: Enzyme-based electrical sensing of glucose. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2015, 212, 1335-1341.	0.8	7
69	Impedimetric immunosensor for the detection of histamine based on reduced graphene oxide. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2015, 212, 1327-1334.	0.8	21
70	Study of Interdigitated Electrode Arrays Using Experiments and Finite Element Models for the Evaluation of Sterilization Processes. <i>Sensors</i> , 2015, 15, 26115-26127.	2.1	33
71	Real-time analysis of dual-display phage immobilization and autoantibody screening using quartz crystal microbalance with dissipation monitoring. <i>International Journal of Nanomedicine</i> , 2015, 10, 5237.	3.3	2
72	Phase Transitions of Binary Lipid Mixtures: A Combined Study by Adiabatic Scanning Calorimetry and Quartz Crystal Microbalance with Dissipation Monitoring. <i>Advances in Condensed Matter Physics</i> , 2015, 2015, 1-14.	0.4	27

#	ARTICLE	IF	CITATIONS
73	Monitoring of the Enzymatically Catalyzed Degradation of Biodegradable Polymers by Means of Capacitive Field-Effect Sensors. <i>Analytical Chemistry</i> , 2015, 87, 6607-6613.	3.2	7
74	Photonic studies on polymer-coated sapphire-spheres: A model system for biological ligands. <i>Sensors and Actuators A: Physical</i> , 2015, 222, 212-219.	2.0	2
75	Heat-Transfer-Method-Based Cell Culture Quality Assay through Cell Detection by Surface Imprinted Polymers. <i>Langmuir</i> , 2015, 31, 2043-2050.	1.6	29
76	Improving the sensitivity of the heat-transfer method (HTM) for cancer cell detection with optimized sensor chips. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2015, 212, 1320-1326.	0.8	13
77	Morphological TEM studies and magnetoresistance analysis of sputtered Al-substituted ZnO films: The role of oxygen. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2015, 212, 1191-1201.	0.8	1
78	Detection of triacetone triperoxide using temperature cycled metal-oxide semiconductor gas sensors. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2015, 212, 1289-1298.	0.8	9
79	Mechanism of Nonpolar Model Substances to Inhibit Primary Gushing Induced by Hydrophobin HFBI. <i>Journal of Agricultural and Food Chemistry</i> , 2015, 63, 4673-4682.	2.4	2
80	Effect of Cholesterol on the Phase Behavior of Solid-Supported Lipid Vesicle Layers. <i>Journal of Physical Chemistry B</i> , 2015, 119, 4985-4992.	1.2	22
81	Label-free Protein Detection Based on the Heat-Transfer Method—A Case Study with the Peanut Allergen Ara h 1 and Aptamer-Based Synthetic Receptors. <i>ACS Applied Materials &amp; Interfaces</i> , 2015, 7, 10316-10323.	4.0	32
82	An application of field-effect sensors for in-situ monitoring of degradation of biopolymers. <i>Sensors and Actuators B: Chemical</i> , 2015, 207, 954-959.	4.0	4
83	Multiple sensor-type system for monitoring the microbicidal effectiveness of aseptic sterilisation processes. <i>Food Control</i> , 2015, 47, 615-622.	2.8	4
84	Heat-transfer-based detection of SNPs in the PAH gene of PKU patients. <i>International Journal of Nanomedicine</i> , 2014, 9, 1629.	3.3	9
85	Elastic scattering from a sapphire microsphere placed on a silica optical fiber coupler: Possible applications to biosensing. <i>European Physical Journal: Special Topics</i> , 2014, 223, 1995-2002.	1.2	3
86	Array Formatting of the Heat-Transfer Method (HTM) for the Detection of Small Organic Molecules by Molecularly Imprinted Polymers. <i>Sensors</i> , 2014, 14, 11016-11030.	2.1	23
87	Enzymatically Catalyzed Degradation of Biodegradable Polymers Investigated by Means of a Semiconductor-based Field-effect Sensor. <i>Procedia Engineering</i> , 2014, 87, 1314-1317.	1.2	0
88	Reduced graphene oxide-based sensing platform for electric cell-substrate impedance sensing. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2014, 211, 1404-1409.	0.8	8
89	Engineering of Functional Interfaces. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2014, 211, 1339-1339.	0.8	0
90	Melittin disruption of raft and non-raft-forming biomimetic membranes: A study by quartz crystal microbalance with dissipation monitoring. <i>Colloids and Surfaces B: Biointerfaces</i> , 2014, 123, 938-944.	2.5	24

#	ARTICLE	IF	CITATIONS
91	Photonic detection and characterization of DNA using sapphire microspheres. <i>Journal of Biomedical Optics</i> , 2014, 19, 097006.	1.4	7
92	Capacitively coupled electrolyte-conductivity sensor based on high-k material of barium strontium titanate. <i>Sensors and Actuators B: Chemical</i> , 2014, 198, 102-109.	4.0	25
93	Buchwald's Hartwig reactions in water using surfactants. <i>Tetrahedron</i> , 2014, 70, 3413-3421.	1.0	42
94	Multiparameter Sensor Chip with Barium Strontium Titanate as Multipurpose Material. <i>Electroanalysis</i> , 2014, 26, 980-987.	1.5	8
95	Phase transitions in lipid vesicles detected by a complementary set of methods: heat-transfer measurements, adiabatic scanning calorimetry, and dissipation-mode quartz crystal microbalance. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2014, 211, 1377-1388.	0.8	41
96	Integration of heat-transfer resistance measurements onto a digital microfluidic platform towards the miniaturized and automated label-free detection of biomolecular interactions. , 2014, , .		0
97	Boron-Doped Diamond Functionalization by an Electrografting/Alkyne-Azide Click Chemistry Sequence. <i>ChemElectroChem</i> , 2014, 1, 1145-1154.	1.7	21
98	t-BuXPhos: a highly efficient ligand for Buchwald's Hartwig coupling in water. <i>Green Chemistry</i> , 2014, 16, 4170-4178.	4.6	62
99	Homopolymers as nanocarriers for the loading of block copolymer micelles with metal salts: a facile way to large-scale ordered arrays of transition-metal nanoparticles. <i>Journal of Materials Chemistry C</i> , 2014, 2, 701-707.	2.7	5
100	Heat transfer resistance as a tool to quantify hybridization efficiency of DNA on a nanocrystalline diamond surface. <i>Diamond and Related Materials</i> , 2014, 48, 32-36.	1.8	8
101	Rapid fabrication of micron-sized CVD-diamond structures by microfluidic contact printing. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2014, 211, 1448-1454.	0.8	4
102	Thermal detection of histamine with a graphene oxide based molecularly imprinted polymer platform prepared by reversible addition-fragmentation chain transfer polymerization. <i>Sensors and Actuators B: Chemical</i> , 2014, 203, 527-535.	4.0	59
103	The Heat-Transfer Method: A Versatile Low-Cost, Label-Free, Fast, and User-Friendly Readout Platform for Biosensor Applications. <i>ACS Applied Materials &amp; Interfaces</i> , 2014, 6, 13309-13318.	4.0	59
104	Heat-Transfer Resistance Measurement Method (HTM)-Based Cell Detection at Trace Levels Using a Progressive Enrichment Approach with Highly Selective Cell-Binding Surface Imprints. <i>Langmuir</i> , 2014, 30, 3631-3639.	1.6	26
105	Cross-linked degradable poly( $\beta$ -thioester) networks via amine-catalyzed thiol-ene click polymerization. <i>Polymer</i> , 2014, 55, 3525-3532.	1.8	22
106	Heat-transfer-based detection of l-nicotine, histamine, and serotonin using molecularly imprinted polymers as biomimetic receptors. <i>Analytical and Bioanalytical Chemistry</i> , 2013, 405, 6453-6460.	1.9	45
107	Molecularly imprinted polymers as synthetic receptors for the QCM-D-based detection of l-nicotine in diluted saliva and urine samples. <i>Analytical and Bioanalytical Chemistry</i> , 2013, 405, 6479-6487.	1.9	33
108	Molecular imprinted polymer films on <sc>RFID</sc> tags: a first step towards disposable packaging sensors. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2013, 210, 938-944.	0.8	16

#	ARTICLE	IF	CITATIONS
109	Selective Identification of Macrophages and Cancer Cells Based on Thermal Transport through Surface-Imprinted Polymer Layers. <i>ACS Applied Materials &amp; Interfaces</i> , 2013, 5, 7258-7267.	4.0	69
110	Ultrafast Self-Assembly Using Ultrasound: A Facile Route to the Rapid Fabrication of Well-Ordered Dense Arrays of Inorganic Nanostructures. <i>Angewandte Chemie - International Edition</i> , 2013, 52, 9709-9713.	7.2	7
111	Impedimetric Detection of Histamine in Bowel Fluids Using Synthetic Receptors with pH-Optimized Binding Characteristics. <i>Analytical Chemistry</i> , 2013, 85, 1475-1483.	3.2	54
112	Combined amperometric/field-effect sensor for the detection of dissolved hydrogen. <i>Sensors and Actuators B: Chemical</i> , 2013, 187, 168-173.	4.0	8
113	Degradation of thin poly(lactic acid) films: Characterization by capacitance-voltage, atomic force microscopy, scanning electron microscopy and contact-angle measurements. <i>Electrochimica Acta</i> , 2013, 113, 779-784.	2.6	11
114	Mobile Application for Impedance-Based Biomimetic Sensor Readout. <i>IEEE Sensors Journal</i> , 2013, 13, 2659-2665.	2.4	27
115	Trisubstitution of pyridine through sequential and regioselective palladium cross-coupling reactions affording analogs of known GPR54 antagonists. <i>RSC Advances</i> , 2013, 3, 10296.	1.7	9
116	A critical comparison of cell-based sensor systems for the detection of Cr(VI) in aquatic environment. <i>Sensors and Actuators B: Chemical</i> , 2013, 182, 58-65.	4.0	27
117	Characterization of biodegradable polymers with capacitive field-effect sensors. <i>Sensors and Actuators B: Chemical</i> , 2013, 187, 2-7.	4.0	12
118	Metabolic responses of <i>Escherichia coli</i> upon glucose pulses captured by a capacitive field-effect sensor. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2013, 210, 926-931.	0.8	12
119	Implementing heat transfer resistivity as a key element in a nanocrystalline diamond based single nucleotide polymorphism detection array. <i>Diamond and Related Materials</i> , 2013, 38, 45-51.	1.8	12
120	Impedance spectroscopy: A tool for real-time <i>in situ</i> monitoring of the degradation of biopolymers. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2013, 210, 905-910.	0.8	4
121	Chip-based amperometric enzyme sensor system for monitoring of bioprocesses by flow-injection analysis. <i>Journal of Biotechnology</i> , 2013, 163, 371-376.	1.9	51
122	Controlled synthesis of ultrathin ZnO nanowires using micellar gold nanoparticles as catalyst templates. <i>Nanoscale</i> , 2013, 5, 7046.	2.8	15
123	Routine fabrication of reduced graphene oxide microarray devices via all solution processing. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2013, 210, 968-974.	0.8	10
124	Preparation of epitaxial films of the transparent conductive oxide Al <sub>n</sub> Z <sub>n</sub> O <sub>n</sub> by reactive high-pressure sputtering in Ar/O <sub>2</sub> mixtures. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2013, 210, 1013-1018.	0.8	3
125	Surface plasmon resonance-based DNA microarrays: Comparison of thiol and phosphorothioate modified oligonucleotides. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2013, 210, 918-925.	0.8	3
126	Using a cell-based gas biosensor for investigation of adverse effects of acetone vapors <i>in vitro</i> . <i>Biosensors and Bioelectronics</i> , 2013, 40, 393-400.	5.3	6



#	ARTICLE	IF	CITATIONS
127	Multi-sensor chip for the investigation of different types of metal oxides for the detection of $H_2O$ in the ppm range. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2013, 210, 898-904.	0.8	11
128	Optimizing the Thermal Read-Out Technique for MIP-Based Biomimetic Sensors: Towards Nanomolar Detection Limits. <i>Sensors</i> , 2013, 13, 9148-9159.	2.1	26
129	Combining Electrochemical Impedance Spectroscopy and Surface Plasmon Resonance into one Simultaneous Read-Out System for the Detection of Surface Interactions. <i>Sensors</i> , 2013, 13, 14650-14661.	2.1	7
130	Characterisation of aseptic sterilisation processes using an electronic nose. <i>International Journal of Nanotechnology</i> , 2013, 10, 470.	0.1	2
131	Reduced graphene oxide micropatterns as an interface for adherent cells. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2013, 210, 975-982.	0.8	9
132	Electronic monitoring of chemical DNA denaturation on nanocrystalline diamond electrodes with different molarities and flow rates. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2013, 210, 911-917.	0.8	3
133	Cell proliferation monitoring by multiplexed electrochemical impedance spectroscopy on microwell assays. <i>Physica Status Solidi C: Current Topics in Solid State Physics</i> , 2013, 10, 882-888.	0.8	2
134	Embedded Unit for Point-of-Care Impedance Based Biosensor Readout. , 2012, , .		0
135	MIP-based Sensor Platforms for Detection of Analytes in Nano- and Micromolar Range. , 2012, , 91-124.		1
136	Monitoring of irritant gas using a whole-cell-based sensor system. <i>Sensors and Actuators B: Chemical</i> , 2012, 175, 208-217.	4.0	12
137	Direct visualization of boron dopant distribution and coordination in individual chemical vapor deposition nanocrystalline B-doped diamond grains. <i>Applied Physics Letters</i> , 2012, 101, 041907.	1.5	61
138	Evidence for phase separation of ethanol-water mixtures at the hydrogen terminated nanocrystalline diamond surface. <i>Journal of Chemical Physics</i> , 2012, 137, 044702.	1.2	11
139	Impact of Functional Groups onto the Electronic Structure of Metal Electrodes in Molecular Junctions. <i>Journal of Physical Chemistry C</i> , 2012, 116, 21810-21815.	1.5	8
140	Analysis of an optical biosensor based on elastic light scattering from diamond, glass, and sapphire microspheres. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2012, 209, 1804-1810.	0.8	11
141	Grain size tuning of nanocrystalline chemical vapor deposited diamond by continuous electrical bias growth: Experimental and theoretical study. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2012, 209, 1675-1682.	0.8	33
142	MIP-based biomimetic sensor for the electronic detection of serotonin in human blood plasma. <i>Sensors and Actuators B: Chemical</i> , 2012, 171-172, 602-610.	4.0	58
143	Analytical TEM study of CVD diamond growth on TiO <sub>2</sub> sol-gel layers. <i>Diamond and Related Materials</i> , 2012, 23, 93-99.	1.8	15
144	Local boron environment in B-doped nanocrystalline diamond films. <i>Nanoscale</i> , 2012, 4, 5960.	2.8	46

#	ARTICLE	IF	CITATIONS
145	Heat-Transfer Resistance at Solid-Liquid Interfaces: A Tool for the Detection of Single-Nucleotide Polymorphisms in DNA. ACS Nano, 2012, 6, 2712-2721.	7.3	74
146	Development of multichannel quartz crystal microbalances for MIP-based biosensing. Physica Status Solidi (A) Applications and Materials Science, 2012, 209, 892-899.	0.8	26
147	Microfluidic chip with integrated microvalves based on temperature- and pH-responsive hydrogel thin films. Physica Status Solidi (A) Applications and Materials Science, 2012, 209, 839-845.	0.8	23
148	Detection of L-tryptophan with dissipation mode quartz crystal microbalance using molecular imprinted polymers. Physica Status Solidi (A) Applications and Materials Science, 2012, 209, 905-910.	0.8	9
149	Engineering of Functional Surfaces and Interfaces. Physica Status Solidi (A) Applications and Materials Science, 2012, 209, 803-804.	0.8	0
150	Controlling aseptic sterilization processes by means of a multi-sensor system. , 2011, , .		1
151	Influence of Interface Morphology onto the Photovoltaic Properties of Nanopatterned ZnO/Poly(3-hexylthiophene) Hybrid Solar Cells. An Impedance Spectroscopy Study. Journal of Physical Chemistry C, 2011, 115, 16695-16700.	1.5	45
152	Hierarchical Carbon Nanowire Microarchitectures Made by Plasma-Assisted Pyrolysis of Photoresist. ACS Nano, 2011, 5, 6593-6600.	7.3	55
153	One-chip integrated dual amperometric/field-effect sensor for the detection of dissolved hydrogen. Procedia Engineering, 2011, 25, 1161-1164.	1.2	2
154	Air Quality Monitoring using a Whole-Cell based Sensor System. Procedia Engineering, 2011, 25, 1421-1424.	1.2	7
155	The diamond-solution interface: the surface energy of hydrogen terminated nanocrystalline CVD diamond derived from contact angle measurements. Materials Research Society Symposia Proceedings, 2011, 1362, 1.	0.1	0
156	Electrochemical sensor array for bioprocess monitoring. Electrochimica Acta, 2011, 56, 9673-9678.	2.6	20
157	Importance of Adjunctive Heart Failure Optimization Immediately After Implantation to Improve Long-Term Outcomes With Cardiac Resynchronization Therapy. American Journal of Cardiology, 2011, 108, 409-415.	0.7	55
158	Role of grain size in superconducting boron-doped nanocrystalline diamond thin films grown by CVD. Physical Review B, 2011, 84, .	1.1	36
159	Influence of methane concentration on the electric transport properties in heavily boron-doped nanocrystalline CVD diamond films. Materials Research Society Symposia Proceedings, 2011, 1282, 87.	0.1	1
160	Tracing Gold Nanoparticle Charge by Electrolyte-Insulator-Semiconductor Devices. Journal of Physical Chemistry C, 2011, 115, 4439-4445.	1.5	16
161	Eukaryotic cell lines as a sensitive layer for direct monitoring of carbon monoxide. Physica Status Solidi (A) Applications and Materials Science, 2011, 208, 1345-1350.	0.8	9
162	Towards a multi-sensor system for the evaluation of aseptic processes employing hydrogen peroxide vapour ( $H_2O_2$ ). Physica Status Solidi (A) Applications and Materials Science, 2011, 208, 1351-1356.	0.8	8

#	ARTICLE	IF	CITATIONS
163	A silicon-based multi-sensor chip for monitoring of fermentation processes. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2011, 208, 1364-1369.	0.8	11
164	Miniaturised eight-channel impedance spectroscopy unit as sensor platform for biosensor applications. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2011, 208, 1357-1363.	0.8	22
165	Study on the giant positive magnetoresistance and Hall effect in ultrathin graphite flakes. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2011, 208, 1252-1258.	0.8	9
166	Monitoring of peptide induced disruption of artificial lipid membrane constructed on boron-doped nanocrystalline diamond by electrochemical impedance spectroscopy. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2011, 208, 2099-2103.	0.8	4
167	Real-time study of protein adsorption on thin nanocrystalline diamond. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2011, 208, 2093-2098.	0.8	15
168	Engineering of Functional Interfaces. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2011, 208, 1216-1216.	0.8	0
169	Nanocrystalline diamond impedimetric aptasensor for the label-free detection of human IgE. <i>Biosensors and Bioelectronics</i> , 2011, 26, 2987-2993.	5.3	77
170	Impedimetric, diamond-based immunosensor for the detection of C-reactive protein. <i>Sensors and Actuators B: Chemical</i> , 2011, 157, 130-138.	4.0	43
171	Separation of intra- and intergranular magnetotransport properties in nanocrystalline diamond films on the metallic side of the metal-insulator transition. <i>New Journal of Physics</i> , 2011, 13, 083008.	1.2	68
172	Optimization of a Boron Doped Nanocrystalline Diamond Temperature Regulator for Sensing Applications. <i>Materials Research Society Symposia Proceedings</i> , 2011, 1282, 123.	0.1	0
173	Rapid assessment of the stability of DNA duplexes by impedimetric real-time monitoring of chemically induced denaturation. <i>Lab on A Chip</i> , 2011, 11, 1656.	3.1	35
174	Metallization of Ultra-Thin, Non-Thiol SAMs with Flat-Lying Molecular Units: Pd on 1, 4-Dicyanobenzene. <i>ChemPhysChem</i> , 2010, 11, 2951-2956.	1.0	14
175	Real-time detection of CO by eukaryotic cells. <i>Procedia Engineering</i> , 2010, 5, 17-20.	1.2	5
176	In/extrinsic granularity in superconducting boron-doped diamond. <i>Physica C: Superconductivity and Its Applications</i> , 2010, 470, 853-856.	0.6	4
177	MIP-based sensor platforms for the detection of histamine in the nano- and micromolar range in aqueous media. <i>Sensors and Actuators B: Chemical</i> , 2010, 148, 392-398.	4.0	76
178	Biological modification of carbon nanowalls with DNA strands and hybridization experiments with complementary and mismatched DNA. <i>Chemical Physics Letters</i> , 2010, 485, 196-201.	1.2	13
179	Customized impedance spectroscopy device as possible sensor platform for biosensor applications. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2010, 207, 919-923.	0.8	20
180	A MIP-based biomimetic sensor for the impedimetric detection of histamine in different pH environments. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2010, 207, 837-843.	0.8	50

#	ARTICLE	IF	CITATIONS
181	Boron doped nanocrystalline diamond temperature regulator for sensing applications. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2010, 207, 2110-2113.	0.8	7
182	Diamond and Cubic Boron Nitride: Properties, Growth and Applications. <i>AIP Conference Proceedings</i> , 2010, , .	0.3	12
183	Granular superconductivity in metallic and insulating nanocrystalline boron-doped diamond thin films. <i>Journal Physics D: Applied Physics</i> , 2010, 43, 374019.	1.3	14
184	Magnetic field-driven superconductor-insulator transition in boron-doped nanocrystalline chemical vapor deposition diamond. <i>Journal of Applied Physics</i> , 2010, 108, .	1.1	9
185	Intrinsic granularity in nanocrystalline boron-doped diamond films measured by scanning tunneling microscopy. <i>Physical Review B</i> , 2009, 80, .	1.1	17
186	DNA Sensors with Diamond as a Promising Alternative Transducer Material. <i>Sensors</i> , 2009, 9, 5600-5636.	2.1	49
187	Negative magnetoresistance in boron-doped nanocrystalline diamond films. <i>Journal of Applied Physics</i> , 2009, 106, 033711.	1.1	11
188	Capacitive Field-effect (bio-)chemical Sensors Based on Nanocrystalline Diamond Films. <i>Materials Research Society Symposia Proceedings</i> , 2009, 1203, 1.	0.1	0
189	Diamond Nucleation by Carbon Transport from Buried Nanodiamond $TiO_2$ Sol-Gel Composites. <i>Advanced Materials</i> , 2009, 21, 670-673.	11.1	32
190	Characterisation of capacitive field-effect sensors with a nanocrystalline-diamond film as transducer material for multi-parameter sensing. <i>Biosensors and Bioelectronics</i> , 2009, 24, 1298-1304.	5.3	24
191	Concept for a solid-state multi-parameter sensor system for cell-culture monitoring. <i>Electrochimica Acta</i> , 2009, 54, 6107-6112.	2.6	12
192	Nanocrystalline-diamond thin films with high pH and penicillin sensitivity prepared on a capacitive Si-SiO <sub>2</sub> structure. <i>Electrochimica Acta</i> , 2009, 54, 5981-5985.	2.6	20
193	Synthetic diamond films as a platform material for label-free protein sensors. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2009, 206, 520-526.	0.8	20
194	Diamond-based DNA sensors: surface functionalization and readout strategies. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2009, 206, 391-408.	0.8	53
195	Preface: <i>Phys. Status Solidi A</i> 206/3. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2009, 206, 389-390.	0.8	0
196	Chinese hamster ovary cell viability on hydrogen and oxygen terminated nano- and microcrystalline diamond surfaces. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2009, 206, 2042-2047.	0.8	13
197	AlN on nanocrystalline diamond piezoelectric cantilevers for sensors/actuators. <i>Procedia Chemistry</i> , 2009, 1, 40-43.	0.7	10
198	Diagnóstico y tratamiento de la anemia en pacientes con enfermedad renal crónica en todos sus estadios. Consenso del Anemia Working Group Latin America (AWGLA). <i>Dialisis Y Trasplante</i> , 2009, 30, 104-108.	0.4	1

#	ARTICLE	IF	CITATIONS
199	A MIP-based impedimetric sensor for the detection of low-MW molecules. Biosensors and Bioelectronics, 2008, 23, 913-918.	5.3	93
200	Penicillin detection with nanocrystalline diamond field-effect sensor. Physica Status Solidi (A) Applications and Materials Science, 2008, 205, 2141-2145.	0.8	25
201	Fourier-Transform Photocurrent Spectroscopy for a fast and highly sensitive spectral characterization of organic and hybrid solar cells. Thin Solid Films, 2008, 516, 7135-7138.	0.8	59
202	Topographical and Functional Characterization of the ssDNA Probe Layer Generated Through EDC-Mediated Covalent Attachment to Nanocrystalline Diamond Using Fluorescence Microscopy. Langmuir, 2008, 24, 9125-9134.	1.6	35
203	Structural and Optical Properties of DNA Layers Covalently Attached to Diamond Surfaces. Langmuir, 2008, 24, 7269-7277.	1.6	38
204	Nanocrystalline Diamond-Based Field-Effect Capacitive pH Sensor. , 2007, , .		0
205	Towards a Real-Time, Label-Free, Diamond-Based DNA Sensor. Langmuir, 2007, 23, 13193-13202.	1.6	66
206	pH sensitivity of nanocrystalline diamond films. Physica Status Solidi (A) Applications and Materials Science, 2007, 204, 2925-2930.	0.8	9
207	Observation of the subgap optical absorption in polymer-fullerene blend solar cells. Applied Physics Letters, 2006, 88, 052113.	1.5	158
208	EDC-mediated DNA attachment to nanocrystalline CVD diamond films. Biosensors and Bioelectronics, 2006, 22, 170-177.	5.3	63
209	High field magnetoresistivity of epitaxial $\text{La}_{2-x}\text{Sr}_x\text{CuO}_4$ thin films. Physica C: Superconductivity and Its Applications, 2005, 432, 81-98.	0.6	4
210	Impedimetric immunosensors based on the conjugated polymer PPV. Biosensors and Bioelectronics, 2005, 20, 2151-2156.	5.3	40
211	Absorption phenomena in organic thin films for solar cell applications investigated by photothermal deflection spectroscopy. Journal of Materials Science, 2005, 40, 1413-1418.	1.7	145
212	DNA attachment to nanocrystalline diamond films. Physica Status Solidi A, 2005, 202, 2212-2216.	1.7	29
213	Head-On Immobilization of DNA Fragments on CVD-Diamond Layers. Materials Science Forum, 2005, 492-493, 267-272.	0.3	6
214	Low-level optical absorption phenomena in organic thin films for solar cell applications investigated by highly sensitive photocurrent and photothermal techniques. , 2004, , .		5
215	Influence of fluctuation conductivity on the high-field magnetoresistivity in epitaxial $\text{La}_{2-x}\text{Sr}_x\text{CuO}_4$ thin films. Physica B: Condensed Matter, 2004, 346-347, 339-343.	1.3	2
216	High field magnetotransport in high temperature superconductors. Physica C: Superconductivity and Its Applications, 2004, 404, 385-394.	0.6	4

#	ARTICLE	IF	CITATIONS
217	Transport properties of $\text{La}_{2-x}\text{Sr}_x\text{CuO}_4$ epitaxial thin films in high magnetic fields. <i>Physica C: Superconductivity and Its Applications</i> , 2004, 404, 405-409.	0.6	0
218	Covalent immobilization of DNA on CVD diamond films. <i>Physica Status Solidi A</i> , 2003, 199, 44-48.	1.7	23
219	Sign inversion of the high-field Hall slope in epitaxial $\text{La}_{0.5}\text{Ca}_{0.5}\text{MnO}_3$ thin films. <i>Physical Review B</i> , 2003, 68, .	1.1	11
220	In-plane paraconductivity in $\text{La}_{2-x}\text{Sr}_x\text{CuO}_4$ thin film superconductors at high reduced temperatures: Independence of the normal-state pseudogap. <i>Physical Review B</i> , 2003, 68, .	1.1	36
221	Orbital Ordering and the Cooperative Jahn-Teller Effect in Single Crystals of the Magnetic Perovskite $\text{La}_{7/8}\text{Sr}_{1/8}\text{MnO}_3$ . <i>Advances in Quantum Chemistry</i> , 2003, 44, 563-578.	0.4	0
222	Universal behavior of the in-plane paraconductivity of cuprate superconductors in the short-wavelength fluctuation regime. <i>Physical Review B</i> , 2002, 65, .	1.1	18
223	EVIDENCE FOR THE PAIR FORMATION FAR ABOVE $T_c$ IN EPITAXIAL $\text{La}_{2-x}\text{Sr}_x\text{CuO}_4$ THIN FILMS. <i>International Journal of Modern Physics B</i> , 2002, 16, 3223-3226.	1.0	0
224	Colossal Negative Magnetoresistivity of $\text{Nd}_{0.5}\text{Sr}_{0.5}\text{MnO}_3$ Films in Fields up to 50 T. , 2002, , 481-486.		0
225	Spin-dependent hopping in the paramagnetic state of the bilayer manganite ( $\text{La}_{0.4}\text{Pr}_{0.6}$ ) $_2\text{Sr}_{1.8}\text{Mn}_{2}\text{O}_7$ . <i>Europhysics Letters</i> , 2002, 58, 285-291.	0.7	17
226	High field transport properties of $\text{La Sr CuO}$ epitaxial thin films. <i>European Physical Journal B</i> , 2002, 29, 369-375.	0.6	5
227	Transition to the normal state of superconducting $\text{YBa}_2\text{Cu}_3\text{O}_{7-\delta}$ thin films induced by high current densities. <i>Superconductor Science and Technology</i> , 2001, 14, 748-753.	1.8	9
228	$H-T$ magnetic phase diagrams of electron-doped $\text{Sm}_{1-x}\text{Ca}_x\text{MnO}_3$ : Evidence for phase separation and metamagnetic transitions. <i>Physical Review B</i> , 2001, 63, .	1.1	75
229	Temperature dependent memory effects in the bilayer manganite $(\text{La}_{0.4}\text{Pr}_{0.6})_2\text{Sr}_{1.8}\text{Mn}_2\text{O}_7$ . <i>Physical Review B</i> , 2001, 64, .	1.1	37
230	Influence of the morphology on the magneto-transport properties of laser-ablated ultrathin $\text{La}_{0.7}\text{Ba}_{0.3}\text{MnO}_3$ films. <i>Journal of Applied Physics</i> , 2001, 90, 1429-1435.	1.1	2
231	Transport properties at the insulator-superconductor phase boundary of $\text{La}_{2-x}\text{Sr}_x\text{CuO}_4$ thin films. <i>Physica C: Superconductivity and Its Applications</i> , 2001, 356, 107-114.	0.6	9
232	Scaling of the transport properties in the $\text{Y}_{1-x}\text{Pr}_x\text{Ba}_2\text{Cu}_3\text{O}_x$ system. <i>Physical Review B</i> , 2001, 64, .	1.1	21
233	Comparison of the transport mechanism in underdoped high-temperature superconductors and in spin ladders. <i>Physica C: Superconductivity and Its Applications</i> , 2000, 337, 260-264.	0.6	1
234	Normal state resistivity of underdoped $\text{YBa}_2\text{Cu}_3\text{O}_{7-d}$ films and $\text{La}_{2-x}\text{Sr}_x\text{CuO}_4$ ultra-thin films in fields up to 60 T. <i>Physica C: Superconductivity and Its Applications</i> , 2000, 341-348, 903-904.	0.6	1

#	ARTICLE	IF	CITATIONS
235	Stripe formation and disorder induced stripe fragmentation. Physica C: Superconductivity and Its Applications, 2000, 341-348, 1799-1802.	0.6	0
236	INTERPLAY BETWEEN TRANSPORT, MAGNETIC-, AND STRUCTURAL PROPERTIES OF MN-PEROVSKITES WITH VARIOUS DOPING LEVEL. International Journal of Modern Physics B, 2000, 14, 3735-3740.	1.0	2
237	Influence of the cooperative Jahn-Teller effect on the transport and magnetic properties of La <sub>7/8</sub> Sr <sub>1/8</sub> MnO <sub>3</sub> single crystals. Physical Review B, 2000, 61, 529-537.	1.1	23
238	Comparative Hall studies in the electron- and hole-doped manganites La <sub>0.33</sub> Ca <sub>0.67</sub> MnO <sub>3</sub> and La <sub>0.70</sub> Ca <sub>0.30</sub> MnO <sub>3</sub> . Physical Review B, 2000, 62, 11633-11638.	1.1	22
239	Wagner et al. Reply. Physical Review Letters, 2000, 84, 4018-4018.	2.9	5
240	HIGH-FIELD MAGNETOTRANSPORT OF EPITAXIAL LA <sub>2</sub> -XSRXCUO <sub>4</sub> THIN FILMS IN THE REGIME OF LOW SR-DOPING. International Journal of Modern Physics B, 2000, 14, 3747-3752.	1.0	1
241	Title is missing!. Journal of Low Temperature Physics, 1999, 117, 681-685.	0.6	13
242	Spin Dependent Hopping and Colossal Negative Magnetoresistance in Epitaxial Nd <sub>0.52</sub> Sr <sub>0.48</sub> MnO <sub>3</sub> Films in Fields up to 50 T. Physical Review Letters, 1998, 81, 3980-3983.	2.9	148
243	Carrier density variation in films of Nd <sub>0.5</sub> Sr <sub>0.5</sub> MnO <sub>3</sub> . Europhysics Letters, 1998, 41, 49-54.	0.7	38
244	Anomalous Hall effect in thin films of Pr <sub>0.5</sub> Sr <sub>0.5</sub> MnO <sub>3</sub> . Physical Review B, 1997, 55, R14721-R14724.	1.1	24
245	Magnetotransport in epitaxial thin films of the magnetic perovskite Pr <sub>0.5</sub> Sr <sub>0.5</sub> MnO <sub>3</sub> . Physical Review B, 1997, 55, 3699-3707.	1.1	40
246	Hopping conductivity of magnetic polarons in epitaxial Pr <sub>0.5</sub> Sr <sub>0.5</sub> MnO <sub>3</sub> films. European Physical Journal D, 1996, 46, 2005-2006.	0.4	0
247	Dimensional crossover in the pinning of heavy-ion irradiated Bi-2212 films. Physica C: Superconductivity and Its Applications, 1996, 259, 142-150.	0.6	7
248	Fermi surfaces of Bi <sub>2</sub> Sr <sub>2</sub> CaCu <sub>2</sub> O <sub>8</sub> + $\delta$ thin film. Physica C: Superconductivity and Its Applications, 1996, 261, 153-156.	0.6	2
249	Matching and surface barrier effects of the flux-line lattice in superconducting films and multilayers. Physical Review B, 1996, 53, 8658-8670.	1.1	34
250	Magnetic Transitions and Magneto-Transport in Epitaxial Pr <sub>0.5</sub> Sr <sub>0.5</sub> MnO <sub>3</sub> Thin Films. European Physical Journal Special Topics, 1996, 06, C3-309-C3-314.	0.2	0
251	Thermally assisted flux flow in epitaxial Bi <sub>2</sub> Sr <sub>2</sub> Ca <sub>2</sub> Cu <sub>3</sub> O <sub>10</sub> + $\delta$ thin films: Estimation of the anisotropy parameter. Journal of Superconductivity and Novel Magnetism, 1995, 8, 293-297.	0.5	4
252	Vortex unbinding and layer decoupling in epitaxial Bi <sub>2</sub> Sr <sub>2</sub> Ca <sub>2</sub> Cu <sub>3</sub> O <sub>10</sub> + $\delta$ films. Physical Review B, 1995, 52, 4553-4558.	1.1	37

#	ARTICLE	IF	CITATIONS
253	Bose-glass behavior of the vortex system in epitaxial $\text{Bi}_2\text{Sr}_2\text{CaCu}_2\text{O}_{8+\delta}$ films with columnar defects. <i>Physical Review B</i> , 1995, 51, 3953-3956.	1.1	30
254	Evidence for a vortex-liquid to vortex-glass transition in epitaxial $\text{Bi}_2\text{Sr}_2\text{Ca}_2\text{Cu}_3\text{O}_{10+\delta}$ thin films. <i>Physical Review B</i> , 1995, 51, 1206-1212.	1.1	53
255	Phase-slip dissipation and dimensionality above the irreversibility line in $\text{Bi}_2\text{Sr}_2\text{CaCu}_2\text{O}_{8+x}$ . <i>Physical Review B</i> , 1994, 50, 12920-12926.	1.1	15
256	Nernst, Seebeck, and Hall effects in the mixed state of $\text{YBa}_2\text{Cu}_3\text{O}_{7-\delta}$ and $\text{Bi}_2\text{Sr}_2\text{CaCu}_2\text{O}_{8+x}$ thin films: A comparative study. <i>Physical Review B</i> , 1994, 50, 3312-3329.	1.1	146
257	Characterization of $\text{YBa}_2\text{Cu}_3\text{O}_7/\text{PrBa}_2\text{Cu}_3\text{O}_7$ superlattices. <i>Journal of Superconductivity and Novel Magnetism</i> , 1994, 7, 197-200.	0.5	4
258	Characterization of epitaxial $\text{Bi}_2\text{Sr}_2\text{CaCu}_2\text{O}_{8+\delta}$ thin films. <i>Journal of Superconductivity and Novel Magnetism</i> , 1994, 7, 217-219.	0.5	4
259	In situ-preparation, characterization and transport-properties of high quality $\text{Bi}_2\text{Sr}_2\text{CaCu}_2\text{O}_y$ -thin films. <i>Physica B: Condensed Matter</i> , 1994, 194-196, 2193-2194.	1.3	0
260	Thermally activated dissipation in epitaxial $\text{Bi}_2\text{Sr}_2\text{CaCu}_2\text{O}_8 + \delta$ films evidence for the occurrence of vortex strings with three-dimensional fluctuations in low magnetic fields. <i>Physica C: Superconductivity and Its Applications</i> , 1994, 234, 249-254.	0.6	15
261	Heavy-ion-induced effects on the transport critical current density in epitaxial 2212-BSCCO thin films. <i>Physica C: Superconductivity and Its Applications</i> , 1994, 235-240, 2971-2972.	0.6	7
262	Scaling behavior of $U(I)$ -characteristics and zero-field resistive transitions in epitaxial $\text{Bi}_2\text{Sr}_2\text{CaCu}_2\text{O}_{8+\delta}$ thin films. <i>Physica C: Superconductivity and Its Applications</i> , 1994, 235-240, 3165-3166.	0.6	1
263	Comparative study of the magnetoresistivity of $\text{YBa}_2\text{Cu}_3\text{O}_{7-\delta}$ and $\text{Bi}_2\text{Sr}_2\text{CaCu}_2\text{O}_{8+x}$ epitaxial thin films in the fluctuation regime. <i>Physica C: Superconductivity and Its Applications</i> , 1994, 235-240, 1933-1934.	0.6	1
264	A systematic comparison of transport properties and pinning potentials in YBCO and BiSCCO thin films. <i>Physica C: Superconductivity and Its Applications</i> , 1994, 235-240, 2625-2626.	0.6	3
265	Pinning and irreversibility behavior in Au-irradiated Bi-2212 films. <i>Physica C: Superconductivity and Its Applications</i> , 1994, 235-240, 2739-2740.	0.6	2
266	Thermally activated flux movement and critical transport current density in epitaxial $\text{Bi}_2\text{Sr}_2\text{CaCu}_2\text{O}_{8+\delta}$ films. <i>Physical Review B</i> , 1994, 49, 13184-13192.	1.1	54
267	Vortex State and Dimensionality. , 1994, , 293-302.		2
268	High- $T_c$ -based Josephson-junctions and SQUIDs by mechanically induced growth disorder. <i>European Physical Journal Special Topics</i> , 1994, 04, C6-217-C6-222.	0.2	0
269	AC conductivity in superconducting $\text{YBa}_2\text{Cu}_3\text{O}_7$ and $\text{Bi}_2\text{Sr}_2\text{CaCu}_2\text{O}_8$ thin films. <i>Physica B: Condensed Matter</i> , 1993, 186-188, 986-988.	1.3	1
270	Preparation and structural characterization of thin epitaxial $\text{Bi}_2\text{Sr}_2\text{CaCu}_2\text{O}_{8+\delta}$ films with $T_c$ in the 90 K range. <i>Physica C: Superconductivity and Its Applications</i> , 1993, 215, 123-131.	0.6	54



#	ARTICLE	IF	CITATIONS
271	PINNING FORCE DENSITY IN YBa <sub>2</sub> Cu <sub>3</sub> O <sub>7</sub> -FILMS AND YBa <sub>2</sub> Cu <sub>3</sub> O <sub>7</sub> /PrBa <sub>2</sub> Cu <sub>3</sub> O <sub>7</sub> -SUPERLATTICES. International Journal of Modern Physics B, 1993, 07, 135-138.	1.0	0
272	ANISOTROPIC SUPERCONDUCTING PROPERTIES OF YBa <sub>2</sub> Cu <sub>3</sub> O <sub>7</sub> BASED THIN FILMS AND SUPERLATTICES. International Journal of Modern Physics B, 1993, 07, 113-122.	1.0	0
273	Enhancement of critical current density by confinement of vortices in Bi <sub>2</sub> Sr <sub>2</sub> CaCu <sub>2</sub> O <sub>x</sub> single crystals and thin films. Applied Physics Letters, 1993, 63, 2821-2823.	1.5	12
274	Scaling of the angular dependence of the critical current density in high-T <sub>c</sub> superconductors. Physical Review B, 1993, 47, 12099-12103.	1.1	29
275	Impurity pinning in epitaxial YBa <sub>2</sub> (Cu <sub>1-x</sub> TM <sub>x</sub> ) <sub>3</sub> O <sub>7-δ</sub> (TM=Zn, Ni)-thin films. IEEE Transactions on Applied Superconductivity, 1993, 3, 1468-1471.	1.1	3
276	Superconducting transport properties of Bi <sub>2</sub> Sr <sub>2</sub> CaCu <sub>2</sub> O <sub>8+x</sub> bicrystal grain boundary junctions. Applied Physics Letters, 1993, 63, 996-998.	1.5	47
277	COMPLEX CONDUCTIVITY IN THIN FILMS OF YBa <sub>2</sub> Cu <sub>3</sub> O <sub>7</sub> AND YBa <sub>2</sub> (Cu <sub>1-x</sub> M <sub>x</sub> ) <sub>3</sub> O <sub>7</sub> WITH M = Zn AND Ni. International Journal of Modern Physics B, 1993, 07, 139-142.	1.0	0
278	Contribution of Zn Impurity Atoms to the Anisotropic Pinning Force Density of Thin Epitaxial YBa <sub>2</sub> (Cu <sub>1-x</sub> Zn <sub>x</sub> ) <sub>3</sub> O <sub>7-δ</sub> Films. Europhysics Letters, 1992, 18, 641-646.	0.7	7
279	Superconductivity and transport properties of epitaxial YBa <sub>2</sub> (Cu <sub>1-x</sub> Zn <sub>x</sub> ) <sub>3</sub> O <sub>7</sub> -thin films. Superconductor Science and Technology, 1992, 5, S133-S136.	1.8	2
280	In situ-preparation of Bi <sub>2</sub> Sr <sub>2</sub> CaCu <sub>2</sub> O <sub>y</sub> -thin films by DC-sputtering. Physica C: Superconductivity and Its Applications, 1992, 195, 258-262.	0.6	40
281	Thermally activated flux-flow in epitaxially grown YBa <sub>2</sub> (Cu <sub>1-x</sub> Zn <sub>x</sub> ) <sub>3</sub> O <sub>7-δ</sub> thin films. Physica C: Superconductivity and Its Applications, 1991, 185-189, 2175-2176.	0.6	6
282	Growth of high quality YBa <sub>2</sub> Cu <sub>3</sub> O <sub>7</sub> films on various substrate materials and influence of Zn-doping on superconductivity. Physica C: Superconductivity and Its Applications, 1990, 171, 231-237.	0.6	41