

# Thomas U Marron

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/432578/publications.pdf>

Version: 2024-02-01

45  
papers

4,711  
citations

394286

19  
h-index

330025

37  
g-index

51  
all docs

51  
docs citations

51  
times ranked

8884  
citing authors

#	ARTICLE	IF	CITATIONS
1	An inflammatory cytokine signature predicts COVID-19 severity and survival. <i>Nature Medicine</i> , 2020, 26, 1636-1643.	15.2	1,860
2	NASH limits anti-tumour surveillance in immunotherapy-treated HCC. <i>Nature</i> , 2021, 592, 450-456.	13.7	649
3	A conserved dendritic-cell regulatory program limits antitumour immunity. <i>Nature</i> , 2020, 580, 257-262.	13.7	476
4	Systemic clinical tumor regressions and potentiation of PD1 blockade with in situ vaccination. <i>Nature Medicine</i> , 2019, 25, 814-824.	15.2	293
5	Tissue-resident macrophages provide a pro-tumorigenic niche to early NSCLC cells. <i>Nature</i> , 2021, 595, 578-584.	13.7	284
6	Single-cell analysis of human non-small cell lung cancer lesions refines tumor classification and patient stratification. <i>Cancer Cell</i> , 2021, 39, 1594-1609.e12.	7.7	151
7	Preliminary evidence of safety and tolerability of atezolizumab plus bevacizumab in patients with hepatocellular carcinoma and Child-Pugh A and B cirrhosis: A real-world study. <i>Hepatology</i> , 2022, 76, 1000-1012.	3.6	114
8	Neoadjuvant cemiplimab for resectable hepatocellular carcinoma: a single-arm, open-label, phase 2 trial. <i>The Lancet Gastroenterology and Hepatology</i> , 2022, 7, 219-229.	3.7	79
9	Clinical Outcomes and Toxic Effects of Single-Agent Immune Checkpoint Inhibitors Among Patients Aged 80 Years or Older With Cancer. <i>JAMA Oncology</i> , 2021, 7, 1856.	3.4	74
10	Early non-neutralizing, afucosylated antibody responses are associated with COVID-19 severity. <i>Science Translational Medicine</i> , 2022, 14, eabm7853.	5.8	71
11	Considerations for treatment duration in responders to immune checkpoint inhibitors. , 2021, 9, e001901.		69
12	Perspectives on the Neoadjuvant Use of Immunotherapy in Hepatocellular Carcinoma. <i>Hepatology</i> , 2021, 74, 483-490.	3.6	48
13	Toll-like receptor 4, 7, and 8-activated myeloid cells from patients with X-linked agammaglobulinemia produce enhanced inflammatory cytokines. <i>Journal of Allergy and Clinical Immunology</i> , 2012, 129, 184-190.e4.	1.5	47
14	Combined Vaccination with NY-ESO-1 Protein, Poly-ICLC, and Montanide Improves Humoral and Cellular Immune Responses in Patients with High-Risk Melanoma. <i>Cancer Immunology Research</i> , 2020, 8, 70-80.	1.6	47
15	Immunotherapy in Hepatocellular Cancer Patients with Mild to Severe Liver Dysfunction: Adjunctive Role of the ALBI Grade. <i>Cancers</i> , 2020, 12, 1862.	1.7	47
16	Post-registration experience of nivolumab in advanced hepatocellular carcinoma: an international study. , 2020, 8, e001033.		46
17	The Systemic Inflammatory Response Identifies Patients with Adverse Clinical Outcome from Immunotherapy in Hepatocellular Carcinoma. <i>Cancers</i> , 2022, 14, 186.	1.7	44
18	Downregulation of exhausted cytotoxic T cells in gene expression networks of multisystem inflammatory syndrome in children. <i>Nature Communications</i> , 2021, 12, 4854.	5.8	42

#	ARTICLE	IF	CITATIONS
19	Treatment-related toxicity and improved outcome from immunotherapy in hepatocellular cancer: Evidence from an FDA pooled analysis of landmark clinical trials with validation from routine practice. <i>European Journal of Cancer</i> , 2021, 157, 140-152.	1.3	42
20	TLR signaling and effector functions are intact in XLA neutrophils. <i>Clinical Immunology</i> , 2010, 137, 74-80.	1.4	31
21	Safety and Efficacy of Locoregional Treatment during Immunotherapy with Nivolumab for Hepatocellular Carcinoma: A Retrospective Study of 41 Interventions in 29 Patients. <i>Journal of Vascular and Interventional Radiology</i> , 2020, 31, 1729-1738.e1.	0.2	27
22	Sampling the host response to SARS-CoV-2 in hospitals under siege. <i>Nature Medicine</i> , 2020, 26, 1157-1158.	15.2	27
23	Benefits and Challenges of Lung Cancer Screening in Older Adults. <i>Clinical Therapeutics</i> , 2018, 40, 526-534.	1.1	20
24	Antacid exposure and immunotherapy outcomes among patients with advanced hepatocellular carcinoma. <i>Therapeutic Advances in Medical Oncology</i> , 2021, 13, 175883592110109.	1.4	15
25	Antitumor T-cell Homeostatic Activation Is Uncoupled from Homeostatic Inhibition by Checkpoint Blockade. <i>Cancer Discovery</i> , 2019, 9, 1520-1537.	7.7	12
26	Neoadjuvant clinical trials provide a window of opportunity for cancer drug discovery. <i>Nature Medicine</i> , 2022, 28, 626-629.	15.2	12
27	Comparative assessment of standard and immune response criteria for evaluation of response to PD-1 monotherapy in unresectable HCC. <i>Abdominal Radiology</i> , 2022, 47, 969-980.	1.0	11
28	Neoadjuvant Immunotherapy for Hepatocellular Carcinoma. <i>Journal of Hepatocellular Carcinoma</i> , 0, Volume 9, 571-581.	1.8	10
29	Vaccine strategies for the treatment of lymphoma: preclinical progress and clinical trial update. <i>Immunotherapy</i> , 2016, 8, 1335-1346.	1.0	9
30	Toll-like receptor function in primary B cell defects. <i>Frontiers in Bioscience - Elite</i> , 2012, E4, 1853.	0.9	7
31	Diagnostic Utility of Measuring Free Light Chains in the Cerebrospinal Fluid of Patients With Multiple Myeloma. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2015, 15, e127-e131.	0.2	6
32	453â€¦Personalized DNA neoantigen vaccine (GNOS-PV02) in combination with plasmid IL-12 and pembrolizumab for the treatment of patients with advanced hepatocellular carcinoma. , 2021, 9, A481-A481.		6
33	Validation and Utility of the Free Light Chain Assay in Pleural Effusions of Patients With Multiple Myeloma. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2016, 16, e113-e117.	0.2	4
34	Turning a Tumor into a Vaccine Factory: In Situ Vaccination for Low-Grade Lymphoma. <i>Blood</i> , 2014, 124, 5473-5473.	0.6	3
35	Barriers to colonoscopy among New York City homeless. <i>Gastrointestinal Endoscopy</i> , 2014, 80, 745-746.	0.5	2
36	Treatment of Hepatocellular Carcinoma with Neoadjuvant Nivolumab Alone Versus in Combination with a CCR2/5 Inhibitor or an Anti-IL-8 Antibody. <i>Annals of Surgical Oncology</i> , 2022, 29, 30-32.	0.7	2

#	ARTICLE	IF	CITATIONS
37	Is There an Impact of Locoregional Therapy on Immune Response Modulation in HCC?. Radiology, 2022, 303, 226-228.	3.6	2
38	An Update on the Use of Immunotherapy in the Treatment of Lymphoma. Current Hematologic Malignancy Reports, 2017, 12, 282-289.	1.2	1
39	Abstract 64: Characterization of molecular and spatial diversity of macrophages in hepatocellular carcinoma. , 2021, , .		1
40	337â€¦Intratumoral immune therapy for recurrent breast cancer with polyICLC, and tremelimumab combined with systemic durvalumab. , 2021, 9, A363-A363.		1
41	685â€¦Characterization of molecular and spatial diversity of macrophages in hepatocellular carcinoma. , 2021, 9, A713-A713.		0
42	239â€¦Efficacy and toxicity of single agent immune checkpoint inhibitors among adults with cancer aged â‰¥80 years: a multicenter international cohort study. , 2021, 9, A257-A257.		0
43	456â€¦A phase 1b/2 umbrella study of anti-PD-1 sasanlimab in combination with other therapies for patients with stage IIIB/IV non-small cell lung cancer (NSCLC): The LANDSCAPE 1011 trial in progress. , 2021, 9, A484-A484.		0
44	289â€¦PGV-001: a phase 1 trial of a personalized neoantigen peptide vaccine for the treatment of malignancies in the adjuvant setting. , 2020, , .		0
45	Neoadjuvant immunotherapy for resectable hepatocellular carcinoma â€“ Authors' reply. The Lancet Gastroenterology and Hepatology, 2022, 7, 505.	3.7	0