

Davide Melisi

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4326106/publications.pdf>

Version: 2024-02-01

180
papers

6,552
citations

87723

38
h-index

76769

74
g-index

185
all docs

185
docs citations

185
times ranked

9291
citing authors

#	ARTICLE	IF	CITATIONS
1	Pemigatinib for previously treated, locally advanced or metastatic cholangiocarcinoma: a multicentre, open-label, phase 2 study. <i>Lancet Oncology</i> , The, 2020, 21, 671-684.	5.1	923
2	Antitumor Activity of ZD6474, a Vascular Endothelial Growth Factor Receptor Tyrosine Kinase Inhibitor, in Human Cancer Cells with Acquired Resistance to Antiepidermal Growth Factor Receptor Therapy. <i>Clinical Cancer Research</i> , 2004, 10, 784-793.	3.2	337
3	LY2109761, a novel transforming growth factor β receptor type I and type II dual inhibitor, as a therapeutic approach to suppressing pancreatic cancer metastasis. <i>Molecular Cancer Therapeutics</i> , 2008, 7, 829-840.	1.9	285
4	Galunisertib plus gemcitabine vs. gemcitabine for first-line treatment of patients with unresectable pancreatic cancer. <i>British Journal of Cancer</i> , 2018, 119, 1208-1214.	2.9	195
5	Multigene mutational profiling of cholangiocarcinomas identifies actionable molecular subgroups. <i>Oncotarget</i> , 2014, 5, 2839-2852.	0.8	171
6	Clinicogenomic Analysis of <i>FGFR2</i> -Rearranged Cholangiocarcinoma Identifies Correlates of Response and Mechanisms of Resistance to Pemigatinib. <i>Cancer Discovery</i> , 2021, 11, 326-339.	7.7	144
7	Angiopoietin-Like Proteins in Angiogenesis, Inflammation and Cancer. <i>International Journal of Molecular Sciences</i> , 2018, 19, 431.	1.8	142
8	Vascular Endothelial Growth Factor Receptor-1 Contributes to Resistance to Anti-epidermal Growth Factor Receptor Drugs in Human Cancer Cells. <i>Clinical Cancer Research</i> , 2008, 14, 5069-5080.	3.2	139
9	Modulation of Pancreatic Cancer Chemoresistance by Inhibition of TAK1. <i>Journal of the National Cancer Institute</i> , 2011, 103, 1190-1204.	3.0	137
10	Key cancer cell signal transduction pathways as therapeutic targets. <i>European Journal of Cancer</i> , 2006, 42, 290-294.	1.3	131
11	EMT and Treatment Resistance in Pancreatic Cancer. <i>Cancers</i> , 2017, 9, 122.	1.7	105
12	Combination of a selective cyclooxygenase-2 inhibitor with epidermal growth factor receptor tyrosine kinase inhibitor ZD1839 and protein kinase A antisense causes cooperative antitumor and antiangiogenic effect. <i>Clinical Cancer Research</i> , 2003, 9, 1566-72.	3.2	104
13	Outcomes of Primary Chemotherapy for Borderline Resectable and Locally Advanced Pancreatic Ductal Adenocarcinoma. <i>JAMA Surgery</i> , 2019, 154, 932.	2.2	97
14	Can IDO activity predict primary resistance to anti-PD-1 treatment in NSCLC?. <i>Journal of Translational Medicine</i> , 2018, 16, 219.	1.8	96
15	FIGHT-302: first-line pemigatinib vs gemcitabine plus cisplatin for advanced cholangiocarcinoma with <i>FGFR2</i> rearrangements. <i>Future Oncology</i> , 2020, 16, 2385-2399.	1.1	96
16	Safety and activity of the TGF β receptor I kinase inhibitor galunisertib plus the anti-PD-L1 antibody durvalumab in metastatic pancreatic cancer. , 2021, 9, e002068.		95
17	HER2 loss in HER2-positive gastric or gastroesophageal cancer after trastuzumab therapy: Implication for further clinical research. <i>International Journal of Cancer</i> , 2016, 139, 2859-2864.	2.3	94
18	NF- κ B as a target for cancer therapy. <i>Expert Opinion on Therapeutic Targets</i> , 2007, 11, 133-144.	1.5	91

#	ARTICLE	IF	CITATIONS
19	IL1 Receptor Antagonist Inhibits Pancreatic Cancer Growth by Abrogating NF- κ B Activation. <i>Clinical Cancer Research</i> , 2016, 22, 1432-1444.	3.2	90
20	Anti-VEGF Treatment-Resistant Pancreatic Cancers Secrete Proinflammatory Factors That Contribute to Malignant Progression by Inducing an EMT Cell Phenotype. <i>Clinical Cancer Research</i> , 2011, 17, 5822-5832.	3.2	86
21	Cooperative Antitumor Effect of Multitargeted Kinase Inhibitor ZD6474 and Ionizing Radiation in Glioblastoma. <i>Clinical Cancer Research</i> , 2005, 11, 5639-5644.	3.2	83
22	NF- κ B as a target for pancreatic cancer therapy. <i>Expert Opinion on Therapeutic Targets</i> , 2012, 16, S1-S10.	1.5	81
23	Secreted Interleukin-1 α Induces a Metastatic Phenotype in Pancreatic Cancer by Sustaining a Constitutive Activation of Nuclear Factor- κ B. <i>Molecular Cancer Research</i> , 2009, 7, 624-633.	1.5	80
24	Mechanisms of resistance to chemotherapeutic and anti-angiogenic drugs as novel targets for pancreatic cancer therapy. <i>Frontiers in Pharmacology</i> , 2013, 4, 56.	1.6	79
25	Angiogenesis: A Target for Cancer Therapy. <i>Current Pharmaceutical Design</i> , 2004, 10, 11-26.	0.9	72
26	An FGFR3 Autocrine Loop Sustains Acquired Resistance to Trastuzumab in Gastric Cancer Patients. <i>Clinical Cancer Research</i> , 2016, 22, 6164-6175.	3.2	65
27	Gastric cancer: Translating novel concepts into clinical practice. <i>Cancer Treatment Reviews</i> , 2019, 79, 101889.	3.4	60
28	TGF β 2 receptor inhibitor galunisertib is linked to inflammation- and remodeling-related proteins in patients with pancreatic cancer. <i>Cancer Chemotherapy and Pharmacology</i> , 2019, 83, 975-991.	1.1	60
29	Metastatic pancreatic cancer: Is there a light at the end of the tunnel?. <i>World Journal of Gastroenterology</i> , 2015, 21, 4788.	1.4	56
30	KRAS wild-type pancreatic ductal adenocarcinoma: molecular pathology and therapeutic opportunities. <i>Journal of Experimental and Clinical Cancer Research</i> , 2020, 39, 227.	3.5	49
31	Emerging pathways and future targets for the molecular therapy of pancreatic cancer. <i>Expert Opinion on Therapeutic Targets</i> , 2011, 15, 1183-1196.	1.5	48
32	Toll-like Receptor 9 Agonist IMO Cooperates with Cetuximab in <i>K</i> - <i>Ras</i> Mutant Colorectal and Pancreatic Cancers. <i>Clinical Cancer Research</i> , 2011, 17, 6531-6541.	3.2	47
33	An angiopoietin-like protein 2 autocrine signaling promotes EMT during pancreatic ductal carcinogenesis. <i>Oncotarget</i> , 2015, 6, 13822-13834.	0.8	47
34	Induction of immunosuppressive functions and NF- κ B by FLIP in monocytes. <i>Nature Communications</i> , 2018, 9, 5193.	5.8	45
35	The Pan-Immune-Inflammation Value in microsatellite instability-high metastatic colorectal cancer patients treated with immune checkpoint inhibitors. <i>European Journal of Cancer</i> , 2021, 150, 155-167.	1.3	45
36	Ascites and resistance to immune checkpoint inhibition in dMMR/MSI-H metastatic colorectal and gastric cancers. , 2022, 10, e004001.		45

#	ARTICLE	IF	CITATIONS
37	Pancreatic ductal adenocarcinoma cell lines display a plastic ability to bi-directionally convert into cancer stem cells. <i>International Journal of Oncology</i> , 2015, 46, 1099-1108.	1.4	44
38	Pathologic angiogenesis in the bone marrow of humanized sickle cell mice is reversed by blood transfusion. <i>Blood</i> , 2020, 135, 2071-2084.	0.6	44
39	Screening/surveillance programs for pancreatic cancer in familial high-risk individuals: A systematic review and proportion meta-analysis of screening results. <i>Pancreatology</i> , 2018, 18, 420-428.	0.5	43
40	First-line and second-line treatment of patients with metastatic pancreatic adenocarcinoma in routine clinical practice across Europe: a retrospective, observational chart review study. <i>ESMO Open</i> , 2020, 5, e000587.	2.0	43
41	The prognostic nutritional index predicts survival and response to first-line chemotherapy in advanced biliary cancer. <i>Liver International</i> , 2020, 40, 704-711.	1.9	42
42	Targeting KRAS: The Elephant in the Room of Epithelial Cancers. <i>Frontiers in Oncology</i> , 2021, 11, 638360.	1.3	42
43	Homeobox B9 Mediates Resistance to Anti-VEGF Therapy in Colorectal Cancer Patients. <i>Clinical Cancer Research</i> , 2017, 23, 4312-4322.	3.2	41
44	TAK1-regulated expression of BIRC3 predicts resistance to preoperative chemoradiotherapy in oesophageal adenocarcinoma patients. <i>British Journal of Cancer</i> , 2015, 113, 878-885.	2.9	40
45	Oral Poly(ADP-Ribose) Polymerase-1 Inhibitor BSI-401 Has Antitumor Activity and Synergizes with Oxaliplatin against Pancreatic Cancer, Preventing Acute Neurotoxicity. <i>Clinical Cancer Research</i> , 2009, 15, 6367-6377.	3.2	39
46	A circulating T _H 2 cytokines profile predicts survival in patients with resectable pancreatic adenocarcinoma. <i>Oncolmmunology</i> , 2017, 6, e1322242.	2.1	39
47	Adjuvant chemotherapy is associated with improved postoperative survival in specific subtypes of invasive intraductal papillary mucinous neoplasms (IPMN) of the pancreas: it is time for randomized controlled data. <i>Hpb</i> , 2019, 21, 596-603.	0.1	39
48	Pancreatic Cancer and Obesity: Molecular Mechanisms of Cell Transformation and Chemoresistance. <i>International Journal of Molecular Sciences</i> , 2018, 19, 3331.	1.8	38
49	Noncoding RNA in Cholangiocarcinoma. <i>Seminars in Liver Disease</i> , 2019, 39, 013-025.	1.8	38
50	Oral administration of a novel taxane, an antisense oligonucleotide targeting protein kinase A, and the epidermal growth factor receptor inhibitor Iressa causes cooperative antitumor and antiangiogenic activity. <i>Clinical Cancer Research</i> , 2001, 7, 4156-63.	3.2	38
51	Second-line treatments: moving towards an opportunity to improve survival in advanced gastric cancer?. <i>ESMO Open</i> , 2017, 2, e000206.	2.0	37
52	Modulating TAK1 Expression Inhibits YAP and TAZ Oncogenic Functions in Pancreatic Cancer. <i>Molecular Cancer Therapeutics</i> , 2020, 19, 247-257.	1.9	37
53	TAK1 -ing aim at chemoresistance: The emerging role of MAP3K7 as a target for cancer therapy. <i>Drug Resistance Updates</i> , 2017, 33-35, 36-42.	6.5	36
54	Quality of life in metastatic pancreatic cancer patients receiving liposomal irinotecan plus 5-fluorouracil and leucovorin. <i>European Journal of Cancer</i> , 2019, 106, 24-33.	1.3	36

#	ARTICLE	IF	CITATIONS
55	CT Texture Analysis of Ductal Adenocarcinoma Downstaged After Chemotherapy. <i>Anticancer Research</i> , 2018, 38, 4889-4895.	0.5	34
56	Peroxiredoxin-2: A Novel Regulator of Iron Homeostasis in Ineffective Erythropoiesis. <i>Antioxidants and Redox Signaling</i> , 2018, 28, 1-14.	2.5	33
57	Pancreatic Cancer: Systemic Combination Therapies for a Heterogeneous Disease. <i>Current Pharmaceutical Design</i> , 2014, 20, 6660-6669.	0.9	33
58	Prognostic factors in 868 advanced gastric cancer patients treated with second-line chemotherapy in the real world. <i>Gastric Cancer</i> , 2017, 20, 825-833.	2.7	32
59	Therapeutic integration of signal transduction targeting agents and conventional anti-cancer treatments.. <i>Endocrine-Related Cancer</i> , 2004, 11, 51-68.	1.6	31
60	Zoledronic acid cooperates with a cyclooxygenase-2 inhibitor and gefitinib in inhibiting breast and prostate cancer. <i>Endocrine-Related Cancer</i> , 2005, 12, 1051-1058.	1.6	31
61	Toll-Like Receptor 9 Agonists for Cancer Therapy. <i>Biomedicines</i> , 2014, 2, 211-228.	1.4	31
62	Adipocytes sustain pancreatic cancer progression through a non-canonical WNT paracrine network inducing ROR2 nuclear shuttling. <i>International Journal of Obesity</i> , 2018, 42, 334-343.	1.6	31
63	Targeting the epidermal growth factor receptor in solid tumors: focus on safety. <i>Expert Opinion on Drug Safety</i> , 2014, 13, 535-549.	1.0	30
64	Modulation of Biliary Cancer Chemo-Resistance Through MicroRNA-Mediated Rewiring of the Expansion of CD133+ Cells. <i>Hepatology</i> , 2020, 72, 982-996.	3.6	30
65	Rationale and clinical use of multitargeting anticancer agents. <i>Current Opinion in Pharmacology</i> , 2013, 13, 536-542.	1.7	29
66	Combined inhibition of IL1, CXCR1/2, and TGF β 2 signaling pathways modulates in-vivo resistance to anti-VEGF treatment. <i>Anti-Cancer Drugs</i> , 2016, 27, 29-40.	0.7	29
67	A phase II, double-blind study of galunisertib+gemcitabine (GG) vs gemcitabine+placebo (GP) in patients (pts) with unresectable pancreatic cancer (PC).. <i>Journal of Clinical Oncology</i> , 2016, 34, 4019-4019.	0.8	29
68	Peroxiredoxin-2 plays a pivotal role as multimodal cytoprotector in the early phase of pulmonary hypertension. <i>Free Radical Biology and Medicine</i> , 2017, 112, 376-386.	1.3	28
69	Prognostic impact of early nutritional support in patients affected by locally advanced and metastatic pancreatic ductal adenocarcinoma undergoing chemotherapy. <i>European Journal of Clinical Nutrition</i> , 2018, 72, 772-779.	1.3	28
70	A phase II trial of the FGFR inhibitor pemigatinib in patients with metastatic esophageal/gastric junction/gastric cancer trastuzumab resistant: the FiGhTeR trial. <i>Therapeutic Advances in Medical Oncology</i> , 2020, 12, 175883592093788.	1.4	28
71	Outcomes of Advanced Gastric Cancer Patients Treated with at Least Three Lines of Systemic Chemotherapy. <i>Oncologist</i> , 2017, 22, 1463-1469.	1.9	27
72	Pemigatinib, a potent inhibitor of FGFRs for the treatment of cholangiocarcinoma. <i>Future Oncology</i> , 2021, 17, 389-402.	1.1	27

#	ARTICLE	IF	CITATIONS
73	First-In-Human Phase I Study of a Next-Generation, Oral, TGF β 2 Receptor 1 Inhibitor, LY3200882, in Patients with Advanced Cancer. <i>Clinical Cancer Research</i> , 2021, 27, 6666-6676.	3.2	27
74	MEKK3 Sustains EMT and Stemness in Pancreatic Cancer by Regulating YAP and TAZ Transcriptional Activity. <i>Anticancer Research</i> , 2018, 38, 1937-1946.	0.5	27
75	Antitumor activity of ZD6126, a novel vascular-targeting agent, is enhanced when combined with ZD1839, an epidermal growth factor receptor tyrosine kinase inhibitor, and potentiates the effects of radiation in a human non-small cell lung cancer xenograft model. <i>Molecular Cancer Therapeutics</i> , 2004, 3, 977-83.	1.9	27
76	Second-line chemotherapy for advanced pancreatic cancer: Which is the best option?. <i>Critical Reviews in Oncology/Hematology</i> , 2017, 115, 1-12.	2.0	26
77	Quality-adjusted survival with combination nal-IRI+5-FU/LV vs 5-FU/LV alone in metastatic pancreatic cancer patients previously treated with gemcitabine-based therapy: a Q-TWiST analysis. <i>British Journal of Cancer</i> , 2017, 116, 1247-1253.	2.9	25
78	Nivolumab-Induced Impressive Response of Refractory Pulmonary Sarcomatoid Carcinoma with Brain Metastasis. <i>Case Reports in Oncology</i> , 2018, 11, 615-621.	0.3	25
79	A phase Ib dose-escalation and cohort-expansion study of safety and activity of the transforming growth factor (TGF) β 2 receptor 1 kinase inhibitor galunisertib plus the anti-PD-L1 antibody durvalumab in metastatic pancreatic cancer.. <i>Journal of Clinical Oncology</i> , 2019, 37, 4124-4124.	0.8	24
80	From Genetic Alterations to Tumor Microenvironment: The Ariadne's String in Pancreatic Cancer. <i>Cells</i> , 2020, 9, 309.	1.8	23
81	The A.L.A.N. score identifies prognostic classes in advanced biliary cancer patients receiving first-line chemotherapy. <i>European Journal of Cancer</i> , 2019, 117, 84-90.	1.3	21
82	Prognostic Impact of Preoperative Nutritional Risk in Patients Who Undergo Surgery for Pancreatic Adenocarcinoma. <i>Annals of Surgical Oncology</i> , 2020, 27, 5325-5334.	0.7	20
83	Organisational challenges, volumes of oncological activity and patients' perception during the severe acute respiratory syndrome coronavirus 2 epidemic. <i>European Journal of Cancer</i> , 2020, 135, 159-169.	1.3	20
84	Permissive State of EMT: The Role of Immune Cell Compartment. <i>Frontiers in Oncology</i> , 2020, 10, 587.	1.3	19
85	Germinal BRCA1-2 pathogenic variants (gBRCA1-2pv) and pancreatic cancer: epidemiology of an Italian patient cohort. <i>ESMO Open</i> , 2021, 6, 100032.	2.0	19
86	NUT midline carcinoma: Current concepts and future perspectives of a novel tumour entity. <i>Critical Reviews in Oncology/Hematology</i> , 2019, 144, 102826.	2.0	18
87	Plasma IL8 Is a Biomarker for TAK1 Activation and Predicts Resistance to Nanoliposomal Irinotecan in Patients with Gemcitabine-Refractory Pancreatic Cancer. <i>Clinical Cancer Research</i> , 2020, 26, 4661-4669.	3.2	18
88	The Multifaceted Role of TGF- β 2 in Gastrointestinal Tumors. <i>Cancers</i> , 2021, 13, 3960.	1.7	18
89	The curious case of G1s gain-of-function in neoplasia. <i>BMC Cancer</i> , 2018, 18, 293.	1.1	17
90	A Case-Matched Gender Comparison Transcriptomic Screen Identifies eIF4E and eIF5 as Potential Prognostic Markers in Male Breast Cancer. <i>Clinical Cancer Research</i> , 2017, 23, 2575-2583.	3.2	16

#	ARTICLE	IF	CITATIONS
91	The development of PARP as a successful target for cancer therapy. Expert Review of Anticancer Therapy, 2018, 18, 161-175.	1.1	16
92	The Role of Anti-Angiogenics in Pre-Treated Metastatic BRAF-Mutant Colorectal Cancer: A Pooled Analysis. Cancers, 2020, 12, 1022.	1.7	16
93	Radiation detectors based on Multiwall Carbon Nanotubes deposited by a spray technique. Thin Solid Films, 2013, 543, 19-22.	0.8	15
94	Population pharmacokinetics and exposureâ€“overall survival analysis of the transforming growth factor-Î² inhibitor galunisertib in patients with pancreatic cancer. Cancer Chemotherapy and Pharmacology, 2019, 84, 1003-1015.	1.1	15
95	Role of molecular genetics in the clinical management of cholangiocarcinoma. ESMO Open, 2022, 7, 100505.	2.0	15
96	HOX Genes Family and Cancer: A Novel Role for Homeobox B9 in the Resistance to Anti-Angiogenic Therapies. Cancers, 2020, 12, 3299.	1.7	14
97	Clinical Behavior and Treatment Response of Epstein-Barr Virus-Positive Metastatic Gastric Cancer: Implications for the Development of Future Trials. Oncologist, 2020, 25, 780-786.	1.9	14
98	Current Strategies to Overcome Resistance to ALK-Inhibitor Agents. Current Drug Metabolism, 2015, 16, 585-596.	0.7	13
99	Predictive Signatures Inform the Effective Repurposing of Decitabine to Treat KRASâ€“Dependent Pancreatic Ductal Adenocarcinoma. Cancer Research, 2019, 79, 5612-5625.	0.4	11
100	Correlation of MR features and histogram-derived parameters with aggressiveness and outcomes after resection in pancreatic ductal adenocarcinoma. Abdominal Radiology, 2020, 45, 3809-3818.	1.0	11
101	Novel Biomarkers for Prediction of Response to Preoperative Systemic Therapies in Gastric Cancer. Journal of Gastric Cancer, 2019, 19, 375.	0.9	11
102	Editorial [Hot Topic: Pancreatic Cancer: Between Bench and Bedside (Guest Editors: Davide Melisi and) Tj ETQq0 0 0 rgBT /Overlock 10 T	1.6	10
103	Selecting patients for gastrectomy in metastatic esophago-gastric cancer: clinics and pathology are not enough. Future Oncology, 2017, 13, 2265-2275.	1.1	10
104	Oligometastatic gastric cancer: An emerging clinical entity with distinct therapeutic implications. European Journal of Surgical Oncology, 2019, 45, 1479-1482.	0.5	10
105	The Impact of Locoregional Treatment on Response to Nivolumab in Advanced Platinum Refractory Head and Neck Cancer: The Need Trial. Vaccines, 2020, 8, 191.	2.1	10
106	Nomogram to predict the outcomes of patients with microsatellite instability-high metastatic colorectal cancer receiving immune checkpoint inhibitors. , 2021, 9, e003370.		10
107	Nab-paclitaxel (Nab-P) and gemcitabine (G) as first-line chemotherapy (CT) in advanced pancreatic cancer (APDAC) elderly patients (pts): A â€œreal-lifeâ€“study.. Journal of Clinical Oncology, 2015, 33, 424-424.	0.8	10
108	A phase II study of liposomal irinotecan with 5-fluorouracil, leucovorin and oxaliplatin in patients with resectable pancreatic cancer: the nITRO trial. Therapeutic Advances in Medical Oncology, 2020, 12, 175883592094796.	1.4	9

#	ARTICLE	IF	CITATIONS
109	Histone Deacetylase Sirtuin 1 Promotes Loss of Primary Cilia in Cholangiocarcinoma. <i>Hepatology</i> , 2021, 74, 3235-3248.	3.6	9
110	Abstract CT068: A randomized phase II, double-blind study to evaluate the efficacy and safety of galunisertib+gemcitabine (GG) or gemcitabine+placebo (GP) in patients with unresectable pancreatic cancer (PC)., 2016, , .		9
111	Micro-RNA in Cholangiocarcinoma: Implications for Diagnosis, Prognosis, and Therapy. <i>Journal of Molecular Pathology</i> , 2022, 3, 88-103.	0.5	9
112	Organoid-Transplant Model Systems to Study the Effects of Obesity on the Pancreatic Carcinogenesis in vivo. <i>Frontiers in Cell and Developmental Biology</i> , 2020, 8, 308.	1.8	8
113	Spray deposited carbon nanotubes for organic vapor sensors. <i>Microelectronics Journal</i> , 2014, 45, 1691-1694.	1.1	7
114	Understanding Patient Experience in Biliary Tract Cancer: A Qualitative Patient Interview Study. <i>Oncology and Therapy</i> , 2021, 9, 557-573.	1.0	7
115	Role of next-generation genomic sequencing in targeted agents repositioning for pancreaticoduodenal cancer patients. <i>Pancreatology</i> , 2021, 21, 1038-1047.	0.5	7
116	The Evolving Role of FGFR2 Inhibitors in Intrahepatic Cholangiocarcinoma: From Molecular Biology to Clinical Targeting. <i>Cancer Management and Research</i> , 2021, Volume 13, 7747-7757.	0.9	7
117	Predictive biomarkers for the treatment of resectable esophageal and esophago-gastric junction adenocarcinoma: from hypothesis generation to clinical validation. <i>Expert Review of Molecular Diagnostics</i> , 2018, 18, 357-370.	1.5	6
118	Second-line treatment efficacy and toxicity in older vs. non-older patients with advanced gastric cancer: A multicentre real-world study. <i>Journal of Geriatric Oncology</i> , 2019, 10, 591-597.	0.5	6
119	Multicenter Retrospective Analysis of Second-Line Therapy after Gemcitabine Plus Nab-Paclitaxel in Advanced Pancreatic Cancer Patients. <i>Cancers</i> , 2020, 12, 1131.	1.7	6
120	Early intravenous administration of nutritional support (IVANS) in metastatic gastric cancer patients at nutritional risk, undergoing first-line chemotherapy: study protocol of a pragmatic, randomized, multicenter, clinical trial. <i>Therapeutic Advances in Medical Oncology</i> , 2020, 12, 175883591989028.	1.4	6
121	The Emergence of Immune-checkpoint Inhibitors in Colorectal Cancer Therapy. <i>Current Drug Targets</i> , 2021, 22, 1021-1033.	1.0	6
122	2335 Analysis of activity, efficacy and safety of first line Nab Paclitaxel (Nab-P) and Gemcitabine (G) in advanced pancreatic cancer (APDAC) frail and elderly patients (pts). <i>European Journal of Cancer</i> , 2015, 51, S445.	1.3	5
123	Molecular analysis of a male breast cancer patient with prolonged stable disease under mTOR/PI3K inhibitors BEZ235/everolimus. <i>Journal of Physical Education and Sports Management</i> , 2016, 2, a000620.	0.5	5
124	Impact of second-line treatment (2L T) in advanced pancreatic cancer (APDAC) patients (pts) receiving first line Nab-Paclitaxel (nab-P) + Gemcitabine (G): An Italian multicentre real life experience.. <i>Journal of Clinical Oncology</i> , 2016, 34, 4124-4124.	0.8	5
125	Trial design for a phase 3 study evaluating pemigatinib (INCB054828) versus gemcitabine plus cisplatin chemotherapy in first-line treatment of patients with cholangiocarcinoma with FGFR2 rearrangement.. <i>Journal of Clinical Oncology</i> , 2019, 37, TPS462-TPS462.	0.8	5
126	Chart review of diagnostic methods, baseline characteristics and symptoms for European patients with pancreatic cancer. <i>Future Oncology</i> , 2021, 17, 1843-1854.	1.1	4

#	ARTICLE	IF	CITATIONS
127	Analysis of prognostic factors in advanced pancreatic cancer (APDAC) patients (pts) undergoing to first-line nab-paclitaxel (Nab-P) and gemcitabine (G) treatment.. Journal of Clinical Oncology, 2015, 33, 412-412.	0.8	4
128	Exceptional Clinical Response to Alectinib in Pancreatic Acinar Cell Carcinoma With a Novel ALK-KANK4 Gene Fusion. JCO Precision Oncology, 2022, 6, e2100400.	1.5	4
129	Phase 1b dose-escalation and cohort-expansion study of the safety, tolerability, and efficacy of a novel transforming growth factor- β 2 receptor kinase inhibitor (galunisertib [G]) administered in combination with the anti-PD-L1 antibody (durvalumab [D]) in recurrent or refractory metastatic pancreatic cancer.. Journal of Clinical Oncology, 2017, 35, TPS501-TPS501.	0.8	3
130	Observational retrospective evaluation of treatment with liposomal irinotecan plus fluorouracil/leucovorin for metastatic pancreatic cancer patients: An Italian large real-world analysis.. Journal of Clinical Oncology, 2020, 38, 660-660.	0.8	3
131	Third-line chemotherapy in advanced biliary cancers (ABC): pattern of care, treatment outcome and prognostic factors from a multicenter study. Expert Review of Gastroenterology and Hepatology, 2022, 16, 73-79.	1.4	3
132	Predictive Biomarkers for a Personalized Approach in Resectable Pancreatic Cancer. Frontiers in Surgery, 2022, 9, .	0.6	3
133	242P Effects of nab-IRI (MM-398) \pm 5-fluorouracil on quality of life (QoL) of patients with metastatic pancreatic ductal adenocarcinoma (mPDAC) previously treated with gemcitabine based therapy: Results from NAPOLI-1. Annals of Oncology, 2016, 27, .	0.6	2
134	Nab-paclitaxel (Nab-P) and gemcitabine (G) first-line chemotherapy (CT) in patients (pts) with metastatic pancreatic cancer (mPC) who relapsed after adjuvant treatment (ADJ T): A R^2 REAL LIFE study.. Journal of Clinical Oncology, 2017, 35, 396-396.	0.8	2
135	Clinical Impact of Folfirinox Dose/Schedule Modifications (Mfolforinnox) and Additional Supportive Measures in the Management of Pancreatic Cancer (Pdca) Patients (Pts). Annals of Oncology, 2014, 25, iv234.	0.6	1
136	2334 Nab Paclitaxel (Nab-P) and Gemcitabine (G) as first line chemotherapy (CT) in advanced pancreatic cancer (APDAC) patients (pts): An Italian R^2 real life study. European Journal of Cancer, 2015, 51, S444.	1.3	1
137	O-004 Effects of nab-IRI (MM-398) \pm 5-fluorouracil on quality of life (QoL) in NAPOLI-1: a phase 3 study in patients with metastatic pancreatic ductal adenocarcinoma (mPDAC) previously treated with gemcitabine. Annals of Oncology, 2016, 27, ii119.	0.6	1
138	First-line (1L) full dose (f) and modified (m) FOLFIRINOX and gemcitabine+nab-paclitaxel (GN) treatment (tx) for metastatic pancreatic adenocarcinoma (mPAC) patients (pts) in routine clinical practice across Europe. Annals of Oncology, 2018, 29, viii244-viii245.	0.6	1
139	Symptoms at diagnosis of (metastatic) pancreatic adenocarcinoma ([m]PAC) in routine practice and frequency variation across Europe. Annals of Oncology, 2018, 29, ix61-ix62.	0.6	1
140	Resistance to ALK Inhibitors. Resistance To Targeted Anti-cancer Therapeutics, 2016, , 147-163.	0.1	1
141	Optimizing supportive measures for the safe administration of FOLFIRINOX as first-line treatment in advanced, inoperable pancreatic cancer (aPDAC) patients (pts) in routine clinical practice.. Journal of Clinical Oncology, 2012, 30, e14661-e14661.	0.8	1
142	Sarcopenia and sarcopenic obesity in pancreatic ductal adenocarcinoma (PDAC) patients undergoing surgery after neoadjuvant therapy (NAT): Clinical implications.. Journal of Clinical Oncology, 2020, 38, e16769-e16769.	0.8	1
143	Biliary tract cancer (BTC) in the elderly: A real-world tertiary cancer center experience.. Journal of Clinical Oncology, 2020, 38, 492-492.	0.8	1
144	Activity of nab-paclitaxel (nab-P) monotherapy in heavily pretreated pancreatic cancer (aPDAC) patients (pts): A multicenter retrospective analysis.. Journal of Clinical Oncology, 2013, 31, e15057-e15057.	0.8	1

#	ARTICLE	IF	CITATIONS
145	Abstract 3339: Modulating TAK1 expression through the inhibition of GSK3 impairs YAP/TAZ oncogenic functions in pancreatic cancer. , 2018, , .		1
146	A Phase 2 Study of Futibatinib (TAS-120) in Patients with Myeloid or Lymphoid Neoplasms Harboring Fibroblast Growth Factor Receptor (FGFR) 1 Rearrangements. Blood, 2021, 138, 3656-3656.	0.6	1
147	The Last Dance for Chemotherapy Intensification in Non-Asian Advanced Biliary Tract Cancers?. Journal of Clinical Oncology, 2022, , JCO2102509.	0.8	1
148	Timing of onset of systemic treatment in asymptomatic patients with metastatic pancreatic cancer: An international expert survey and case-vignette study.. Journal of Clinical Oncology, 2022, 40, e16256-e16256.	0.8	1
149	2357 Prognostic factors in 709 advanced gastric cancer patients exposed to second-line therapy. European Journal of Cancer, 2015, 51, S454-S455.	1.3	0
150	248 Fibroblast Growth Factor Receptor (FGFR)3 sustains acquired resistance to trastuzumab in gastric cancer patients. European Journal of Cancer, 2015, 51, S42-S43.	1.3	0
151	Effects of nanoliposomal irinotecan (nal-IRI; MM-398) ± 5-fluorouracil and leucovorin (5-FU/LV) on quality of life (QoL) in patients (pts) with metastatic pancreatic adenocarcinoma (mPAC) previously treated with gemcitabine-based therapy: results from the phase 3 NAPOLI-1 study. Annals of Oncology, 2016, 27, iv18.	0.6	0
152	Data demonstrating the role of peroxiredoxin 2 as important anti-oxidant system in lung homeostasis. Data in Brief, 2017, 15, 376-381.	0.5	0
153	A circulating TH2 cytokines profile predicts survival in patients with resectable pancreatic adenocarcinoma. Annals of Oncology, 2017, 28, v27.	0.6	0
154	Prognostic impact of nutritional support in patients affected by locally advanced or metastatic pancreatic cancer (PC) undergone chemotherapy. Annals of Oncology, 2017, 28, vi47.	0.6	0
155	Real-world gastric cancer patients treated with at least three lines of chemotherapy: Outcomes and predictors for efficacy.. Annals of Oncology, 2017, 28, iii43-iii44.	0.6	0
156	Second-line treatment efficacy in elderly vs. non-elderly advanced gastric cancer patients: an Italian multicentre real-world study. Annals of Oncology, 2017, 28, vi45.	0.6	0
157	Rectal cancer restaging after neoadjuvant chemoradiation: towards a down-staging score system. Journal of Gastrointestinal Oncology, 2017, 8, 187-188.	0.6	0
158	Symptoms reported at initial diagnosis of (metastatic) pancreatic adenocarcinoma ([m]PAC) in routine clinical practice and variation in frequencies across Europe. Annals of Oncology, 2018, 29, v47.	0.6	0
159	Geographic variation in systemic treatment of metastatic pancreatic adenocarcinoma (mPAC) patients in real world across Europe. Annals of Oncology, 2018, 29, v100-v101.	0.6	0
160	Prognostic role of early nutritional support in patients affected by advanced pancreatic cancer undergoing chemotherapy. Nutrition, 2018, 50, e2.	1.1	0
161	A Novel atTAK Against Hepatocellular Carcinoma: Overcoming Resistance to Sorafenib. Cellular and Molecular Gastroenterology and Hepatology, 2021, 12, 1151-1152.	2.3	0
162	Target Therapy and Immunotherapy in Gastric Cancer. Updates in Surgery Series, 2021, , 225-233.	0.0	0

#	ARTICLE	IF	CITATIONS
163	A novel modified CpG inhibits EGF receptor signalling and synergistically enhances antitumor activity of cetuximab and irinotecan in colon cancer xenografts. <i>Journal of Clinical Oncology</i> , 2005, 23, 3191-3191.	0.8	0
164	Abstract 3287: Pro-inflammatory factors secreted by pancreatic cancers with evasive resistance to anti-VEGF treatment contribute to malignant progression by inducing EMT. , 2011, , .		0
165	FOLFIRNOX for advanced pancreatic cancer (aPDAC) according to schedule and dose modifications: Clinical feasibility and impact of supportive care.. <i>Journal of Clinical Oncology</i> , 2015, 33, 372-372.	0.8	0
166	Abstract 579: TAK1-regulated expression of BIRC3 is responsible for chemoradiotherapy (CRT) resistance in esophagogastric junction (EGJ) adenocarcinoma. , 2015, , .		0
167	Abstract 3605: Combined inhibition of IL-1, CXCR1/2, and TGF β signaling pathways modulates in vivo acquired resistance to anti-VEGF treatment. , 2015, , .		0
168	Abstract 26: Biomarker analysis of a male breast cancer patient with prolonged stable disease under mTOR/PI3K inhibitors BEZ235/RAD001. , 2016, , .		0
169	Quality-adjusted time without symptoms or toxicity (Q-TWiST) of nanoliposomal irinotecan (nal-IRI): Tj ETQq1 1 0.784314 rgBT /Over adenocarcinoma (mPAC) patients (pts) previously treated with gemcitabine-based therapy.. <i>Journal of Clinical Oncology</i> , 2016, 34, e15732-e15732.	0.8	0
170	Abstract 2046: Exposure - response (overall survival [OS]) analyses of patients with unresectable pancreatic cancer (PC) treated with galunisertib+gemcitabine (GG) or gemcitabine+placebo (GP) in a randomized phase 2, double-blind study. , 2016, , .		0
171	Abstract 3265: Homeobox B9 (HOXB9) sustains anti-VEGF treatment resistance in gastrointestinal tumors. , 2016, , .		0
172	242P Effects of nal-IRI (MM-398) 6 5-fluorouracil on quality of life (QoL) of patients with metastatic pancreatic ductal adenocarcinoma (mPDAC) previously treated with gemcitabine based therapy: Results from NAPOLI-1. <i>Annals of Oncology</i> , 2016, 27, ix76.	0.6	0
173	Molecular Markers in the Prediction of Response to Neoadjuvant Treatments in Esophagogastric Junction Adenocarcinoma. , 2017, , 85-94.		0
174	Abstract 3501: Adipocytes sustain pancreatic cancer progression through a non-canonical WNT paracrine network inducing ROR2 nuclear shuttling. , 2018, , .		0
175	Abstract 973: MEKK3 sustains EMT and stemness in pancreatic cancer by regulating YAP and TAZ transcriptional activity. , 2018, , .		0
176	Abstract 295: Synergism between oxaliplatin or irinotecan with the PARP inhibitor niraparib in a preclinical model of KRAS/BRAF mutated colorectal cancer is associated with MSI status. , 2019, , .		0
177	The Vasculopathy in the Bone Marrow Microenvironment of Humanized Sickle Cell Mice Is Reversible By Blood Transfusion. <i>Blood</i> , 2019, 134, 2256-2256.	0.6	0
178	The impact of locoregional treatment on response to nivolumab in advanced platinum refractory head and neck cancer: The need trial.. <i>Journal of Clinical Oncology</i> , 2020, 38, e18508-e18508.	0.8	0
179	A randomized phase II study of second-line treatment with liposomal irinotecan, and S-1 versus liposomal irinotecan and 5-fluorouracil in gemcitabine-refractory metastatic pancreatic cancer patients.. <i>Journal of Clinical Oncology</i> , 2020, 38, TPS4664-TPS4664.	0.8	0
180	176: YAP/TAZ ACTIVATION IS A MECHANISM OF TUMOR PROGRESSION IN THE POORLY COHESIVE GASTRIC CANCER PHENOTYPE. <i>Ecological Management and Restoration</i> , 2022, 35, .	0.2	0