

# Zhi Chen

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/4326466/zhi-chen-publications-by-year.pdf>

**Version:** 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

24  
papers

1,133  
citations

16  
h-index

24  
g-index

24  
ext. papers

1,280  
ext. citations

6.5  
avg, IF

4.58  
L-index

#	Paper	IF	Citations
24	Doped semiconductor nanoparticles for possible daytime radiative cooling applications. <i>Semiconductor Science and Technology</i> , <b>2020</b> , 35, 075018	1.8	3
23	Designing a broadband terahertz plasmonic field enhancer with a homojunction of semiconductors. <i>Applied Physics Express</i> , <b>2020</b> , 13, 012005	2.4	2
22	Plasmon-Enhanced Infrared Emission Approaching the Theoretical Limit of Radiative Cooling Ability. <i>Nano Letters</i> , <b>2020</b> , 20, 6974-6980	11.5	25
21	Moisture buffering phenomenon and its impact on building energy consumption. <i>Applied Thermal Engineering</i> , <b>2017</b> , 124, 337-345	5.8	64
20	Synthesis and characteristics of composite phase change humidity control materials. <i>Energy Procedia</i> , <b>2017</b> , 139, 493-498	2.3	3
19	Phase Change Humidity Control Material and its Application in Buildings. <i>Procedia Engineering</i> , <b>2017</b> , 205, 1011-1018		8
18	Moisture Buffer Effect and its Impact on Indoor Environment. <i>Procedia Engineering</i> , <b>2017</b> , 205, 1123-1129		5
17	Improving Residential Wind Environments by Understanding the Relationship between Building Arrangements and Outdoor Regional Ventilation. <i>Atmosphere</i> , <b>2017</b> , 8, 102	2.7	10
16	Preparation and hygrothermal properties of composite phase change humidity control materials. <i>Applied Thermal Engineering</i> , <b>2016</b> , 98, 1150-1157	5.8	27
15	Preparation and characteristics of composite phase change material (CPCM) with SiO <sub>2</sub> and diatomite as endothermal-hygroscopic material. <i>Energy and Buildings</i> , <b>2015</b> , 86, 1-6	7	22
14	Synthesis and characteristics of hygroscopic phase change material: Composite microencapsulated phase change material (MPCM) and diatomite. <i>Energy and Buildings</i> , <b>2015</b> , 106, 175-182	7	26
13	Synthesis and Characterization of Composite Phase Change Material (CPCM) with SiO <sub>2</sub> and Diatomite as Endothermal-hygroscopic Material. <i>Energy Procedia</i> , <b>2015</b> , 78, 201-206	2.3	3
12	Synthesis and Characterization of Microencapsulated Paraffin Microcapsules as Shape-Stabilized Thermal Energy Storage Materials. <i>Nanoscale and Microscale Thermophysical Engineering</i> , <b>2013</b> , 17, 112-123	3.7	56
11	Preparation and characteristics of microencapsulated stearic acid as composite thermal energy storage material in buildings. <i>Energy and Buildings</i> , <b>2013</b> , 62, 469-474	7	82
10	Synthesis and thermal properties of shape-stabilized lauric acid/activated carbon composites as phase change materials for thermal energy storage. <i>Solar Energy Materials and Solar Cells</i> , <b>2012</b> , 102, 131-136	6.4	112
9	Preparation and thermal properties of n-octadecane/molecular sieve composites as form-stable thermal energy storage materials for buildings. <i>Energy and Buildings</i> , <b>2012</b> , 49, 423-428	7	38
8	Discharging characteristics modeling of cool thermal energy storage system with coil pipes using n-tetradecane as phase change material. <i>Applied Thermal Engineering</i> , <b>2012</b> , 37, 336-343	5.8	27

7	Preparation and heat transfer characteristics of microencapsulated phase change material slurry: A review. <i>Renewable and Sustainable Energy Reviews</i> , <b>2011</b> , 15, 4624-4632	16.2	69
6	Dynamic charging characteristics modeling of heat storage device with heat pipe. <i>Applied Thermal Engineering</i> , <b>2011</b> , 31, 2902-2908	5.8	28
5	Preparation and properties of palmitic acid/SiO <sub>2</sub> composites with flame retardant as thermal energy storage materials. <i>Solar Energy Materials and Solar Cells</i> , <b>2011</b> , 95, 1875-1881	6.4	100
4	Solidification Characteristics Modeling of Phase Change Material in Plate Capsule of Cool Storage System. <i>International Journal of Green Energy</i> , <b>2011</b> , 8, 734-747	3	3
3	Preparation and characterization of flame retardant n-hexadecane/silicon dioxide composites as thermal energy storage materials. <i>Journal of Hazardous Materials</i> , <b>2010</b> , 181, 1004-9	12.8	65
2	Synthesis and properties of microencapsulated paraffin composites with SiO <sub>2</sub> shell as thermal energy storage materials. <i>Chemical Engineering Journal</i> , <b>2010</b> , 163, 154-159	14.7	211
1	Preparation and characterization of stearic acid/expanded graphite composites as thermal energy storage materials. <i>Energy</i> , <b>2010</b> , 35, 4622-4626	7.9	144