

Zhi Dai

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4326662/publications.pdf>

Version: 2024-02-01

59
papers

3,924
citations

236833
25
h-index

133188
59
g-index

61
all docs

61
docs citations

61
times ranked

6003
citing authors

#	ARTICLE	IF	CITATIONS
1	Tumor-Associated Neutrophils Recruit Macrophages and T-Regulatory Cells to Promote Progression of Hepatocellular Carcinoma and Resistance to Sorafenib. <i>Gastroenterology</i> , 2016, 150, 1646-1658.e17.	0.6	586
2	Guidelines for the Diagnosis and Treatment of Hepatocellular Carcinoma (2019 Edition). <i>Liver Cancer</i> , 2020, 9, 682-720.	4.2	427
3	Guidelines for Diagnosis and Treatment of Primary Liver Cancer in China (2017 Edition). <i>Liver Cancer</i> , 2018, 7, 235-260.	4.2	426
4	Overexpression of CXCL5 mediates neutrophil infiltration and indicates poor prognosis for hepatocellular carcinoma. <i>Hepatology</i> , 2012, 56, 2242-2254.	3.6	298
5	Macrophage-secreted IL-8 induces epithelial-mesenchymal transition in hepatocellular carcinoma cells by activating the JAK2/STAT3/Snail pathway. <i>International Journal of Oncology</i> , 2015, 46, 587-596.	1.4	177
6	miR-28a-5p/CXCL5/CL1 signaling axis mediates macrophage feedback loop modulates hepatocellular carcinoma metastasis. <i>Hepatology</i> , 2016, 63, 1560-1575.	3.6	166
7	CXCR2/CXCL5 axis contributes to epithelial-mesenchymal transition of HCC cells through activating PI3K/Akt/GSK-3 β /Snail signaling. <i>Cancer Letters</i> , 2015, 358, 124-135.	3.2	157
8	Fibroblast Growth Factor 21 Is Regulated by the IRE1 α -XBP1 Branch of the Unfolded Protein Response and Counteracts Endoplasmic Reticulum Stress-induced Hepatic Steatosis. <i>Journal of Biological Chemistry</i> , 2014, 289, 29751-29765.	1.6	147
9	Serum exosomal miR-125b is a novel prognostic marker for hepatocellular carcinoma. <i>OncoTargets and Therapy</i> , 2017, Volume 10, 3843-3851.	1.0	117
10	Activating Mutations in PTPN3 Promote Cholangiocarcinoma Cell Proliferation and Migration and Are Associated With Tumor Recurrence in Patients. <i>Gastroenterology</i> , 2014, 146, 1397-1407.	0.6	111
11	HNRNPAB Induces Epithelial-Mesenchymal Transition and Promotes Metastasis of Hepatocellular Carcinoma by Transcriptionally Activating <i>SNAIL</i> . <i>Cancer Research</i> , 2014, 74, 2750-2762.	0.4	91
12	PKM2 promotes metastasis by recruiting myeloid-derived suppressor cells and indicates poor prognosis for hepatocellular carcinoma. <i>Oncotarget</i> , 2015, 6, 846-861.	0.8	84
13	The miR-561-5p/CX ₃ CL1 Signaling Axis Regulates Pulmonary Metastasis in Hepatocellular Carcinoma Involving CX ₃ CR1 ⁺ Natural Killer Cells Infiltration. <i>Theranostics</i> , 2019, 9, 4779-4794.	4.6	72
14	Lectin-based glycoproteomics to explore and analyze hepatocellular carcinoma-related glycoprotein markers. <i>Electrophoresis</i> , 2009, 30, 2957-2966.	1.3	69
15	MIR-302c inhibits tumor growth of hepatocellular carcinoma by suppressing the endothelial-mesenchymal transition of endothelial cells. <i>Scientific Reports</i> , 2014, 4, 5524.	1.6	68
16	MicroRNA-29a induces loss of 5-hydroxymethylcytosine and promotes metastasis of hepatocellular carcinoma through a TET-SOCS1-MMP9 signaling axis. <i>Cell Death and Disease</i> , 2017, 8, e2906-e2906.	2.7	66
17	Plasma hsa_circ_0027089 is a diagnostic biomarker for hepatitis B virus-related hepatocellular carcinoma. <i>Carcinogenesis</i> , 2020, 41, 296-302.	1.3	51
18	Identification and analysis of altered α 1,6-fucosylated glycoproteins associated with hepatocellular carcinoma metastasis. <i>Proteomics</i> , 2006, 6, 5857-5867.	1.3	50

#	ARTICLE	IF	CITATIONS
19	Capn4 contributes to tumour growth and metastasis of hepatocellular carcinoma by activation of the FAK-Src signalling pathways. <i>Journal of Pathology</i> , 2014, 234, 316-328.	2.1	48
20	Splicing factor SRSF1 promotes breast cancer progression via oncogenic splice switching of PTPMT1. <i>Journal of Experimental and Clinical Cancer Research</i> , 2021, 40, 171.	3.5	42
21	Systemic inflammation score predicts survival in patients with intrahepatic cholangiocarcinoma undergoing curative resection. <i>Journal of Cancer</i> , 2019, 10, 494-503.	1.2	36
22	CCL24 contributes to HCC malignancy via RhoB- VEGFA-VEGFR2 angiogenesis pathway and indicates poor prognosis. <i>Oncotarget</i> , 2017, 8, 5135-5148.	0.8	35
23	Overexpression of semaphorin 3A promotes tumor progression and predicts poor prognosis in hepatocellular carcinoma after curative resection. <i>Oncotarget</i> , 2016, 7, 51733-51746.	0.8	34
24	Prognostic alternative mRNA splicing signature in hepatocellular carcinoma: a study based on large-scale sequencing data. <i>Carcinogenesis</i> , 2019, 40, 1077-1085.	1.3	34
25	Caveolin-1 promotes tumor growth and metastasis via autophagy inhibition in hepatocellular carcinoma. <i>Clinics and Research in Hepatology and Gastroenterology</i> , 2016, 40, 169-178.	0.7	32
26	Tissue-infiltrating lymphocytes signature predicts survival in patients with early/intermediate stage hepatocellular carcinoma. <i>BMC Medicine</i> , 2019, 17, 106.	2.3	31
27	Prognostic Value and Predication Model of Microvascular Invasion in Patients with Intrahepatic Cholangiocarcinoma. <i>Journal of Cancer</i> , 2019, 10, 5575-5584.	1.2	28
28	HNRNPAB-regulated lncRNA-ELF209 inhibits the malignancy of hepatocellular carcinoma. <i>International Journal of Cancer</i> , 2020, 146, 169-180.	2.3	28
29	Metadherin-PRMT5 complex enhances the metastasis of hepatocellular carcinoma through the WNT- β -catenin signaling pathway. <i>Carcinogenesis</i> , 2020, 41, 130-138.	1.3	27
30	Age-adjusted Charlson Comorbidity Index predicts survival in intrahepatic cholangiocarcinoma patients after curative resection. <i>Annals of Translational Medicine</i> , 2020, 8, 487-487.	0.7	25
31	The expression profiles and prognostic values of HSP70s in hepatocellular carcinoma. <i>Cancer Cell International</i> , 2021, 21, 286.	1.8	24
32	Splicing factors: Insights into their regulatory network in alternative splicing in cancer. <i>Cancer Letters</i> , 2021, 501, 83-104.	3.2	22
33	Serial circulating tumor DNA to predict early recurrence in patients with hepatocellular carcinoma: a prospective study. <i>Molecular Oncology</i> , 2022, 16, 549-561.	2.1	21
34	Identification and analysis of $\pm 1,6$ -fucosylated proteins in human normal liver tissues by a target glycoproteomic approach. <i>Electrophoresis</i> , 2007, 28, 4382-4391.	1.3	20
35	Bioactivity Ingredients of <i>Chaenomeles speciosa</i> against Microbes: Characterization by LC-MS and Activity Evaluation. <i>Journal of Agricultural and Food Chemistry</i> , 2021, 69, 4686-4696.	2.4	20
36	Development and validation of a new tumor-based gene signature predicting prognosis of HBV/HCV-included resected hepatocellular carcinoma patients. <i>Journal of Translational Medicine</i> , 2019, 17, 203.	1.8	18

#	ARTICLE	IF	CITATIONS
37	Endoplasmic reticulum stress induces up-regulation of hepatic β -Klotho expression through ATF4 signaling pathway. <i>Biochemical and Biophysical Research Communications</i> , 2015, 459, 300-305.	1.0	17
38	Novel role of semaphorin 3A in the growth and progression of hepatocellular carcinoma. <i>Oncology Reports</i> , 2017, 37, 3313-3320.	1.2	17
39	Prognostic value of systemic inflammation score in patients with hepatocellular carcinoma after hepatectomy. <i>Oncotarget</i> , 2017, 8, 79366-79375.	0.8	16
40	Surgical Treatment of Combined Hepatocellular-Cholangiocarcinoma is as Effective in Elderly Patients as it is in Younger Patients: A Propensity Score Matching Analysis. <i>Journal of Cancer</i> , 2018, 9, 1106-1112.	1.2	16
41	TGM3 promotes epithelial-mesenchymal transition and hepatocellular carcinogenesis and predicts poor prognosis for patients after curative resection. <i>Digestive and Liver Disease</i> , 2020, 52, 668-676.	0.4	15
42	Targeting HNRNPM Inhibits Cancer Stemness and Enhances Antitumor Immunity in Wnt-activated Hepatocellular Carcinoma. <i>Cellular and Molecular Gastroenterology and Hepatology</i> , 2022, 13, 1413-1447.	2.3	15
43	A Novel Risk prediction Model for Patients with Combined Hepatocellular-Cholangiocarcinoma. <i>Journal of Cancer</i> , 2018, 9, 1025-1032.	1.2	14
44	Comparative efficacy and safety between ablative therapies or surgery for small hepatocellular carcinoma: a network meta-analysis. <i>Expert Review of Gastroenterology and Hepatology</i> , 2018, 12, 935-945.	1.4	13
45	Perioperative blood transfusion does not affect recurrence-free and overall survivals after curative resection for intrahepatic cholangiocarcinoma: a propensity score matching analysis. <i>BMC Cancer</i> , 2017, 17, 762.	1.1	12
46	Aspartate aminotransferase-to-platelet ratio index predicts prognosis of hepatocellular carcinoma after postoperative adjuvant transarterial chemoembolization. <i>Cancer Management and Research</i> , 2019, Volume 11, 63-79.	0.9	12
47	Genetic Alterations and Transcriptional Expression of m6A RNA Methylation Regulators Drive a Malignant Phenotype and Have Clinical Prognostic Impact in Hepatocellular Carcinoma. <i>Frontiers in Oncology</i> , 2020, 10, 900.	1.3	11
48	Structures/cytotoxicity/selectivity relationship of natural steroidal saponins against GSCs and primary mechanism of tribulosaponin A. <i>European Journal of Medicinal Chemistry</i> , 2021, 210, 113068.	2.6	10
49	Prostate-derived ETS factor improves prognosis and represses proliferation and invasion in hepatocellular carcinoma. <i>Oncotarget</i> , 2017, 8, 52488-52500.	0.8	10
50	Identification and validation of a new gene signature predicting prognosis of hepatocellular carcinoma patients by network analysis of stemness indices. <i>Expert Review of Gastroenterology and Hepatology</i> , 2021, 15, 699-709.	1.4	9
51	LOXL4 is downregulated in hepatocellular carcinoma with a favorable prognosis. <i>International Journal of Clinical and Experimental Pathology</i> , 2015, 8, 3892-900.	0.5	9
52	Tacrolimus promotes hepatocellular carcinoma and enhances CXCR4/SDF-1 α expression in vivo. <i>Molecular Medicine Reports</i> , 2014, 10, 585-592.	1.1	8
53	Whole-genome sequencing reveals the evolutionary trajectory of HBV-related hepatocellular carcinoma early recurrence. <i>Signal Transduction and Targeted Therapy</i> , 2022, 7, 24.	7.1	7
54	Daily decrease of post-operative alpha-fetoprotein by 9% discriminates prognosis of HCC: A multicenter retrospective study. <i>Aging</i> , 2019, 11, 11111-11123.	1.4	6

#	ARTICLE	IF	CITATIONS
55	Furostanol Saponins from <i>Asparagus cochinchinensis</i> and Their Cytotoxicity. <i>Natural Products and Bioprospecting</i> , 2021, 11, 651-658.	2.0	6
56	Validating RRP12 Expression and Its Prognostic Significance in HCC Based on Data Mining and Bioinformatics Methods. <i>Frontiers in Oncology</i> , 2022, 12, 812009.	1.3	5
57	Coagulopathy associated with poor prognosis in intrahepatic cholangiocarcinoma patients after curative resection. <i>BioScience Trends</i> , 2017, 11, 469-474.	1.1	3
58	Profiles of alternative splicing landscape in breast cancer and their clinical significance: an integrative analysis based on large-sequencing data. <i>Annals of Translational Medicine</i> , 2021, 9, 58-58.	0.7	3
59	Identification of metastasis candidate proteins among HCC cell lines by comparative proteome and biological function analysis of S100A4 in metastasis in vitro. , 2006, 6, 5953.		1