

# Roberta Arcidiacono

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/432730/roberta-arcidiacono-publications-by-year.pdf>

**Version:** 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

626

papers

16,905

citations

61

h-index

98

g-index

663

ext. papers

19,860

ext. citations

4.5

avg, IF

3.08

L-index

#	Paper	IF	Citations
626	Inclusive and differential cross section measurements of single top quark production in association with a Z boson in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2022</b> , 2022, 1	5.4	0
625	Search for flavor-changing neutral current interactions of the top quark and the Higgs boson decaying to a bottom quark-antiquark pair at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2022</b> , 2022, 1	5.4	1
624	Search for long-lived particles decaying to leptons with large impact parameter in proton-proton collisions at .. <i>European Physical Journal C</i> , <b>2022</b> , 82, 153	4.2	0
623	Study of dijet events with large rapidity separation in proton-proton collisions at $\sqrt{s} = 2.76$ TeV. <i>Journal of High Energy Physics</i> , <b>2022</b> , 2022, 1	5.4	
622	High-accuracy 4D particle trackers with resistive silicon detectors (AC-LGADs). <i>Journal of Instrumentation</i> , <b>2022</b> , 17, C03013	1	
621	Search for low-mass dilepton resonances in Higgs boson decays to four-lepton final states in proton-proton collisions at .. <i>European Physical Journal C</i> , <b>2022</b> , 82, 290	4.2	0
620	Search for supersymmetry in final states with two or three soft leptons and missing transverse momentum in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2022</b> , 2022, 1	5.4	0
619	Search for a right-handed W boson and a heavy neutrino in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2022</b> , 2022, 1	5.4	0
618	Optimization of the gain layer design of ultra-fast silicon detectors. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , <b>2022</b> , 166739	1.2	1
617	Search for a heavy resonance decaying into a top quark and a W boson in the lepton+jets final state at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2022</b> , 2022, 1	5.4	0
616	Search for heavy resonances decaying to ZZ or ZW and axion-like particles mediating nonresonant ZZ or ZH production at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2022</b> , 2022, 1	5.4	0
615	Measurement and QCD analysis of double-differential inclusive jet cross sections in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2022</b> , 2022, 1	5.4	0
614	Search for electroweak production of charginos and neutralinos in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2022</b> , 2022, 1	5.4	0
613	Measurement of the inclusive $\overline{\text{t}}\text{t}$ production cross section in proton-proton collisions at $\sqrt{s} = 5.02$ TeV. <i>Journal of High Energy Physics</i> , <b>2022</b> , 2022, 1	5.4	
612	Combined searches for the production of supersymmetric top quark partners in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2021</b> , 81, 970	4.2	3
611	Measurements of production cross sections and constraints on anomalous triple gauge couplings at. <i>European Physical Journal C</i> , <b>2021</b> , 81, 200	4.2	5
610	Development and validation of HERWIG7 tunes from CMS underlying-event measurements. <i>European Physical Journal C</i> , <b>2021</b> , 81, 312	4.2	1

609	Measurement of the Higgs boson production rate in association with top quarks in final states with electrons, muons, and hadronically decaying tau leptons at. <i>European Physical Journal C</i> , <b>2021</b> , 81, 378	4.2	5
608	Search for K <sup>+</sup> decays to a muon and invisible particles. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2021</b> , 816, 136259	4.2	7
607	Measurements of production cross sections of the Higgs boson in the four-lepton final state in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2021</b> , 81, 488	4.2	5
606	Measurements of Higgs boson production cross sections and couplings in the diphoton decay channel at ( $\sqrt{s}$ ) = 13 TeV. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5.4	3
605	Novel strategies for fine-segmented Low Gain Avalanche Diodes. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , <b>2021</b> , 987, 164840	1.2	1
604	Design and characterization of the FAST chip: a front-end for 4D tracking systems based on Ultra-Fast Silicon Detectors aiming at 30 ps time resolution. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , <b>2021</b> , 987, 164840	1.2	1
603	Search for dark matter produced in association with a leptonically decaying boson in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2021</b> , 81, 13	4.2	7
602	Search for top squark pair production using dilepton final states in collision data collected at. <i>European Physical Journal C</i> , <b>2021</b> , 81, 3	4.2	5
601	Resistive AC-Coupled Silicon Detectors: Principles of operation and first results from a combined analysis of beam test and laser data. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , <b>2021</b> , 1003, 165319	1.2	5
600	MUSiC: a model-unspecific search for new physics in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2021</b> , 81, 629	4.2	4
599	Search for a heavy vector resonance decaying to a $\gamma$ boson and a Higgs boson in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2021</b> , 81, 688	4.2	0
598	Search for charged Higgs bosons produced in vector boson fusion processes and decaying into vector boson pairs in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2021</b> , 81, 723	4.2	3
597	Combined analysis of HPK 3.1 LGADs using a proton beam, beta source, and probe station towards establishing high volume quality control. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , <b>2021</b> , 1018, 165828	1.2	3
596	Measurements of angular distance and momentum ratio distributions in three-jet and + two-jet final states in collisions. <i>European Physical Journal C</i> , <b>2021</b> , 81, 852	4.2	0
595	Precision luminosity measurement in proton-proton collisions at in 2015 and 2016 at CMS. <i>European Physical Journal C</i> , <b>2021</b> , 81, 800	4.2	7
594	Properties of FBK UFSDs after neutron and proton irradiation up to $6 \times 10^{15}$ neq/cm <sup>2</sup> . <i>Journal of Instrumentation</i> , <b>2020</b> , 15, T04008-T04008	1	4
593	Performance of the CMS Level-1 trigger in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of Instrumentation</i> , <b>2020</b> , 15, P10017-P10017	1	23
592	Search for decays of the 125 GeV Higgs boson into a Z boson and a $\gamma$ meson. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	2

591	Search for direct top squark pair production in events with one lepton, jets, and missing transverse momentum at 13 TeV with the CMS experiment. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	12
590	Search for high mass dijet resonances with a new background prediction method in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	20
589	Test of innovative silicon detectors for the monitoring of a therapeutic proton beam. <i>Journal of Physics: Conference Series</i> , <b>2020</b> , 1662, 012002	0.3	1
588	Search for supersymmetry in proton-proton collisions at $(\sqrt{s}) = 13$ TeV in events with high-momentum Z bosons and missing transverse momentum. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	1
587	Measurement of top quark pair production in association with a Z boson in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	8
586	Search for an excited lepton that decays via a contact interaction to a lepton and two jets in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	1
585	Search for new neutral Higgs bosons through the $(\text{H}) \rightarrow \text{ZA} \rightarrow \{\ell\}^+ \{\ell\}^- \text{b} \overline{\text{b}}$ process in pp collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	10
584	Search for direct pair production of supersymmetric partners to the lepton in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2020</b> , 80, 189	4.2	3
583	Mixed higher-order anisotropic flow and nonlinear response coefficients of charged particles in collisions at and 5.02. <i>European Physical Journal C</i> , <b>2020</b> , 80, 534	4.2	6
582	Measurement of the cross section for electroweak production of a Z boson, a photon and two jets in proton-proton collisions at $(\sqrt{s}) = 13$ TeV and constraints on anomalous quartic couplings. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	7
581	Determination of the strong coupling constant $\alpha_S(m_Z)$ from measurements of inclusive $W\bar{W}$ and Z boson production cross sections in proton-proton collisions at $(\sqrt{s}) = 7$ and 8 TeV. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	2
580	Measurement of the top quark forward-backward production asymmetry and the anomalous chromoelectric and chromomagnetic moments in pp collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	3
579	Measurement of electroweak production of a boson in association with two jets in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2020</b> , 80, 43	4.2	6
578	Search for top squark pair production in a final state with two tau leptons in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	1
577	Evidence for $(\text{W})\text{W}$ production from double-parton interactions in proton-proton collisions at $(\sqrt{s} = 13, \text{TeV})$ . <i>European Physical Journal C</i> , <b>2020</b> , 80, 1	4.2	4
576	Search for production of four top quarks in final states with same-sign or multiple leptons in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2020</b> , 80, 75	4.2	24
575	Searches for physics beyond the standard model with the variable in hadronic final states with and without disappearing tracks in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2020</b> , 80, 3	4.2	16
574	Extraction and validation of a new set of CMS pythia8 tunes from underlying-event measurements. <i>European Physical Journal C</i> , <b>2020</b> , 80, 4	4.2	61

573	Analysis and numerical design of Resistive AC-Coupled Silicon Detectors (RSD) for 4D particle tracking. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , <b>2020</b> , 959, 163479	1.2	4
572	Search for lepton flavour violating decays of a neutral heavy Higgs boson to $\bar{b}d$ and $e\bar{\nu}$ in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	6
571	A search for the standard model Higgs boson decaying to charm quarks. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	9
570	Search for a heavy Higgs boson decaying to a pair of W bosons in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	11
569	Evolution of the design of ultra fast silicon detector to cope with high irradiation fluences and fine segmentation. <i>Journal of Instrumentation</i> , <b>2020</b> , 15, C04027-C04027	1	0
568	Search for dark matter particles produced in association with a Higgs boson in proton-proton collisions at $(\sqrt{\text{mathrm{s}}}) = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	7
567	A multi-dimensional search for new heavy resonances decaying to boosted $\gamma$ , $W$ , or boson pairs in the dijet final state at $13\sqrt{\text{mathrm{s}}}$ . <i>European Physical Journal C</i> , <b>2020</b> , 80, 237	4.2	10
566	Measurement of single-diffractive dijet production in proton-proton collisions at $\sqrt{s} = 13$ TeV with the CMS and TOTEM experiments. <i>European Physical Journal C</i> , <b>2020</b> , 80, 1164	4.2	0
565	Measurement of differential cross sections and charge ratios for $t$ -channel single top quark production in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>European Physical Journal C</i> , <b>2020</b> , 80, 370	4.2	4
564	Measurement of $(\text{d}\sigma/\text{d}p_T \text{d}p_{T,2} \text{d}\eta \text{d}\eta_2)$ normalised multi-differential cross sections in $(\text{pp})$ collisions at $(\sqrt{s}=13, \text{TeV})$ , and simultaneous determination of the strong coupling strength, top quark pole mass, and parton distribution functions. <i>European Physical Journal C</i> , <b>2020</b> , 80, 1164	4.2	13
563	Search for a charged Higgs boson decaying into top and bottom quarks in events with electrons or muons in proton-proton collisions at $(\sqrt{\text{mathrm{s}}}) = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	16
562	An investigation of the very rare $(K^+ \rightarrow \pi^+ \nu \bar{\nu})$ decay. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	6
561	Experimental Study of Acceptor Removal in UFSD. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , <b>2020</b> , 983, 164611	1.2	2
560	Effect of deep gain layer and Carbon infusion on LGAD radiation hardness. <i>Journal of Instrumentation</i> , <b>2020</b> , 15, P10003-P10003	1	4
559	The Gigatracker, the silicon beam tracker for the NA62 experiment at CERN. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , <b>2020</b> , 958, 162127	1.2	2
558	State-of-the-art and evolution of UFSD sensors design at FBK. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , <b>2020</b> , 978, 164375	1.2	1
557	Search for heavy neutral lepton production in $K^+$ decays to positrons. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2020</b> , 807, 135599	4.2	19
556	LGAD designs for Future Particle Trackers. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , <b>2020</b> , 979, 164383	1.2	4

555	The production of isolated photons in PbPb and pp collisions at $(\sqrt{s_{\mathrm{NN}}}) = 5.02$ TeV. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5-4	2
554	Bose-Einstein correlations of charged hadrons in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5-4	2
553	A Deep Neural Network for Simultaneous Estimation of b Jet Energy and Resolution. <i>Computing and Software for Big Science</i> , <b>2020</b> , 4, 10	6	3
552	Search for electroweak production of a vector-like T quark using fully hadronic final states. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5-4	8
551	Search for a heavy pseudoscalar Higgs boson decaying into a 125 GeV Higgs boson and a Z boson in final states with two tau and two light leptons at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5-4	5
550	Measurement of properties of $(\mathrm{B})_{\mathrm{s}}^0$ decays and search for $\mathrm{B}_0$ with the CMS experiment. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5-4	10
549	Search for a light pseudoscalar Higgs boson in the boosted final state in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5-4	9
548	Performance of the reconstruction and identification of high-momentum muons in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of Instrumentation</i> , <b>2020</b> , 15, P02027-P02027	1	11
547	Measurement of quark- and gluon-like jet fractions using jet charge in PbPb and pp collisions at 5.02 TeV. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5-4	4
546	Measurement of the cross section for $(\overline{\mathrm{t}}\mathrm{t})$ production with additional jets and b jets in pp collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5-4	1
545	Search for charged Higgs bosons decaying into a top and a bottom quark in the all-jet final state of pp collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5-4	13
544	Search for heavy Higgs bosons decaying to a top quark pair in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5-4	18
543	Calibration of the CMS hadron calorimeters using proton-proton collision data at $\sqrt{s} = 13$ TeV. <i>Journal of Instrumentation</i> , <b>2020</b> , 15, P05002-P05002	1	
542	A multichannel front-end readout ASIC for picosecond time resolution systems based on thin UFSD. <i>Journal of Instrumentation</i> , <b>2020</b> , 15, C07012-C07012	1	0
541	Study of central exclusive production in proton-proton collisions at and 13TeV. <i>European Physical Journal C</i> , <b>2020</b> , 80, 718	4-2	2
540	Search for physics beyond the standard model in events with jets and two same-sign or at least three charged leptons in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2020</b> , 80, 752	4-2	2
539	Search for physics beyond the standard model in multilepton final states in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5-4	8
538	Measurement of the top quark pair production cross section in dilepton final states containing one lepton in pp collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5-4	0

537	Azimuthal separation in nearly back-to-back jet topologies in inclusive 2- and 3-jet events in collisions at. <i>European Physical Journal C</i> , <b>2019</b> , 79, 773	4.2	0
536	The NA62 GigaTracker: a low mass high intensity beam 4D tracker with 65 ps time resolution on tracks. <i>Journal of Instrumentation</i> , <b>2019</b> , 14, P07010-P07010	1	7
535	Search for charged Higgs bosons in the $H_{\pm} \rightarrow \tau^{\pm} \tau^{\pm}$ decay channel in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	24
534	Search for resonant production of second-generation sleptons with same-sign dimuon events in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2019</b> , 79, 305	4.2	2
533	Search for supersymmetry with a compressed mass spectrum in the vector boson fusion topology with 1-lepton and 0-lepton final states in proton-proton collisions at ( $\sqrt{s}$ ) = 13 TeV. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	8
532	Searches for lepton number violating $K^+$ decays. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2019</b> , 797, 134794	4.2	13
531	Search for a low-mass $\chi$ resonance in association with a bottom quark in proton-proton collisions at ( $\sqrt{s}$ ) = 13 TeV. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	4
530	Search for the associated production of the Higgs boson and a vector boson in proton-proton collisions at ( $\sqrt{s}$ ) = 13 TeV via Higgs boson decays to $\tau$ leptons. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	3
529	Search for the pair production of light top squarks in the $e\mu$ final state in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	4
528	Combined measurements of Higgs boson couplings in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2019</b> , 79, 421	4.2	153
527	Search for supersymmetry in events with a photon, jets, $\tau$ -jets, and missing transverse momentum in proton-proton collisions at 13. <i>European Physical Journal C</i> , <b>2019</b> , 79, 444	4.2	1
526	Search for production of an invisible dark photon in $\tau$ decays. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	19
525	Properties of HPK UFSD after neutron irradiation up to $6 \times 10^{15}$ n/cm <sup>2</sup> . <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , <b>2019</b> , 940, 19-29	1.2	17
524	Measurements of the $pp \rightarrow WZ$ inclusive and differential production cross sections and constraints on charged anomalous triple gauge couplings at ( $\sqrt{s}$ ) = 13 TeV. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	10
523	Measurement of the production cross section, the top quark mass, and the strong coupling constant using dilepton events in pp collisions at. <i>European Physical Journal C</i> , <b>2019</b> , 79, 368	4.2	27
522	Measurement of the energy density as a function of pseudorapidity in proton-proton collisions at ( $\sqrt{s}=13$ ,text {TeV}). <i>European Physical Journal C</i> , <b>2019</b> , 79, 1	4.2	7
521	Search for nonresonant Higgs boson pair production in the ( $\overline{b}b\overline{b}b$ ) final state at ( $\sqrt{s}$ ) = 13 TeV. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	4
520	Search for dark matter produced in association with a Higgs boson decaying to a pair of bottom quarks in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2019</b> , 79, 280	4.2	12

519	Search for contact interactions and large extra dimensions in the dilepton mass spectra from proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	8
518	First search for $K^+\pi^0$ using the decay-in-flight technique. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2019</b> , 791, 156-166	4.2	38
517	Timing layers, 4- and 5-dimension tracking. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , <b>2019</b> , 924, 350-354	1.2	7
516	Search for vector-like quarks in events with two oppositely charged leptons and jets in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2019</b> , 79, 364	4.2	18
515	Search for single production of vector-like quarks decaying to a top quark and a boson in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2019</b> , 79, 90	4.2	6
514	Study of the underlying event in top quark pair production in collisions at 13. <i>European Physical Journal C</i> , <b>2019</b> , 79, 123	4.2	4
513	Search for rare decays of and Higgs bosons to and a photon in proton-proton collisions at = 13. <i>European Physical Journal C</i> , <b>2019</b> , 79, 94	4.2	7
512	Search for new physics in final states with a single photon and missing transverse momentum in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	9
511	Measurements of ( $\overline{\text{t}}$ ) differential cross sections in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV using events containing two leptons. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	15
510	Search for ( $\overline{\text{t}}\text{H}$ ) production in the ( $\text{H}$ to $\overline{\text{b}}\text{b}$ ) decay channel with leptonic ( $\overline{\text{t}}$ ) decays in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	17
509	Search for supersymmetry in events with a photon, a lepton, and missing transverse momentum in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	2
508	Measurement of inclusive and differential Higgs boson production cross sections in the diphoton decay channel in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	8
507	Search for resonant ( $\overline{\text{t}}$ ) production in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	13
506	Search for production of Higgs boson pairs in the four b quark final state using large-area jets in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	7
505	Search for heavy resonances decaying into two Higgs bosons or into a Higgs boson and a W or Z boson in proton-proton collisions at 13 TeV. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	7
504	Search for heavy Majorana neutrinos in same-sign dilepton channels in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	14
503	Measurement of differential cross sections for inclusive isolated-photon and photon+jet production in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2019</b> , 79, 20	4.2	4
502	Radiation resistant LGAD design. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , <b>2019</b> , 919, 16-26	1.2	39



501	First FBK production of 50 fb ultra-fast silicon detectors. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , <b>2019</b> , 924, 360-368	1.2	15
500	Search for heavy neutrinos and third-generation leptoquarks in hadronic states of two leptons and two jets in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	18
499	Search for a $W'$ boson decaying to a vector-like quark and a top or bottom quark in the all-jets final state. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	4
498	Search for top quark partners with charge $5/3$ in the same-sign dilepton and single-lepton final states in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	9
497	Inclusive search for supersymmetry in pp collisions at ( $\sqrt{s}=13$ ) TeV using razor variables and boosted object identification in zero and one lepton final states. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	2
496	Search for dark matter produced in association with a single top quark or a top quark pair in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	8
495	Search for excited leptons in final states in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	2
494	Search for new particles decaying to a jet and an emerging jet. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	15
493	Search for a heavy resonance decaying to a top quark and a vector-like top quark in the lepton + jets final state in pp collisions at ( $\sqrt{s} = 13, \text{TeV}$ ). <i>European Physical Journal C</i> , <b>2019</b> , 79, 1	4.2	6
492	Measurement of exclusive $\Upsilon$ photoproduction in ultraperipheral pPb collisions at. <i>European Physical Journal C</i> , <b>2019</b> , 79, 702	4.2	13
491	Measurement of exclusive photoproduction from protons in Pb collisions at. <i>European Physical Journal C</i> , <b>2019</b> , 79, 277	4.2	19
490	Search for a heavy pseudoscalar boson decaying to a Z and a Higgs boson at. <i>European Physical Journal C</i> , <b>2019</b> , 79, 564	4.2	20
489	Search for supersymmetry in final states with photons and missing transverse momentum in proton-proton collisions at 13 TeV. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	5
488	Measurement of the top quark mass in the all-jets final state at and combination with the lepton+jets channel. <i>European Physical Journal C</i> , <b>2019</b> , 79, 313	4.2	13
487	Search for dark photons in decays of Higgs bosons produced in association with Z bosons in proton-proton collisions at ( $\sqrt{s} = 13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	7
486	Search for supersymmetry using Higgs boson to diphoton decays at ( $\sqrt{s} = 13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	2
485	Measurements of differential Z boson production cross sections in proton-proton collisions at ( $\sqrt{s} = 13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	11
484	Search for anomalous triple gauge couplings in WW and WZ production in lepton + jet events in proton-proton collisions at ( $\sqrt{s} = 13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	9

483	Study of the $(\mathrm{B}^+ \rightarrow \mathrm{J}/\psi \overline{\Lambda} \mathrm{p})$ decay in proton-proton collisions at $(\sqrt{s}) = 8$ TeV. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	1
482	Search for resonances decaying to a pair of Higgs bosons in the $b(\overline{b})q(\overline{q})$ final state in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	5
481	Measurements of triple-differential cross sections for inclusive isolated-photon+jet events in collisions at. <i>European Physical Journal C</i> , <b>2019</b> , 79, 969	4.2	1
480	Demonstration of 200-, 100-, and 50- $\mu\text{m}$ Pitch Resistive AC-Coupled Silicon Detectors (RSD) With 100% Fill-Factor for 4D Particle Tracking. <i>IEEE Electron Device Letters</i> , <b>2019</b> , 40, 1780-1783	4.4	12
479	Measurement of the differential Drell-Yan cross section in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	6
478	Search for the production of four top quarks in the single-lepton and opposite-sign dilepton final states in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	2
477	Measurement of the average very forward energy as a function of the track multiplicity at central pseudorapidities in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2019</b> , 79, 893	4.2	6
476	Search for supersymmetry in proton-proton collisions at 13 TeV in final states with jets and missing transverse momentum. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	21
475	Search for new physics in top quark production in dilepton final states in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2019</b> , 79, 886	4.2	6
474	First observation and study of the $K_S^0 \rightarrow \pi^0 e^+ e^-$ decay. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2019</b> , 788, 552-561	4.2	6
473	The Gigatracker detector of the NA62 experiment at CERN SPS. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , <b>2019</b> , 936, 715-716	1.2	1
472	Development of ultra fast silicon detector for 4D tracking. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , <b>2019</b> , 936, 608-611	1.2	0
471	Study of dijet events with a large rapidity gap between the two leading jets in pp collisions at. <i>European Physical Journal C</i> , <b>2018</b> , 78, 242	4.2	4
470	Pseudorapidity distributions of charged hadrons in proton-lead collisions at $(\sqrt{s_{\mathrm{NN}}}) = 5.02$ and 8.16 TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	4
469	Search for resonant and nonresonant Higgs boson pair production in the $(b\overline{b})\ell\ell$ final state in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	19
468	Search for new physics in events with a leptonically decaying Z boson and a large transverse momentum imbalance in proton-proton collisions at $\sqrt{s} = 13$ . <i>European Physical Journal C</i> , <b>2018</b> , 78, 291	4.2	17
467	Measurements of the production cross section and the branching fraction, and constraints on anomalous triple gauge couplings at. <i>European Physical Journal C</i> , <b>2018</b> , 78, 165	4.2	29
466	Measurement of associated Z + charm production in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2018</b> , 78, 287	4.2	11

465	Measurement of the inclusive ( $\overline{\sigma}$ ) cross section in pp collisions at ( $\sqrt{s}=5.02$ ) TeV using final states with at least one charged lepton. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5-4	3
464	Search for natural supersymmetry in events with top quark pairs and photons in pp collisions at ( $\sqrt{s}=8$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5-4	
463	Search for new phenomena in final states with two opposite-charge, same-flavor leptons, jets, and missing transverse momentum in pp collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5-4	2
462	Search for supersymmetry in events with at least three electrons or muons, jets, and missing transverse momentum in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5-4	4
461	Combined search for electroweak production of charginos and neutralinos in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5-4	45
460	Search for electroweak production of charginos and neutralinos in multilepton final states in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5-4	40
459	Measurement of differential cross sections in the kinematic angular variable $\theta^*$ for inclusive Z boson production in pp collisions at ( $\sqrt{s}=8$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5-4	2
458	Comparing transverse momentum balance of b jet pairs in pp and PbPb collisions at ( $\sqrt{s_{\text{NN}}}=5.02$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5-4	8
457	Measurement of normalized differential ( $\overline{\sigma}$ ) cross sections in the dilepton channel from pp collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5-4	12
456	Constraints on the double-parton scattering cross section from same-sign W boson pair production in proton-proton collisions at ( $\sqrt{s}=8$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5-4	13
455	Search for ZZ resonances in the $2\ell\ell$ final state in proton-proton collisions at 13 TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5-4	3
454	Jet properties in PbPb and pp collisions at ( $\sqrt{s_{\text{NN}}}=5.02$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5-4	7
453	Search for a new scalar resonance decaying to a pair of Z bosons in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5-4	22
452	Search for standard model production of four top quarks with same-sign and multilepton final states in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2018</b> , 78, 140	4-2	20
451	Measurement of b hadron lifetimes in pp collisions at. <i>European Physical Journal C</i> , <b>2018</b> , 78, 457	4-2	9
450	Studies of uniformity of 50 $\mu$ m low-gain avalanche detectors at the Fermilab test beam. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , <b>2018</b> , 895, 158-172	1-2	10
449	Search for heavy neutral lepton production in K <sup>+</sup> decays. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2018</b> , 778, 137-145	4-2	32
448	Measurements of the ( $\text{pp} \rightarrow \text{ZZ}$ ) production cross section and the ( $\text{Z} \rightarrow 4\ell$ ) branching fraction, and constraints on anomalous triple gauge couplings at ( $\sqrt{s} = 13, \text{TeV}$ ) <b>2018</b> , 78, 1		3

447	Search for $(\overline{\text{t}}\text{t})$ production in the all-jet final state in proton-proton collisions at $(\sqrt{s}=13)$ TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5-4	13
446	Search for resonances in the mass spectrum of muon pairs produced in association with b quark jets in proton-proton collisions at $(\sqrt{s}=8)$ and 13 TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5-4	7
445	Measurement of the groomed jet mass in PbPb and pp collisions at $(\sqrt{s_{\text{NN}}}=5.02)$ TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5-4	5
444	Search for heavy resonances decaying into a vector boson and a Higgs boson in final states with charged leptons, neutrinos and b quarks at $(\sqrt{s}=13)$ TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5-4	7
443	Search for new phenomena in final states with two opposite-charge, same-flavor leptons, jets, and missing transverse momentum in pp collisions at $(\sqrt{s}=13)$ TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5-4	14
442	Recent QCD results from the NA48/2 experiment. <i>Nuclear and Particle Physics Proceedings</i> , <b>2018</b> , 300-302, 126-130	0-4	
441	Search for natural and split supersymmetry in proton-proton collisions at $(\sqrt{s}=13)$ TeV in final states with jets and missing transverse momentum. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5-4	39
440	Search for decays of stopped exotic long-lived particles produced in proton-proton collisions at $(\sqrt{s}=13)$ TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5-4	6
439	Search for an exotic decay of the Higgs boson to a pair of light pseudoscalars in the final state of two muons and two leptons in proton-proton collisions at $(\sqrt{s}=13)$ TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5-4	14
438	Search for a charged Higgs boson decaying to charm and bottom quarks in proton-proton collisions at $(\sqrt{s}=8)$ TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5-4	16
437	Search for top squarks decaying via four-body or chargino-mediated modes in single-lepton final states in proton-proton collisions at $(\sqrt{s}=13)$ TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5-4	6
436	Charged-particle nuclear modification factors in XeXe collisions at $(\sqrt{s_{\text{NN}}}=5.44)$ TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5-4	11
435	Measurement of the top quark mass with lepton+jets final states using collisions at. <i>European Physical Journal C</i> , <b>2018</b> , 78, 891	4-2	13
434	Measurements of the differential jet cross section as a function of the jet mass in dijet events from proton-proton collisions at $(\sqrt{s}=13)$ TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5-4	14
433	Measurements of Higgs boson properties in the diphoton decay channel in proton-proton collisions at $(\sqrt{s}=13)$ TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5-4	37
432	Event shape variables measured using multijet final states in proton-proton collisions at $(\sqrt{s}=13)$ TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5-4	3
431	Searches for pair production of charginos and top squarks in final states with two oppositely charged leptons in proton-proton collisions at $(\sqrt{s}=13)$ TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5-4	12
430	Search for narrow and broad dijet resonances in proton-proton collisions at $(\sqrt{s}=13)$ TeV and constraints on dark matter mediators and other new particles. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5-4	50

429	Search for $Z\bar{\nu}$ resonances using leptonic and hadronic final states in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5-4	11
428	Measurement of the production cross section for single top quarks in association with W bosons in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5-4	5
427	Measurement of the form factors of charged kaon semileptonic decays. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5-4	5
426	Search for black holes and sphalerons in high-multiplicity final states in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5-4	9
425	Search for supersymmetry in events with a $\bar{\nu}$ lepton pair and missing transverse momentum in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5-4	14
424	Search for the decay of a Higgs boson in the $\bar{\nu}\nu$ channel in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5-4	11
423	Search for third-generation scalar leptoquarks decaying to a top quark and a lepton at. <i>European Physical Journal C</i> , <b>2018</b> , 78, 707	4-2	23
422	Measurement of differential cross sections for boson production in association with jets in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2018</b> , 78, 965	4-2	19
421	Studies of $\eta$ and mesons including the observation of the decay in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2018</b> , 78, 939	4-2	12
420	Search for a heavy resonance decaying into a Z boson and a Z or W boson in $Z\bar{q}$ final states at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5-4	7
419	Measurement of charged particle spectra in minimum-bias events from proton-proton collisions at. <i>European Physical Journal C</i> , <b>2018</b> , 78, 697	4-2	9
418	Search for lepton-flavor violating decays of heavy resonances and quantum black holes to $e\bar{\nu}$ final states in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5-4	3
417	Search for new physics in dijet angular distributions using proton-proton collisions at and constraints on dark matter and other models. <i>European Physical Journal C</i> , <b>2018</b> , 78, 789	4-2	19
416	Azimuthal correlations for inclusive 2-jet, 3-jet, and 4-jet events in pp collisions at ( $\sqrt{s}=13$ ~hbox{TeV}). <i>European Physical Journal C</i> , <b>2018</b> , 78, 1	4-2	4
415	Search for high-mass resonances in final states with a lepton and missing transverse momentum at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5-4	15
414	Measurement of the underlying event activity in inclusive Z boson production in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5-4	8
413	Search for resonant pair production of Higgs bosons decaying to bottom quark-antiquark pairs in proton-proton collisions at 13 TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5-4	10
412	Measurement of the cross section in pp collisions at and validation of lepton analysis techniques. <i>European Physical Journal C</i> , <b>2018</b> , 78, 708	4-2	5

411	Search for vector-like T and B quark pairs in final states with leptons at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5-4	29
410	Search for dark matter produced in association with a Higgs boson decaying to $\tau\bar{\tau}$ ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5-4	7
409	Search for additional neutral MSSM Higgs bosons in the $\tau\tau$ final state in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5-4	42
408	Search for a heavy resonance decaying to a pair of vector bosons in the lepton plus merged jet final state at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5-4	7
407	Search for a heavy right-handed W boson and a heavy neutrino in events with two same-flavor leptons and two jets at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5-4	20
406	Search for a heavy resonance decaying into a Z boson and a vector boson in the ( $\nu\bar{\nu}\gamma$ ) final state. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5-4	6
405	Measurement of the cross section for top quark pair production in association with a W or Z boson in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5-4	18
404	Search for beyond the standard model Higgs bosons decaying into a ( $b\bar{b}$ ) pair in pp collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5-4	11
403	Measurement of the weak mixing angle using the forward-backward asymmetry of Drell-Yan events in collisions at 8. <i>European Physical Journal C</i> , <b>2018</b> , 78, 701	4-2	25
402	Measurement of prompt and nonprompt charmonium suppression in collisions at 5.02. <i>European Physical Journal C</i> , <b>2018</b> , 78, 509	4-2	37
401	Search for lepton flavour violating decays of the Higgs boson to $\tau\bar{\nu}$ and $e\bar{\nu}$ in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5-4	19
400	Evidence for associated production of a Higgs boson with a top quark pair in final states with electrons, muons, and hadronically decaying $\tau$ leptons at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5-4	23
399	Electroweak production of two jets in association with a Z boson in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>European Physical Journal C</i> , <b>2018</b> , 78, 1	4-2	12
398	Observation of proton-tagged, central (semi)exclusive production of high-mass lepton pairs in pp collisions at 13 TeV with the CMS-TOTEM precision proton spectrometer. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5-4	14
397	NA62 and NA48/2 results on search for Heavy Neutral Leptons. <i>EPJ Web of Conferences</i> , <b>2018</b> , 179, 01009.3		
396	Search for dark matter in events with energetic, hadronically decaying top quarks and missing transverse momentum at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5-4	16
395	Search for single production of vector-like quarks decaying to a b quark and a Higgs boson. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5-4	12
394	Search for the flavor-changing neutral current interactions of the top quark and the Higgs boson which decays into a pair of b quarks at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5-4	20

393	Search for a singly produced third-generation scalar leptoquark decaying to a $\bar{\nu}_\tau$ lepton and a bottom quark in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	9
392	Measurements of differential cross sections of top quark pair production as a function of kinematic event variables in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	10
391	Measurement of the inelastic proton-proton cross section at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	41
390	Search for disappearing tracks as a signature of new long-lived particles in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	24
389	Search for high-mass resonances in dilepton final states in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	63
388	Search for low mass vector resonances decaying into quark-antiquark pairs in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	28
387	Measurements of the $\sigma(\text{pp} \rightarrow \text{lepton} + \text{jets})$ production cross section in lepton+jets final states in pp collisions at 8 $\sqrt{s}$ and ratio of 8 to 7 $\sqrt{s}$ cross sections. <i>European Physical Journal C</i> , <b>2017</b> , 77, 15	4.2	19
386	Ultra-Fast Silicon Detectors for 4D tracking. <i>Journal of Instrumentation</i> , <b>2017</b> , 12, C02072-C02072	1	10
385	Measurement of the $\bar{D}^0$ electromagnetic transition form factor slope. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2017</b> , 768, 38-45	4.2	22
384	Developments and first measurements of Ultra-Fast Silicon Detectors produced at FBK. <i>Journal of Instrumentation</i> , <b>2017</b> , 12, C02077-C02077	1	13
383	Measurement of the $\sigma(\text{pp} \rightarrow \text{lepton} + \text{jets})$ production cross section using events in the $\text{lepton} + \text{jets}$ final state in pp collisions at $\sqrt{s}$ . <i>European Physical Journal C</i> , <b>2017</b> , 77, 172	4.2	22
382	Measurement and QCD analysis of double-differential inclusive jet cross sections in pp collisions at ( $\sqrt{s}=8$ ) TeV and cross section ratios to 2.76 and 7 TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	34
381	Test of Ultra Fast Silicon Detectors for picosecond time measurements with a new multipurpose read-out board. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , <b>2017</b> , 867, 88-92	1.2	11
380	Search for electroweak production of charginos in final states with two $\bar{\nu}_\tau$ leptons in pp collisions at ( $\sqrt{s}=8$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	7
379	Measurement of the production cross section of a $W$ boson in association with two b jets in pp collisions at $\sqrt{s}$ . <i>European Physical Journal C</i> , <b>2017</b> , 77, 92	4.2	7
378	Measurement of the $WZ$ production cross section in pp collisions at $\sqrt{s}$ and $8\sqrt{s}$ and search for anomalous triple gauge couplings at $\sqrt{s}$ . <i>European Physical Journal C</i> , <b>2017</b> , 77, 236	4.2	21
377	Measurement of prompt and nonprompt $\tau$ production in $\text{pp} \rightarrow \tau + \text{jets}$ and $\text{pp} \rightarrow \tau + \text{jets} + \text{lepton}$ collisions at $\sqrt{s}$ . <i>European Physical Journal C</i> , <b>2017</b> , 77, 269	4.2	26
376	A search for new phenomena in pp collisions at $\sqrt{s}$ in final states with missing transverse momentum and at least one jet using the $\text{MET} + \text{jet}$ variable. <i>European Physical Journal C</i> , <b>2017</b> , 77, 294	4.2	21

375	Beam test results of a 16 ps timing system based on ultra-fast silicon detectors. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , <b>2017</b> , 850, 83-88	1.2	60
374	Search for $K^+ \rightarrow \pi^0 \nu \bar{\nu}$ at NA62. <i>Nuclear and Particle Physics Proceedings</i> , <b>2017</b> , 282-284, 101-105	0.4	
373	Study of $D$ Dalitz decays in the NA62 and NA48/2 experiments. <i>Nuclear and Particle Physics Proceedings</i> , <b>2017</b> , 282-284, 106-110	0.4	
372	Searches for lepton number violation and resonances in $K^0 \rightarrow \pi^0 \nu \bar{\nu}$ decays. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2017</b> , 769, 67-76	4.2	20
371	Search for new physics in the monophoton final state in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	11
370	Measurement of double-differential cross sections for top quark pair production in pp collisions at [Formula: see text][Formula: see text] and impact on parton distribution functions. <i>European Physical Journal C</i> , <b>2017</b> , 77, 459	4.2	16
369	Measurement of the jet mass in highly boosted [Formula: see text] events from pp collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , <b>2017</b> , 77, 467	4.2	14
368	Measurements of the associated production of a Z boson and b jets in pp collisions at. <i>European Physical Journal C</i> , <b>2017</b> , 77, 751	4.2	15
367	Measurement of the transverse momentum spectrum of the Higgs boson produced in pp collisions at ( $\sqrt{s}=8$ ) TeV using $H \rightarrow WW$ decays. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	10
366	Developments in the FBK Production of Ultra -Fast Silicon Detectors <b>2017</b> ,		1
365	Charged-particle nuclear modification factors in PbPb and pPb collisions at ( $\sqrt{s_{\mathrm{N};\mathrm{N}}}=5.02$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	64
364	Recent results and prospects for NA62 experiment. <i>Nuclear and Particle Physics Proceedings</i> , <b>2017</b> , 285-286, 104-109	0.4	1
363	Search for ( $\overline{\mathrm{t}}\mathrm{t}$ ) resonances in highly boosted lepton+jets and fully hadronic final states in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	17
362	Neutral pion form factor measurement by the NA62 experiment. <i>Journal of Physics: Conference Series</i> , <b>2017</b> , 873, 012016	0.3	
361	Search for heavy neutrinos in $K^+ \rightarrow \pi^0 \nu \bar{\nu}$ decays. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2017</b> , 772, 712-718	4.2	18
360	Search for associated production of dark matter with a Higgs boson decaying to ( $\overline{\mathrm{b}}\mathrm{b}$ ) or $\bar{t}t$ ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	9
359	Observation of $Y(1S)$ pair production in proton-proton collisions at ( $\sqrt{s}=8$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	29
358	Search for anomalous $Wtb$ couplings and flavour-changing neutral currents in t-channel single top quark production in pp collisions at ( $\sqrt{s}=7$ ) and 8 TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	26



357	Search for single production of vector-like quarks decaying to a Z boson and a top or a bottom quark in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5-4	8
356	Measurement of the semileptonic ( $\overline{\text{t}} + \text{t}$ ) production cross section in pp collisions at ( $\sqrt{s}=8$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5-4	7
355	Measurements of the pp $\rightarrow W\Delta$ and pp $\rightarrow Z\Delta$ cross sections and limits on anomalous quartic gauge couplings at ( $\sqrt{s}=8$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5-4	2
354	Search for new phenomena with the variable in the all-hadronic final state produced in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2017</b> , 77, 710	4-2	54
353	Measurements of differential production cross sections for a Z boson in association with jets in pp collisions at ( $\sqrt{s}=8$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5-4	11
352	Search for heavy resonances decaying to tau lepton pairs in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5-4	19
351	Search for electroweak production of a vector-like quark decaying to a top quark and a Higgs boson using boosted topologies in fully hadronic final states. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5-4	9
350	Measurement of the transverse momentum spectra of weak vector bosons produced in proton-proton collisions at ( $\sqrt{s}=8$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5-4	15
349	Suppression and azimuthal anisotropy of prompt and nonprompt [Formula: see text] production in PbPb collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , <b>2017</b> , 77, 252	4-2	58
348	Searches for pair production of third-generation squarks in [Formula: see text][Formula: see text] pp collisions. <i>European Physical Journal C</i> , <b>2017</b> , 77, 327	4-2	17
347	Measurement of the top quark mass using single top quark events in proton-proton collisions at [Formula: see text] TeV. <i>European Physical Journal C</i> , <b>2017</b> , 77, 354	4-2	8
346	Searches for invisible decays of the Higgs boson in pp collisions at ( $\sqrt{s}$ ) = 7, 8, and 13 TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5-4	74
345	Search for massive resonances decaying into WW, WZ or ZZ bosons in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5-4	19
344	A new timing detector for the CT-PPS project. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , <b>2017</b> , 845, 16-19	1-2	1
343	Tracking in 4 dimensions. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , <b>2017</b> , 845, 47-51	1-2	19
342	The NA62 GigaTracker. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , <b>2017</b> , 845, 147-149	1-2	9
341	Search for dark matter produced in association with heavy-flavor quark pairs in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2017</b> , 77, 845	4-2	22
340	Measurement of electroweak-induced production of $W\Delta$ with two jets in pp collisions at ( $\sqrt{s}=8$ ) TeV and constraints on anomalous quartic gauge couplings. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5-4	9

339	Searches for $W$ bosons decaying to a top quark and a bottom quark in proton-proton collisions at 13 TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5-4	7
338	Measurement of the inclusive energy spectrum in the very forward direction in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5-4	5
337	Search for direct production of supersymmetric partners of the top quark in the all-jets final state in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5-4	18
336	Search for electroweak production of charginos and neutralinos in WH events in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5-4	11
335	Search for pair production of vector-like T and B quarks in single-lepton final states using boosted jet substructure in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5-4	20
334	Development of Ultra-Fast Silicon Detectors for 4D tracking. <i>Journal of Instrumentation</i> , <b>2017</b> , 12, C12012-C12012		
333	Search for top squark pair production in pp collisions at ( $\sqrt{s}=13$ ) TeV using single lepton events. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5-4	25
332	Search for top quark decays via Higgs-boson-mediated flavor-changing neutral currents in pp collisions at ( $\sqrt{s}=8$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5-4	12
331	Measurement of the ( $\overline{\text{t}}\text{t}$ ) production cross section using events with one lepton and at least one jet in pp collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5-4	14
330	Search for a heavy resonance decaying to a top quark and a vector-like top quark at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5-4	4
329	The beam and detector of the NA62 experiment at CERN. <i>Journal of Instrumentation</i> , <b>2017</b> , 12, P05025-P0502569		
328	Search for physics beyond the standard model in events with two leptons of same sign, missing transverse momentum, and jets in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2017</b> , 77, 578	4-2	21
327	Search for top quark partners with charge 5/3 in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5-4	3
326	Search for light bosons in decays of the 125 GeV Higgs boson in proton-proton collisions at ( $\sqrt{s}=8$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5-4	21
325	Measurements of jet charge with dijet events in pp collisions at ( $\sqrt{s}=8$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5-4	10
324	Search for associated production of a Z boson with a single top quark and for tZ flavour-changing interactions in pp collisions at ( $\sqrt{s}=8$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5-4	10
323	Search for new physics with dijet angular distributions in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5-4	11
322	Search for dark matter produced with an energetic jet or a hadronically decaying W or Z boson at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5-4	46

321	Search for third-generation scalar leptoquarks and heavy right-handed neutrinos in final states with two tau leptons and two jets in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	35
320	Search for new phenomena with multiple charged leptons in proton-proton collisions at ( $\sqrt{s}=13$ ) (TeV). <i>European Physical Journal C</i> , <b>2017</b> , 77, 1	4.2	2
319	Search for heavy resonances that decay into a vector boson and a Higgs boson in hadronic final states at. <i>European Physical Journal C</i> , <b>2017</b> , 77, 636	4.2	20
318	Search for high-mass $Z$ resonances in $e^+e^-$ and $q\bar{q}$ final states in proton-proton collisions at ( $\sqrt{s}=8$ ) and 13 TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	4
317	Search for heavy neutrinos or third-generation leptoquarks in final states with two hadronically decaying leptons and two jets in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	18
316	Search for CP violation in ( $\overline{t}$ ) production and decay in proton-proton collisions at ( $\sqrt{s}=8$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	4
315	Measurement of the triple-differential dijet cross section in proton-proton collisions at and constraints on parton distribution functions. <i>European Physical Journal C</i> , <b>2017</b> , 77, 746	4.2	8
314	Search for a light pseudoscalar Higgs boson produced in association with bottom quarks in pp collisions at ( $\sqrt{s}=8$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	7
313	Search for supersymmetry in events with at least one photon, missing transverse momentum, and large transverse event activity in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	10
312	Measurements of properties of the Higgs boson decaying into the four-lepton final state in pp collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	77
311	Numerical Simulation of Charge Multiplication in Ultra-Fast Silicon Detectors (UFSD) and Comparison with Experimental Data <b>2017</b> ,		5
310	Test of Ultra Fast Silicon Detectors for the TOTEM upgrade project. <i>Journal of Instrumentation</i> , <b>2017</b> , 12, P03024-P03024	1	4
309	Search for dark matter and unparticles in events with a Z boson and missing transverse momentum in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	16
308	Forward-backward asymmetry of Drell-Yan lepton pairs in pp collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , <b>2016</b> , 76, 325	4.2	13
307	Search for new physics in same-sign dilepton events in proton-proton collisions at [Formula: see text]. <i>European Physical Journal C</i> , <b>2016</b> , 76, 439	4.2	34
306	Measurement of dijet azimuthal decorrelation in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , <b>2016</b> , 76, 536	4.2	6
305	Search for dark matter particles in proton-proton collisions at ( $\sqrt{s}=8$ ) TeV using the razor variables. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	2
304	Search for s channel single top quark production in pp collisions at ( $\sqrt{s}=7$ ) and 8 TeV. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	8

303	Measurement of inclusive jet production and nuclear modifications in pPb collisions at [Formula: see text]. <i>European Physical Journal C</i> , <b>2016</b> , 76, 372	4.2	24
302	Measurement of differential and integrated fiducial cross sections for Higgs boson production in the four-lepton decay channel in pp collisions at ( $\sqrt{s}=7$ ) and 8 TeV. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	15
301	Measurement of the ( $\overline{\text{t}}\text{t}$ ) production cross section in the e $\bar{\nu}$ channel in proton-proton collisions at ( $\sqrt{s}=7$ ) and 8 TeV. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	30
300	Search for new physics with the M <sub>T2</sub> variable in all-jets final states produced in pp collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	16
299	Search for dark matter in proton-proton collisions at 8 TeV with missing transverse momentum and vector boson tagged jets. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	9
298	Evidence for exclusive $\bar{\nu}W + W\nu$ production and constraints on anomalous quartic gauge couplings in pp collisions at ( $\sqrt{s}=7$ ) and 8 TeV. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	27
297	Search for supersymmetry in pp collisions at ( $\sqrt{s}=13$ ) TeV in the single-lepton final state using the sum of masses of large-radius jets. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	7
296	Search for direct pair production of supersymmetric top quarks decaying to all-hadronic final states in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , <b>2016</b> , 76, 460	4.2	14
295	Azimuthal decorrelation of jets widely separated in rapidity in pp collisions at ( $\sqrt{s}=7$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	9
294	Phenomenological MSSM interpretation of CMS searches in pp collisions at ( $\sqrt{s}=7$ ) and 8 TeV. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	11
293	Measurement of the mass of the top quark in decays with a J/ $\psi$ meson in pp collisions at 8 TeV. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	5
292	Measurement of the inclusive jet cross section in pp collisions at ( $\sqrt{s} = 2.76, \text{text \{TeV\}}$ ). <i>European Physical Journal C</i> , <b>2016</b> , 76, 1	4.2	17
291	Measurement of [Formula: see text] production with additional jet activity, including [Formula: see text] quark jets, in the dilepton decay channel using pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , <b>2016</b> , 76, 379	4.2	20
290	Measurement of the differential cross section and charge asymmetry for inclusive [Formula: see text] production at [Formula: see text] TeV. <i>European Physical Journal C</i> , <b>2016</b> , 76, 469	4.2	37
289	Observation of top quark pairs produced in association with a vector boson in pp collisions at ( $\sqrt{s}=8$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	18
288	Search for $W^{\pm} \rightarrow \tau b$ in proton-proton collisions at ( $\sqrt{s}=8$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	2
287	Correlations between jets and charged particles in PbPb and pp collisions at ( $\sqrt{s_{\text{NN}}}=2.76$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	21
286	Search for the production of an excited bottom quark decaying to $tW$ in proton-proton collisions at ( $\sqrt{s}=8$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	2

285	Search for excited leptons in proton-proton collisions at ( $\sqrt{s}=8$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	10
284	Prospects for $K^+ \mu^-$ observation at CERN in NA62. <i>Nuclear and Particle Physics Proceedings</i> , <b>2016</b> , 270-272, 55-61	0.4	
283	Measurement of the [Formula: see text] production cross section in the all-jets final state in pp collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , <b>2016</b> , 76, 128	4.2	21
282	Event generator tunes obtained from underlying event and multiparton scattering measurements. <i>European Physical Journal C</i> , <b>2016</b> , 76, 155	4.2	250
281	Search for massive WH resonances decaying into the [Formula: see text] final state at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , <b>2016</b> , 76, 237	4.2	19
280	Search for a massive resonance decaying into a Higgs boson and a W or Z boson in hadronic final states in proton-proton collisions at ( $\sqrt{s}=8$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	14
279	Measurement of top quark polarisation in t-channel single top quark production. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	7
278	Search for heavy Majorana neutrinos in $e^+e^- \mu^+ \mu^-$ jets and $e^+e^- \tau^+ \tau^-$ jets events in proton-proton collisions at ( $\sqrt{s}=8$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	28
277	Search for a very light NMSSM Higgs boson produced in decays of the 125 GeV scalar boson and decaying into $\mu^+\mu^-$ leptons in pp collisions at ( $\sqrt{s}=8$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	16
276	Measurement of differential cross sections for Higgs boson production in the diphoton decay channel in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , <b>2016</b> , 76, 13	4.2	35
275	Search for new physics in final states with two opposite-sign, same-flavor leptons, jets, and missing transverse momentum in pp collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	7
274	Decomposing transverse momentum balance contributions for quenched jets in PbPb collisions at ( $\sqrt{s_{\mathrm{NN}}}=2.76$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	13
273	Temperature dependence of the response of ultra fast silicon detectors. <i>Journal of Instrumentation</i> , <b>2016</b> , 11, C12013-C12013	1	5
272	Measurement of the double-differential inclusive jet cross section in proton-proton collisions at [Formula: see text]. <i>European Physical Journal C</i> , <b>2016</b> , 76, 451	4.2	36
271	Measurement of the [Formula: see text] cross section in pp collisions at [Formula: see text] TeV and limits on anomalous gauge couplings. <i>European Physical Journal C</i> , <b>2016</b> , 76, 401	4.2	38
270	Search for heavy resonances decaying to two Higgs bosons in final states containing four b quarks. <i>European Physical Journal C</i> , <b>2016</b> , 76, 371	4.2	25
269	Beam test evaluation of electromagnetic calorimeter modules made from proton-damaged PbWO <sub>4</sub> crystals. <i>Journal of Instrumentation</i> , <b>2016</b> , 11, P04012-P04012	1	6
268	The 4D pixel challenge. <i>Journal of Instrumentation</i> , <b>2016</b> , 11, C12016-C12016	1	7

267	Search for Higgs boson off-shell production in proton-proton collisions at 7 and 8 TeV and derivation of constraints on its total decay width. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	14
266	Search for lepton flavour violating decays of heavy resonances and quantum black holes to an [Formula: see text] pair in proton-proton collisions at [Formula: see text]. <i>European Physical Journal C</i> , <b>2016</b> , 76, 317	4.2	9
265	Measurement of electroweak production of a W boson and two forward jets in proton-proton collisions at ( $\sqrt{s}=8$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	4
264	Measurement of transverse momentum relative to dijet systems in PbPb and pp collisions at ( $\sqrt{s_{\mathrm{NN}}}=2.76$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	21
263	Search for anomalous single top quark production in association with a photon in pp collisions at ( $\sqrt{s}=8$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	20
262	Search for direct pair production of scalar top quarks in the single- and dilepton channels in proton-proton collisions at ( $\sqrt{s}=8$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	6
261	Precision tests of the Standard Model with Kaon decays at CERN. <i>Nuclear and Particle Physics Proceedings</i> , <b>2016</b> , 273-275, 1671-1677	0.4	1
260	Search for the associated production of a Higgs boson with a single top quark in proton-proton collisions at ( $\sqrt{s}=8$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	10
259	Search for the dark photon in $\pi^0$ decays. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2015</b> , 746, 178-185	4.2	160
258	Search for a standard model Higgs boson produced in association with a top-quark pair and decaying to bottom quarks using a matrix element method. <i>European Physical Journal C</i> , <b>2015</b> , 75, 251	4.2	55
257	Measurement of electroweak production of two jets in association with a Z boson in proton-proton collisions at [Formula: see text]. <i>European Physical Journal C</i> , <b>2015</b> , 75, 66	4.2	21
256	Measurements of differential and double-differential Drell-Yan cross sections in proton-proton collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , <b>2015</b> , 75, 147	4.2	50
255	Search for decays of stopped long-lived particles produced in proton-proton collisions at [Formula: see text]. <i>European Physical Journal C</i> , <b>2015</b> , 75, 151	4.2	33
254	Measurement of the W boson helicity in events with a single reconstructed top quark in pp collisions at ( $\sqrt{s}=8$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	19
253	Measurement of the ratio of the production cross sections times branching fractions of $B \rightarrow \mu^+ \mu^-$ and $B \rightarrow \mu^+ \mu^-$ and $(\mathrm{mathcal{B}}\left(\mathrm{B}\right)_{\mathrm{c}}^{\pm} \rightarrow \mathrm{J}/\psi \left\{ \pi^{\pm} \right\} \pi^{\pm} \right) / \mathrm{mathcal{B}}\left(\mathrm{B}\right)_{\mathrm{c}}^{\pm} \rightarrow \mathrm{J}/\psi \left\{ \pi^{\pm} \right\} \pi^{\pm} \right)$ in pp collisions at ( $\sqrt{s}=7$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	13
252	Search for disappearing tracks in proton-proton collisions at ( $\sqrt{s}=8$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	35
251	Study of Z production in PbPb and pp collisions at ( $\sqrt{s_{\mathrm{NN}}}=2.76$ ) TeV in the dimuon and dielectron decay channels. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	18
250	Search for physics beyond the standard model in dilepton mass spectra in proton-proton collisions at ( $\sqrt{s}=8$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	69

249	Design optimization of ultra-fast silicon detectors. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , <b>2015</b> , 796, 141-148 <sup>1,2</sup>	61
248	Measurement of the underlying event activity using charged-particle jets in proton-proton collisions at ( $\sqrt{s}=2.76$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5-4 6
247	Search for dark matter, extra dimensions, and unparticles in monojet events in proton-proton collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , <b>2015</b> , 75, 235	4-2 250
246	Constraints on parton distribution functions and extraction of the strong coupling constant from the inclusive jet cross section in pp collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , <b>2015</b> , 75, 288	4-2 37
245	Nuclear effects on the transverse momentum spectra of charged particles in pPb collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , <b>2015</b> , 75, 237	4-2 48
244	Distributions of topological observables in inclusive three- and four-jet events in pp collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , <b>2015</b> , 75, 302	4-2 4
243	Constraints on the pMSSM, AMSB model and on other models from the search for long-lived charged particles in proton-proton collisions at [Formula: see text]. <i>European Physical Journal C</i> , <b>2015</b> , 75, 325	4-2 24
242	Search for physics beyond the standard model in events with two leptons, jets, and missing transverse momentum in pp collisions at ( $\sqrt{s}$ ) = 8 TeV. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5-4 22
241	Search for third-generation scalar leptoquarks in the $t\bar{t}$ channel in proton-proton collisions at ( $\sqrt{s}=8$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5-4 19
240	Searches for supersymmetry using the $M_{T2}$ variable in hadronic events produced in pp collisions at 8 TeV. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5-4 26
239	Searches for third-generation squark production in fully hadronic final states in proton-proton collisions at ( $\sqrt{s}=8$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5-4 33
238	Search for the production of dark matter in association with top-quark pairs in the single-lepton final state in proton-proton collisions at ( $\sqrt{s}=8$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5-4 17
237	Search for a charged Higgs boson in pp collisions at ( $\sqrt{s}=8$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5-4 61
236	Search for supersymmetry in the vector-boson fusion topology in proton-proton collisions at ( $\sqrt{s}=8$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5-4 11
235	Search for a light charged Higgs boson decaying to ( $\overline{\text{c}}\text{s}$ ) in pp collisions at ( $\sqrt{s}=8$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1-37	5-4 33
234	Search for vector-like T quarks decaying to top quarks and Higgs bosons in the all-hadronic channel using jet substructure. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5-4 16
233	Search for neutral color-octet weak-triplet scalar particles in proton-proton collisions at ( $\sqrt{s}=8$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5-4
232	Search for a Higgs boson in the mass range from 145 to 1000 GeV decaying to a pair of W or Z bosons. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5-4 73

231	Prospects for observation at CERN in NA62. <i>Journal of Physics: Conference Series</i> , <b>2015</b> , 631, 012041	0.3	
230	Precise determination of the mass of the Higgs boson and tests of compatibility of its couplings with the standard model predictions using proton collisions at 7 and 8 [Formula: see text]. <i>European Physical Journal C</i> , <b>2015</b> , 75, 212	4.2	399
229	Measurement of the $Z/\bar{\nu}$ production cross section in pp collisions at 8 TeV and search for anomalous triple gauge boson couplings. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	7
228	Measurement of the inclusive 3-jet production differential cross section in proton-proton collisions at 7 TeV and determination of the strong coupling constant in the TeV range. <i>European Physical Journal C</i> , <b>2015</b> , 75, 186	4.2	41
227	Measurement of the differential cross section for top quark pair production in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , <b>2015</b> , 75, 542	4.2	98
226	Measurements of the [Formula: see text][Formula: see text] production cross sections in the [Formula: see text] channel in proton-proton collisions at [Formula: see text] and [Formula: see text] and combined constraints on triple gauge couplings. <i>European Physical Journal C</i> , <b>2015</b> , 75, 511	4.2	25
225	Comparison of the $Z/\bar{\nu} + \text{jets}$ to $\bar{\nu} + \text{jets}$ cross sections in pp collisions at $(\sqrt{s}=8)$ TeV. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	5
224	Search for neutral MSSM Higgs bosons decaying into a pair of bottom quarks. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	18
223	Measurement of the $(\overline{t})$ production cross section in the dilepton channel in pp collisions at $(\sqrt{s}) = 8$ TeV. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	43
222	Studies of azimuthal dihadron correlations in ultra-central PbPb collisions at $(\sqrt{s_{NN}}) = 2.76$ TeV. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	60
221	Measurement of associated W + charm production in pp collisions at $(\sqrt{s}) = 7$ TeV. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	37
220	Search for new physics in events with same-sign dileptons and jets in pp collisions at $(\sqrt{s}) = 8$ TeV. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	38
219	Studies of dijet transverse momentum balance and pseudorapidity distributions in pPb collisions at $(\sqrt{s_{\text{NN}}}) = 5.02$ (,text {TeV}). <i>European Physical Journal C</i> , <b>2014</b> , 74, 1	4.2	67
218	Measurement of WZ and ZZ production in pp collisions at [Formula: see text] in final states with b-tagged jets. <i>European Physical Journal C</i> , <b>2014</b> , 74, 2973	4.2	16
217	Search for invisible decays of Higgs bosons in the vector boson fusion and associated ZH production modes. <i>European Physical Journal C</i> , <b>2014</b> , 74, 2980	4.2	131
216	Measurement of jet multiplicity distributions in [Formula: see text] production in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , <b>2014</b> , 74, 3014	4.2	11
215	Study of double parton scattering using W + 2-jet events in proton-proton collisions at $(\sqrt{s}) = 7$ TeV. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	61
214	Event activity dependence of $(Y)(nS)$ production in $(\sqrt{s_{NN}}) = 5.02$ TeV pPb and $(\sqrt{s}) = 2.76$ TeV pp collisions. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	42



213	. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5-4	18
212	Evidence for the 125 GeV Higgs boson decaying to a pair of $\tau$ leptons. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5-4	101
211	Search for $W \rightarrow \tau b$ decays in the lepton + jets final state in pp collisions at $(\sqrt{s}) = 8$ TeV. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5-4	23
210	Measurement of the triple-differential cross section for photon + jets production in proton-proton collisions at $(\sqrt{s}) = 7$ TeV. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5-4	15
209	Search for new physics in the multijet and missing transverse momentum final state in proton-proton collisions at $(\sqrt{s}) = 8$ TeV. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5-4	81
208	Measurement of the t-channel single-top-quark production cross section and of the $ V_{tb} $ CKM matrix element in pp collisions at $(\sqrt{s}) = 8$ TeV. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5-4	48
207	Measurement of the production cross sections for a Z boson and one or more b jets in pp collisions at $(\sqrt{s}) = 7$ TeV. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5-4	21
206	Search for pair production of excited top quarks in the lepton + jets final state. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5-4	3
205	Detailed study of the $K_S^0 \rightarrow \pi^0 \pi^0 e^+ e^-$ ( $\mathcal{B} \approx 10^{-4}$ ) decay properties. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5-4	3
204	Search for massive resonances in dijet systems containing jets tagged as W or Z boson decays in pp collisions at $(\sqrt{s}) = 8$ TeV. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5-4	74
203	Search for massive resonances decaying into pairs of boosted bosons in semi-leptonic final states at $(\sqrt{s}) = 8$ TeV. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5-4	59
202	Measurement of the top-quark mass in all-jets [Formula: see text] events in pp collisions at [Formula: see text] TeV. <i>European Physical Journal C</i> , <b>2014</b> , 74, 2758	4-2	21
201	Study of the production of charged pions, kaons, and protons in pPb collisions at [Formula: see text] 5.02 [Formula: see text]. <i>European Physical Journal C</i> , <b>2014</b> , 74, 2847	4-2	71
200	Probing color coherence effects in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , <b>2014</b> , 74, 2901	4-2	13
199	A new measurement of the $K_S^0 \rightarrow \pi^0 \pi^0$ decay at the NA48/2 experiment. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2014</b> , 730, 141-148	4-2	8
198	Study of the $K_S^0 \rightarrow \pi^0 \pi^0$ decay by the NA62 experiment. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2014</b> , 732, 65-74	4-2	25
197	Search for heavy neutrinos and [Formula: see text] bosons with right-handed couplings in proton-proton collisions at [Formula: see text]. <i>European Physical Journal C</i> , <b>2014</b> , 74, 3149	4-2	149
196	Measurement of top quark-antiquark pair production in association with a W or Z boson in pp collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , <b>2014</b> , 74, 3060	4-2	29

195	Measurement of differential cross sections for the production of a pair of isolated photons in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , <b>2014</b> , 74, 3129	4.2	29
194	Search for neutral MSSM Higgs bosons decaying to a pair of tau leptons in pp collisions. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	70
193	Measurement of pseudorapidity distributions of charged particles in proton-proton collisions at ( $\sqrt{s} = 8$ ) TeV by the CMS and TOTEM experiments. <i>European Physical Journal C</i> , <b>2014</b> , 74, 1	4.2	37
192	Searches for electroweak production of charginos, neutralinos, and sleptons decaying to leptons and W, Z, and Higgs bosons in pp collisions at 8 TeV. <i>European Physical Journal C</i> , <b>2014</b> , 74, 3036	4.2	183
191	Measurement of prompt J/ψ pair production in pp collisions at ( $\sqrt{s}$ ) = 7 TeV. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	41
190	Observation of the diphoton decay of the Higgs boson and measurement of its properties. <i>European Physical Journal C</i> , <b>2014</b> , 74, 3076	4.2	239
189	Search for the associated production of the Higgs boson with a top-quark pair. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	45
188	Study of hadronic event-shape variables in multijet final states in pp collisions at ( $\sqrt{s} = 7$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	3
187	Search for standard model production of four top quarks in the lepton + jets channel in pp collisions at ( $\sqrt{s}=8$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	15
186	Identification techniques for highly boosted W bosons that decay into hadrons. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	32
185	Measurement of Higgs boson production and properties in the WW decay channel with leptonic final states. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	144
184	Timing Capabilities of Ultra-Fast Silicon Detectors. <i>Acta Physica Polonica B, Proceedings Supplement</i> , <b>2014</b> , 7, 657	1.8	2
183	Measurement of the ( $\overline{t}t$ ) production cross section in the dilepton channel in pp collisions at ( $\sqrt{s}$ ) = 8 TeV <b>2014</b> , 2014, 1		3
182	Search for the associated production of the Higgs boson with a top-quark pair <b>2014</b> , 2014, 1		6
181	Search for microscopic black holes in pp collisions at ( $\sqrt{s}=8$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	38
180	Measurement of the ( $\Lambda_{\text{b}}^0$ ) lifetime in pp collisions at ( $\sqrt{s}=7$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	14
179	Searches for long-lived charged particles in pp collisions at ( $\sqrt{s}$ ) =7 and 8 TeV. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	96
178	Study of exclusive two-photon production of W+W in pp collisions at ( $\sqrt{s}=7$ ) TeV and constraints on anomalous quartic gauge couplings. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	56

177	Observation of a new boson with mass near 125 GeV in pp collisions at ( $\sqrt{s}=7$ ) and 8 TeV. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5-4	261
176	Search for the standard model Higgs boson produced in association with a top-quark pair in pp collisions at the LHC. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5-4	35
175	Studies of jet mass in dijet and W/Z + jet events. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5-4	39
174	Measurement of the ( $\overline{\text{t}}\text{t}$ ) production cross section in the all-jet final state in pp collisions at ( $\sqrt{s}=7$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5-4	14
173	Measurement of the X(3872) production cross section via decays to $J/\psi \pi\pi$ in pp collisions at ( $\sqrt{s}=7$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5-4	44
172	Study of the underlying event at forward rapidity in pp collisions at ( $\sqrt{s}=0.9, 2.76, \text{and } 7 \text{ TeV}$ ). <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5-4	39
171	Search for new physics in events with photons, jets, and missing transverse energy in pp collisions at ( $\sqrt{s}=7$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5-4	15
170	Search for new physics in events with same-sign dileptons and b jets in pp collisions at ( $\sqrt{s}=8$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5-4	33
169	Search in leptonic channels for heavy resonances decaying to long-lived neutral particles. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5-4	30
168	Search for exotic resonances decaying into WZ/ZZ in pp collisions at ( $\sqrt{s}=7$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5-4	16
167	Search for supersymmetry in pp collisions at [Formula: see text] TeV in events with a single lepton, jets, and missing transverse momentum. <i>European Physical Journal C</i> , <b>2013</b> , 73, 2404	4-2	15
166	Search for a standard-model-like Higgs boson with a mass in the range 145 to 1000 GeV at the LHC. <i>European Physical Journal C</i> , <b>2013</b> , 73, 2469	4-2	49
165	Measurement of the branching ratio of the decay $\text{t} \rightarrow \text{W} \text{b}$ . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2013</b> , 720, 105-110	4-2	2
164	Measurement of the W-boson helicity in top-quark decays from ( $\overline{\text{t}}\text{t}$ ) production in lepton+jets events in pp collisions at ( $\sqrt{s}=7$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5-4	25
163	Search for supersymmetry in hadronic final states with missing transverse energy using the variables $M_{\text{eff}}$ and b-quark multiplicity in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , <b>2013</b> , 73, 2568	4-2	82
162	Measurement of the hadronic activity in events with a Z and two jets and extraction of the cross section for the electroweak production of a Z with two jets in pp collisions at ( $\sqrt{s}=7$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5-4	10
161	Measurement of masses in the [Formula: see text] system by kinematic endpoints in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , <b>2013</b> , 73, 2494	4-2	37
160	Search for physics beyond the standard model in events with leptons, jets, and large transverse momentum imbalance in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , <b>2013</b> , 73, 2493	4-2	10

159	Measurement of the $\bar{t}t$ production cross section in the $\bar{t}t$ jets channel in pp collisions at $\sqrt{s}=7$ TeV. <i>European Physical Journal C</i> , <b>2013</b> , 73, 1	4.2	21
158	Jet and underlying event properties as a function of charged-particle multiplicity in proton-proton collisions at $\sqrt{s}=7$ TeV. <i>European Physical Journal C</i> , <b>2013</b> , 73, 2674	4.2	24
157	Search for top-squark pair production in the single-lepton final state in pp collisions at $\sqrt{s}=8$ TeV. <i>European Physical Journal C</i> , <b>2013</b> , 73, 1	4.2	162
156	Measurement of the differential and double-differential Drell-Yan cross sections in proton-proton collisions at $\sqrt{s}=7$ TeV. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	43
155	Measurement of the cross section and angular correlations for associated production of a Z boson with b hadrons in pp collisions at $\sqrt{s}=7$ TeV. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	26
154	Measurement of the ratio of the inclusive 3-jet cross section to the inclusive 2-jet cross section in pp collisions at $\sqrt{s}=7$ TeV and first determination of the strong coupling constant in the TeV range. <i>European Physical Journal C</i> , <b>2013</b> , 73, 1	4.2	50
153	Measurement of the $W+W$ cross section in pp collisions at $\sqrt{s}=7$ TeV and limits on anomalous $WW$ and $WWZ$ couplings. <i>European Physical Journal C</i> , <b>2013</b> , 73, 1	4.2	56
152	Search for narrow resonances and quantum black holes in inclusive and b-tagged dijet mass spectra from pp collisions at $\sqrt{s}=7$ TeV. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	37
151	Measurement of the ZZ production cross section and search for anomalous couplings in $ZZ$ final states in pp collisions at $\sqrt{s}=7$ TeV. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	39
150	Search for supersymmetry in final states with missing transverse energy and 0, 1, 2, or B b-quark jets in 7 TeV pp collisions using the variable $\bar{E}_T$ . <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	29
149	Search for heavy quarks decaying into a top quark and a W or Z boson using lepton + jets events in pp collisions at $\sqrt{s}=7$ TeV. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	12
148	Recent results and prospects on kaon physics at CERN. <i>Nuclear Physics, Section B, Proceedings Supplements</i> , <b>2013</b> , 245, 223-230		
147	Precision measurement of the ratio of the charged kaon leptonic decay rates. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2013</b> , 719, 326-336	4.2	72
146	Measurement of the sum of WW and WZ production with W+dijet events in pp collisions at $\sqrt{s}=7$ TeV. <i>European Physical Journal C</i> , <b>2013</b> , 73, 2283	4.2	45
145	Measurement of differential top-quark-pair production cross sections in pp collisions at $\sqrt{s}=7$ TeV. <i>European Physical Journal C</i> , <b>2013</b> , 73, 1	4.2	102
144	Search for new physics in events with same-sign dileptons and b jets in pp collisions at $\sqrt{s}=8$ TeV. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1		2
143	Study of high- $p_T$ charged particle suppression in PbPb compared to pp collisions at $\sqrt{s_{NN}}=2.76$ TeV. <i>European Physical Journal C</i> , <b>2012</b> , 72, 1	4.2	316
142	Centrality dependence of dihadron correlations and azimuthal anisotropy harmonics in PbPb collisions at $\sqrt{s_{NN}}=2.76$ TeV. <i>European Physical Journal C</i> , <b>2012</b> , 72, 1	4.2	158

141	Jet production rates in association with W and Z bosons in pp collisions at ( $\sqrt{s} = 7 \text{ TeV}$ ). <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5-4	37
140	Exclusive $\mu\mu$ production in proton-proton collisions at ( $\sqrt{s} = 7$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5-4	45
139	Measurement of the production cross section for pairs of isolated photons in pp collisions at ( $\sqrt{s} = 7 \text{ TeV}$ ). <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5-4	20
138	Inclusive b-jet production in pp collisions at ( $\sqrt{s} = 7 \text{ TeV}$ ). <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5-4	30
137	Search for quark compositeness in dijet angular distributions from pp collisions at ( $\sqrt{s} = 7$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5-4	12
136	Suppression of non-prompt J/ $\psi$ and ( $\Upsilon$ ) (1S) in PbPb collisions at ( $\sqrt{s_{NN}} = 2.76$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5-4	184
135	Search for heavy bottom-like quarks in 4.9 fb of pp collisions at ( $\sqrt{s} = 7$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5-4	44
134	Measurement of the cross section for production of ( $\overline{b} X$ ) decaying to muons in pp collisions at ( $\sqrt{s} = 7$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5-4	3
133	Measurement of the Z/ $\gamma$ + b-jet cross section in pp collisions at ( $\sqrt{s} = 7$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5-4	24
132	Shape, transverse size, and charged-hadron multiplicity of jets in pp collisions at ( $\sqrt{s} = 7 \text{ TeV}$ ). <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5-4	27
131	Search for anomalous production of multilepton events in pp collisions at ( $\sqrt{s} = 7 \text{ TeV}$ ). <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5-4	65
130	Search for a light charged Higgs boson in top quark decays in pp collisions at ( $\sqrt{s} = 7 \text{ TeV}$ ). <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5-4	101
129	Search for leptonic decays of W $\tau$ bosons in pp collisions at ( $\sqrt{s} = 7$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5-4	43
128	Search for stopped long-lived particles produced in pp collisions at ( $\sqrt{s} = 7 \text{ TeV}$ ). <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5-4	17
127	Search for new physics in events with same-sign dileptons and b-tagged jets in pp collisions at ( $\sqrt{s} = 7$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5-4	24
126	Measurement of the underlying event activity in pp collisions at ( $\sqrt{s} = 0.9$ ) and 7 TeV with the novel jet-area/median approach. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5-4	11
125	Search for anomalous ( $\overline{t}$ ) production in the highly-boosted all-hadronic final state. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5-4	57
124	Search for dark matter and large extra dimensions in monojet events in pp collisions at ( $\sqrt{s} = 7$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5-4	155

123	Search for a fermiophobic Higgs boson in pp collisions at ( $\sqrt{s} = 7$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5-4	13
122	Search for supersymmetry in hadronic final states using M T2 in pp collisions at ( $\sqrt{s}=7$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5-4	92
121	Measurement of jet fragmentation into charged particles in pp and PbPb collisions at ( $\sqrt{s_{\mathrm{NN}}}} = 2.76$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5-4	73
120	Measurement of the ( $\overline{\mathrm{t}}\mathrm{t}$ ) production cross section in the dilepton channel in pp collisions at ( $\sqrt{s}=7$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5-4	64
119	Search for exclusive or semi-exclusive $\overline{\mathrm{t}}\mathrm{t}$ production and observation of exclusive and semi-exclusive $\mathrm{e}+\mathrm{e}\overline{\mathrm{t}}\mathrm{t}$ production in pp collisions at ( $\sqrt{s}=7$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5-4	45
118	Search for the standard model Higgs boson produced in association with W and Z bosons in pp collisions at ( $\sqrt{s}=7$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5-4	6
117	Search for electroweak production of charginos and neutralinos using leptonic final states in pp collisions at ( $\sqrt{s}=7$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5-4	41
116	Search for new physics with long-lived particles decaying to photons and missing energy in pp collisions at ( $\sqrt{s}=7$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5-4	10
115	Search for resonant ( $\overline{\mathrm{t}}\mathrm{t}$ ) production in lepton+jets events in pp collisions at ( $\sqrt{s}=7$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5-4	25
114	Observation of Z decays to four leptons with the CMS detector at the LHC. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5-4	30
113	Measurement of the single-top-quark t-channel cross section in pp collisions at ( $\sqrt{s}=7$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5-4	70
112	Search for third-generation leptoquarks and scalar bottom quarks in pp collisions at ( $\sqrt{s}=7$ ;TeV). <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5-4	12
111	Measurement of the top-quark mass in ( $\overline{\mathrm{t}}\mathrm{t}$ ) events with lepton+jets final states in pp collisions at ( $\sqrt{s}=7$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5-4	30
110	A new boson with a mass of 125 GeV observed with the CMS experiment at the Large Hadron Collider. <i>Science</i> , <b>2012</b> , 338, 1569-75	33-3	71
109	New measurement of the $\mathrm{K}^0_{\mathrm{S}} \rightarrow \pi^0 \pi^0 \pi^0$ ( $\mathrm{K}^0_{\mathrm{S}} \rightarrow 3\pi^0$ ) decay branching ratio and hadronic form factors. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2012</b> , 715, 105-115	4-2	15
108	Measurement of the underlying event in the Drell-Yan process in proton-proton collisions at ( $\sqrt{s} = 7$ TeV). <i>European Physical Journal C</i> , <b>2012</b> , 72, 1	4-2	30
107	Study of the inclusive production of charged pions, kaons, and protons in pp collisions at ( $\sqrt{s} = 0.9, 2.76, 7$ TeV). <i>European Physical Journal C</i> , <b>2012</b> , 72, 1	4-2	133
106	A search for a doubly-charged Higgs boson in pp collisions at ( $\sqrt{s} = 7$ TeV). <i>European Physical Journal C</i> , <b>2012</b> , 72, 1	4-2	111

105	Measurement of the top-quark mass in $(\overline{t})$ events with dilepton final states in pp collisions at $(\sqrt{s}=7 \text{ TeV})$ . <i>European Physical Journal C</i> , <b>2012</b> , 72, 1	4.2	36
104	Ratios of dijet production cross sections as a function of the absolute difference in rapidity between jets in proton-proton collisions at $(\sqrt{s} = 7 \text{ TeV})$ . <i>European Physical Journal C</i> , <b>2012</b> , 72, 1	4.2	17
103	Measurement of the relative prompt production rate of $(\overline{t})$ and $(t)$ in pp collisions at $(\sqrt{s}=7 \text{ TeV})$ . <i>European Physical Journal C</i> , <b>2012</b> , 72, 2251	4.2	46
102	Forward energy flow, central charged-particle multiplicities, and pseudorapidity gaps in W and Z boson events from pp collisions at $(\sqrt{s}=7 \text{ TeV})$ . <i>European Physical Journal C</i> , <b>2012</b> , 72, 1	4.2	11
101	$J/\psi$ and $\psi(2S)$ production in pp collisions at $(\sqrt{s} = 7 \text{ TeV})$ . <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	69
100	Search for the standard model Higgs boson in the $H \rightarrow ZZ \rightarrow 4\ell$ channel in pp collisions at $(\sqrt{s} = 7 \text{ TeV})$ . <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	24
99	Search for the standard model Higgs boson in the $H \rightarrow ZZ \rightarrow 2\ell 2\tau$ decay channel in pp collisions at $(\sqrt{s} = 7 \text{ TeV})$ . <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	11
98	Search for $(B)_s^0 \rightarrow \mu^+ \mu^-$ and $B^0 \rightarrow \mu^+ \mu^-$ decays. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	52
97	Search for a Higgs boson in the decay channel $H \rightarrow ZZ(*) \rightarrow q(\overline{q}) \mu\mu$ in pp collisions at $(\sqrt{s} = 7 \text{ TeV})$ . <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	21
96	Search for microscopic black holes in pp collisions at $(\sqrt{s} = 7 \text{ TeV})$ . <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	34
95	Measurement of the inclusive production cross sections for forward jets and for dijet events with one forward and one central jet in pp collisions at $(\sqrt{s} = 7 \text{ TeV})$ . <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	13
94	Measurement of the mass difference between top and antitop quarks. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	13
93	Prompt and non-prompt $J/\psi$ production in pp collisions at $(\sqrt{s} = 7 \text{ TeV})$ . <i>European Physical Journal C</i> , <b>2011</b> , 71, 1	4.2	118
92	Measurement of the $(\overline{t})$ production cross section in pp collisions at $(\sqrt{s}=7 \text{ TeV})$ using the kinematic properties of events with leptons and jets. <i>European Physical Journal C</i> , <b>2011</b> , 71, 1	4.2	35
91	Charged particle multiplicities in pp interactions at $(\sqrt{s} = 0.9, 2.36, \text{ and } 7 \text{ TeV})$ . <i>Journal of High Energy Physics</i> , <b>2011</b> , 2011, 1	5.4	89
90	Measurements of inclusive W and Z cross sections in pp collisions at $(\sqrt{s} = 7 \text{ TeV})$ . <i>Journal of High Energy Physics</i> , <b>2011</b> , 2011, 1	5.4	104
89	Search for heavy stable charged particles in pp collisions at $(\sqrt{s} = 7 \text{ TeV})$ . <i>Journal of High Energy Physics</i> , <b>2011</b> , 2011, 1	5.4	34
88	Inclusive b-hadron production cross section with muons in pp collisions at $(\sqrt{s} = 7 \text{ TeV})$ . <i>Journal of High Energy Physics</i> , <b>2011</b> , 2011, 1	5.4	21

87	Measurement of ( $\overline{B} B$ ) angular correlations based on secondary vertex reconstruction at ( $\sqrt{s} = 7, \text{TeV}$ ). <i>Journal of High Energy Physics</i> , <b>2011</b> , 2011, 1	5-4	27
86	Measurement of the lepton charge asymmetry in inclusive W production in pp collisions at ( $\sqrt{s} = 7, \text{TeV}$ ). <i>Journal of High Energy Physics</i> , <b>2011</b> , 2011, 1	5-4	38
85	Measurement of Bose-Einstein correlations in pp collisions at ( $\sqrt{s} = 0.9$ ) and 7 TeV. <i>Journal of High Energy Physics</i> , <b>2011</b> , 2011, 1	5-4	22
84	Strange particle production in pp collisions at ( $\sqrt{s} = 0.9$ ) and 7 TeV. <i>Journal of High Energy Physics</i> , <b>2011</b> , 2011, 1	5-4	78
83	Search for large extra dimensions in the diphoton final state at the Large Hadron Collider. <i>Journal of High Energy Physics</i> , <b>2011</b> , 2011, 1	5-4	21
82	Search for resonances in the dilepton mass distribution in pp collisions at ( $\sqrt{s} = 7$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2011</b> , 2011, 1	5-4	32
81	Search for physics beyond the standard model in opposite-sign dilepton events in pp collisions at ( $\sqrt{s} = 7, \text{TeV}$ ). <i>Journal of High Energy Physics</i> , <b>2011</b> , 2011, 1	5-4	26
80	Search for new physics with same-sign isolated dilepton events with jets and missing transverse energy at the LHC. <i>Journal of High Energy Physics</i> , <b>2011</b> , 2011, 1	5-4	46
79	Search for supersymmetry in events with a lepton, a photon, and large missing transverse energy in pp collisions at ( $\sqrt{s} = 7$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2011</b> , 2011, 1	5-4	10
78	Measurement of the ( $t\bar{t}$ ) production cross section and the top quark mass in the dilepton channel in pp collisions at ( $\sqrt{s} = 7$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2011</b> , 2011, 1	5-4	48
77	Long-range and short-range dihadron angular correlations in central PbPb collisions at ( $\sqrt{s_{\text{NN}}} = 2.76$ TeV. <i>Journal of High Energy Physics</i> , <b>2011</b> , 2011, 1	5-4	56
76	Search for light resonances decaying into pairs of muons as a signal of new physics. <i>Journal of High Energy Physics</i> , <b>2011</b> , 2011, 1	5-4	12
75	Search for supersymmetry in events with b jets and missing transverse momentum at the LHC. <i>Journal of High Energy Physics</i> , <b>2011</b> , 2011, 1	5-4	28
74	Search for same-sign top-quark pair production at ( $\sqrt{s} = 7$ ) TeV and limits on flavour changing neutral currents in the top sector. <i>Journal of High Energy Physics</i> , <b>2011</b> , 2011, 1	5-4	39
73	Charged particle transverse momentum spectra in pp collisions at ( $\sqrt{s} = 0.9$ ) and 7 TeV. <i>Journal of High Energy Physics</i> , <b>2011</b> , 2011, 1	5-4	44
72	Measurement of the inclusive Z cross section via decays to tau pairs in pp collisions at ( $\sqrt{s} = 7$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2011</b> , 2011, 1	5-4	17
71	Dependence on pseudorapidity and on centrality of charged hadron production in PbPb collisions at ( $\sqrt{s_{\text{NN}}} = 2.76$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2011</b> , 2011, 1	5-4	87
70	Search for new physics with jets and missing transverse momentum in pp collisions at ( $\sqrt{s} = 7$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2011</b> , 2011, 1	5-4	46



69	Search for supersymmetry in pp collisions at ( $\sqrt{s} = 7$ ) TeV in events with a single lepton, jets, and missing transverse momentum. <i>Journal of High Energy Physics</i> , <b>2011</b> , 2011, 1	5.4	32
68	Measurement of the underlying event activity at the LHC with ( $\sqrt{s} = 7$ ) TeV and comparison with ( $\sqrt{s} = 0.9$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2011</b> , 2011, 1	5.4	70
67	Measurement of the Drell-Yan cross section in pp collisions at ( $\sqrt{s} = 7$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2011</b> , 2011, 1	5.4	32
66	Measurement of the inclusive W and Z production cross sections in pp collisions at ( $\sqrt{s} = 7$ ) TeV with the CMS experiment. <i>Journal of High Energy Physics</i> , <b>2011</b> , 2011, 1	5.4	121
65	Measurement of energy flow at large pseudorapidities in pp collisions at ( $\sqrt{s} = 0.9$ ) and 7 TeV. <i>Journal of High Energy Physics</i> , <b>2011</b> , 2011, 1	5.4	19
64	Precision measurement of the ratio $BR(K_S \rightarrow \pi^+ e^-) / BR(K_L \rightarrow \pi^0)$ . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2011</b> , 694, 301-309	4.2	3
63	New measurement of the $\beta$ . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2011</b> , 697, 107-115	4.2	48
62	Test of lepton flavour universality in $K^+ \rightarrow \pi^+ \ell^+ \ell^-$ decays. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2011</b> , 698, 105-114	4.2	27
61	Measurement of energy flow at large pseudorapidities in pp collisions at ( $\sqrt{s} = 0.9$ ) and 7 TeV <b>2011</b> , 2011, 1		5
60	Radiation hardness qualification of PbWO <sub>4</sub> scintillation crystals for the CMS Electromagnetic Calorimeter. <i>Journal of Instrumentation</i> , <b>2010</b> , 5, P03010-P03010	1	10
59	ECAL front-end monitoring in the CMS experiment. <i>Journal of Physics: Conference Series</i> , <b>2010</b> , 219, 022013		13
58	The CMS ECAL database services for detector control and monitoring. <i>Journal of Physics: Conference Series</i> , <b>2010</b> , 219, 022016	0.3	
57	Measurement of the direct emission and interference terms and search for CP violation in the decay $K^+ \rightarrow \pi^+ \pi^0 \ell^+ \ell^-$ . <i>European Physical Journal C</i> , <b>2010</b> , 68, 75-87	4.2	21
56	First measurement of the underlying event activity at the LHC with ( $\sqrt{s} = 0.9$ ) TeV. <i>European Physical Journal C</i> , <b>2010</b> , 70, 555-572	4.2	36
55	Precise tests of low energy QCD from ( $\mathcal{B}(K^+ \rightarrow \pi^+ e^+ e^-)$ ) decay properties. <i>European Physical Journal C</i> , <b>2010</b> , 70, 635-657	4.2	86
54	CMS tracking performance results from early LHC operation. <i>European Physical Journal C</i> , <b>2010</b> , 70, 1165-1192	4.1	99
53	Transverse-momentum and pseudorapidity distributions of charged hadrons in pp collisions at ( $\sqrt{s} = 0.9$ ) and 2.36 TeV. <i>Journal of High Energy Physics</i> , <b>2010</b> , 2010, 1	5.4	201
52	Observation of long-range, near-side angular correlations in proton-proton collisions at the LHC. <i>Journal of High Energy Physics</i> , <b>2010</b> , 2010, 1	5.4	389

51	Empirical parameterization of the $\rho$ . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2010</b> , 686, 101-108	4.2	9
50	New precise measurements of the $\rho$ and decay asymmetries. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2010</b> , 693, 241-248	4.2	2
49	Precise measurement of the $\rho$ . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2009</b> , 677, 246-254	4.2	44
48	Measurement of the polarization of the $\Lambda$ ( $\Lambda^0$ ) hyperon beam by the NA48/1 experiment. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2009</b> , 681, 406-412	4.2	
47	The CMS barrel calorimeter response to particle beams from 2 to 350 GeV/c. <i>European Physical Journal C</i> , <b>2009</b> , 60, 359-373	4.2	21
46	Determination of the S-wave $\pi\pi$ scattering lengths from a study of $K \rightarrow \pi\pi$ decays. <i>European Physical Journal C</i> , <b>2009</b> , 64, 589-608	4.2	54
45	Studies of the CMS electromagnetic calorimeter performance in the electron test beam. <i>Journal of Physics: Conference Series</i> , <b>2009</b> , 160, 012048	0.3	1
44	Intercalibration of the barrel electromagnetic calorimeter of the CMS experiment at start-up. <i>Journal of Instrumentation</i> , <b>2008</b> , 3, P10007-P10007	1	15
43	First observation and measurement of the decay $\rho \rightarrow \pi\pi$ . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2008</b> , 659, 493-499	4.2	15
42	New high statistics measurement of $K \rightarrow \pi\pi$ decay form factors and $\pi\pi$ scattering phase shifts. <i>European Physical Journal C</i> , <b>2008</b> , 54, 411	4.2	90
41	Flexible custom designs for CMS DAQ. <i>Nuclear Physics, Section B, Proceedings Supplements</i> , <b>2007</b> , 172, 174-177		1
40	The beam and detector for the NA48 neutral kaon CP violation experiment at CERN. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , <b>2007</b> , 574, 433-471	1.2	147
39	Measurement of the ratio $\rho \rightarrow \pi\pi$ . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2007</b> , 645, 26-35	4.2	17
38	Measurement of the branching ratios of the decays $\rho \rightarrow \pi\pi$ . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2007</b> , 645, 36-46	4.2	17
37	Measurement of $\rho \rightarrow \pi\pi$ . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2007</b> , 647, 341-350	4.2	31
36	Measurement of the Dalitz plot slope parameters of the $\rho \rightarrow \pi\pi$ . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2007</b> , 649, 349-358	4.2	11
35	First observation and branching fraction and decay parameter measurements of the weak radiative decay $\rho \rightarrow \pi\pi\gamma$ . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2007</b> , 650, 1-8	4.2	4
34	Determination of the relative decay rate. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2007</b> , 653, 145-150	4.2	3

33	Measurements of charged kaon semileptonic decay branching fractions $K^0 \rightarrow \pi^0 \ell^+ \ell^-$ and $K^0 \rightarrow \pi^0 e^+ e^-$ and their ratio. <i>European Physical Journal C</i> , <b>2007</b> , 50, 329-340	4.2	16
32	Search for direct CP violating charge asymmetries in $K^0 \rightarrow \pi^0 \ell^+ \ell^-$ and $K^0 \rightarrow \pi^0 e^+ e^-$ decays. <i>European Physical Journal C</i> , <b>2007</b> , 52, 875-891	4.2	78
31	Observation of a cusp-like structure in the $\pi^0 \pi^0$ invariant mass distribution from $K^0 \rightarrow \pi^0 \pi^0$ decay and determination of the $\pi^0$ scattering lengths. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2006</b> , 633, 173-182	4.2	110
30	Search for direct CP violation in the decays $K^0 \rightarrow \pi^0 \ell^+ \ell^-$ . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2006</b> , 634, 474-482	4.2	10
29	Search for direct CP-violation in $K^0 \rightarrow \pi^0 \ell^+ \ell^-$ decays. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2006</b> , 638, 22-29	4.2	10
28	Measurement of the radiative $K_{e3}$ branching ratio. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2005</b> , 605, 247-255	4.2	6
27	Search for CP violation in $K^0 \rightarrow \pi^0 \ell^+ \ell^-$ . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2005</b> , 610, 165-176	4.2	13
26	Measurement of the $KL \rightarrow e^+ e^- \pi^0$ decay rate. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2005</b> , 615, 31-38	4.2	5
25	A measurement of the CP-conserving component of the decay $K^0 \rightarrow \pi^0 \ell^+ \ell^-$ . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2005</b> , 630, 31-39	4.2	4
24	Feasibility study of a XML-based software environment to manage data acquisition hardware devices. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , <b>2005</b> , 546, 324-329	1.2	
23	First observation of the $KS \rightarrow \pi^0 \ell^+ \ell^-$ decay. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2004</b> , 578, 276-284	4.2	8
22	Measurement of the $K^0 \rightarrow \pi^0 \ell^+ \ell^-$ decay asymmetry and branching fraction. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2004</b> , 584, 251-259	4.2	5
21	A new drift chamber TDC readout for the high intensity program of the NA48 experiment. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , <b>2004</b> , 518, 493-494	1.2	3
20	Measurement of the branching ratio and form factors for the decay $KL \rightarrow \pi^0 e^+ e^- (\gamma)$ . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2004</b> , 595, 75-85	4.2	4
19	Observation of the rare decay $K^0 \rightarrow \pi^0 \ell^+ \ell^-$ . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2004</b> , 599, 197-211	4.2	33
18	Measurement of $K^0 \rightarrow \pi^0 \ell^+ \ell^-$ . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2004</b> , 604, 1-10	4.2	31
17	Measurement of the branching ratio of the decay $KL \rightarrow \pi^0 e^+ e^-$ and extraction of the CKM parameter $ V_{us} $ . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2004</b> , 602, 41-51	4.2	45
16	The drift chamber electronics for the NA48 experiment. <i>IEEE Transactions on Nuclear Science</i> , <b>2004</b> , 51, 1470-1474	1.7	1

15	Observation of the rare decay $KS \rightarrow e^+e^-$ <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2003</b> , 576, 43-54	4.2	44
14	Precise measurements of the $KS$ and $KL$ decay rates. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2003</b> , 551, 7-15	4.2	19
13	Search for the decay $KS \rightarrow \pi^0$ <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2003</b> , 556, 105-113	4.2	8
12	New measurements of the $B$ and $K^0$ masses. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2002</b> , 533, 196-206	4.2	24
11	Precise measurement of the decay $KL \rightarrow \pi^0$ <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2002</b> , 536, 229-240	4.2	39
10	A precision measurement of direct CP violation in the decay of neutral kaons into two pions. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2002</b> , 544, 97-112	4.2	154
9	Search for the decay $KS \rightarrow e^+e^-$ <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2001</b> , 514, 253-262	4.2	10
8	Measurement of the quadratic slope parameter in the $KL \rightarrow \pi^0$ decay Dalitz plot. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2001</b> , 515, 261-268	4.2	4
7	The Trigger Supervisor of the NA48 experiment at CERN SPS. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , <b>2000</b> , 443, 20-26	1.2	4
6	A new measurement of the branching ratio of $KS \rightarrow \pi^0$ <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2000</b> , 493, 29-35	4.2	5
5	Observation of the decay $KS \rightarrow \pi^0 e^+e^-$ <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2000</b> , 496, 137-144	4.2	11
4	Measurement of the decay rate and form factor parameter $\xi_{K^*}$ in the decay $KL \rightarrow e^+e^-$ <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>1999</b> , 458, 553-563	4.2	13
3	A new measurement of direct CP violation in two pion decays of the neutral kaon. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>1999</b> , 465, 335-348	4.2	220
2	Direct search for light gluinos. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>1999</b> , 446, 117-124	4.2	5
1	First measurement of the rate $K^0_L \rightarrow \pi^0$ <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>1998</b> , 418, 411-418	4.2	5