

# Anneli UuskÃ¼la

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4328314/publications.pdf>

Version: 2024-02-01

134  
papers

2,475  
citations

185998

28  
h-index

288905

40  
g-index

139  
all docs

139  
docs citations

139  
times ranked

3421  
citing authors

#	ARTICLE	IF	CITATIONS
1	Cluster randomised, controlled, triple-blind trial assessing the efficacy of intranasally administered virus-neutralising bovine colostrum supplement in preventing SARS-CoV-2 infection in household contacts of SARS-CoV-2-positive individuals: a study protocol. <i>Trials</i> , 2022, 23, 92.	0.7	4
2	The 1st year of the COVID-19 epidemic in Estonia: a population-based nationwide sequential/consecutive cross-sectional study. <i>Public Health</i> , 2022, 205, 150-156.	1.4	4
3	Long-term mortality following SARS-CoV-2 infection: A national cohort study from Estonia. <i>Lancet Regional Health - Europe</i> , 2022, 18, 100394.	3.0	22
4	Cervical Cancer in the Baltic States: Can Intelligent and Personalised Cancer Screening Change the Situation?. <i>Acta Medica Lituanica</i> , 2022, 29, 18.	0.2	2
5	A Multistage Process Model of How a Person Who Currently Injects Drugs Comes to Assist Persons Who Do not Inject with Their First Injections. <i>Frontiers in Sociology</i> , 2021, 6, 619560.	1.0	6
6	Cervical cancer screening patterns among HIV-positive women in Estonia: a population-based retrospective cohort study. <i>BMC Cancer</i> , 2021, 21, 350.	1.1	3
7	Rapid point-of-care (POC) testing for Hepatitis C antibodies in a very high prevalence setting: persons injecting drugs in Tallinn, Estonia. <i>Harm Reduction Journal</i> , 2021, 18, 39.	1.3	5
8	Prevalence of chronic conditions and multimorbidity in Estonia: a population-based cross-sectional study. <i>BMJ Open</i> , 2021, 11, e049045.	0.8	10
9	Physical-mental health comorbidity: A population-based cross-sectional study. <i>PLoS ONE</i> , 2021, 16, e0260464.	1.1	10
10	Univariable associations between a history of incarceration and HIV and HCV prevalence among people who inject drugs across 17 countries in Europe 2006 to 2020 – is the precautionary principle applicable?. <i>Eurosurveillance</i> , 2021, 26, .	3.9	4
11	Seroprevalence of SARS-CoV-2 antibodies among pregnant women in Estonia: A call for epidemiological studies. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2020, 99, 1736-1737.	1.3	2
12	The fentanyl epidemic in Estonia: factors in its evolution and opportunities for a comprehensive public health response, a scoping review. <i>International Journal of Drug Policy</i> , 2020, 81, 102757.	1.6	20
13	Trends in opioid prescribing in Estonia (2011–2017). <i>Pharmacology Research and Perspectives</i> , 2020, 8, e00577.	1.1	4
14	Presenting a conceptual framework for an HIV prevention and care continuum and assessing the feasibility of empirical measurement in Estonia: A case study. <i>PLoS ONE</i> , 2020, 15, e0240224.	1.1	2
15	Prevalence of injecting drug use in Estonia 2010–2015: a capture-recapture study. <i>Harm Reduction Journal</i> , 2019, 16, 19.	1.3	7
16	Implementing an Updated “Break the Cycle” Intervention to Reduce Initiating Persons into Injecting Drug Use in an Eastern European and a US “opioid epidemic” Setting. <i>AIDS and Behavior</i> , 2019, 23, 2304-2314.	1.4	24
17	The fentanyl epidemic in Estonia: opportunities for a comprehensive public health response. <i>Lancet Psychiatry</i> , 2019, 6, 985.	3.7	10
18	Quality of life after hip, vertebral, and distal forearm fragility fractures measured using the EQ-5D-3L, EQ-VAS, and time-trade-off: results from the ICUROS. <i>Quality of Life Research</i> , 2018, 27, 707-716.	1.5	36

#	ARTICLE	IF	CITATIONS
19	Differences in risk behaviours and HIV status between primary amphetamines and opioid injectors in Estonia and Russia. <i>International Journal of Drug Policy</i> , 2018, 53, 96-105.	1.6	8
20	Preventing Injection Drug use Initiation: State of the Evidence and Opportunities for the Future. <i>Journal of Urban Health</i> , 2018, 95, 91-98.	1.8	39
21	Perceived effectiveness of antiretroviral therapy, self-rated health and treatment adherence among HIV-positive people who inject drugs in Estonia. <i>International Journal of STD and AIDS</i> , 2018, 29, 13-22.	0.5	6
22	Polydrug Use and Heterogeneity in HIV Risk Among People Who Inject Drugs in Estonia and Russia: A Latent Class Analysis. <i>AIDS and Behavior</i> , 2018, 22, 1329-1340.	1.4	25
23	Treatment of chlamydia and gonorrhoea, compliance with treatment guidelines and factors associated with non-compliant prescribing: findings from a cross-sectional study. <i>Sexually Transmitted Infections</i> , 2018, 94, 298-303.	0.8	8
24	Quality of life for up to 18 months after low-energy hip, vertebral, and distal forearm fractures—results from the ICUROS. <i>Osteoporosis International</i> , 2018, 29, 557-566.	1.3	88
25	Effects of Counselling on Adherence to Antiretroviral Treatment Among People with HIV in Estonia: A Randomized Controlled Trial. <i>AIDS and Behavior</i> , 2018, 22, 224-233.	1.4	9
26	Hepatitis C virus prevalence and estimated incidence among new injectors during the opioid epidemic in New York City, 2000–2017: Protective effects of non-injecting drug use. <i>Drug and Alcohol Dependence</i> , 2018, 192, 74-79.	1.6	18
27	Compliance with Pregnancy Prevention Recommendations for Isotretinoin in Estonia in 2012–2016. <i>Drugs - Real World Outcomes</i> , 2018, 5, 129-136.	0.7	9
28	Frequency and factors associated with providing injection initiation assistance in Tallinn, Estonia. <i>Drug and Alcohol Dependence</i> , 2018, 188, 64-70.	1.6	17
29	Hepatitis C seropositivity among newly incarcerated prisoners in Estonia: data analysis of electronic health records from 2014 to 2015. <i>BMC Infectious Diseases</i> , 2018, 18, 339.	1.3	9
30	Association of IFN-4 rs12979860 polymorphism with the acquisition of HCV and HIV infections among people who inject drugs. <i>Journal of Medical Virology</i> , 2018, 90, 1779-1783.	2.5	4
31	Another frontier for harm reduction: contraceptive needs of females who inject drugs in Estonia, a cross-sectional study. <i>Harm Reduction Journal</i> , 2018, 15, 10.	1.3	6
32	Eastern Europe and Central Asia, Specific Characteristics of HIV/AIDS Epidemic. , 2018, , 473-477.		0
33	Engagement in HIV care and its correlates among people who inject drugs in St Petersburg, Russian Federation and Kohtla-Järve, Estonia. <i>Addiction</i> , 2017, 112, 1421-1431.	1.7	23
34	The impact of comorbidities on hip fracture mortality: a retrospective population-based cohort study. <i>Archives of Osteoporosis</i> , 2017, 12, 76.	1.0	15
35	Cost-effectiveness of HPV vaccination in the context of high cervical cancer incidence and low screening coverage. <i>Vaccine</i> , 2017, 35, 6329-6335.	1.7	9
36	The Role of Internalized Stigma in the Disclosure of Injecting Drug Use Among People Who Inject Drugs and Self-Report as HIV-Positive in Kohtla-Järve, Estonia. <i>AIDS and Behavior</i> , 2017, 21, 1034-1043.	1.4	10

#	ARTICLE	IF	CITATIONS
37	Monitoring quality and coverage of harm reduction services for people who use drugs: a consensus study. <i>Harm Reduction Journal</i> , 2017, 14, 19.	1.3	33
38	Suicidal Behavior Among People Living with HIV (PLHIV) in Medical Care in Estonia and Factors Associated with Receiving Psychological Treatment. <i>AIDS and Behavior</i> , 2017, 21, 1709-1716.	1.4	9
39	Prevalence and genotypes of GBVâ€C and its associations with HIV infection among persons who inject drugs in Eastern Europe. <i>Journal of Medical Virology</i> , 2017, 89, 632-638.	2.5	18
40	Qualitative interviews with healthcare staff in four European countries to inform adaptation of an intervention to increase chlamydia testing. <i>BMJ Open</i> , 2017, 7, e017528.	0.8	3
41	The impact of hip fracture on mortality in Estonia: a retrospective population-based cohort study. <i>BMC Musculoskeletal Disorders</i> , 2017, 18, 243.	0.8	15
42	Using data from respondent-driven sampling studies to estimate the number of people who inject drugs: Application to the Kohtla-Järve region of Estonia. <i>PLoS ONE</i> , 2017, 12, e0185711.	1.1	4
43	HIV prevalence and gender differences among new injection-drug-users in Tallinn, Estonia: A persisting problem in a stable high prevalence epidemic. <i>PLoS ONE</i> , 2017, 12, e0170956.	1.1	11
44	People living with HIV in Estonia: engagement in HIV care in 2013. <i>Eurosurveillance</i> , 2016, 21, .	3.9	3
45	Quality of life, resource use, and costs related to hip fracture in Estonia. <i>Osteoporosis International</i> , 2016, 27, 2555-2566.	1.3	17
46	T Cell Distribution in Relation to HIV/HBV/HCV Coinfections and Intravenous Drug Use. <i>Viral Immunology</i> , 2016, 29, 464-470.	0.6	8
47	Screening for genital chlamydia infection. <i>The Cochrane Library</i> , 2016, 2016, CD010866.	1.5	47
48	Changes in chlamydia control activities in Europe between 2007 and 2012: a cross-national survey. <i>European Journal of Public Health</i> , 2016, 26, 382-388.	0.1	22
49	Human T-lymphotropic virus types 1 and 2 are rare among intravenous drug users in Eastern Europe. <i>Infection, Genetics and Evolution</i> , 2016, 43, 83-85.	1.0	7
50	Differences in T cell distribution and CCR5 expression in HIV-positive and HIV-exposed seronegative persons who inject drugs. <i>Medical Microbiology and Immunology</i> , 2016, 205, 231-239.	2.6	7
51	Internalized HIV and Drug Stigmas: Interacting Forces Threatening Health Status and Health Service Utilization Among People with HIV Who Inject Drugs in St. Petersburg, Russia. <i>AIDS and Behavior</i> , 2016, 20, 85-97.	1.4	60
52	A CCL5 Haplotype Is Associated with Low Seropositivity Rate of HCV Infection in People Who Inject Drugs. <i>PLoS ONE</i> , 2016, 11, e0156850.	1.1	3
53	Comparison of subset selection methods in linear regression in the context of health-related quality of life and substance abuse in Russia. <i>BMC Medical Research Methodology</i> , 2015, 15, 71.	1.4	52
54	Non-fatal overdoses and related risk factors among people who inject drugs in St. Petersburg, Russia and Kohtla-Järve, Estonia. <i>BMC Public Health</i> , 2015, 15, 1255.	1.2	32

#	ARTICLE	IF	CITATIONS
55	HTLV-1/2 is rare among Eastern-European intravenous drug users (IDUs). <i>Retrovirology</i> , 2015, 12, .	0.9	0
56	Genital Chlamydia Prevalence in Europe and Non-European High Income Countries: Systematic Review and Meta-Analysis. <i>PLoS ONE</i> , 2015, 10, e0115753.	1.1	57
57	The incidence of hip fractures in Estonia, 2005–2012. <i>Osteoporosis International</i> , 2015, 26, 77-84.	1.3	15
58	HIV research productivity and structural factors associated with HIV research output in European Union countries: a bibliometric analysis. <i>BMJ Open</i> , 2015, 5, e006591-e006591.	0.8	17
59	Influence of interleukin 10 polymorphisms -592 and -1082 to the HIV, HBV and HCV serostatus among intravenous drug users. <i>Infection, Genetics and Evolution</i> , 2015, 30, 175-180.	1.0	12
60	A tale of two cities: Stigma and health outcomes among people with HIV who inject drugs in St. Petersburg, Russia and Kohtla-Järve, Estonia. <i>Social Science and Medicine</i> , 2015, 130, 154-161.	1.8	45
61	Adherence to Antiretroviral Medications Among Persons Who Inject Drugs in Transitional, Low and Middle Income Countries: An International Systematic Review. <i>AIDS and Behavior</i> , 2015, 19, 575-583.	1.4	31
62	An international perspective on using opioid substitution treatment to improve hepatitis C prevention and care for people who inject drugs: Structural barriers and public health potential. <i>International Journal of Drug Policy</i> , 2015, 26, 1056-1063.	1.6	33
63	Disseminated Giant Hyperkeratotic Porokeratosis and Treatment with Acitretin: A Case Report. <i>Acta Dermato-Venereologica</i> , 2015, 95, 241-242.	0.6	7
64	The prevalence of genital warts in the Baltic countries: findings from national cross-sectional surveys in Estonia, Latvia and Lithuania. <i>Sexually Transmitted Infections</i> , 2015, 91, 55-60.	0.8	5
65	Combined prevention for persons who inject drugs in the HIV epidemic in a transitional country: the case of Tallinn, Estonia. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2015, 27, 105-111.	0.6	14
66	Behavioral Interventions to Reduce Sexual Risk Behavior in Adults with HIV/AIDS Receiving HIV Care: A Systematic Review. <i>AIDS Patient Care and STDs</i> , 2015, 29, 288-298.	1.1	11
67	Provision of chlamydia testing, and training of primary health care staff about chlamydia testing, across four European countries. <i>BMC Public Health</i> , 2014, 14, 1147.	1.2	6
68	Association Between HIV-1 Tropism and CCR5 Human Haplotype E in a Caucasian Population. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2014, 66, 239-244.	0.9	5
69	Self-reported testing, HIV status and associated risk behaviours among people who inject drugs in Europe. <i>Aids</i> , 2014, 28, 1657-1664.	1.0	8
70	The HIV Epidemic in Eastern Europe and Central Asia. <i>Current HIV/AIDS Reports</i> , 2014, 11, 168-176.	1.1	84
71	Prevalence of IGRA-positivity and risk factors for tuberculosis among injecting drug users in Estonia and Latvia. <i>International Journal of Drug Policy</i> , 2014, 25, 175-178.	1.6	5
72	Non-cancer morbidity among Estonian Chernobyl cleanup workers: a register-based cohort study. <i>BMJ Open</i> , 2014, 4, e004516.	0.8	19

#	ARTICLE	IF	CITATIONS
73	HIV testing and counselling in Estonian prisons, 2012 to 2013: aims, processes and impacts. <i>Eurosurveillance</i> , 2014, 19, 20970.	3.9	6
74	The epidemiological and economic impact of a quadrivalent human papillomavirus (hvp) vaccine in Estonia. <i>BMC Infectious Diseases</i> , 2013, 13, 304.	1.3	9
75	Is the HCVâ€“HIV co-infection prevalence amongst injecting drug users a marker for the level of sexual and injection related HIV transmission?. <i>Drug and Alcohol Dependence</i> , 2013, 132, 172-181.	1.6	40
76	Developing an adherence support intervention for patients on antiretroviral therapy in the context of the recent IDU-driven HIV/AIDS epidemic in Estonia. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2013, 25, 863-873.	0.6	12
77	Socio-demographic factors, health risks and harms associated with early initiation of injection among people who inject drugs in Tallinn, Estonia: Evidence from cross-sectional surveys. <i>International Journal of Drug Policy</i> , 2013, 24, 150-155.	1.6	18
78	Association between TLR3 rs3775291 and resistance to HIV among highly exposed Caucasian intravenous drug users. <i>Infection, Genetics and Evolution</i> , 2013, 20, 78-82.	1.0	33
79	A decline in the prevalence of injecting drug users in Estonia, 2005â€“2009. <i>International Journal of Drug Policy</i> , 2013, 24, 312-318.	1.6	21
80	Risk for Heterosexual HIV Transmission Among Non-Injecting Female Partners of Injection Drug Users in Estonia. <i>AIDS and Behavior</i> , 2013, 17, 879-888.	1.4	7
81	Non-fatal injuries resulting in activity limitations in Estoniaâ€“risk factors and association with the incidence of chronic conditions and quality of life: a retrospective study among the population aged 20â€“79. <i>BMJ Open</i> , 2013, 3, e002695.	0.8	3
82	Years of potential life lost due to HIV infection and associated factors based on national HIV surveillance data in Latvia, 1991â€“2010. <i>Scandinavian Journal of Infectious Diseases</i> , 2013, 45, 140-146.	1.5	2
83	Incidence of Cervical Intraepithelial Neoplasia in Estonia. <i>Journal of Lower Genital Tract Disease</i> , 2013, 17, 129-136.	0.9	4
84	30 Years on Selected Issues in the Prevention of HIV among Persons Who Inject Drugs. <i>Advances in Preventive Medicine</i> , 2013, 2013, 1-10.	1.1	17
85	Changes in high-risk sexual behaviour among Estonian adults between 1996 and 2006. <i>Sexually Transmitted Infections</i> , 2013, 89, 91-97.	0.8	2
86	CCR5 Haplotypes Influence HCV Serostatus in Caucasian Intravenous Drug Users. <i>PLoS ONE</i> , 2013, 8, e70561.	1.1	4
87	Condom use and partnership intimacy among drug injectors and their sexual partners in Estonia: Table 1. <i>Sexually Transmitted Infections</i> , 2012, 88, 58-62.	0.8	24
88	Multiple routes of drug administration and HIV risk among injecting drug users. <i>Journal of Substance Abuse Treatment</i> , 2012, 42, 413-420.	1.5	9
89	Antiretroviral therapy (ART) adherence and correlates to nonadherence among people on ART in Estonia. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2012, 24, 1470-1479.	0.6	21
90	Antiretroviral therapy (ART) adherence and correlates to non-adherence among people on ART in Estonia. <i>Retrovirology</i> , 2012, 9, .	0.9	0

#	ARTICLE	IF	CITATIONS
91	Enhanced tuberculosis case detection among substitution treatment patients: a randomized controlled trial. <i>BMC Research Notes</i> , 2011, 4, 192.	0.6	7
92	Assessing non-response to a mailed health survey including self-collection of biological material. <i>European Journal of Public Health</i> , 2011, 21, 538-542.	0.1	20
93	Expanded syringe exchange programs and reduced HIV infection among new injection drug users in Tallinn, Estonia. <i>BMC Public Health</i> , 2011, 11, 517.	1.2	26
94	Estonia at the Threshold of the Fourth Decade of the AIDS Era in Europe. <i>AIDS Research and Human Retroviruses</i> , 2011, 27, 841-851.	0.5	23
95	Self-reported activity limitations among the population aged 20-79 in Estonia: a cross-sectional study. <i>European Journal of Public Health</i> , 2011, 21, 49-55.	0.1	7
96	Evaluating Recruitment among Female Sex Workers and Injecting Drug Users at Risk for HIV Using Respondent-driven Sampling in Estonia. <i>Journal of Urban Health</i> , 2010, 87, 304-317.	1.8	43
97	HIV infection and risk behaviour of primary fentanyl and amphetamine injectors in Tallinn, Estonia: Implications for intervention. <i>International Journal of Drug Policy</i> , 2010, 21, 56-63.	1.6	50
98	Population-based type-specific prevalence of high-risk human papillomavirus infection in Estonia. <i>BMC Infectious Diseases</i> , 2010, 10, 63.	1.3	21
99	Services integration for injection drug users on antiretroviral therapy for management of HIV epidemic in Estonia. <i>Retrovirology</i> , 2010, 7, .	0.9	0
100	CCL3L1 Copy Number Is a Strong Genetic Determinant of HIV Seropositivity in Caucasian Intravenous Drug Users. <i>Journal of Infectious Diseases</i> , 2010, 201, 730-739.	1.9	28
101	Trends in the epidemiology of bacterial sexually transmitted infections in eastern Europe, 1995-2005. <i>Sexually Transmitted Infections</i> , 2010, 86, 6-14.	0.8	38
102	Emergent properties of HIV risk among injection drug users in Tallinn, Estonia: synthesis of individual and neighbourhood-level factors. <i>Sexually Transmitted Infections</i> , 2010, 86, iii79-iii84.	0.8	12
103	European surveillance of antimicrobial resistance in <i>Neisseria gonorrhoeae</i> . <i>Sexually Transmitted Infections</i> , 2010, 86, 427-432.	0.8	53
104	Should Pharmacists have a Role in Harm Reduction Services for IDUs? A Qualitative Study in Tallinn, Estonia. <i>Journal of Urban Health</i> , 2009, 86, 918-928.	1.8	11
105	Informed recruitment in partner studies of HIV transmission: an ethical issue in couples research. <i>BMC Medical Ethics</i> , 2009, 10, 14.	1.0	3
106	Comparison of injecting drug users who obtain syringes from pharmacies and syringe exchange programs in Tallinn, Estonia. <i>Harm Reduction Journal</i> , 2009, 6, 3.	1.3	23
107	Factors influencing quality of life of people living with HIV in Estonia: a cross-sectional survey. <i>Journal of the International AIDS Society</i> , 2009, 12, 13-13.	1.2	30
108	Knowledge of HIV serostatus and risk behaviour among injecting drug users in Estonia. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2009, 21, 851-857.	0.6	19

#	ARTICLE	IF	CITATIONS
109	The Trends and Risk Factors for Hepatitis B Occurrence in Estonia. <i>Central European Journal of Public Health</i> , 2009, 17, 108-111.	0.4	7
110	A study on HIV and hepatitis C virus among commercial sex workers in Tallinn. <i>Sexually Transmitted Infections</i> , 2008, 84, 189-191.	0.8	30
111	High-prevalence and high-estimated incidence of HIV infection among new injecting drug users in Estonia: need for large scale prevention programs. <i>Journal of Public Health</i> , 2008, 30, 119-125.	1.0	41
112	The prevalence of chlamydial infection in Estonia: a population-based survey. <i>International Journal of STD and AIDS</i> , 2008, 19, 455-458.	0.5	16
113	Quality of Life of People Living with HIV and AIDS in Estonia. <i>Central European Journal of Public Health</i> , 2008, 16, 111-115.	0.4	5
114	High prevalence of blood-borne virus infections and high-risk behaviour among injecting drug users in Tallinn, Estonia. <i>International Journal of STD and AIDS</i> , 2007, 18, 41-46.	0.5	34
115	The HIV prevention needs of injection drug users in Estonia. <i>International Journal of STD and AIDS</i> , 2007, 18, 389-391.	0.5	27
116	Estimating injection drug use prevalence using state wide administrative data sources: Estonia, 2004. <i>Addiction Research and Theory</i> , 2007, 15, 411-424.	1.2	25
117	High HIV prevalence among injecting drug users in Estonia: implications for understanding the risk environment. <i>Aids</i> , 2006, 20, 2120-2123.	1.0	61
118	HIV epidemic in Estonia in the third decade of the AIDS era. <i>Scandinavian Journal of Infectious Diseases</i> , 2006, 38, 181-186.	1.5	17
119	Sex work in Tallinn, Estonia: the sociospatial penetration of sex work into society. <i>Sexually Transmitted Infections</i> , 2006, 82, 348-353.	0.8	24
120	Barriers to effective STI screening in a post-Soviet society: results from a qualitative study. <i>Sexually Transmitted Infections</i> , 2006, 82, 323-326.	0.8	6
121	Surveillance of HIV, Hepatitis B Virus, and Hepatitis C Virus in an Estonian Injection Drug User Population: Sensitivity and Specificity of Testing Syringes for Public Health Surveillance. <i>Journal of Infectious Diseases</i> , 2006, 193, 455-457.	1.9	20
122	Laboratory Diagnosis of Sexually Transmitted Infections in Estonia in 2001–2002: Shortcomings With Impact on Diagnostic Quality and Surveillance. <i>Sexually Transmitted Diseases</i> , 2005, 32, 759-764.	0.8	13
123	Dengue encephalitis in a Swedish traveller returning from Thailand. <i>Scandinavian Journal of Infectious Diseases</i> , 2005, 37, 776-778.	1.5	16
124	The Burden of Infection with Herpes Simplex Virus Type 1 and Type 2: Seroprevalence Study in Estonia. <i>Scandinavian Journal of Infectious Diseases</i> , 2004, 36, 727-732.	1.5	10
125	Atypical genital herpes: Report of five cases. <i>Scandinavian Journal of Infectious Diseases</i> , 2004, 36, 37-39.	1.5	10
126	Treatment of Sexually Transmitted Diseases in Estonia. <i>Sexually Transmitted Diseases</i> , 2004, 31, 631-635.	0.8	6



#	ARTICLE	IF	CITATIONS
127	Syphilis as a Social Disease: Experience from the Post-Communist Transition Period in Estonia. <i>International Journal of STD and AIDS</i> , 2004, 15, 662-668.	0.5	8
128	Syphilis as a social disease: experience from the post-communist transition period in Estonia. <i>International Journal of STD and AIDS</i> , 2004, 15, 662-668.	0.5	5
129	Seroepidemiological study of herpes simplex virus types 1 and 2 in Brazil, Estonia, India, Morocco, and Sri Lanka. <i>Sexually Transmitted Infections</i> , 2003, 79, 286-290.	0.8	87
130	Genital mycoplasmas, including <i>Mycoplasma genitalium</i> , as sexually transmitted agents. <i>International Journal of STD and AIDS</i> , 2002, 13, 79-85.	0.5	66
131	The role of injection drug use in the emergence of human immunodeficiency virus infection in Estonia. <i>International Journal of Infectious Diseases</i> , 2002, 6, 23-27.	1.5	40
132	A Case-Control Study of Beliefs and Behaviors Associated With Sexually Transmitted Disease Occurrence in Estonia. <i>Sexually Transmitted Diseases</i> , 2001, 28, 624-629.	0.8	19
133	Sexually transmitted infections in Estonia – syndromic management of urethritis in a European country?. <i>International Journal of STD and AIDS</i> , 2001, 12, 493-498.	0.5	7
134	Sexually transmitted diseases in Estonia: past and present. <i>International Journal of STD and AIDS</i> , 1997, 8, 446-450.	0.5	26