

Marta Pojo

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4328458/publications.pdf>

Version: 2024-02-01

23
papers

403
citations

933264

10
h-index

794469

19
g-index

23
all docs

23
docs citations

23
times ranked

814
citing authors

#	ARTICLE	IF	CITATIONS
1	Hypoxia-mediated upregulation of MCT1 expression supports the glycolytic phenotype of glioblastomas. <i>Oncotarget</i> , 2016, 7, 46335-46353.	0.8	81
2	Clinical insights gained by refining the 2016 WHO classification of diffuse gliomas with: EGFR amplification, TERT mutations, PTEN deletion and MGMT methylation. <i>BMC Cancer</i> , 2019, 19, 968.	1.1	55
3	A transcriptomic signature mediated by HOXA9 promotes human glioblastoma initiation, aggressiveness and resistance to temozolomide. <i>Oncotarget</i> , 2015, 6, 7657-7674.	0.8	46
4	Effects of the functional HOTAIR rs920778 and rs12826786 genetic variants in glioma susceptibility and patient prognosis. <i>Journal of Neuro-Oncology</i> , 2017, 132, 27-34.	1.4	36
5	<i>WNT6</i> is a novel oncogenic prognostic biomarker in human glioblastoma. <i>Theranostics</i> , 2018, 8, 4805-4823.	4.6	35
6	The long non-coding RNA <i>HOTAIR</i> is transcriptionally activated by HOXA9 and is an independent prognostic marker in patients with malignant glioma. <i>Oncotarget</i> , 2018, 9, 15740-15756.	0.8	28
7	The efficacy of HRAS and CDK4/6 inhibitors in anaplastic thyroid cancer cell lines. <i>Journal of Endocrinological Investigation</i> , 2019, 42, 527-540.	1.8	17
8	Melanoma Metabolism: Cell Survival and Resistance to Therapy. <i>Advances in Experimental Medicine and Biology</i> , 2020, 1219, 203-223.	0.8	15
9	High-Throughput Sequencing Identifies 3 Novel Susceptibility Genes for Hereditary Melanoma. <i>Genes</i> , 2020, 11, 403.	1.0	14
10	Nobiletin Alone or in Combination with Cisplatin Decreases the Viability of Anaplastic Thyroid Cancer Cell Lines. <i>Nutrition and Cancer</i> , 2020, 72, 352-363.	0.9	13
11	Take Advantage of Glutamine Anaplerosis, the Kernel of the Metabolic Rewiring in Malignant Gliomas. <i>Biomolecules</i> , 2020, 10, 1370.	1.8	12
12	Transcriptional profiling of HOXA9-regulated genes in human glioblastoma cell models. <i>Genomics Data</i> , 2015, 5, 54-58.	1.3	11
13	In vitro evaluation of the cytotoxicity and cellular uptake of CMChT/PAMAM dendrimer nanoparticles by glioblastoma cell models. <i>Journal of Nanoparticle Research</i> , 2013, 15, 1.	0.8	8
14	The Impact of Olive Oil Compounds on the Metabolic Reprogramming of Cutaneous Melanoma Cell Models. <i>Molecules</i> , 2021, 26, 289.	1.7	6
15	Molecular Hallmarks of Gliomas. , 0, , .		5
16	Subversion of Ras Small GTPases in Cutaneous Melanoma Aggressiveness. <i>Frontiers in Cell and Developmental Biology</i> , 2020, 8, 575223.	1.8	5
17	Unraveling the Relevance of ARL GTPases in Cutaneous Melanoma Prognosis through Integrated Bioinformatics Analysis. <i>International Journal of Molecular Sciences</i> , 2021, 22, 9260.	1.8	4
18	<i>PIK3CA</i> Mutations in Diffuse Gliomas: An Update on Molecular Stratification, Prognosis, Recurrence, and Aggressiveness. <i>Clinical Medicine Insights: Oncology</i> , 2022, 16, 117955492110688.	0.6	4

#	ARTICLE	IF	CITATIONS
19	<i>Cadherin-3</i> is a novel oncogenic biomarker with prognostic value in glioblastoma. <i>Molecular Oncology</i> , 2022, 16, 2611-2631.	2.1	4
20	Establishment and characterization of a new patient-derived anaplastic thyroid cancer cell line (C3948), obtained through fine-needle aspiration cytology. <i>Endocrine</i> , 2019, 66, 288-300.	1.1	2
21	Chronic Stress Does Not Influence the Survival of Mouse Models of Glioblastoma. <i>Frontiers in Oncology</i> , 2022, 12, 856210.	1.3	2
22	Mechanisms of Aggressiveness in Glioblastoma: Prognostic and Potential Therapeutic Insights. , 2013, , .		0
23	Inhibition of hRAS and CDK4/6 leads to an antiproliferative activity, blocks cell cycle and induces cell death in anaplastic thyroid cancer cell lines. <i>Endocrine Abstracts</i> , 0, , .	0.0	0