

# Ondrej OndiÄ•

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4329366/publications.pdf>

Version: 2024-02-01

43  
papers

646  
citations

623734

14  
h-index

610901

24  
g-index

44  
all docs

44  
docs citations

44  
times ranked

823  
citing authors

#	ARTICLE	IF	CITATIONS
1	Fumarate Hydratase-deficient Uterine Leiomyomas Occur in Both the Syndromic and Sporadic Settings. <i>American Journal of Surgical Pathology</i> , 2016, 40, 599-607.	3.7	102
2	Spindle and cuboidal renal cell carcinoma, a tumour having frequent association with nephrolithiasis: report of 11 cases including a case with hybrid conventional renal cell carcinoma/spindle and cuboidal renal cell carcinoma components. <i>Histopathology</i> , 2002, 41, 549-555.	2.9	80
3	Thread-like bridging strands: a morphologic feature present in all adenomatoid tumors. <i>Annals of Diagnostic Pathology</i> , 2003, 7, 273-277.	1.3	50
4	Morphological variations of scar-related and spontaneous endometriosis of the skin and superficial soft tissue: A study of 71 cases with emphasis on atypical features and types of allergic differentiations. <i>Journal of the American Academy of Dermatology</i> , 2007, 57, 134-146.	1.2	40
5	Genetic testing of leiomyoma tissue in women younger than 30 years old might provide an effective screening approach for the hereditary leiomyomatosis and renal cell cancer syndrome (HLRCC). <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2015, 467, 185-191.	2.8	34
6	Programmed death-1 (PD-1) receptor/PD-1 ligand (PD-L1) expression in fumarate hydratase-deficient renal cell carcinoma. <i>Annals of Diagnostic Pathology</i> , 2017, 29, 17-22.	1.3	29
7	Warthin-like papillary renal cell carcinoma: Clinicopathologic, morphologic, immunohistochemical and molecular genetic analysis of 11 cases. <i>Annals of Diagnostic Pathology</i> , 2017, 27, 48-56.	1.3	24
8	Triple marker composed of p16, CD56, and TTF1 shows higher sensitivity than INSM1 for diagnosis of pulmonary small cell carcinoma: proposal for a rational immunohistochemical algorithm for diagnosis of small cell carcinoma in small biopsy and cytology specimens. <i>Human Pathology</i> , 2019, 85, 58-64.	2.0	21
9	Solid papillary renal cell carcinoma: clinicopathologic, morphologic, and immunohistochemical analysis of 10 cases and review of the literature. <i>Annals of Diagnostic Pathology</i> , 2016, 23, 51-57.	1.3	19
10	Renal Cell Carcinoma With Leiomyomatous Stroma: A Group of Tumors With Indistinguishable Histopathologic Features, But 2 Distinct Genetic Profiles: Next-Generation Sequencing Analysis of 6 Cases Negative for Aberrations Related to the VHL gene. <i>Applied Immunohistochemistry and Molecular Morphology</i> , 2018, 26, 192-197.	1.2	19
11	Human papillomavirus and Epstein-Barr virus in nasopharyngeal carcinoma in a non-endemic eastern european population. <i>Neoplasma</i> , 2016, 63, 107-114.	1.6	18
12	Cystic and necrotic papillary renal cell carcinoma: prognosis, morphology, immunohistochemical, and molecular-genetic profile of 10 cases. <i>Annals of Diagnostic Pathology</i> , 2017, 26, 23-30.	1.3	17
13	Papillary renal cell carcinoma with cytologic and molecular genetic features overlapping with renal oncocytoma: Analysis of 10 cases. <i>Annals of Diagnostic Pathology</i> , 2018, 35, 1-6.	1.3	15
14	Human papillomavirus infection and p16 expression in the immunocompetent patients with extragenital/extraungual Bowen's disease. <i>Diagnostic Pathology</i> , 2016, 11, 53.	2.0	14
15	P16 is a useful supplemental diagnostic marker of pulmonary small cell carcinoma in small biopsies and cytology specimens. <i>Annals of Diagnostic Pathology</i> , 2018, 33, 23-29.	1.3	14
16	Origin of cystic squamous cell carcinoma metastases in head and neck lymph nodes: Addition of EBV testing improves diagnostic accuracy. <i>Pathology Research and Practice</i> , 2016, 212, 524-531.	2.3	13
17	Mucin-secreting papillary renal cell carcinoma: clinicopathological, immunohistochemical, and molecular genetic analysis of seven cases. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2016, 469, 71-80.	2.8	13
18	ZC3H7B BCOR high-grade endometrial stromal sarcoma may present as myoma nascens with cytoplasmic signet ring cell change. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2020, 476, 615-619.	2.8	12

#	ARTICLE	IF	CITATIONS
19	Immunohistochemical and selected genetic reflex testing of all uterine leiomyosarcomas and STUMPs for ALK gene rearrangement may provide an effective screening tool in identifying uterine ALK-rearranged mesenchymal tumors. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2018, 473, 583-590.	2.8	11
20	Borderline papillary serous tumor of the fimbriated end of the fallopian tube with peritoneal implants. <i>Journal of Obstetrics and Gynaecology Research</i> , 2011, 37, 1702-1705.	1.3	10
21	Mixed Epithelial and Stromal Tumor of the Kidney: Mutation Analysis of the DICER 1 Gene in 29 Cases. <i>Applied Immunohistochemistry and Molecular Morphology</i> , 2017, 25, 117-121.	1.2	10
22	Human Papillomavirus Infection and p16 Expression in Extragenital/Extraungual Bowen Disease in Immunocompromised Patients. <i>American Journal of Dermatopathology</i> , 2016, 38, 751-757.	0.6	9
23	Low-grade spindle cell proliferation in clear cell renal cell carcinoma is unlikely to be an initial step in sarcomatoid differentiation. <i>Histopathology</i> , 2018, 72, 804-813.	2.9	9
24	Identification of tumors with <i>NRG1</i> rearrangement, including a novel putative pathogenic <i>UNC5D-NRG1</i> gene fusion in prostate cancer by data-mining a de-identified tumor database. <i>Genes Chromosomes and Cancer</i> , 2021, 60, 474-481.	2.8	9
25	Diagnostic Reliability, Accuracy and Safety of Ultrasound-guided Biopsy and Ascites Puncture in Primarily Inoperable Ovarian Tumours. <i>Anticancer Research</i> , 2020, 40, 3527-3534.	1.1	7
26	High-grade renal cell carcinoma with emperipolesis: Clinicopathological, immunohistochemical and molecular-genetic analysis of 14 cases. <i>Histology and Histopathology</i> , 2018, 33, 277-287.	0.7	6
27	Comparative study of TERT gene mutation analysis on voided liquid-based urine cytology and paraffin-embedded tumorous tissue. <i>Annals of Diagnostic Pathology</i> , 2016, 24, 7-10.	1.3	5
28	Bizarre cell dysplasia of the cervix. <i>Journal of Obstetrics and Gynaecology Research</i> , 2017, 43, 345-351.	1.3	5
29	SARS-CoV-2 RNA may rarely be present in a uterine cervix LBC sample at the asymptomatic early stage of COVID 19 disease. <i>Cytopathology</i> , 2021, 32, 766-770.	0.7	5
30	The detection of DNA methylation of tumour suppressor genes in cervical high-grade squamous intraepithelial lesion: A prospective cytological-histological correlation study of 70 cases. <i>Cytopathology</i> , 2019, 30, 426-431.	0.7	4
31	Papillary renal cell carcinoma with prominent spindle cell stroma - tumor mimicking mixed epithelial and stromal tumor of the kidney: Clinicopathologic, morphologic, immunohistochemical and molecular genetic analysis of 6 cases. <i>Annals of Diagnostic Pathology</i> , 2020, 44, 151441.	1.3	4
32	A study of the renal sodium excretion during the normal menstrual cycle using method of passive leg rising. <i>Experimental and Clinical Endocrinology and Diabetes</i> , 1999, 107, 198-202.	1.2	2
33	ADRENAL ACTINOMYCOSIS MIMICKING A LARGE TUMOR OF THE ADRENAL GLAND. <i>Journal of Urology</i> , 2005, 173, 517-518.	0.4	2
34	Endometrial Endometrioid Carcinoma With Large Cystic Growth Configuration and Deceptive Pattern of Invasion Associated With Abundant Nodular Fasciitis-like Stroma: A Unique Hitherto Unreported Histology in Endometrioid Carcinoma. <i>Advances in Anatomic Pathology</i> , 2016, 23, 381-384.	4.3	2
35	On Histologic Variability of HPV-associated Endocervical Adenocarcinomas. <i>American Journal of Surgical Pathology</i> , 2019, 43, 863-865.	3.7	2
36	The newly proposed International Endocervical Adenocarcinoma Criteria and Classification and its relevance to cervical cytology screening assessed in a prospective 2-year study of 118 cases. <i>Cytopathology</i> , 2020, 31, 288-291.	0.7	2

#	ARTICLE	IF	CITATIONS
37	Prevalence of high-risk human papillomavirus DNA and mRNA and its association with abnormal anal cytology in the Czech male anal cancer screening cohort. <i>Diagnostic Cytopathology</i> , 2021, 49, 1188-1195.	1.0	2
38	Oligodendroglioma originating in mature cystic teratoma. <i>Journal of Obstetrics and Gynaecology</i> , 2016, 36, 269-270.	0.9	1
39	Response to: High-grade squamous intraepithelial lesion (HSIL) of the cervix with bizarre cytological appearances (â€pleomorphic HSILâ€™™). <i>Pathology</i> , 2018, 50, 369-370.	0.6	1
40	Significance of bizarre cells in cervical screening liquid-based cytology: A prospective study of 15 cases. <i>Cytopathology</i> , 2018, 29, 58-62.	0.7	1
41	Oral presentation of paraneoplastic pemphigus as the first sign of tonsillar HPV associated squamous cell carcinoma. A case report.. <i>Biomedical Papers of the Medical Faculty of the University Palacky&amp;#x0301;, Olomouc, Czechoslovakia</i> , 2022, 166, 447-450.	0.6	1
42	The significance of the fusion partner gene genomic neighborhood analysis in translocationâ€™defined tumors. <i>Molecular Genetics &amp; Genomic Medicine</i> , 0, , .	1.2	1
43	HPV typing of high-grade dysplasia (CIN III) in cone biopsies of 38 HPV-vaccinated women. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2014, 464, 79-83.	2.8	0