

Yang-Sun Cho

List of Publications by Citations

Source: <https://exaly.com/author-pdf/4330425/yang-sun-cho-publications-by-citations.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

39
papers

271
citations

10
h-index

15
g-index

48
ext. papers

362
ext. citations

3.2
avg, IF

3.27
L-index

#	Paper	IF	Citations
39	Hearing Aid Use and Associated Factors in South Korea. <i>Medicine (United States)</i> , 2015 , 94, e1580	1.8	37
38	Standardization for a Korean Adaptation of the International Outcome Inventory for Hearing Aids: Study of Validity and Reliability. <i>Korean Journal of Otorhinolaryngology-Head and Neck Surgery</i> , 2012 , 55, 20	0.2	27
37	Morphological correlation between caloric tests and vestibular hydrops in Ménière disease using intravenous Gd enhanced inner ear MRI. <i>PLoS ONE</i> , 2017 , 12, e0188301	3.7	24
36	Effects of early surgical exploration in suspected barotraumatic perilymph fistulas. <i>Clinical and Experimental Otorhinolaryngology</i> , 2012 , 5, 74-80	3.4	22
35	Cochlear Implantation in Postlingually Deaf Adults is Time-sensitive Towards Positive Outcome: Prediction using Advanced Machine Learning Techniques. <i>Scientific Reports</i> , 2018 , 8, 18004	4.9	22
34	Discrepancies between self-reported hearing difficulty and hearing loss diagnosed by audiometry: prevalence and associated factors in a national survey. <i>BMJ Open</i> , 2019 , 9, e022440	3	18
33	Automated measurement of hydrops ratio from MRI in patients with Ménière disease using CNN-based segmentation. <i>Scientific Reports</i> , 2020 , 10, 7003	4.9	17
32	Scapular Tip Free Flap for Head and Neck Reconstruction. <i>Clinical and Experimental Otorhinolaryngology</i> , 2015 , 8, 422-9	3.4	14
31	Usefulness of Intravenous Gadolinium Inner Ear MR Imaging in Diagnosis of Ménière Disease. <i>Scientific Reports</i> , 2018 , 8, 17562	4.9	13
30	Evaluation of Cochlear Implant Candidates using a Non-linguistic Spectrotemporal Modulation Detection Test. <i>Scientific Reports</i> , 2016 , 6, 35235	4.9	11
29	Clinical Performance Evaluation of a Personal Sound Amplification Product vs a Basic Hearing Aid and a Premium Hearing Aid. <i>JAMA Otolaryngology - Head and Neck Surgery</i> , 2019 , 145, 516-522	3.9	10
28	Diagnostic criteria of barotraumatic perilymph fistula based on clinical manifestations. <i>Acta Oto-Laryngologica</i> , 2017 , 137, 16-22	1.6	8
27	Effect of a Bluetooth-implemented hearing aid on speech recognition performance: subjective and objective measurement. <i>Annals of Otology, Rhinology and Laryngology</i> , 2014 , 123, 395-401	2.1	7
26	Validation of the Korean Version of the Abbreviated Profile of Hearing Aid Benefit. <i>Korean Journal of Otorhinolaryngology-Head and Neck Surgery</i> , 2017 , 60, 164-173	0.2	7
25	Surgical Outcomes on Hearing and Vestibular Symptoms in Barotraumatic Perilymphatic Fistula. <i>Otology and Neurotology</i> , 2019 , 40, e356-e363	2.6	6
24	Clinical Comparison of a Hearing Aid, a Personal Sound Amplification Product, and a Wearable Augmented Reality Device. <i>Clinical and Experimental Otorhinolaryngology</i> , 2021 , 14, 359-361	3.4	6
23	Standard Audiograms for Koreans Derived through Hierarchical Clustering Using Data from the Korean National Health and Nutrition Examination Survey 2009-2012. <i>Scientific Reports</i> , 2019 , 9, 3675	4.9	5

22	Feasibility of Personal Sound Amplification Products in Patients with Moderate Hearing Loss: A Pilot Study. <i>Clinical and Experimental Otorhinolaryngology</i> , 2021 ,	3.4	5
21	The effect of charge-balanced transcutaneous electrical nerve stimulation on rodent facial nerve regeneration.. <i>Scientific Reports</i> , 2022 , 12, 1388	4.9	2
20	Factors Influencing Hearing Aid Adoption in Patients With Hearing Loss in Korea.. <i>Journal of Korean Medical Science</i> , 2022 , 37, e11	4.7	2
19	Factors Influencing Hearing Aid Satisfaction in South Korea. <i>Yonsei Medical Journal</i> , 2022 , 63, 570	3	2
18	Efficacy of non-invasive treatment options for single-sided deafness: A prospective study of 20 patients. <i>Clinical Otolaryngology</i> , 2020 , 45, 409-413	1.8	1
17	A Two Cases of Primary Tuberculosis at the Nasopharynx. <i>Journal of Rhinology</i> , 2015 , 22, 123	0	1
16	A Retrospective Review of Temporal Bone Computed Tomography to Present Safe Guideline for Bone-Anchored Hearing Aids. <i>Clinical and Experimental Otorhinolaryngology</i> , 2020 , 13, 249-254	3.4	1
15	Exponentially growing osteosarcoma of mandible with acromegaly. <i>Head and Neck</i> , 2016 , 38, E2432-E2436	3.6	1
14	Validation of inner ear MRI in patients with Ménière's disease by comparing endolymphatic hydrops from histopathologic specimens. <i>Scientific Reports</i> , 2021 , 11, 17738	4.9	1
13	Hearing and Speech Perception for People With Hearing Loss Using Personal Sound Amplification Products.. <i>Journal of Korean Medical Science</i> , 2022 , 37, e94	4.7	1
12	Knowledge and Expectations of Hearing Aid Apps Among Smartphone Users and Hearing Professionals: Cross-sectional Survey.. <i>JMIR MHealth and UHealth</i> , 2022 , 10, e27809	5.5	0
11	Management of facial nerve schwannoma: when is the timing for surgery. <i>European Archives of Oto-Rhino-Laryngology</i> , 2021 , 1	3.5	0
10	A Fully Automated Analytic System for Measuring Endolymphatic Hydrops Ratios in Patients With Ménière Disease via Magnetic Resonance Imaging: Deep Learning Model Development Study. <i>Journal of Medical Internet Research</i> , 2021 , 23, e29678	7.6	0
9	Perception and expectations of personal sound amplification products in Korea: A hospital-based, multi-center, cross-sectional survey. <i>PLoS ONE</i> , 2022 , 17, e0269123	3.7	0
8	Effects of a wireless frequency modulation system on learning ability and emotional and behaviour problem improvement in 11 children with cochlear implant. <i>Clinical Otolaryngology</i> , 2019 , 44, 820-825	1.8	
7	Effectiveness of Wireless Streaming on Telephone Conversation in Users of Hearing Aids. <i>Korean Journal of Otorhinolaryngology-Head and Neck Surgery</i> , 2020 , 63, 101-107	0.2	
6	Content validity of the tinnitus outcome questionnaire for sound management. <i>PLoS ONE</i> , 2021 , 16, e0251244	3.7	
5	Experiences With the University Admission Process and Educational Support Among Students With Cochlear Implants in South Korea. <i>Clinical and Experimental Otorhinolaryngology</i> , 2021 , 14, 185-191	3.4	

4	Relationship between Endolymphatic Hydrops and Symptoms of Meniere Disease in Acoustic Hearing. <i>Orl</i> , 2021 , 83, 172-180	2
3	Significance of Pseudo-Conductive Hearing Loss and Positional Nystagmus for Perilymphatic Fistula: Are They Related to Third-Window Effects?. <i>Clinical and Experimental Otorhinolaryngology</i> , 2021 , 14, 268-277	3-4
2	Real-World Effectiveness of Wearable Augmented Reality Device for Patients With Hearing Loss: Prospective Study.. <i>JMIR MHealth and UHealth</i> , 2022 , 10, e33476	5-5
1	Evaluation of appearance-related distress after canaloplasty using the DAS-24 questionnaire. <i>Acta Oto-Laryngologica</i> , 2020 , 140, 27-31	1.6