

Gisèle LaPointe

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4335478/publications.pdf>

Version: 2024-02-01

100
papers

2,865
citations

159525

30
h-index

197736

49
g-index

102
all docs

102
docs citations

102
times ranked

2975
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Production of Exopolysaccharide by <i>Lactobacillus rhamnosus</i> R and Analysis of Its Enzymatic Degradation during Prolonged Fermentation. <i>Applied and Environmental Microbiology</i> , 2000, 66, 2302-2310. | 1.4 | 173 |
| 2 | MICs of Mutacin B-Ny266, Nisin A, Vancomycin, and Oxacillin against Bacterial Pathogens. <i>Antimicrobial Agents and Chemotherapy</i> , 2000, 44, 24-29. | 1.4 | 158 |
| 3 | The effect of apple pomace on the texture, rheology and microstructure of set type yogurt. <i>Food Hydrocolloids</i> , 2019, 91, 83-91. | 5.6 | 140 |
| 4 | Symposium review: Interaction of starter cultures and nonstarter lactic acid bacteria in the cheese environment. <i>Journal of Dairy Science</i> , 2018, 101, 3611-3629. | 1.4 | 117 |
| 5 | Adding apple pomace as a functional ingredient in stirred-type yogurt and yogurt drinks. <i>Food Hydrocolloids</i> , 2020, 100, 105453. | 5.6 | 110 |
| 6 | Comparative analysis of the exopolysaccharide biosynthesis gene clusters from four strains of <i>Lactobacillus rhamnosus</i> . <i>Microbiology (United Kingdom)</i> , 2005, 151, 1839-1851. | 0.7 | 106 |
| 7 | Molecular analysis of bacterial population structure and dynamics during cold storage of untreated and treated milk. <i>International Journal of Food Microbiology</i> , 2010, 138, 108-118. | 2.1 | 105 |
| 8 | Purification and structure of mutacin B-Ny266: a new lantibiotic produced by <i>Streptococcus mutans</i> . <i>FEBS Letters</i> , 1997, 410, 275-279. | 1.3 | 81 |
| 9 | Improvement of Texture and Structure of Reduced-Fat Cheddar Cheese by Exopolysaccharide-Producing Lactococci. <i>Journal of Dairy Science</i> , 2006, 89, 95-110. | 1.4 | 81 |
| 10 | Molecular Characterization of a Theta Replication Plasmid and Its Use for Development of a Two-Component Food-Grade Cloning System for <i>Lactococcus lactis</i> . <i>Applied and Environmental Microbiology</i> , 2001, 67, 1700-1709. | 1.4 | 70 |
| 11 | A review of the molecular approaches to investigate the diversity and activity of cheese microbiota. <i>Dairy Science and Technology</i> , 2011, 91, 495-524. | 2.2 | 62 |
| 12 | Assessment of Probiotic Viability during Cheddar Cheese Manufacture and Ripening Using Propidium Monoazide-PCR Quantification. <i>Frontiers in Microbiology</i> , 2012, 3, 350. | 1.5 | 62 |
| 13 | Identification and Molecular Characterization of the Chromosomal Exopolysaccharide Biosynthesis Gene Cluster from <i>Lactococcus lactis</i> subsp. <i>cremoris</i> SMQ-461. <i>Applied and Environmental Microbiology</i> , 2005, 71, 7414-7425. | 1.4 | 61 |
| 14 | Sugar source modulates exopolysaccharide biosynthesis in <i>Bifidobacterium longum</i> subsp. <i>longum</i> CRC 002. <i>Microbiology (United Kingdom)</i> , 2010, 156, 653-664. | 0.7 | 61 |
| 15 | Cloning, sequencing, and expression in <i>Escherichia coli</i> of the D-hydantoinase gene from <i>Pseudomonas putida</i> and distribution of homologous genes in other microorganisms. <i>Applied and Environmental Microbiology</i> , 1994, 60, 888-895. | 1.4 | 57 |
| 16 | Comparison of the activity spectra against pathogens of bacterial strains producing a mutacin or a lantibiotic. <i>Canadian Journal of Microbiology</i> , 2001, 47, 322-331. | 0.8 | 53 |
| 17 | Comparison of exopolysaccharide production by strains of <i>Lactobacillus rhamnosus</i> and <i>Lactobacillus paracasei</i> grown in chemically defined medium and milk. <i>Journal of Industrial Microbiology and Biotechnology</i> , 2000, 24, 251-255. | 1.4 | 52 |
| 18 | Quantification by real-time PCR of <i>Lactococcus lactis</i> subsp. <i>cremoris</i> in milk fermented by a mixed culture. <i>Applied Microbiology and Biotechnology</i> , 2005, 66, 414-421. | 1.7 | 52 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Comparative transcriptome analysis of <i>Lactococcus lactis</i> subsp. <i>cremoris</i> strains under conditions simulating Cheddar cheese manufacture. <i>International Journal of Food Microbiology</i> , 2011, 146, 263-275. | 2.1 | 51 |
| 20 | Note : Genetic and biochemical characterization of nisin Z produced by <i>Lactococcus lactis</i> ssp. <i>lactis</i> biovar. <i>diacetylactis</i> UL 719. <i>Journal of Applied Microbiology</i> , 1997, 83, 133-138. | 1.4 | 46 |
| 21 | Consensus-Degenerate Hybrid Oligonucleotide Primers for Amplification of Priming Glycosyltransferase Genes of the Exopolysaccharide Locus in Strains of the <i>Lactobacillus casei</i> Group. <i>Applied and Environmental Microbiology</i> , 2003, 69, 3299-3307. | 1.4 | 46 |
| 22 | A Syst-OMICS Approach to Ensuring Food Safety and Reducing the Economic Burden of Salmonellosis. <i>Frontiers in Microbiology</i> , 2017, 8, 996. | 1.5 | 42 |
| 23 | The savannah sparrow territorial system: can habitat features be related to breeding success?. <i>Canadian Journal of Zoology</i> , 1984, 62, 1819-1828. | 0.4 | 38 |
| 24 | Use of Mass Spectrometry to Profile Peptides in Whey Protein Isolate Medium Fermented by <i>Lactobacillus helveticus</i> LH-2 and <i>Lactobacillus acidophilus</i> La-5. <i>Frontiers in Nutrition</i> , 2019, 6, 152. | 1.6 | 38 |
| 25 | Impact of ropy and capsular exopolysaccharide-producing strains of <i>Lactococcus lactis</i> subsp. <i>cremoris</i> on reduced-fat Cheddar cheese production and whey composition. <i>International Dairy Journal</i> , 2005, 15, 459-471. | 1.5 | 37 |
| 26 | Seasonal and regional diversity of maple sap microbiota revealed using community PCR fingerprinting and 16S rRNA gene clone libraries. <i>Systematic and Applied Microbiology</i> , 2010, 33, 165-173. | 1.2 | 34 |
| 27 | Molecular characterization of three plasmids from <i>Bifidobacterium longum</i> . <i>Plasmid</i> , 2004, 51, 87-100. | 0.4 | 33 |
| 28 | Engineering of EPA/DHA omega-3 fatty acid production by <i>Lactococcus lactis</i> subsp. <i>cremoris</i> MG1363. <i>Applied Microbiology and Biotechnology</i> , 2014, 98, 3071-3080. | 1.7 | 33 |
| 29 | Invited review: Starter lactic acid bacteria survival in cheese: New perspectives on cheese microbiology. <i>Journal of Dairy Science</i> , 2020, 103, 10963-10985. | 1.4 | 32 |
| 30 | Correlation of the Capsular Phenotype in <i>Propionibacterium freudenreichii</i> with the Level of Expression of <i>gtf</i> , a Unique Polysaccharide Synthase-Encoding Gene. <i>Applied and Environmental Microbiology</i> , 2010, 76, 2740-2746. | 1.4 | 31 |
| 31 | Diversity of <i>Streptococcus mutans</i> bacteriocins as confirmed by DNA analysis using specific molecular probes. <i>Gene</i> , 2002, 283, 125-131. | 1.0 | 30 |
| 32 | Dynamics and rRNA transcriptional activity of lactococci and lactobacilli during Cheddar cheese ripening. <i>International Journal of Food Microbiology</i> , 2013, 166, 117-124. | 2.1 | 30 |
| 33 | Transcription profiling of interactions between <i>Lactococcus lactis</i> subsp. <i>cremoris</i> SK11 and <i>Lactobacillus paracasei</i> ATCC 334 during Cheddar cheese simulation. <i>International Journal of Food Microbiology</i> , 2014, 178, 76-86. | 2.1 | 30 |
| 34 | Cell-Free Spent Media Obtained from <i>Bifidobacterium bifidum</i> and <i>Bifidobacterium crudilactis</i> Grown in Media Supplemented with 3- <i>O</i> -Sialyllactose Modulate Virulence Gene Expression in <i>Escherichia coli</i> O157:H7 and <i>Salmonella Typhimurium</i> . <i>Frontiers in Microbiology</i> , 2016, 7, 1460. | 1.5 | 29 |
| 35 | Enhanced Exopolysaccharide Production by <i>Lactobacillus rhamnosus</i> in Co-Culture with <i>Saccharomyces cerevisiae</i> . <i>Applied Sciences (Switzerland)</i> , 2019, 9, 4026. | 1.3 | 27 |
| 36 | Effect of Greek-style yoghurt manufacturing processes on starter and probiotic bacteria populations during storage. <i>International Dairy Journal</i> , 2019, 93, 35-44. | 1.5 | 27 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Use of antisense RNA to modulate glycosyltransferase gene expression and exopolysaccharide molecular mass in <i>Lactobacillus rhamnosus</i> . <i>Journal of Microbiological Methods</i> , 2006, 65, 216-225. | 0.7 | 26 |
| 38 | Capsular exopolysaccharide biosynthesis gene of <i>Propionibacterium freudenreichii</i> subsp. <i>shermanii</i> . <i>International Journal of Food Microbiology</i> , 2008, 125, 252-258. | 2.1 | 25 |
| 39 | Bioaccessible Antioxidants in Milk Fermented by <i>Bifidobacterium longum</i> Strains. <i>BioMed Research International</i> , 2015, 2015, 1-12. | 0.9 | 25 |
| 40 | Glucose Decreases Virulence Gene Expression of <i>Escherichia coli</i> O157:H7. <i>Journal of Food Protection</i> , 2012, 75, 748-752. | 0.8 | 24 |
| 41 | Maple sap predominant microbial contaminants are correlated with the physicochemical and sensorial properties of maple syrup. <i>International Journal of Food Microbiology</i> , 2012, 154, 30-36. | 2.1 | 23 |
| 42 | Improved methods for mutacin detection and production. <i>Journal of Microbiological Methods</i> , 2004, 59, 351-361. | 0.7 | 22 |
| 43 | Effect of manufacturing processes and storage on aroma compounds and sensory properties of yoghurt. <i>International Dairy Journal</i> , 2020, 105, 104662. | 1.5 | 22 |
| 44 | Genome sequence of <i>Vibrio diabolicus</i> and identification of the exopolysaccharide HE800 biosynthesis locus. <i>Applied Microbiology and Biotechnology</i> , 2014, 98, 10165-10176. | 1.7 | 21 |
| 45 | Prevalence and abundance of lactic acid bacteria in raw milk associated with forage types in dairy cow feeding. <i>Journal of Dairy Science</i> , 2020, 103, 5931-5946. | 1.4 | 20 |
| 46 | Evaluation of the genetic polymorphism among <i>Lactococcus lactis</i> subsp. <i>cremoris</i> strains using comparative genomic hybridization and multilocus sequence analysis. <i>International Journal of Food Microbiology</i> , 2010, 144, 20-28. | 2.1 | 18 |
| 47 | Characterization and site-directed mutagenesis of Wzb, an O-phosphatase from <i>Lactobacillus rhamnosus</i> . <i>BMC Biochemistry</i> , 2008, 9, 10. | 4.4 | 17 |
| 48 | Correlation of maple sap composition with bacterial and fungal communities determined by multiplex automated ribosomal intergenic spacer analysis (MARISA). <i>Food Microbiology</i> , 2011, 28, 980-989. | 2.1 | 17 |
| 49 | Effect of fermented milk from <i>Lactococcus lactis</i> ssp. <i>cremoris</i> strain JFR1 on <i>Salmonella</i> invasion of intestinal epithelial cells. <i>Journal of Dairy Science</i> , 2019, 102, 6802-6819. | 1.4 | 17 |
| 50 | Enzyme-assisted extraction of flavanones from citrus pomace: Obtention of natural compounds with anti-virulence and anti-adhesive effect against <i>Salmonella enterica</i> subsp. <i>enterica</i> serovar Typhimurium. <i>Food Control</i> , 2021, 120, 107525. | 2.8 | 16 |
| 51 | Spontaneous mutation conferring the ability to catabolize mannopine in <i>Agrobacterium tumefaciens</i> . <i>Journal of Bacteriology</i> , 1992, 174, 2631-2639. | 1.0 | 15 |
| 52 | Assessment of the bacterial diversity of treated and untreated milk during cold storage by T-RFLP and PCR-DGGE methods. <i>Dairy Science and Technology</i> , 2011, 91, 573-597. | 2.2 | 14 |
| 53 | <i>Bifidobacterium mongoliense</i> genome seems particularly adapted to milk oligosaccharide digestion leading to production of antivirulent metabolites. <i>BMC Microbiology</i> , 2020, 20, 111. | 1.3 | 14 |
| 54 | Application of ruthenium red and colloidal gold-labeled lectin for the visualization of bacterial exopolysaccharides in Cheddar cheese matrix using transmission electron microscopy. <i>International Dairy Journal</i> , 2005, 15, 1044-1055. | 1.5 | 13 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Rapid screening of starter cultures for maari based on antifungal properties. <i>Microbiological Research</i> , 2018, 207, 66-74. | 2.5 | 13 |
| 56 | Protective effects of <i>Lactococcus lactis</i> expressing alcohol dehydrogenase and acetaldehyde dehydrogenase on acute alcoholic liver injury in mice. <i>Journal of Chemical Technology and Biotechnology</i> , 2018, 93, 1502-1510. | 1.6 | 13 |
| 57 | Editorial: Microbial food and feed ingredients – reconciling tradition and novelty. <i>FEMS Microbiology Letters</i> , 2019, 366, . | 0.7 | 13 |
| 58 | The estimation of dry green biomass in hayfields from canopy spectroreflectance measurements. <i>Grass and Forage Science</i> , 1987, 42, 73-78. | 1.2 | 12 |
| 59 | Arabinogalactan Utilization by <i>Bifidobacterium longum</i> subsp. <i>longum</i> NCC 2705 and <i>Bacteroides caccae</i> ATCC 43185 in Monoculture and Coculture. <i>Microorganisms</i> , 2020, 8, 1703. | 1.6 | 12 |
| 60 | A toddler SHIMEA® model to study microbiota of young children. <i>FEMS Microbiology Letters</i> , 2020, 367, . | 0.7 | 12 |
| 61 | Identification and characterization of a conserved nuclease secreted by strains of the <i>Lactobacillus casei</i> group. <i>Journal of Applied Microbiology</i> , 2004, 96, 367-374. | 1.4 | 11 |
| 62 | Heterologous Expression of Aldehyde Dehydrogenase in <i>Lactococcus lactis</i> for Acetaldehyde Detoxification at Low pH. <i>Applied Biochemistry and Biotechnology</i> , 2018, 184, 570-581. | 1.4 | 11 |
| 63 | Effect of <i>Bifidobacterium crudilactis</i> and α -sialyllactose on the toddler microbiota using the SHIMEA® model. <i>Food Research International</i> , 2020, 138, 109755. | 2.9 | 11 |
| 64 | Mutacin H-29B is identical to mutacin II (J-T8). <i>BMC Microbiology</i> , 2006, 6, 36. | 1.3 | 10 |
| 65 | Fate of <i>Escherichia coli</i> and <i>Kluyveromyces marxianus</i> contaminants during storage of Greek-style yogurt produced by centrifugation or ultrafiltration. <i>International Dairy Journal</i> , 2017, 72, 36-43. | 1.5 | 9 |
| 66 | Fermentation of Wheat Bran and Whey Permeate by Mono-Cultures of <i>Lactobacillus rhamnosus</i> Strains and Co-culture With Yeast Enhances Bioactive Properties. <i>Frontiers in Bioengineering and Biotechnology</i> , 2020, 8, 956. | 2.0 | 9 |
| 67 | Optimization of Preservation Methods Allows Deeper Insights into Changes of Raw Milk Microbiota. <i>Microorganisms</i> , 2020, 8, 368. | 1.6 | 9 |
| 68 | Graduate Student Literature Review: Farm management practices: Potential microbial sources that determine the microbiota of raw bovine milk. <i>Journal of Dairy Science</i> , 2022, 105, 7276-7287. | 1.4 | 9 |
| 69 | Genome comparison of <i>Bifidobacterium longum</i> strains NCC2705 and CRC-002 using suppression subtractive hybridization. <i>FEMS Microbiology Letters</i> , 2008, 280, 50-56. | 0.7 | 8 |
| 70 | Production, purification, sequencing and activity spectra of mutacins D-123.1 and F-59.1. <i>BMC Microbiology</i> , 2011, 11, 69. | 1.3 | 8 |
| 71 | A comprehensive perspective of food nanomaterials. <i>Advances in Food and Nutrition Research</i> , 2019, 88, 1-45. | 1.5 | 8 |
| 72 | Modulation of human gut microbiota composition and metabolites by arabinogalactan and <i>Bifidobacterium longum</i> subsp. <i>longum</i> BB536 in the Simulator of the Human Intestinal Microbial Ecosystem (SHIMEA®). <i>Journal of Functional Foods</i> , 2021, 87, 104820. | 1.6 | 8 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | Responses of Hayfield Vegetation to Spring Grazing by Greater Snow Geese. <i>Journal of Applied Ecology</i> , 1991, 28, 187. | 1.9 | 7 |
| 74 | Effect of enzymatic treatment of citrus by-products on bacterial growth, adhesion and cytokine production by Caco-2 cells. <i>Food and Function</i> , 2020, 11, 8996-9009. | 2.1 | 7 |
| 75 | Matching starter phenotype to functionality for low salt Cheddar cheese production based on viability, permeability, autolysis, enzyme accessibility and release in model systems. <i>International Dairy Journal</i> , 2020, 105, 104682. | 1.5 | 7 |
| 76 | Markers to Rapidly Distinguish <i>Bacillus paralicheniformis</i> From the Very Close Relative, <i>Bacillus licheniformis</i> . <i>Frontiers in Microbiology</i> , 2020, 11, 596828. | 1.5 | 7 |
| 77 | Exploring suppression subtractive hybridization (SSH) for discriminating <i>Lactococcus lactis</i> ssp. <i>cremoris</i> SK11 and ATCC 19257 in mixed culture based on the expression of strain-specific genes. <i>Journal of Applied Microbiology</i> , 2011, 110, 499-512. | 1.4 | 6 |
| 78 | A tyrosine phosphorylation switch controls the interaction between the transmembrane modulator protein Wzd and the tyrosine kinase Wze of <i>Lactobacillus rhamnosus</i> . <i>BMC Microbiology</i> , 2015, 15, 40. | 1.3 | 6 |
| 79 | <i>Lactococcus lactis</i> subsp. <i>cremoris</i> strain JFR1 attenuates <i>Salmonella</i> adhesion to human intestinal cells in vitro. <i>Food Research International</i> , 2016, 90, 147-153. | 2.9 | 6 |
| 80 | Effect of two thermoresistant non-starter lactic acid bacteria strains on volatilome profile during Cheddar ripening simulation. <i>International Journal of Food Microbiology</i> , 2021, 357, 109382. | 2.1 | 6 |
| 81 | Differential fermentation of raw and processed high-amylose and waxy maize starches in the Simulator of the Human Intestinal Microbial Ecosystem (SHIMEÂ®). <i>Journal of Functional Foods</i> , 2021, 86, 104735. | 1.6 | 6 |
| 82 | <i>Salmonella enterica</i> subsp. <i>enterica</i> virulence potential can be linked to higher survival within a dynamic in vitro human gastrointestinal model. <i>Food Microbiology</i> , 2022, 101, 103877. | 2.1 | 5 |
| 83 | A coelectroporation method for the isolation of cryptic plasmids from <i>Lactococcus lactis</i> . <i>Letters in Applied Microbiology</i> , 2001, 33, 7-11. | 1.0 | 4 |
| 84 | Downregulation of <i>Salmonella</i> Virulence Gene Expression During Invasion of Epithelial Cells Treated with <i>Lactococcus lactis</i> subsp. <i>cremoris</i> JFR1 Requires OppA. <i>Probiotics and Antimicrobial Proteins</i> , 2020, 12, 577-588. | 1.9 | 4 |
| 85 | Microorganisms Associated with Raw Milk. , 2022, , 319-328. | | 4 |
| 86 | Conditions used with a continuous cultivation system to screen for d-hydantoinase-producing microorganisms. <i>Applied Microbiology and Biotechnology</i> , 1995, 43, 259-266. | 1.7 | 3 |
| 87 | Transcriptome profiling of lactococcal mixed culture activity in milk by fluorescent RNA arbitrarily primed-PCR. <i>Dairy Science and Technology</i> , 2010, 90, 399-412. | 2.2 | 3 |
| 88 | Detection of spore forming <i>Paenibacillus macerans</i> in raw milk. <i>Journal of Microbiological Methods</i> , 2020, 177, 106048. | 0.7 | 3 |
| 89 | Examination of the Culturable Microbiota from Low-Moisture Foods Imported into Canada for Antibacterial Activity against <i>Listeria monocytogenes</i> . <i>Journal of Food Protection</i> , 2020, 83, 686-691. | 0.8 | 3 |
| 90 | Production of Exopolysaccharides by <i>Lactococcus lactis</i> subsp. <i>cremoris</i> MG1363 Expressing the eps Gene Clusters from Two Strains of <i>Lactobacillus rhamnosus</i> . <i>Microbiology and Biotechnology Letters</i> , 2018, 46, 91-101. | 0.2 | 3 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 91 | Changes in transcription profiles reflect strain contributions to defined cultures of <i>Lactococcus lactis</i> subsp. <i>cremoris</i> during milk fermentation. <i>Dairy Science and Technology</i> , 2011, 91, 555-572. | 2.2 | 1 |
| 92 | The potential of pectin to impact pig nutrition and health: feeding the animal and its microbiome. <i>FEMS Microbiology Letters</i> , 2019, 366, i68-i82. | 0.7 | 1 |
| 93 | Use of a polymerase-chain-reaction-amplified DNA probe from <i>Pseudomonas putida</i> to detect D-hydantoinase-producing microorganisms by direct colony hybridization. <i>Applied Microbiology and Biotechnology</i> , 1995, 42, 895-900. | 1.7 | 1 |
| 94 | Cyclic amide amidohydrolase activities in <i>Pisum sativum</i> hulls. <i>Bioresource Technology</i> , 1997, 61, 91-97. | 4.8 | 0 |
| 95 | Draft Genome Sequences of Five <i>Paenibacillus</i> Species of Dairy Origin. <i>Microbiology Resource Announcements</i> , 2020, 9, . | 0.3 | 0 |
| 96 | Editorial: microbial food and feed ingredients – functionality and health. <i>FEMS Microbiology Letters</i> , 2021, 368, . | 0.7 | 0 |
| 97 | Bioinformatic analysis of the <i>Vibrio diabolus</i> genome for an exopolysaccharide biosynthesis locus. , 2012, , . | | 0 |
| 98 | Editorial: Microbial food and feed ingredients – reconciling tradition and novelty. <i>FEMS Microbiology Letters</i> , 2019, 366, i1-i2. | 0.7 | 0 |
| 99 | Modulation of Virulence Gene Expression in <i>Salmonella enterica</i> subsp. <i>enterica</i> typhimurium by Synthetic Milk-Derived Peptides. <i>Probiotics and Antimicrobial Proteins</i> , 2022, , 1. | 1.9 | 0 |
| 100 | Conditions used with a continuous cultivation system to screen for d-hydantoinase-producing microorganisms. <i>Applied Microbiology and Biotechnology</i> , 1995, 43, 259-266. | 1.7 | 0 |