

Chairul Hudaya

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4335583/chairul-hudaya-publications-by-year.pdf>

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

37 papers	471 citations	11 h-index	21 g-index
53 ext. papers	557 ext. citations	5.4 avg, IF	3.74 L-index

#	Paper	IF	Citations
37	Electrochemical performance of low concentration Al doped-lithium titanate anode synthesized via sol-gel for lithium ion capacitor applications. <i>Journal of Energy Storage</i> , 2020 , 29, 101480	7.8	6
36	Effects of Harmonic Distortions on the Accuracy of Energy and Power Losses Measurements in a Water Treatment Industry 2019 ,		1
35	Antiglare and antireflective coating of layer-by-layer SiO ₂ and TiZrO ₂ on surface-modified glass. <i>Applied Surface Science</i> , 2019 , 490, 278-282	6.7	3
34	The characteristics of heat inside a parked car as energy source for thermoelectric generators. <i>International Journal of Energy and Environmental Engineering</i> , 2019 , 10, 347-356	4	3
33	NaCrO ₂ /Coffee Waste-Derived Nitrogen-doped Carbon Composite as High-Performance Cathode Material for Sodium Ion Batteries. <i>Bulletin of the Korean Chemical Society</i> , 2019 , 40, 857-862	1.2	2
32	Design and Implementation Study of 3.12 kWp On Grid Rooftop Solar PV System 2019 ,		2
31	Characteristics of Disturbance in Frequency 9 -150 kHz of Photovoltaic System under Fluctuated Solar Irradiance 2019 ,		1
30	Analysis of Power Transformer Lifetime Using Health Index Transformer Method Based on Artificial Neural Network Modeling 2019 ,		3
29	Effects of annealing temperature on the electrochemical characteristics of ZnO microrods as anode materials of lithium-ion battery using chemical bath deposition. <i>Ionics</i> , 2019 , 25, 457-466	2.7	7
28	Simultaneous etching and transfer Free multilayer graphene sheets derived from C60 thin films. <i>Journal of Industrial and Engineering Chemistry</i> , 2018 , 64, 70-75	6.3	1
27	Building Integrated Photovoltaic for Rooftop and Facade Application in Indonesia 2018 ,		2
26	Self-Relaxant Superelastic Matrix Derived from C Incorporated Sn Nanoparticles for Ultra-High-Performance Li-Ion Batteries. <i>ACS Nano</i> , 2018 , 12, 5588-5604	16.7	45
25	Solar-Powered Base Transceiver Station 2018 ,		4
24	Nanostructural Growth Investigation of ZnO Nanorods Derived from Chemical Bath Deposition for Transparent Heater Application 2018 , 9, 1216		3
23	Implementation of talis and dc house system for rural areas in indonesia. <i>MATEC Web of Conferences</i> , 2018 , 218, 01006	0.3	5
22	The effect of activated carbon and silicon oxycarbide as anode materials on lithium-ion battery. <i>E3S Web of Conferences</i> , 2018 , 67, 03027	0.5	1
21	Electrical discharge phenomenon of electrode gaps in oil insulation. <i>MATEC Web of Conferences</i> , 2018 , 197, 11005	0.3	

20	The effects of drying time during manufacturing process on partial discharge of 83.3 mva 275/160 kv power transformer. <i>MATEC Web of Conferences</i> , 2018 , 218, 04008	0.3	1
19	Labeling and Grouping of Light Emitting Diode Lamps based on Its Power Quality and Efficacy Level 2018 ,		1
18	Pseudocapacitive Characteristics of Low-Carbon Silicon Oxycarbide for Lithium-Ion Capacitors. <i>ACS Applied Materials & Interfaces</i> , 2017 , 9, 20566-20576	9.5	41
17	The design of alternative electric energy utilizes solar heat in the vehicle cabin with thermoelectric module 2017 ,		0
16	Total cost of ownership analysis of 60 MVA 150/120 kV power transformer 2017 ,		2
15	Electricity price and subsidy scenario for hybrid power generations on off-grid system 2017 ,		1
14	Phenyl-rich silicone oil as a precursor for SiOC anode materials for long-cycle and high-rate lithium ion batteries. <i>Journal of Materials Chemistry A</i> , 2016 , 4, 2651-2656	13	66
13	Oxidation-resistant hybrid metal oxides/metal nanodots/silver nanowires for high performance flexible transparent heaters. <i>Nanoscale</i> , 2016 , 8, 3307-13	7.7	48
12	The Influence of Deposition Time and Substrate Temperature during the Spray Pyrolysis Process on the Electrical Resistivity and Optical Transmittance of 2 wt% Fluorine-doped Tin Oxide Conducting Glass 2016 , 7, 1335		2
11	Pilot-scale electron cyclotron resonance-metal organic chemical vapor deposition system for the preparation of large-area fluorine-doped SnO ₂ thin films. <i>Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films</i> , 2016 , 34, 031501	2.9	3
10	An elastic carbon layer on echeveria-inspired SnO ₂ anode for long-cycle and high-rate lithium ion batteries. <i>Carbon</i> , 2015 , 94, 539-547	10.4	34
9	A polymerized C ₆₀ coating enhancing interfacial stability at three-dimensional LiCoO ₂ in high-potential regime. <i>Journal of Power Sources</i> , 2015 , 298, 1-7	8.9	18
8	Plasma-polymerized C ₆₀ as a functionalized coating layer on fluorine-doped tin oxides for anode materials of lithium-ion batteries. <i>Carbon</i> , 2015 , 81, 835-838	10.4	20
7	High thermal performance of SnO ₂ :F thin transparent heaters with scattered metal nanodots. <i>ACS Applied Materials & Interfaces</i> , 2015 , 7, 57-61	9.5	44
6	Al-C hybrid nanoclustered anodes for lithium ion batteries with high electrical capacity and cyclic stability. <i>Chemical Communications</i> , 2014 , 50, 2837-40	5.8	40
5	SnO ₂ -coated LiCoO ₂ cathode material for high-voltage applications in lithium-ion batteries. <i>Solid State Ionics</i> , 2014 , 256, 89-92	3.3	27
4	Electrochemical characteristics of ZnO patterned column/SnO ₂ films for anodic electrodes of lithium ion batteries. <i>Thin Solid Films</i> , 2013 , 546, 404-409	2.2	5
3	Characteristics of Fluorine-Doped Tin Oxide as a Transparent Heater on PET Prepared by ECR-MOCVD. <i>ECS Transactions</i> , 2013 , 53, 161-166	1	7

- 2 Effects of process parameters on sheet resistance uniformity of fluorine-doped tin oxide thin films. *Nanoscale Research Letters*, **2012**, 7, 17 5 20
- 1 Comparison of characteristics of fluorine doped zinc and gallium tin oxide composite thin films deposited on stainless steel 316 bipolar plate by electron cyclotron resonance-metal organic chemical vapor deposition for proton exchange membrane fuel cells. *Journal of Nanoscience and Nanotechnology*, **2011**, 11, 7999-8003 1,3