

Christian Otte

List of Publications by Citations

Source: <https://exaly.com/author-pdf/4335902/christian-otte-publications-by-citations.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

182
papers

7,778
citations

44
h-index

84
g-index

202
ext. papers

9,195
ext. citations

5.9
avg, IF

5.87
L-index

#	Paper	IF	Citations
182	Depression and cortisol responses to psychological stress: a meta-analysis. <i>Psychoneuroendocrinology</i> , 2005 , 30, 846-56	5	798
181	Major depressive disorder. <i>Nature Reviews Disease Primers</i> , 2016 , 2, 16065	51.1	635
180	Depressive symptoms, health behaviors, and risk of cardiovascular events in patients with coronary heart disease. <i>JAMA - Journal of the American Medical Association</i> , 2008 , 300, 2379-88	27.4	567
179	A meta-analysis of cortisol response to challenge in human aging: importance of gender. <i>Psychoneuroendocrinology</i> , 2005 , 30, 80-91	5	297
178	Effects of Hatha yoga and African dance on perceived stress, affect, and salivary cortisol. <i>Annals of Behavioral Medicine</i> , 2004 , 28, 114-8	4.5	249
177	Predictors of posttraumatic stress in police and other first responders. <i>Annals of the New York Academy of Sciences</i> , 2006 , 1071, 1-18	6.5	226
176	Collaborative meta-analysis finds no evidence of a strong interaction between stress and 5-HTTLPR genotype contributing to the development of depression. <i>Molecular Psychiatry</i> , 2018 , 23, 133-142	15.1	188
175	Cognitive impairment in major depression: association with salivary cortisol. <i>Biological Psychiatry</i> , 2009 , 66, 879-85	7.9	148
174	Cognitive behavioral therapy in anxiety disorders: current state of the evidence. <i>Dialogues in Clinical Neuroscience</i> , 2011 , 13, 413-21	5.7	138
173	Prospective prediction of posttraumatic stress disorder symptoms using fear potentiated auditory startle responses. <i>Biological Psychiatry</i> , 2009 , 65, 235-40	7.9	123
172	Control conditions for randomised trials of behavioural interventions in psychiatry: a decision framework. <i>Lancet Psychiatry</i> , 2017 , 4, 725-732	23.3	121
171	Introducing a novel method to assess cumulative steroid concentrations: increased hair cortisol concentrations over 6 months in medicated patients with depression. <i>Stress</i> , 2012 , 15, 348-53	3	121
170	Association of a serotonin transporter polymorphism (5-HTTLPR) with depression, perceived stress, and norepinephrine in patients with coronary disease: the Heart and Soul Study. <i>American Journal of Psychiatry</i> , 2007 , 164, 1379-84	11.9	116
169	Depression and 24-hour urinary cortisol in medical outpatients with coronary heart disease: The Heart and Soul Study. <i>Biological Psychiatry</i> , 2004 , 56, 241-7	7.9	109
168	Modulation of the mineralocorticoid receptor as add-on treatment in depression: a randomized, double-blind, placebo-controlled proof-of-concept study. <i>Journal of Psychiatric Research</i> , 2010 , 44, 339-46	5.2	106
167	Association between childhood trauma and catecholamine response to psychological stress in police academy recruits. <i>Biological Psychiatry</i> , 2005 , 57, 27-32	7.9	100
166	Depressive symptoms and 24-hour urinary norepinephrine excretion levels in patients with coronary disease: findings from the Heart and Soul Study. <i>American Journal of Psychiatry</i> , 2005 , 162, 2139-45	11.9	83

165	Early life stress modulates amygdala-prefrontal functional connectivity: implications for oxytocin effects. <i>Human Brain Mapping</i> , 2014 , 35, 5328-39	5.9	82
164	Pharmacological relapse prevention of alcoholism: clinical predictors of outcome. <i>European Addiction Research</i> , 2005 , 11, 83-91	4.6	82
163	Blockade of the mineralocorticoid receptor in healthy men: effects on experimentally induced panic symptoms, stress hormones, and cognition. <i>Neuropsychopharmacology</i> , 2007 , 32, 232-8	8.7	79
162	Increased cortisol in women with intimate partner violence-related posttraumatic stress disorder. <i>Psychoneuroendocrinology</i> , 2006 , 31, 825-38	5	79
161	The impact of self-reported childhood trauma on emotion regulation in borderline personality disorder and major depression. <i>Journal of Trauma and Dissociation</i> , 2014 , 15, 384-401	2.8	74
160	Associations of childhood trauma with hypothalamic-pituitary-adrenal function in borderline personality disorder and major depression. <i>Psychoneuroendocrinology</i> , 2012 , 37, 1659-68	5	72
159	Correlates of cognitive dysfunction in multiple sclerosis. <i>Brain, Behavior, and Immunity</i> , 2010 , 24, 1148-55	6.6	72
158	Association between childhood trauma and low hair cortisol in depressed patients and healthy control subjects. <i>Biological Psychiatry</i> , 2013 , 74, e15-7	7.9	70
157	Endocrine and immune substrates of depressive symptoms and fatigue in multiple sclerosis patients with comorbid major depression. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2011 , 82, 814-8	5.5	69
156	Changes in cortisol secretion during antidepressive treatment and cognitive improvement in patients with major depression: a longitudinal study. <i>Psychoneuroendocrinology</i> , 2012 , 37, 685-92	5	62
155	Delta sleep response to metyrapone in post-traumatic stress disorder. <i>Neuropsychopharmacology</i> , 2003 , 28, 1666-76	8.7	62
154	Comorbid depression in medical diseases. <i>Nature Reviews Disease Primers</i> , 2020 , 6, 69	51.1	62
153	Mineralocorticoid receptor stimulation improves cognitive function and decreases cortisol secretion in depressed patients and healthy individuals. <i>Neuropsychopharmacology</i> , 2015 , 40, 386-93	8.7	61
152	Increasing leptin precedes craving and relapse during pharmacological abstinence maintenance treatment of alcoholism. <i>Journal of Psychiatric Research</i> , 2005 , 39, 545-51	5.2	61
151	Cortisol response to an experimental stress paradigm prospectively predicts long-term distress and resilience trajectories in response to active police service. <i>Journal of Psychiatric Research</i> , 2014 , 56, 36-42	5.2	59
150	Depressive symptoms and metabolic risk: effects of cortisol and gender. <i>Psychoneuroendocrinology</i> , 2009 , 34, 1004-11	5	59
149	Depression, anxiety, and disturbed sleep in glaucoma. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 2013 , 25, 205-13	2.7	58
148	Hair cortisol and cortisol awakening response are associated with criteria of the metabolic syndrome in opposite directions. <i>Psychoneuroendocrinology</i> , 2015 , 51, 365-70	5	57

147	Effect of current and lifetime posttraumatic stress disorder on 24-h urinary catecholamines and cortisol: results from the Mind Your Heart Study. <i>Psychoneuroendocrinology</i> , 2015 , 52, 83-91	5	54
146	Cortisol awakening response prospectively predicts peritraumatic and acute stress reactions in police officers. <i>Biological Psychiatry</i> , 2011 , 70, 1055-62	7.9	54
145	Enhanced emotional empathy after mineralocorticoid receptor stimulation in women with borderline personality disorder and healthy women. <i>Neuropsychopharmacology</i> , 2014 , 39, 1799-804	8.7	53
144	Hypothalamic-pituitary-adrenocortical axis activity: a target of pharmacological anticraving treatment?. <i>Biological Psychiatry</i> , 2006 , 60, 74-6	7.9	52
143	Statin use and risk of depression in patients with coronary heart disease: longitudinal data from the Heart and Soul Study. <i>Journal of Clinical Psychiatry</i> , 2012 , 73, 610-5	4.6	48
142	Effects of acute cortisol administration on autobiographical memory in patients with major depression and healthy controls. <i>Psychoneuroendocrinology</i> , 2010 , 35, 316-20	5	46
141	Hypothalamic-pituitary-adrenal axis activity and sleep in posttraumatic stress disorder. <i>Neuropsychopharmacology</i> , 2005 , 30, 1173-80	8.7	45
140	Mineralocorticoid receptor function in patients with posttraumatic stress disorder. <i>American Journal of Psychiatry</i> , 2002 , 159, 1938-40	11.9	45
139	Associations between childhood trauma and emotion-modulated psychophysiological responses to startling sounds: a study of police cadets. <i>Journal of Abnormal Psychology</i> , 2007 , 116, 352-61	7	44
138	The mineralocorticoid receptor agonist, fludrocortisone, inhibits pituitary-adrenal activity in humans after pre-treatment with metyrapone. <i>Life Sciences</i> , 2003 , 73, 1835-45	6.8	44
137	Mineralocorticoid receptor-mediated inhibition of the hypothalamic-pituitary-adrenal axis in aged humans. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2003 , 58, B900-5	6.4	42
136	Hydrocortisone impairs working memory in healthy humans, but not in patients with major depressive disorder. <i>Psychopharmacology</i> , 2011 , 215, 71-9	4.7	40
135	Depressive syndromes in neurological disorders. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2013 , 263 Suppl 2, S123-36	5.1	39
134	Association of metabolic syndrome with exercise capacity and heart rate recovery in patients with coronary heart disease in the heart and soul study. <i>American Journal of Cardiology</i> , 2005 , 95, 1175-9	3	39
133	Effects of metyrapone on hypothalamic-pituitary-adrenal axis and sleep in women with post-traumatic stress disorder. <i>Biological Psychiatry</i> , 2007 , 61, 952-6	7.9	38
132	Cortisol response to experimental pain in patients with chronic low back pain and patients with major depression. <i>Pain Medicine</i> , 2013 , 14, 498-503	2.8	37
131	No improvement of posttraumatic stress disorder symptoms with guanfacine treatment. <i>American Journal of Psychiatry</i> , 2006 , 163, 2186-8	11.9	37
130	Does cortisol modulate emotion recognition and empathy?. <i>Psychoneuroendocrinology</i> , 2016 , 66, 221-7	5	36

129	Immediate and early behavioral interventions for the prevention of acute and posttraumatic stress disorder. <i>Current Opinion in Psychiatry</i> , 2011 , 24, 526-32	4.9	36
128	Serum brain-derived neurotrophic factor predicts responses to escitalopram in chronic posttraumatic stress disorder. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2010 , 34, 1279-84	5.5	34
127	Cortisol has enhancing, rather than impairing effects on memory retrieval in PTSD. <i>Psychoneuroendocrinology</i> , 2012 , 37, 1048-56	5	33
126	Current developments and controversies: does the serotonin transporter gene-linked polymorphic region (5-HTTLPR) modulate the association between stress and depression?. <i>Current Opinion in Psychiatry</i> , 2010 , 23, 582-7	4.9	33
125	Increased cortisol in women with intimate partner violence-related posttraumatic stress disorder. <i>Annals of the New York Academy of Sciences</i> , 2006 , 1071, 428-9	6.5	33
124	Functional connectivity between prefrontal cortex and subgenual cingulate predicts antidepressant effects of ketamine. <i>European Neuropsychopharmacology</i> , 2019 , 29, 501-508	1.2	32
123	Glucocorticoid receptor gene, low-grade inflammation, and heart failure: the Heart and Soul study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010 , 95, 2885-91	5.6	32
122	Childhood trauma in multiple sclerosis: a case-control study. <i>Psychosomatic Medicine</i> , 2012 , 74, 312-8	3.7	32
121	Depression and whole blood serotonin in patients with coronary heart disease from the Heart and Soul Study. <i>Psychosomatic Medicine</i> , 2009 , 71, 260-5	3.7	30
120	Effects of cortisol on memory in women with borderline personality disorder: role of co-morbid post-traumatic stress disorder and major depression. <i>Psychological Medicine</i> , 2013 , 43, 495-505	6.9	29
119	Neuronal differences between chronic low back pain and depression regarding long-term habituation to pain. <i>European Journal of Pain</i> , 2014 , 18, 701-11	3.7	29
118	Stress regulation in multiple sclerosis: current issues and concepts. <i>Multiple Sclerosis Journal</i> , 2007 , 13, 143-8	5	29
117	Characterizing the phenotype of multiple sclerosis-associated depression in comparison with idiopathic major depression. <i>Multiple Sclerosis Journal</i> , 2016 , 22, 1476-1484	5	27
116	Neuroendocrine regulation of sleep disturbances in PTSD. <i>Annals of the New York Academy of Sciences</i> , 2006 , 1071, 203-15	6.5	27
115	Valproate monotherapy in the treatment of civilian patients with non-combat-related posttraumatic stress disorder: an open-label study. <i>Journal of Clinical Psychopharmacology</i> , 2004 , 24, 106-8	1.7	27
114	Depression and platelet activation in outpatients with stable coronary heart disease: findings from the Heart and Soul Study. <i>Psychiatry Research</i> , 2010 , 175, 200-4	9.9	26
113	Glucocorticoid receptor gene and depression in patients with coronary heart disease: the Heart and Soul Study-2009 Curt Richter Award Winner. <i>Psychoneuroendocrinology</i> , 2009 , 34, 1574-81	5	26
112	Altered autonomic arousal in psychosis: an analysis of vulnerability and specificity. <i>Schizophrenia Research</i> , 2014 , 154, 73-8	3.6	25

111	Stimulation of the mineralocorticoid receptor improves memory in young and elderly healthy individuals. <i>Neurobiology of Aging</i> , 2015 , 36, 919-24	5.6	25
110	Incomplete remission in depression: role of psychiatric and somatic comorbidity. <i>Dialogues in Clinical Neuroscience</i> , 2008 , 10, 453-60	5.7	25
109	Effects of acute hydrocortisone administration on declarative memory in patients with major depressive disorder: a placebo-controlled, double-blind crossover study. <i>Journal of Clinical Psychiatry</i> , 2011 , 72, 1644-50	4.6	24
108	Inflammatory Measures in Depressed Patients With and Without a History of Adverse Childhood Experiences. <i>Frontiers in Psychiatry</i> , 2018 , 9, 610	5	24
107	Stress reactivity and its effects on subsequent food intake in depressed and healthy women with and without adverse childhood experiences. <i>Psychoneuroendocrinology</i> , 2017 , 80, 122-130	5	23
106	Effects of acute cortisol administration on response inhibition in patients with major depression and healthy controls. <i>Psychiatry Research</i> , 2013 , 209, 439-46	9.9	23
105	Anxiety during ketamine infusions is associated with negative treatment responses in major depressive disorder. <i>European Neuropsychopharmacology</i> , 2019 , 29, 529-538	1.2	22
104	Association between a serotonin transporter gene variant and hopelessness among men in the Heart and Soul Study. <i>Journal of General Internal Medicine</i> , 2010 , 25, 1030-7	4	22
103	When the half-full glass is appraised as half empty and memorised as completely empty: mood-congruent true and false recognition in depression is modulated by salience. <i>Memory</i> , 2008 , 16, 810-20	1.8	22
102	Increased hair testosterone but unaltered hair cortisol in female patients with borderline personality disorder. <i>Psychoneuroendocrinology</i> , 2016 , 71, 176-9	5	22
101	Psychosocial stress differentially affects emotional empathy in women with borderline personality disorder and healthy controls. <i>Acta Psychiatrica Scandinavica</i> , 2018 , 137, 206-215	6.5	21
100	Association between cortisol awakening response and memory function in major depression. <i>Psychological Medicine</i> , 2013 , 43, 2255-63	6.9	21
99	Cognitive function in older adults with major depression: Effects of mineralocorticoid receptor stimulation. <i>Journal of Psychiatric Research</i> , 2015 , 69, 120-5	5.2	20
98	Sex effects on spatial learning but not on spatial memory retrieval in healthy young adults. <i>Behavioural Brain Research</i> , 2018 , 336, 44-50	3.4	20
97	Cognitive function in patients with primary adrenal insufficiency (Addison's disease). <i>Psychoneuroendocrinology</i> , 2015 , 55, 1-7	5	20
96	Sex differences of salivary cortisol secretion in patients with major depression. <i>Stress</i> , 2012 , 15, 105-9	3	20
95	Selective attention to emotional cues and emotion recognition in healthy subjects: the role of mineralocorticoid receptor stimulation. <i>Psychopharmacology</i> , 2016 , 233, 3405-15	4.7	20
94	Pro-inflammatory Monocyte Phenotype and Cell-Specific Steroid Signaling Alterations in Unmedicated Patients With Major Depressive Disorder. <i>Frontiers in Immunology</i> , 2018 , 9, 2693	8.4	20

93	When time stands still: an integrative review on the role of chronodisruption in posttraumatic stress disorder. <i>Current Opinion in Psychiatry</i> , 2014 , 27, 385-92	4.9	19
92	Pretraumatic prolonged elevation of salivary MHPG predicts peritraumatic distress and symptoms of post-traumatic stress disorder. <i>Journal of Psychiatric Research</i> , 2011 , 45, 735-41	5.2	19
91	Serotonin transporter gene-linked polymorphic region (5-HTTLPR) and diurnal cortisol: A sex by genotype interaction. <i>Biological Psychology</i> , 2010 , 85, 344-6	3.2	19
90	Doxazosin, an α_1 -adrenergic-receptor Antagonist, for Nightmares in Patients with Posttraumatic Stress Disorder and/or Borderline Personality Disorder: a Chart Review. <i>Pharmacopsychiatry</i> , 2017 , 50, 26-31	2	18
89	Effects of noradrenergic stimulation on memory in patients with major depressive disorder. <i>Stress</i> , 2013 , 16, 191-201	3	18
88	Mineralocorticoid receptor function and cognition in health and disease. <i>Psychoneuroendocrinology</i> , 2019 , 105, 25-35	5	18
87	Antidepressant and neurocognitive effects of serial ketamine administration versus ECT in depressed patients. <i>Journal of Psychiatric Research</i> , 2020 , 123, 1-8	5.2	17
86	Acute glucocorticoid effects on response inhibition in borderline personality disorder. <i>Psychoneuroendocrinology</i> , 2013 , 38, 2780-8	5	17
85	Effects of treatment with acamprosate on beta-endorphin plasma concentration in humans with high alcohol preference. <i>Neuroscience Letters</i> , 2006 , 404, 103-6	3.3	17
84	Mineralocorticoid receptor function in posttraumatic stress disorder after pretreatment with metyrapone. <i>Biological Psychiatry</i> , 2006 , 60, 784-7	7.9	16
83	Influence of the noradrenergic system on the formation of intrusive memories in women: an experimental approach with a trauma film paradigm. <i>Psychological Medicine</i> , 2016 , 46, 2523-34	6.9	16
82	Noradrenergic blockade and memory in patients with major depression and healthy participants. <i>Psychoneuroendocrinology</i> , 2014 , 40, 86-90	5	15
81	Childhood trauma and diagnosis of major depression: Association with memory and executive function. <i>Psychiatry Research</i> , 2018 , 270, 880-886	9.9	15
80	Psychophysiological stress response and memory in borderline personality disorder. <i>Hgre Utbildning</i> , 2019 , 10, 1568134	5	14
79	Hair testosterone and visuospatial memory in middle-aged men and women with and without depressive symptoms. <i>Psychoneuroendocrinology</i> , 2013 , 38, 2373-7	5	14
78	Association of a common mineralocorticoid receptor gene polymorphism with salivary cortisol in healthy adults. <i>Psychoneuroendocrinology</i> , 2011 , 36, 298-301	5	14
77	Heightened biological stress response during exposure to a trauma film predicts an increase in intrusive memories. <i>Journal of Abnormal Psychology</i> , 2019 , 128, 645-657	7	14
76	Effects of mineralocorticoid receptor blockade on empathy in patients with major depressive disorder. <i>Cognitive, Affective and Behavioral Neuroscience</i> , 2016 , 16, 902-10	3.5	14

75	The Role of Fludrocortisone in Cognition and Mood in Patients with Primary Adrenal Insufficiency (Addison's Disease). <i>Neuroendocrinology</i> , 2016 , 103, 315-20	5.6	13
74	Antidepressants, autonomic function and mortality in patients with coronary heart disease: data from the Heart and Soul Study. <i>Psychological Medicine</i> , 2014 , 44, 2975-84	6.9	13
73	Decreased hydrocortisone sensitivity of T cell function in multiple sclerosis-associated major depression. <i>Psychoneuroendocrinology</i> , 2012 , 37, 1712-8	5	13
72	Overnight metyrapone and combined dexamethasone/metyrapone tests in post-traumatic stress disorder: preliminary findings. <i>European Neuropsychopharmacology</i> , 2004 , 14, 337-9	1.2	13
71	Distinct Functional Connectivity Signatures of Impaired Social Cognition in Multiple Sclerosis. <i>Frontiers in Neurology</i> , 2020 , 11, 507	4.1	12
70	Statins in the treatment of depression: Hype or hope?. <i>Pharmacology & Therapeutics</i> , 2020 , 215, 107625	13.9	12
69	Reduced levels of the endocannabinoid arachidonylethanolamide (AEA) in hair in patients with borderline personality disorder - a pilot study. <i>Stress</i> , 2018 , 21, 366-369	3	11
68	The role of physiological arousal for self-reported emotional empathy. <i>Autonomic Neuroscience: Basic and Clinical</i> , 2018 , 214, 9-14	2.4	11
67	Effects of mineralocorticoid-receptor stimulation on risk taking behavior in young healthy men and women. <i>Psychoneuroendocrinology</i> , 2017 , 75, 132-140	5	11
66	Effects of mineralocorticoid receptor stimulation via fludrocortisone on memory in women with borderline personality disorder. <i>Neurobiology of Learning and Memory</i> , 2015 , 120, 94-100	3.1	11
65	Denkverzerrungen erkennen und korrigieren: Eine Machbarkeitsstudie zum Metakognitiven Training bei Depression (D-MKT). <i>Zeitschrift Fur Psychiatrie, Psychologie Und Psychotherapie</i> , 2013 , 61, 247-254	0.3	11
64	Steroid hormone secretion after stimulation of mineralocorticoid and NMDA receptors and cardiovascular risk in patients with depression. <i>Translational Psychiatry</i> , 2020 , 10, 109	8.6	10
63	Prolactin but not ACTH increases during sodium lactate-induced panic attacks. <i>Psychiatry Research</i> , 2002 , 109, 201-5	9.9	10
62	A Delphi-method-based consensus guideline for definition of treatment-resistant depression for clinical trials.. <i>Molecular Psychiatry</i> , 2021 ,	15.1	10
61	Blunted salivary cortisol response to psychosocial stress in women with posttraumatic stress disorder. <i>Journal of Psychiatric Research</i> , 2020 , 130, 112-119	5.2	10
60	Mineralocorticoid receptor stimulation effects on spatial memory in healthy young adults: A study using the virtual Morris Water Maze task. <i>Neurobiology of Learning and Memory</i> , 2016 , 136, 139-146	3.1	10
59	Enhanced noradrenergic activity by yohimbine and differential fear conditioning in patients with major depression with and without adverse childhood experiences. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2020 , 96, 109751	5.5	10
58	Association between major depression and cardiovascular risk: the role of antidepressant medication. <i>Psychopharmacology</i> , 2016 , 233, 3289-95	4.7	9

57	Mood-congruent memory in depression - the influence of personal relevance and emotional context. <i>Psychiatry Research</i> , 2014 , 215, 606-13	9.9	9
56	Decision making in response to physiological and combined physiological and psychosocial stress. <i>Behavioral Neuroscience</i> , 2019 , 133, 59-67	2.1	9
55	Mineralocorticoid receptor function in depressed patients and healthy individuals. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2016 , 71, 183-8	5.5	8
54	Does fludrocortisone influence autobiographical memory retrieval? A study in patients with major depression, patients with borderline personality disorder and healthy controls. <i>Stress</i> , 2015 , 18, 718-22	3	7
53	Effects of hydrocortisone and yohimbine on decision-making under risk. <i>Psychoneuroendocrinology</i> , 2020 , 114, 104589	5	7
52	Impact of exogenous cortisol on the formation of intrusive memories in healthy women. <i>Journal of Psychiatric Research</i> , 2016 , 83, 71-78	5.2	7
51	Gray matter volume of rostral anterior cingulate cortex predicts rapid antidepressant response to ketamine. <i>European Neuropsychopharmacology</i> , 2021 , 43, 63-70	1.2	7
50	Neural correlates of glucocorticoids effects on autobiographical memory retrieval in healthy women. <i>Behavioural Brain Research</i> , 2019 , 359, 895-902	3.4	6
49	Simvastatin add-on to escitalopram in patients with comorbid obesity and major depression (SIMCODE): study protocol of a multicentre, randomised, double-blind, placebo-controlled trial. <i>BMJ Open</i> , 2020 , 10, e040119	3	6
48	Reduced mitochondrial respiration in T cells of patients with major depressive disorder. <i>iScience</i> , 2021 , 24, 103312	6.1	6
47	The dexamethasone corticotropin releasing hormone test in healthy and depressed women with and without childhood adversity. <i>Psychoneuroendocrinology</i> , 2018 , 87, 147-151	5	6
46	The effect of cortisol on autobiographical memory retrieval depends on remoteness and valence of memories. <i>Biological Psychology</i> , 2017 , 123, 136-140	3.2	5
45	Predictors of response and remission in a naturalistic inpatient sample undergoing multimodal treatment for depression. <i>Journal of Affective Disorders</i> , 2019 , 252, 99-106	6.6	5
44	Effects of glucocorticoid and noradrenergic activity on spatial learning and spatial memory in healthy young adults. <i>Behavioural Brain Research</i> , 2019 , 373, 112072	3.4	5
43	Effects of hydrocortisone on autobiographical memory retrieval in patients with posttraumatic stress disorder and borderline personality disorder: the role of childhood trauma. <i>Neuropsychopharmacology</i> , 2019 , 44, 2038-2044	8.7	5
42	Are adverse childhood experiences and depression associated with impaired glucose tolerance in females? An experimental study. <i>Journal of Psychiatric Research</i> , 2017 , 95, 60-67	5.2	5
41	C-reactive protein, pre- and postdexamethasone cortisol levels in post-traumatic stress disorder. <i>Nordic Journal of Psychiatry</i> , 2014 , 68, 296-9	2.3	5
40	Lower heart rate variability at baseline is associated with more consecutive intrusive memories in an experimental distressing film paradigm. <i>World Journal of Biological Psychiatry</i> , 2019 , 20, 662-667	3.8	5

39	Stress effects on cognitive function in patients with major depressive disorder: Does childhood trauma play a role?. <i>Development and Psychopathology</i> , 2020 , 32, 1007-1016	4.3	5
38	Psychosocial stress increases testosterone in patients with borderline personality disorder, post-traumatic stress disorder and healthy participants. <i>Borderline Personality Disorder and Emotion Dysregulation</i> , 2021 , 8, 3	4.9	5
37	Noradrenergic system and cognitive flexibility: Disentangling the effects of depression and childhood trauma. <i>Journal of Psychiatric Research</i> , 2020 , 125, 136-143	5.2	4
36	Direct inhibition of retinoic acid catabolism by fluoxetine. <i>Journal of Neural Transmission</i> , 2015 , 122, 1329-38	4.3	4
35	Cognitive and emotional empathy after stimulation of brain mineralocorticoid and NMDA receptors in patients with major depression and healthy controls. <i>Neuropsychopharmacology</i> , 2020 , 45, 2155-2161	8.7	4
34	Noradrenergic activation induced by yohimbine decreases interoceptive accuracy in healthy individuals with childhood adversity. <i>Development and Psychopathology</i> , 2021 , 1-12	4.3	4
33	Influence of glucocorticoid and mineralocorticoid receptor stimulation on task switching. <i>Hormones and Behavior</i> , 2019 , 109, 18-24	3.7	3
32	Delayed effects of psychosocial stress on risk taking. <i>Stress</i> , 2019 , 22, 446-454	3	3
31	Resting-state functional connectivity after hydrocortisone administration in patients with post-traumatic stress disorder and borderline personality disorder. <i>European Neuropsychopharmacology</i> , 2019 , 29, 936-946	1.2	3
30	Diagnostik und Therapie der Post-Stroke-Depression. <i>Der Neurologe Und Psychiater</i> , 2014 , 15, 61-68	0	3
29	Association between alexithymia and neuroendocrine response to psychological stress in police academy recruits. <i>Annals of the New York Academy of Sciences</i> , 2006 , 1071, 425-7	6.5	3
28	Randomized controlled experimental study of hydrocortisone and D-cycloserine effects on fear extinction in PTSD. <i>Neuropsychopharmacology</i> , 2021 ,	8.7	3
27	Major depression and atrial natriuretic peptide: The role of adverse childhood experiences. <i>Psychoneuroendocrinology</i> , 2019 , 101, 7-11	5	3
26	Healthy women with severe early life trauma show altered neural facilitation of emotion inhibition under acute stress. <i>Psychological Medicine</i> , 2020 , 50, 2075-2084	6.9	3
25	Effects of hydrocortisone on false memory recognition in healthy men and women. <i>Behavioral Neuroscience</i> , 2016 , 130, 635-42	2.1	2
24	Differential impact of affective and cognitive symptoms on remission of major depression. <i>Lancet Psychiatry</i> , 2019 , 6, 980	23.3	2
23	Facial emotion recognition in borderline patients is unaffected by acute psychosocial stress. <i>Journal of Psychiatric Research</i> , 2021 , 132, 131-135	5.2	2
22	Immunological substrates of depressive symptoms in patients with severe obesity: An exploratory study. <i>Cell Biochemistry and Function</i> , 2021 , 39, 423-431	4.2	2

21	Online CBT in patients with multiple sclerosis and depression. <i>Lancet Psychiatry, the</i> , 2015 , 2, 192-3	23.3	1
20	Atypical antipsychotics in the treatment of schizophrenic patients. <i>Expert Review of Neurotherapeutics</i> , 2002 , 2, 355-62	4.3	1
19	Platform trials and the future of evaluating therapeutic behavioural interventions 2022 , 1, 7-8		1
18	Immune signature of multiple sclerosis-associated depression. <i>Brain, Behavior, and Immunity</i> , 2021 , 100, 174-182	16.6	1
17	Effects of glucocorticoid and noradrenergic activity on implicit and explicit facial emotion recognition in healthy young men. <i>Stress</i> , 2021 , 1-7	3	1
16	Altered cellular immune reactivity in traumatized women with and without major depressive disorder. <i>Psychoneuroendocrinology</i> , 2019 , 101, 1-6	5	1
15	Using routine MRI data of depressed patients to predict individual responses to electroconvulsive therapy. <i>Experimental Neurology</i> , 2021 , 335, 113505	5.7	1
14	Methylation status of the retinoblastoma gene (RB1) in osteosarcoma: no evidence for hypermethylation. <i>Pediatric Hematology and Oncology</i> , 2004 , 21, 57-65	1.7	1
13	Cellular specificity of mitochondrial and immunometabolic features in major depression.. <i>Molecular Psychiatry</i> , 2022 ,	15.1	1
12	Comorbid depression and obesity among adults in Germany: Effects of age, sex, and socioeconomic status.. <i>Journal of Affective Disorders</i> , 2021 , 299, 383-392	6.6	0
11	Effects of hydrocortisone and yohimbine on selective attention to emotional cues. <i>Journal of Psychopharmacology</i> , 2021 , 35, 755-759	4.6	0
10	Selective attention to emotional stimuli and emotion recognition in patients with major depression: The role of mineralocorticoid and glutamatergic NMDA receptors. <i>Journal of Psychopharmacology</i> , 2021 , 35, 1017-1023	4.6	0
9	Association between childhood trauma and brain anatomy in women with post-traumatic stress disorder, women with borderline personality disorder, and healthy women. <i>Högre Utbildning</i> , 2021 , 12, 1959706	5	0
8	Drs. Otte and Whooley Reply. <i>American Journal of Psychiatry</i> , 2008 , 165, 137-138	11.9	
7	Early-onset late-life depression: Association with body mass index, obesity, and treatment response. <i>Comprehensive Psychoneuroendocrinology</i> , 2021 , 8, 100096	1.1	
6	Attentional bias in individuals with depression and adverse childhood experiences: influence of the noradrenergic system?. <i>Psychopharmacology</i> , 2021 , 238, 3519-3531	4.7	
5	No association between major depression with and without childhood adversity and the stress hormone copeptin. <i>Högre Utbildning</i> , 2020 , 11, 1837511	5	
4	Impact of stress response systems on forced choice recognition in an experimental trauma film paradigm. <i>Neurobiology of Learning and Memory</i> , 2018 , 156, 45-52	3.1	

- 3 Approach-avoidance tendencies in depression and childhood trauma: No effect of noradrenergic stimulation. *Comprehensive Psychoneuroendocrinology*, **2021**, 8, 100077 1.1
- 2 Yohimbine-Induced Reactivity of Heart Rate Variability in Unmedicated Depressed Patients With and Without Adverse Childhood Experience.. *Frontiers in Psychiatry*, **2021**, 12, 734904 5
- 1 Pharmakotherapie depressiver Störungen. *PSYCH Up2date*, **2022**, 16, 229-250 0.1