

Christian Otte

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4335902/christian-otte-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

182
papers

7,778
citations

44
h-index

84
g-index

202
ext. papers

9,195
ext. citations

5.9
avg, IF

5.87
L-index

#	Paper	IF	Citations
182	Platform trials and the future of evaluating therapeutic behavioural interventions 2022 , 1, 7-8		1
181	Cellular specificity of mitochondrial and immunometabolic features in major depression.. <i>Molecular Psychiatry</i> , 2022 ,	15.1	1
180	Pharmakotherapie depressiver Störungen. <i>PSYCH Up2date</i> , 2022 , 16, 229-250	0.1	
179	A Delphi-method-based consensus guideline for definition of treatment-resistant depression for clinical trials.. <i>Molecular Psychiatry</i> , 2021 ,	15.1	10
178	Randomized controlled experimental study of hydrocortisone and D-cycloserine effects on fear extinction in PTSD. <i>Neuropsychopharmacology</i> , 2021 ,	8.7	3
177	Immune signature of multiple sclerosis-associated depression. <i>Brain, Behavior, and Immunity</i> , 2021 , 100, 174-182	16.6	1
176	Comorbid depression and obesity among adults in Germany: Effects of age, sex, and socioeconomic status.. <i>Journal of Affective Disorders</i> , 2021 , 299, 383-392	6.6	0
175	Reduced mitochondrial respiration in T cells of patients with major depressive disorder. <i>iScience</i> , 2021 , 24, 103312	6.1	6
174	Early-onset late-life depression: Association with body mass index, obesity, and treatment response. <i>Comprehensive Psychoneuroendocrinology</i> , 2021 , 8, 100096	1.1	
173	Attentional bias in individuals with depression and adverse childhood experiences: influence of the noradrenergic system?. <i>Psychopharmacology</i> , 2021 , 238, 3519-3531	4.7	
172	Effects of hydrocortisone and yohimbine on selective attention to emotional cues. <i>Journal of Psychopharmacology</i> , 2021 , 35, 755-759	4.6	0
171	Selective attention to emotional stimuli and emotion recognition in patients with major depression: The role of mineralocorticoid and glutamatergic NMDA receptors. <i>Journal of Psychopharmacology</i> , 2021 , 35, 1017-1023	4.6	0
170	Effects of glucocorticoid and noradrenergic activity on implicit and explicit facial emotion recognition in healthy young men. <i>Stress</i> , 2021 , 1-7	3	1
169	Facial emotion recognition in borderline patients is unaffected by acute psychosocial stress. <i>Journal of Psychiatric Research</i> , 2021 , 132, 131-135	5.2	2
168	Gray matter volume of rostral anterior cingulate cortex predicts rapid antidepressant response to ketamine. <i>European Neuropsychopharmacology</i> , 2021 , 43, 63-70	1.2	7
167	Using routine MRI data of depressed patients to predict individual responses to electroconvulsive therapy. <i>Experimental Neurology</i> , 2021 , 335, 113505	5.7	1
166	Immunological substrates of depressive symptoms in patients with severe obesity: An exploratory study. <i>Cell Biochemistry and Function</i> , 2021 , 39, 423-431	4.2	2

165	Association between childhood trauma and brain anatomy in women with post-traumatic stress disorder, women with borderline personality disorder, and healthy women. <i>Högre Utbildning</i> , 2021 , 12, 1959706	5	0
164	Psychosocial stress increases testosterone in patients with borderline personality disorder, post-traumatic stress disorder and healthy participants. <i>Borderline Personality Disorder and Emotion Dysregulation</i> , 2021 , 8, 3	4.9	5
163	Approach-avoidance tendencies in depression and childhood trauma: No effect of noradrenergic stimulation. <i>Comprehensive Psychoneuroendocrinology</i> , 2021 , 8, 100077	1.1	
162	Noradrenergic activation induced by yohimbine decreases interoceptive accuracy in healthy individuals with childhood adversity. <i>Development and Psychopathology</i> , 2021 , 1-12	4.3	4
161	Yohimbine-Induced Reactivity of Heart Rate Variability in Unmedicated Depressed Patients With and Without Adverse Childhood Experience.. <i>Frontiers in Psychiatry</i> , 2021 , 12, 734904	5	
160	Distinct Functional Connectivity Signatures of Impaired Social Cognition in Multiple Sclerosis. <i>Frontiers in Neurology</i> , 2020 , 11, 507	4.1	12
159	Statins in the treatment of depression: Hype or hope?. <i>Pharmacology & Therapeutics</i> , 2020 , 215, 107625	13.9	12
158	Antidepressant and neurocognitive effects of serial ketamine administration versus ECT in depressed patients. <i>Journal of Psychiatric Research</i> , 2020 , 123, 1-8	5.2	17
157	Noradrenergic system and cognitive flexibility: Disentangling the effects of depression and childhood trauma. <i>Journal of Psychiatric Research</i> , 2020 , 125, 136-143	5.2	4
156	Steroid hormone secretion after stimulation of mineralocorticoid and NMDA receptors and cardiovascular risk in patients with depression. <i>Translational Psychiatry</i> , 2020 , 10, 109	8.6	10
155	Simvastatin add-on to escitalopram in patients with comorbid obesity and major depression (SIMCODE): study protocol of a multicentre, randomised, double-blind, placebo-controlled trial. <i>BMJ Open</i> , 2020 , 10, e040119	3	6
154	Effects of hydrocortisone and yohimbine on decision-making under risk. <i>Psychoneuroendocrinology</i> , 2020 , 114, 104589	5	7
153	No association between major depression with and without childhood adversity and the stress hormone copeptin. <i>Högre Utbildning</i> , 2020 , 11, 1837511	5	
152	Cognitive and emotional empathy after stimulation of brain mineralocorticoid and NMDA receptors in patients with major depression and healthy controls. <i>Neuropsychopharmacology</i> , 2020 , 45, 2155-2161	8.7	4
151	Blunted salivary cortisol response to psychosocial stress in women with posttraumatic stress disorder. <i>Journal of Psychiatric Research</i> , 2020 , 130, 112-119	5.2	10
150	Comorbid depression in medical diseases. <i>Nature Reviews Disease Primers</i> , 2020 , 6, 69	51.1	62
149	Enhanced noradrenergic activity by yohimbine and differential fear conditioning in patients with major depression with and without adverse childhood experiences. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2020 , 96, 109751	5.5	10
148	Stress effects on cognitive function in patients with major depressive disorder: Does childhood trauma play a role?. <i>Development and Psychopathology</i> , 2020 , 32, 1007-1016	4.3	5

147	Healthy women with severe early life trauma show altered neural facilitation of emotion inhibition under acute stress. <i>Psychological Medicine</i> , 2020 , 50, 2075-2084	6.9	3
146	Influence of glucocorticoid and mineralocorticoid receptor stimulation on task switching. <i>Hormones and Behavior</i> , 2019 , 109, 18-24	3.7	3
145	Predictors of response and remission in a naturalistic inpatient sample undergoing multimodal treatment for depression. <i>Journal of Affective Disorders</i> , 2019 , 252, 99-106	6.6	5
144	Delayed effects of psychosocial stress on risk taking. <i>Stress</i> , 2019 , 22, 446-454	3	3
143	Psychophysiological stress response and memory in borderline personality disorder. <i>Hgre Utbildning</i> , 2019 , 10, 1568134	5	14
142	Functional connectivity between prefrontal cortex and subgenual cingulate predicts antidepressant effects of ketamine. <i>European Neuropsychopharmacology</i> , 2019 , 29, 501-508	1.2	32
141	Anxiety during ketamine infusions is associated with negative treatment responses in major depressive disorder. <i>European Neuropsychopharmacology</i> , 2019 , 29, 529-538	1.2	22
140	Neural correlates of glucocorticoids effects on autobiographical memory retrieval in healthy women. <i>Behavioural Brain Research</i> , 2019 , 359, 895-902	3.4	6
139	Effects of glucocorticoid and noradrenergic activity on spatial learning and spatial memory in healthy young adults. <i>Behavioural Brain Research</i> , 2019 , 373, 112072	3.4	5
138	Effects of hydrocortisone on autobiographical memory retrieval in patients with posttraumatic stress disorder and borderline personality disorder: the role of childhood trauma. <i>Neuropsychopharmacology</i> , 2019 , 44, 2038-2044	8.7	5
137	Resting-state functional connectivity after hydrocortisone administration in patients with post-traumatic stress disorder and borderline personality disorder. <i>European Neuropsychopharmacology</i> , 2019 , 29, 936-946	1.2	3
136	Heightened biological stress response during exposure to a trauma film predicts an increase in intrusive memories. <i>Journal of Abnormal Psychology</i> , 2019 , 128, 645-657	7	14
135	Decision making in response to physiological and combined physiological and psychosocial stress. <i>Behavioral Neuroscience</i> , 2019 , 133, 59-67	2.1	9
134	Differential impact of affective and cognitive symptoms on remission of major depression. <i>Lancet Psychiatry</i> , 2019 , 6, 980	23.3	2
133	Mineralocorticoid receptor function and cognition in health and disease. <i>Psychoneuroendocrinology</i> , 2019 , 105, 25-35	5	18
132	Major depression and atrial natriuretic peptide: The role of adverse childhood experiences. <i>Psychoneuroendocrinology</i> , 2019 , 101, 7-11	5	3
131	Altered cellular immune reactivity in traumatized women with and without major depressive disorder. <i>Psychoneuroendocrinology</i> , 2019 , 101, 1-6	5	1
130	Lower heart rate variability at baseline is associated with more consecutive intrusive memories in an experimental distressing film paradigm. <i>World Journal of Biological Psychiatry</i> , 2019 , 20, 662-667	3.8	5

129	Psychosocial stress differentially affects emotional empathy in women with borderline personality disorder and healthy controls. <i>Acta Psychiatrica Scandinavica</i> , 2018 , 137, 206-215	6.5	21
128	Reduced levels of the endocannabinoid arachidonylethanolamide (AEA) in hair in patients with borderline personality disorder - a pilot study. <i>Stress</i> , 2018 , 21, 366-369	3	11
127	Collaborative meta-analysis finds no evidence of a strong interaction between stress and 5-HTTLPR genotype contributing to the development of depression. <i>Molecular Psychiatry</i> , 2018 , 23, 133-142	15.1	188
126	Sex effects on spatial learning but not on spatial memory retrieval in healthy young adults. <i>Behavioural Brain Research</i> , 2018 , 336, 44-50	3.4	20
125	The role of physiological arousal for self-reported emotional empathy. <i>Autonomic Neuroscience: Basic and Clinical</i> , 2018 , 214, 9-14	2.4	11
124	The dexamethasone corticotropin releasing hormone test in healthy and depressed women with and without childhood adversity. <i>Psychoneuroendocrinology</i> , 2018 , 87, 147-151	5	6
123	Inflammatory Measures in Depressed Patients With and Without a History of Adverse Childhood Experiences. <i>Frontiers in Psychiatry</i> , 2018 , 9, 610	5	24
122	Pro-inflammatory Monocyte Phenotype and Cell-Specific Steroid Signaling Alterations in Unmedicated Patients With Major Depressive Disorder. <i>Frontiers in Immunology</i> , 2018 , 9, 2693	8.4	20
121	Childhood trauma and diagnosis of major depression: Association with memory and executive function. <i>Psychiatry Research</i> , 2018 , 270, 880-886	9.9	15
120	Impact of stress response systems on forced choice recognition in an experimental trauma film paradigm. <i>Neurobiology of Learning and Memory</i> , 2018 , 156, 45-52	3.1	
119	Doxazosin, an α_1 -adrenergic-receptor Antagonist, for Nightmares in Patients with Posttraumatic Stress Disorder and/or Borderline Personality Disorder: a Chart Review. <i>Pharmacopsychiatry</i> , 2017 , 50, 26-31	2	18
118	Stress reactivity and its effects on subsequent food intake in depressed and healthy women with and without adverse childhood experiences. <i>Psychoneuroendocrinology</i> , 2017 , 80, 122-130	5	23
117	Control conditions for randomised trials of behavioural interventions in psychiatry: a decision framework. <i>Lancet Psychiatry</i> , 2017 , 4, 725-732	23.3	121
116	The effect of cortisol on autobiographical memory retrieval depends on remoteness and valence of memories. <i>Biological Psychology</i> , 2017 , 123, 136-140	3.2	5
115	Are adverse childhood experiences and depression associated with impaired glucose tolerance in females? An experimental study. <i>Journal of Psychiatric Research</i> , 2017 , 95, 60-67	5.2	5
114	Effects of mineralocorticoid-receptor stimulation on risk taking behavior in young healthy men and women. <i>Psychoneuroendocrinology</i> , 2017 , 75, 132-140	5	11
113	Association between major depression and cardiovascular risk: the role of antidepressant medication. <i>Psychopharmacology</i> , 2016 , 233, 3289-95	4.7	9
112	Characterizing the phenotype of multiple sclerosis-associated depression in comparison with idiopathic major depression. <i>Multiple Sclerosis Journal</i> , 2016 , 22, 1476-1484	5	27

111	Does cortisol modulate emotion recognition and empathy?. <i>Psychoneuroendocrinology</i> , 2016 , 66, 221-7	5	36
110	The Role of Fludrocortisone in Cognition and Mood in Patients with Primary Adrenal Insufficiency (Addison's Disease). <i>Neuroendocrinology</i> , 2016 , 103, 315-20	5.6	13
109	Effects of hydrocortisone on false memory recognition in healthy men and women. <i>Behavioral Neuroscience</i> , 2016 , 130, 635-42	2.1	2
108	Effects of mineralocorticoid receptor blockade on empathy in patients with major depressive disorder. <i>Cognitive, Affective and Behavioral Neuroscience</i> , 2016 , 16, 902-10	3.5	14
107	Influence of the noradrenergic system on the formation of intrusive memories in women: an experimental approach with a trauma film paradigm. <i>Psychological Medicine</i> , 2016 , 46, 2523-34	6.9	16
106	Increased hair testosterone but unaltered hair cortisol in female patients with borderline personality disorder. <i>Psychoneuroendocrinology</i> , 2016 , 71, 176-9	5	22
105	Mineralocorticoid receptor function in depressed patients and healthy individuals. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2016 , 71, 183-8	5.5	8
104	Mineralocorticoid receptor stimulation effects on spatial memory in healthy young adults: A study using the virtual Morris Water Maze task. <i>Neurobiology of Learning and Memory</i> , 2016 , 136, 139-146	3.1	10
103	Impact of exogenous cortisol on the formation of intrusive memories in healthy women. <i>Journal of Psychiatric Research</i> , 2016 , 83, 71-78	5.2	7
102	Major depressive disorder. <i>Nature Reviews Disease Primers</i> , 2016 , 2, 16065	51.1	635
101	Selective attention to emotional cues and emotion recognition in healthy subjects: the role of mineralocorticoid receptor stimulation. <i>Psychopharmacology</i> , 2016 , 233, 3405-15	4.7	20
100	Cognitive function in older adults with major depression: Effects of mineralocorticoid receptor stimulation. <i>Journal of Psychiatric Research</i> , 2015 , 69, 120-5	5.2	20
99	Online CBT in patients with multiple sclerosis and depression. <i>Lancet Psychiatry</i> , 2015 , 2, 192-3	23.3	1
98	Does fludrocortisone influence autobiographical memory retrieval? A study in patients with major depression, patients with borderline personality disorder and healthy controls. <i>Stress</i> , 2015 , 18, 718-22	3	7
97	Effect of current and lifetime posttraumatic stress disorder on 24-h urinary catecholamines and cortisol: results from the Mind Your Heart Study. <i>Psychoneuroendocrinology</i> , 2015 , 52, 83-91	5	54
96	Hair cortisol and cortisol awakening response are associated with criteria of the metabolic syndrome in opposite directions. <i>Psychoneuroendocrinology</i> , 2015 , 51, 365-70	5	57
95	Mineralocorticoid receptor stimulation improves cognitive function and decreases cortisol secretion in depressed patients and healthy individuals. <i>Neuropsychopharmacology</i> , 2015 , 40, 386-93	8.7	61
94	Direct inhibition of retinoic acid catabolism by fluoxetine. <i>Journal of Neural Transmission</i> , 2015 , 122, 1329-38	4	4

93	Effects of mineralocorticoid receptor stimulation via fludrocortisone on memory in women with borderline personality disorder. <i>Neurobiology of Learning and Memory</i> , 2015 , 120, 94-100	3.1	11
92	Cognitive function in patients with primary adrenal insufficiency (Addison's disease). <i>Psychoneuroendocrinology</i> , 2015 , 55, 1-7	5	20
91	Stimulation of the mineralocorticoid receptor improves memory in young and elderly healthy individuals. <i>Neurobiology of Aging</i> , 2015 , 36, 919-24	5.6	25
90	Early life stress modulates amygdala-prefrontal functional connectivity: implications for oxytocin effects. <i>Human Brain Mapping</i> , 2014 , 35, 5328-39	5.9	82
89	Cortisol response to an experimental stress paradigm prospectively predicts long-term distress and resilience trajectories in response to active police service. <i>Journal of Psychiatric Research</i> , 2014 , 56, 36-42	5.2	59
88	Noradrenergic blockade and memory in patients with major depression and healthy participants. <i>Psychoneuroendocrinology</i> , 2014 , 40, 86-90	5	15
87	Altered autonomic arousal in psychosis: an analysis of vulnerability and specificity. <i>Schizophrenia Research</i> , 2014 , 154, 73-8	3.6	25
86	Diagnostik und Therapie der Post-Stroke-Depression. <i>Der Neurologe Und Psychiater</i> , 2014 , 15, 61-68	0	3
85	C-reactive protein, pre- and postdexamethasone cortisol levels in post-traumatic stress disorder. <i>Nordic Journal of Psychiatry</i> , 2014 , 68, 296-9	2.3	5
84	Enhanced emotional empathy after mineralocorticoid receptor stimulation in women with borderline personality disorder and healthy women. <i>Neuropsychopharmacology</i> , 2014 , 39, 1799-804	8.7	53
83	Neuronal differences between chronic low back pain and depression regarding long-term habituation to pain. <i>European Journal of Pain</i> , 2014 , 18, 701-11	3.7	29
82	The impact of self-reported childhood trauma on emotion regulation in borderline personality disorder and major depression. <i>Journal of Trauma and Dissociation</i> , 2014 , 15, 384-401	2.8	74
81	Antidepressants, autonomic function and mortality in patients with coronary heart disease: data from the Heart and Soul Study. <i>Psychological Medicine</i> , 2014 , 44, 2975-84	6.9	13
80	When time stands still: an integrative review on the role of chronodisruption in posttraumatic stress disorder. <i>Current Opinion in Psychiatry</i> , 2014 , 27, 385-92	4.9	19
79	Mood-congruent memory in depression - the influence of personal relevance and emotional context. <i>Psychiatry Research</i> , 2014 , 215, 606-13	9.9	9
78	Association between childhood trauma and low hair cortisol in depressed patients and healthy control subjects. <i>Biological Psychiatry</i> , 2013 , 74, e15-7	7.9	70
77	Acute glucocorticoid effects on response inhibition in borderline personality disorder. <i>Psychoneuroendocrinology</i> , 2013 , 38, 2780-8	5	17
76	Depressive syndromes in neurological disorders. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2013 , 263 Suppl 2, S123-36	5.1	39

75	Effects of noradrenergic stimulation on memory in patients with major depressive disorder. <i>Stress</i> , 2013 , 16, 191-201	3	18
74	Effects of acute cortisol administration on response inhibition in patients with major depression and healthy controls. <i>Psychiatry Research</i> , 2013 , 209, 439-46	9.9	23
73	Hair testosterone and visuospatial memory in middle-aged men and women with and without depressive symptoms. <i>Psychoneuroendocrinology</i> , 2013 , 38, 2373-7	5	14
72	Effects of cortisol on memory in women with borderline personality disorder: role of co-morbid post-traumatic stress disorder and major depression. <i>Psychological Medicine</i> , 2013 , 43, 495-505	6.9	29
71	Association between cortisol awakening response and memory function in major depression. <i>Psychological Medicine</i> , 2013 , 43, 2255-63	6.9	21
70	Cortisol response to experimental pain in patients with chronic low back pain and patients with major depression. <i>Pain Medicine</i> , 2013 , 14, 498-503	2.8	37
69	Depression, anxiety, and disturbed sleep in glaucoma. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 2013 , 25, 205-13	2.7	58
68	Denkverzerrungen erkennen und korrigieren: Eine Machbarkeitsstudie zum Metakognitiven Training bei Depression (D-MKT). <i>Zeitschrift Fur Psychiatrie, Psychologie Und Psychotherapie</i> , 2013 , 61, 247-254	0.3	11
67	Changes in cortisol secretion during antidepressive treatment and cognitive improvement in patients with major depression: a longitudinal study. <i>Psychoneuroendocrinology</i> , 2012 , 37, 685-92	5	62
66	Cortisol has enhancing, rather than impairing effects on memory retrieval in PTSD. <i>Psychoneuroendocrinology</i> , 2012 , 37, 1048-56	5	33
65	Associations of childhood trauma with hypothalamic-pituitary-adrenal function in borderline personality disorder and major depression. <i>Psychoneuroendocrinology</i> , 2012 , 37, 1659-68	5	72
64	Decreased hydrocortisone sensitivity of T cell function in multiple sclerosis-associated major depression. <i>Psychoneuroendocrinology</i> , 2012 , 37, 1712-8	5	13
63	Sex differences of salivary cortisol secretion in patients with major depression. <i>Stress</i> , 2012 , 15, 105-9	3	20
62	Introducing a novel method to assess cumulative steroid concentrations: increased hair cortisol concentrations over 6 months in medicated patients with depression. <i>Stress</i> , 2012 , 15, 348-53	3	121
61	Childhood trauma in multiple sclerosis: a case-control study. <i>Psychosomatic Medicine</i> , 2012 , 74, 312-8	3.7	32
60	Statin use and risk of depression in patients with coronary heart disease: longitudinal data from the Heart and Soul Study. <i>Journal of Clinical Psychiatry</i> , 2012 , 73, 610-5	4.6	48
59	Cortisol awakening response prospectively predicts peritraumatic and acute stress reactions in police officers. <i>Biological Psychiatry</i> , 2011 , 70, 1055-62	7.9	54
58	Endocrine and immune substrates of depressive symptoms and fatigue in multiple sclerosis patients with comorbid major depression. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2011 , 82, 814-8	5.5	69

57	Immediate and early behavioral interventions for the prevention of acute and posttraumatic stress disorder. <i>Current Opinion in Psychiatry</i> , 2011 , 24, 526-32	4.9	36
56	Pretraumatic prolonged elevation of salivary MHPG predicts peritraumatic distress and symptoms of post-traumatic stress disorder. <i>Journal of Psychiatric Research</i> , 2011 , 45, 735-41	5.2	19
55	Association of a common mineralocorticoid receptor gene polymorphism with salivary cortisol in healthy adults. <i>Psychoneuroendocrinology</i> , 2011 , 36, 298-301	5	14
54	Hydrocortisone impairs working memory in healthy humans, but not in patients with major depressive disorder. <i>Psychopharmacology</i> , 2011 , 215, 71-9	4.7	40
53	Cognitive behavioral therapy in anxiety disorders: current state of the evidence. <i>Dialogues in Clinical Neuroscience</i> , 2011 , 13, 413-21	5.7	138
52	Effects of acute hydrocortisone administration on declarative memory in patients with major depressive disorder: a placebo-controlled, double-blind crossover study. <i>Journal of Clinical Psychiatry</i> , 2011 , 72, 1644-50	4.6	24
51	Glucocorticoid receptor gene, low-grade inflammation, and heart failure: the Heart and Soul study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010 , 95, 2885-91	5.6	32
50	Serotonin transporter gene-linked polymorphic region (5-HTTLPR) and diurnal cortisol: A sex by genotype interaction. <i>Biological Psychology</i> , 2010 , 85, 344-6	3.2	19
49	Correlates of cognitive dysfunction in multiple sclerosis. <i>Brain, Behavior, and Immunity</i> , 2010 , 24, 1148-55	6.6	72
48	Serum brain-derived neurotrophic factor predicts responses to escitalopram in chronic posttraumatic stress disorder. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2010 , 34, 1279-84	5.5	34
47	Depression and platelet activation in outpatients with stable coronary heart disease: findings from the Heart and Soul Study. <i>Psychiatry Research</i> , 2010 , 175, 200-4	9.9	26
46	Current developments and controversies: does the serotonin transporter gene-linked polymorphic region (5-HTTLPR) modulate the association between stress and depression?. <i>Current Opinion in Psychiatry</i> , 2010 , 23, 582-7	4.9	33
45	Association between a serotonin transporter gene variant and hopelessness among men in the Heart and Soul Study. <i>Journal of General Internal Medicine</i> , 2010 , 25, 1030-7	4	22
44	Modulation of the mineralocorticoid receptor as add-on treatment in depression: a randomized, double-blind, placebo-controlled proof-of-concept study. <i>Journal of Psychiatric Research</i> , 2010 , 44, 339-46	5.2	106
43	Effects of acute cortisol administration on autobiographical memory in patients with major depression and healthy controls. <i>Psychoneuroendocrinology</i> , 2010 , 35, 316-20	5	46
42	Depressive symptoms and metabolic risk: effects of cortisol and gender. <i>Psychoneuroendocrinology</i> , 2009 , 34, 1004-11	5	59
41	Glucocorticoid receptor gene and depression in patients with coronary heart disease: the Heart and Soul Study-2009 Curt Richter Award Winner. <i>Psychoneuroendocrinology</i> , 2009 , 34, 1574-81	5	26
40	Prospective prediction of posttraumatic stress disorder symptoms using fear potentiated auditory startle responses. <i>Biological Psychiatry</i> , 2009 , 65, 235-40	7.9	123

39	Cognitive impairment in major depression: association with salivary cortisol. <i>Biological Psychiatry</i> , 2009 , 66, 879-85	7.9	148
38	Depression and whole blood serotonin in patients with coronary heart disease from the Heart and Soul Study. <i>Psychosomatic Medicine</i> , 2009 , 71, 260-5	3.7	30
37	When the half-full glass is appraised as half empty and memorised as completely empty: mood-congruent true and false recognition in depression is modulated by salience. <i>Memory</i> , 2008 , 16, 810-20	1.8	22
36	Depressive symptoms, health behaviors, and risk of cardiovascular events in patients with coronary heart disease. <i>JAMA - Journal of the American Medical Association</i> , 2008 , 300, 2379-88	27.4	567
35	Drs. Otte and Whooley Reply. <i>American Journal of Psychiatry</i> , 2008 , 165, 137-138	11.9	
34	Incomplete remission in depression: role of psychiatric and somatic comorbidity. <i>Dialogues in Clinical Neuroscience</i> , 2008 , 10, 453-60	5.7	25
33	Blockade of the mineralocorticoid receptor in healthy men: effects on experimentally induced panic symptoms, stress hormones, and cognition. <i>Neuropsychopharmacology</i> , 2007 , 32, 232-8	8.7	79
32	Effects of metyrapone on hypothalamic-pituitary-adrenal axis and sleep in women with post-traumatic stress disorder. <i>Biological Psychiatry</i> , 2007 , 61, 952-6	7.9	38
31	Association of a serotonin transporter polymorphism (5-HTTLPR) with depression, perceived stress, and norepinephrine in patients with coronary disease: the Heart and Soul Study. <i>American Journal of Psychiatry</i> , 2007 , 164, 1379-84	11.9	116
30	Associations between childhood trauma and emotion-modulated psychophysiological responses to startling sounds: a study of police cadets. <i>Journal of Abnormal Psychology</i> , 2007 , 116, 352-61	7	44
29	Stress regulation in multiple sclerosis: current issues and concepts. <i>Multiple Sclerosis Journal</i> , 2007 , 13, 143-8	5	29
28	Increased cortisol in women with intimate partner violence-related posttraumatic stress disorder. <i>Psychoneuroendocrinology</i> , 2006 , 31, 825-38	5	79
27	Hypothalamic-pituitary-adrenocortical axis activity: a target of pharmacological anticraving treatment?. <i>Biological Psychiatry</i> , 2006 , 60, 74-6	7.9	52
26	Mineralocorticoid receptor function in posttraumatic stress disorder after pretreatment with metyrapone. <i>Biological Psychiatry</i> , 2006 , 60, 784-7	7.9	16
25	Effects of treatment with acamprosate on beta-endorphin plasma concentration in humans with high alcohol preference. <i>Neuroscience Letters</i> , 2006 , 404, 103-6	3.3	17
24	Predictors of posttraumatic stress in police and other first responders. <i>Annals of the New York Academy of Sciences</i> , 2006 , 1071, 1-18	6.5	226
23	Neuroendocrine regulation of sleep disturbances in PTSD. <i>Annals of the New York Academy of Sciences</i> , 2006 , 1071, 203-15	6.5	27
22	Association between alexithymia and neuroendocrine response to psychological stress in police academy recruits. <i>Annals of the New York Academy of Sciences</i> , 2006 , 1071, 425-7	6.5	3

21	Increased cortisol in women with intimate partner violence-related posttraumatic stress disorder. <i>Annals of the New York Academy of Sciences</i> , 2006 , 1071, 428-9	6.5	33
20	No improvement of posttraumatic stress disorder symptoms with guanfacine treatment. <i>American Journal of Psychiatry</i> , 2006 , 163, 2186-8	11.9	37
19	Pharmacological relapse prevention of alcoholism: clinical predictors of outcome. <i>European Addiction Research</i> , 2005 , 11, 83-91	4.6	82
18	Association between childhood trauma and catecholamine response to psychological stress in police academy recruits. <i>Biological Psychiatry</i> , 2005 , 57, 27-32	7.9	100
17	Association of metabolic syndrome with exercise capacity and heart rate recovery in patients with coronary heart disease in the heart and soul study. <i>American Journal of Cardiology</i> , 2005 , 95, 1175-9	3	39
16	A meta-analysis of cortisol response to challenge in human aging: importance of gender. <i>Psychoneuroendocrinology</i> , 2005 , 30, 80-91	5	297
15	Depression and cortisol responses to psychological stress: a meta-analysis. <i>Psychoneuroendocrinology</i> , 2005 , 30, 846-56	5	798
14	Increasing leptin precedes craving and relapse during pharmacological abstinence maintenance treatment of alcoholism. <i>Journal of Psychiatric Research</i> , 2005 , 39, 545-51	5.2	61
13	Hypothalamic-pituitary-adrenal axis activity and sleep in posttraumatic stress disorder. <i>Neuropsychopharmacology</i> , 2005 , 30, 1173-80	8.7	45
12	Depressive symptoms and 24-hour urinary norepinephrine excretion levels in patients with coronary disease: findings from the Heart and Soul Study. <i>American Journal of Psychiatry</i> , 2005 , 162, 2139-45	11.9	83
11	Effects of Hatha yoga and African dance on perceived stress, affect, and salivary cortisol. <i>Annals of Behavioral Medicine</i> , 2004 , 28, 114-8	4.5	249
10	Depression and 24-hour urinary cortisol in medical outpatients with coronary heart disease: The Heart and Soul Study. <i>Biological Psychiatry</i> , 2004 , 56, 241-7	7.9	109
9	Overnight metyrapone and combined dexamethasone/metyrapone tests in post-traumatic stress disorder: preliminary findings. <i>European Neuropsychopharmacology</i> , 2004 , 14, 337-9	1.2	13
8	Valproate monotherapy in the treatment of civilian patients with non-combat-related posttraumatic stress disorder: an open-label study. <i>Journal of Clinical Psychopharmacology</i> , 2004 , 24, 106-8	1.7	27
7	Methylation status of the retinoblastoma gene (RB1) in osteosarcoma: no evidence for hypermethylation. <i>Pediatric Hematology and Oncology</i> , 2004 , 21, 57-65	1.7	1
6	Delta sleep response to metyrapone in post-traumatic stress disorder. <i>Neuropsychopharmacology</i> , 2003 , 28, 1666-76	8.7	62
5	The mineralocorticoid receptor agonist, fludrocortisone, inhibits pituitary-adrenal activity in humans after pre-treatment with metyrapone. <i>Life Sciences</i> , 2003 , 73, 1835-45	6.8	44
4	Mineralocorticoid receptor-mediated inhibition of the hypothalamic-pituitary-adrenal axis in aged humans. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2003 , 58, B900-5	6.4	42

3	Atypical antipsychotics in the treatment of schizophrenic patients. <i>Expert Review of Neurotherapeutics</i> , 2002 , 2, 355-62	4.3	1
2	Mineralocorticoid receptor function in patients with posttraumatic stress disorder. <i>American Journal of Psychiatry</i> , 2002 , 159, 1938-40	11.9	45
1	Prolactin but not ACTH increases during sodium lactate-induced panic attacks. <i>Psychiatry Research</i> , 2002 , 109, 201-5	9.9	10