

Elena RamÃ- rez GarcÃ- a

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4336324/publications.pdf>

Version: 2024-02-01

68
papers

1,833
citations

361296

20
h-index

289141

40
g-index

75
all docs

75
docs citations

75
times ranked

3395
citing authors

#	ARTICLE	IF	CITATIONS
1	A Case-Control of Patients with COVID-19 to Explore the Association of Previous Hospitalisation Use of Medication on the Mortality of COVID-19 Disease: A Propensity Score Matching Analysis. <i>Pharmaceuticals</i> , 2022, 15, 78.	1.7	8
2	Utility of Lymphocyte Transformation Test for Assisting Updated Roussel Uclaf Causality Assessment Method in Drug-Induced Liver Injury: A Case-Control Study. <i>Frontiers in Pharmacology</i> , 2022, 13, 819589.	1.6	5
3	Health Care Workersâ€™ Reasons for Choosing Between Two Different COVID-19 Prophylaxis Trials in an Acute Pandemic Context: Single-Center Questionnaire Study. <i>Journal of Medical Internet Research</i> , 2021, 23, e23441.	2.1	2
4	Valproic Acid-Induced Liver Injury: A Case-Control Study from a Prospective Pharmacovigilance Program in a Tertiary Hospital. <i>Journal of Clinical Medicine</i> , 2021, 10, 1153.	1.0	11
5	Identifying the Culprit Drug in Severe Cutaneous Adverse Reactions (SCARs). <i>Current Treatment Options in Allergy</i> , 2021, 8, 194-209.	0.9	1
6	Immunogenicity and reactogenicity of BNT162b2 booster in ChAdOx1-S-primed participants (CombiVacS): a multicentre, open-label, randomised, controlled, phase 2 trial. <i>Lancet</i> , The, 2021, 398, 121-130.	6.3	316
7	Characterisation of Drug-Induced Liver Injury in Patients with COVID-19 Detected by a Proactive Pharmacovigilance Program from Laboratory Signals. <i>Journal of Clinical Medicine</i> , 2021, 10, 4432.	1.0	20
8	Experience of a Strategy Including CYP2C19 Preemptive Genotyping Followed by Therapeutic Drug Monitoring of Voriconazole in Patients Undergoing Allogenic Hematopoietic Stem Cell Transplantation. <i>Frontiers in Pharmacology</i> , 2021, 12, 717932.	1.6	4
9	Assessment of drug causality in Stevensâ€™Johnson syndrome/toxic epidermal necrolysis: Concordance between lymphocyte transformation test and ALDEN. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2020, 75, 956-959.	2.7	20
10	HLA-A*68, -A*11:01, and -A*29:02 alleles are strongly associated with benznidazole-induced maculopapular exanthema (MPE)/DRESS. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2020, 8, 3198-3200.e3.	2.0	9
11	A caseâ€™control study to assess the role of polyomavirus in transplant complications: Where do we stand?. <i>Transplant Infectious Disease</i> , 2020, 22, e13432.	0.7	1
12	Incidence of Suspected Serious Adverse Drug Reactions in Corona Virus Disease-19 Patients Detected by a Pharmacovigilance Program by Laboratory Signals in a Tertiary Hospital in Spain: Cautionary Data. <i>Frontiers in Pharmacology</i> , 2020, 11, 602841.	1.6	18
13	A case report of a drugâ€™induced liver injury (DILI) caused by multiple antidepressants with causality established by the updated Roussel Uclaf causality assessment method (RUCAM) and in vitro testing. <i>Clinical Case Reports (discontinued)</i> , 2020, 8, 3105-3109.	0.2	5
14	A Cohort of Patients with COVID-19 in a Major Teaching Hospital in Europe. <i>Journal of Clinical Medicine</i> , 2020, 9, 1733.	1.0	218
15	Lymphocyte transformation test can be useful for the diagnosis of delayed adverse reactions to sulfonamides. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2020, 75, 3267-3272.	2.7	5
16	Spanish Guidelines for Diagnosis, Management, Treatment, and Prevention of DRESS Syndrome. <i>Journal of Investigational Allergology and Clinical Immunology</i> , 2020, 30, 229-253.	0.6	57
17	Drug Induced Liver Injury in Geriatric Patients Detected by a Two-Hospital Prospective Pharmacovigilance Program: A Comprehensive Analysis Using the Roussel Uclaf Causality Assessment Method. <i>Frontiers in Pharmacology</i> , 2020, 11, 600255.	1.6	11
18	Osetamivir-induced toxic epidermal necrolysis in a patient with Cushing's disease. <i>Indian Journal of Dermatology, Venereology and Leprology</i> , 2020, 86, 515.	0.2	4

#	ARTICLE	IF	CITATIONS
19	Randomised multicentre clinical trial to evaluate voriconazole pre-emptive genotyping strategy in patients with risk of aspergillosis: vorigenipharm study protocol. <i>BMJ Open</i> , 2020, 10, e037443.	0.8	2
20	Prediction models for voriconazole pharmacokinetics based on pharmacogenetics: AN exploratory study in a Spanish population. <i>International Journal of Antimicrobial Agents</i> , 2019, 54, 463-470.	1.1	17
21	Severe Hyponatremia Is Often Drug Induced: 10-Year Results of a Prospective Pharmacovigilance Program. <i>Clinical Pharmacology and Therapeutics</i> , 2019, 106, 1362-1379.	2.3	21
22	Lymphocyte Transformation Test (LTT) in Allergy to Benznidazole: A Promising Approach. <i>Frontiers in Pharmacology</i> , 2019, 10, 469.	1.6	7
23	Incidence of Stevens-Johnson syndrome/toxic epidermal necrolysis among new users of different individual drugs in a European population: a case-population study. <i>European Journal of Clinical Pharmacology</i> , 2019, 75, 237-246.	0.8	16
24	Sensitivity and specificity of the lymphocyte transformation test in drug reaction with eosinophilia and systemic symptoms causality assessment. <i>Clinical and Experimental Allergy</i> , 2018, 48, 325-333.	1.4	49
25	Clinical Implementation of Pharmacogenetic Testing in a Hospital of the Spanish National Health System: Strategy and Experience Over 3 Years. <i>Clinical and Translational Science</i> , 2018, 11, 189-199.	1.5	37
26	Effectiveness and limitations of an incident-reporting system analyzed by local clinical safety leaders in a tertiary hospital. <i>Medicine (United States)</i> , 2018, 97, e12509.	0.4	39
27	Active surveillance of severe cutaneous adverse reactions: A case-population approach using a registry and a health care database. <i>Pharmacoepidemiology and Drug Safety</i> , 2018, 27, 1042-1050.	0.9	12
28	Influence of two variants of CYP450 oxidoreductase on the stable dose of acenocoumarol in a Spanish population. <i>Pharmacogenomics</i> , 2017, 18, 797-805.	0.6	1
29	Cyclosporine Use in Epidermal Necrolysis Is Associated with an Important Mortality Reduction: Evidence from Three Different Approaches. <i>Journal of Investigative Dermatology</i> , 2017, 137, 2092-2100.	0.3	112
30	Approach to Severe Cutaneous Adverse Drug Reactions. <i>Current Treatment Options in Allergy</i> , 2017, 4, 201-221.	0.9	2
31	Hepatotoxicity induced by acute and chronic paracetamol overdose in children: Where do we stand?. <i>World Journal of Pediatrics</i> , 2017, 13, 76-83.	0.8	7
32	Eosinophilic drug reactions detected by a prospective pharmacovigilance programme in a tertiary hospital. <i>British Journal of Clinical Pharmacology</i> , 2017, 83, 400-415.	1.1	27
33	Significant HLA class I type associations with aromatic antiepileptic drug (AED)-induced SJS/TEN are different from those found for the same AED-induced DRESS in the Spanish population. <i>Pharmacological Research</i> , 2017, 115, 168-178.	3.1	61
34	Outcomes and Costs of Poisoned Patients Admitted to an Adult Emergency Department of a Spanish Tertiary Hospital: Evaluation through a Toxicovigilance Program. <i>PLoS ONE</i> , 2016, 11, e0152876.	1.1	14
35	Nonchemotherapy drug-induced agranulocytosis in children detected by a prospective pharmacovigilance program. <i>Pediatric Hematology and Oncology</i> , 2016, 33, 441-456.	0.3	8
36	The <i>HLA-B*15:02</i> allele in a Spanish Romani patient with carbamazepine-induced Stevens-Johnson syndrome. <i>Pharmacogenomics</i> , 2016, 17, 541-545.	0.6	7

#	ARTICLE	IF	CITATIONS
37	Two cases of overlap severe cutaneous adverse reactions to benznidazole treatment for asymptomatic Chagas disease in a nonendemic country. <i>British Journal of Dermatology</i> , 2016, 175, 604-607.	1.4	18
38	Early Detection of Chemotherapy- Induced Cardiotoxicity in Hematological Patients: A Prospective Study. <i>Blood</i> , 2016, 128, 5988-5988.	0.6	1
39	Uam Course on Good Clinical Practice (Gcps) for Investigators: A 3 Years Experience. <i>Clinical Therapeutics</i> , 2015, 37, e129.	1.1	0
40	A Pharmacovigilance Program from Laboratory Signals In Hospitalizaed Patients: Results Of 2014. <i>Clinical Therapeutics</i> , 2015, 37, e137.	1.1	0
41	Nonâ€Chemotherapyâ€Induced Agranulocytosis Detected by a Prospective Pharmacovigilance Program in a Tertiary Hospital. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2015, 117, 399-408.	1.2	8
42	Liver Transplant in a Patient under Methylphenidate Therapy: A Case Report and Review of the Literature. <i>Case Reports in Pediatrics</i> , 2015, 2015, 1-5.	0.2	6
43	Hepatotoxicity induced by acute and chronic paracetamol overdose in adults. Where do we stand?. <i>Regulatory Toxicology and Pharmacology</i> , 2015, 72, 370-378.	1.3	17
44	Pharmacogenetic Implementation In The Routine Clinical Practice: Design of A Multicenter Pilot Clinical Trial. <i>Clinical Therapeutics</i> , 2015, 37, e129-e130.	1.1	0
45	Cytochrome P450 Oxidoreductase Contribution On An Acenocoumarol Dosing Algorithm. <i>Clinical Therapeutics</i> , 2015, 37, e131.	1.1	0
46	Screening and Recruitment Procedures of Healthy Volunteers In A Phase I Clinical Trial Unit: Experience In 64 Bioequivalence Studies. <i>Clinical Therapeutics</i> , 2015, 37, e129.	1.1	0
47	A Computerized System for Reporting and Analysis of Incidents, Errors or Adverse Events: Results Of 2014. <i>Clinical Therapeutics</i> , 2015, 37, e136-e137.	1.1	0
48	Conversion from Prograf to Advagraf in stable paediatric renal transplant patients and 1-year follow-up. <i>Pediatric Nephrology</i> , 2014, 29, 117-123.	0.9	13
49	Severe hypersensitivity reactions to iodinated contrast media: clinical and immunological features in a cohort of patients. <i>Clinical and Translational Allergy</i> , 2014, 4, P131.	1.4	0
50	Hypersensitivity reactions to contrast media injections: a nested caseâ€control study. <i>Annals of Allergy, Asthma and Immunology</i> , 2014, 113, 488-489.e5.	0.5	4
51	Symptomatic thromboembolic events in patients treated with intravenous-immunoglobulins: Results from a retrospective cohort study. <i>Thrombosis Research</i> , 2014, 133, 1045-1051.	0.8	52
52	Improving linezolid use decreases the incidence of resistance among Gram-positive microorganisms. <i>International Journal of Antimicrobial Agents</i> , 2013, 41, 174-178.	1.1	18
53	Drug-induced life-threatening potassium disturbances detected by a pharmacovigilance program from laboratory signals. <i>European Journal of Clinical Pharmacology</i> , 2013, 69, 97-110.	0.8	18
54	A Preliminary Model to Avoid the Overestimation of Sample Size in Bioequivalence Studies. <i>Drug Research</i> , 2013, 63, 98-103.	0.7	2

#	ARTICLE	IF	CITATIONS
55	Vancomycin-Induced Acute Kidney Injury Detected by a Prospective Pharmacovigilance Program From Laboratory Signals. <i>Therapeutic Drug Monitoring</i> , 2013, 35, 360-366.	1.0	10
56	Proton pump inhibitors are associated with hypersensitivity reactions to drugs in hospitalized patients: a nested case-control in a retrospective cohort study. <i>Clinical and Experimental Allergy</i> , 2013, 43, 344-352.	1.4	35
57	An Acenocoumarol Dosing Algorithm Using Clinical and Pharmacogenetic Data in Spanish Patients with Thromboembolic Disease. <i>PLoS ONE</i> , 2012, 7, e41360.	1.1	52
58	Use of antifungal agents in pediatric and adult high-risk areas. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2012, 31, 337-347.	1.3	7
59	Evaluation of the influence of sex and CYP2C19 and CYP2D6 polymorphisms in the disposition of citalopram. <i>European Journal of Pharmacology</i> , 2010, 626, 200-204.	1.7	43
60	Acceptability and characteristics of 124 human bioequivalence studies with active substances classified according to the Biopharmaceutic Classification System. <i>British Journal of Clinical Pharmacology</i> , 2010, 70, 694-702.	1.1	70
61	DRESS-syndrome on sulfasalazine and naproxen treatment for juvenile idiopathic arthritis and reactivation of human herpesvirus 6 in an 11-year-old caucasian boy. <i>Journal of Clinical Pharmacy and Therapeutics</i> , 2010, 35, 365-370.	0.7	27
62	A Pharmacovigilance Program From Laboratory Signals for the Detection and Reporting of Serious Adverse Drug Reactions in Hospitalized Patients. <i>Clinical Pharmacology and Therapeutics</i> , 2010, 87, 74-86.	2.3	67
63	Overuse of PPIs in Patients at Admission, During Hospitalisation, and at Discharge in a Tertiary Spanish Hospital. <i>Current Clinical Pharmacology</i> , 2010, 5, 288-297.	0.2	67
64	CYP2C9 polymorphism in five autochthonous population of the same geographic area (Spanish) <i>Tj ETQq0 0 0 rgBT /Qverlock_10 Tf 50 3</i>	3.1	9
65	Trough Tacrolimus Concentrations in the First Week After Kidney Transplantation Are Related to Acute Rejection. <i>Therapeutic Drug Monitoring</i> , 2009, 31, 436-442.	1.0	67
66	The importance of sample size, log-mean ratios, and intrasubject variability in the acceptance criteria of 108 bioequivalence studies. <i>European Journal of Clinical Pharmacology</i> , 2008, 64, 783-793.	0.8	9
67	Hypercalcemia due to an interaction of all-trans retinoic acid (ATRA) and itraconazole therapy for acute promyelocytic leukemia successfully treated with zoledronic acid. <i>European Journal of Clinical Pharmacology</i> , 2008, 64, 1031-1032.	0.8	26
68	Sublingual administration of tacrolimus in a renal transplant patient. <i>Journal of Clinical Pharmacy and Therapeutics</i> , 2008, 33, 87-89.	0.7	20