

Tracey Joy Weiland

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4336636/publications.pdf>

Version: 2024-02-01

153
papers

3,304
citations

159585
30
h-index

233421
45
g-index

159
all docs

159
docs citations

159
times ranked

4066
citing authors

#	ARTICLE	IF	CITATIONS
1	The association of diet with quality of life, disability, and relapse rate in an international sample of people with multiple sclerosis. <i>Nutritional Neuroscience</i> , 2015, 18, 125-136.	3.1	120
2	Prevalence of Comorbidities, Overweight and Obesity in an International Sample of People with Multiple Sclerosis and Associations with Modifiable Lifestyle Factors. <i>PLoS ONE</i> , 2016, 11, e0148573.	2.5	103
3	Clinically Significant Fatigue: Prevalence and Associated Factors in an International Sample of Adults with Multiple Sclerosis Recruited via the Internet. <i>PLoS ONE</i> , 2015, 10, e0115541.	2.5	102
4	The effect of multidisciplinary case management on selected outcomes for frequent attenders at an emergency department. <i>Medical Journal of Australia</i> , 2006, 184, 602-606.	1.7	83
5	Meditation as an Adjunct to the Management of Multiple Sclerosis. <i>Neurology Research International</i> , 2014, 2014, 1-10.	1.3	75
6	Dr Google in the ED: searching for online health information by adult emergency department patients. <i>Medical Journal of Australia</i> , 2018, 209, 342-347.	1.7	75
7	Association of fish consumption and omega 3 supplementation with quality of life, disability and disease activity in an international cohort of people with multiple sclerosis. <i>International Journal of Neuroscience</i> , 2013, 123, 792-801.	1.6	71
8	Sexual function in multiple sclerosis and associations with demographic, disease and lifestyle characteristics: an international cross-sectional study. <i>BMC Neurology</i> , 2016, 16, 210.	1.8	71
9	Physical activity and associated levels of disability and quality of life in people with multiple sclerosis: a large international survey. <i>BMC Neurology</i> , 2014, 14, 143.	1.8	70
10	The association of alcohol consumption and smoking with quality of life, disability and disease activity in an international sample of people with multiple sclerosis. <i>Journal of the Neurological Sciences</i> , 2014, 336, 211-219.	0.6	63
11	Lifestyle factors, demographics and medications associated with depression risk in an international sample of people with multiple sclerosis. <i>BMC Psychiatry</i> , 2014, 14, 327.	2.6	58
12	Health-related quality of life outcomes at 1 and 5 years after a residential retreat promoting lifestyle modification for people with multiple sclerosis. <i>Neurological Sciences</i> , 2013, 34, 187-195.	1.9	57
13	Methodology of an International Study of People with Multiple Sclerosis Recruited through Web 2.0 Platforms: Demographics, Lifestyle, and Disease Characteristics. <i>Neurology Research International</i> , 2013, 2013, 1-12.	1.3	55
14	Effect of hospital-based telephone coaching on glycaemic control and adherence to management guidelines in type 2 diabetes, a randomised controlled trial. <i>Internal Medicine Journal</i> , 2014, 44, 890-897.	0.8	55
15	Latitude, sun exposure and vitamin D supplementation: associations with quality of life and disease outcomes in a large international cohort of people with multiple sclerosis. <i>BMC Neurology</i> , 2015, 15, 132.	1.8	53
16	Pain in People with Multiple Sclerosis: Associations with Modifiable Lifestyle Factors, Fatigue, Depression, Anxiety, and Mental Health Quality of Life. <i>Frontiers in Neurology</i> , 2017, 8, 461.	2.4	53
17	Handover from paramedics: Observations and emergency department clinician perceptions. <i>EMA - Emergency Medicine Australasia</i> , 2008, 20, 149-155.	1.1	49
18	Care of the dying cancer patient in the emergency department: findings from a national survey of Australian emergency department clinicians. <i>Internal Medicine Journal</i> , 2014, 44, 362-368.	0.8	41

#	ARTICLE	IF	CITATIONS
19	Gamma-aminobutyrate: A 30-month emergency department review. EMA - Emergency Medicine Australasia, 2008, 20, 521-530.	1.1	40
20	Original sound compositions reduce anxiety in emergency department patients: a randomised controlled trial. Medical Journal of Australia, 2011, 195, 694-698.	1.7	40
21	Associations of Lifestyle, Medication, and Socio-Demographic Factors with Disability in People with Multiple Sclerosis: An International Cross-Sectional Study. PLoS ONE, 2016, 11, e0161701.	2.5	38
22	The role of CCK2 receptors in energy homeostasis: insights from the CCK2 receptor-deficient mouse. Physiology and Behavior, 2004, 82, 471-476.	2.1	37
23	Mental health-related learning needs of clinicians working in Australian emergency departments: A national survey of self-reported confidence and knowledge. EMA - Emergency Medicine Australasia, 2011, 23, 697-711.	1.1	36
24	Organ and tissue donation-related attitudes, education and practices of emergency department clinicians in Australia. EMA - Emergency Medicine Australasia, 2012, 24, 244-250.	1.1	36
25	Caught in the middle: Tensions around the emergency department care of people with advanced cancer. EMA - Emergency Medicine Australasia, 2013, 25, 154-160.	1.1	35
26	Lifestyle, medication and socio-demographic determinants of mental and physical health-related quality of life in people with multiple sclerosis. BMC Neurology, 2016, 16, 235.	1.8	35
27	Health outcomes and adherence to a healthy lifestyle after a multimodal intervention in people with multiple sclerosis: Three year follow-up. PLoS ONE, 2018, 13, e0197759.	2.5	35
28	Validation of the Full Outline of Unresponsiveness (FOUR) Scale for conscious state in the emergency department: comparison against the Glasgow Coma Scale. Emergency Medicine Journal, 2011, 28, 486-490.	1.0	34
29	What's in a name? A qualitative exploration of what is understood by "palliative care" in the emergency department. Palliative Medicine, 2015, 29, 293-301.	3.1	33
30	Learning opportunities for Australian prevocational hospital doctors: exposure, perceived quality and desired methods of learning. Medical Journal of Australia, 2006, 184, 436-440.	1.7	32
31	Efficacy of hospital in the home services providing care for patients admitted from emergency departments. International Journal of Evidence-Based Healthcare, 2014, 12, 128-141.	0.5	32
32	Effectiveness of Exercise Interventions for Pain Reduction in People With Multiple Sclerosis: A Systematic Review and Meta-analysis of Randomized Controlled Trials. Archives of Physical Medicine and Rehabilitation, 2019, 100, 128-139.	0.9	32
33	Australasian emergency physicians: A learning and educational needs analysis. Part Four: CPD topics desired by emergency physicians. EMA - Emergency Medicine Australasia, 2008, 20, 260-266.	1.1	31
34	Knowledge and confidence of Australian emergency department clinicians in managing patients with mental health-related presentations: findings from a national qualitative study. International Journal of Emergency Medicine, 2013, 6, 2.	1.6	31
35	Telephone referrals by junior doctors: a randomised controlled trial assessing the impact of SBAR in a simulated setting. Postgraduate Medical Journal, 2012, 88, 619-626.	1.8	30
36	New graduate nurse wellbeing, work wellbeing and mental health: A quantitative systematic review. International Journal of Nursing Studies, 2021, 121, 103997.	5.6	30

#	ARTICLE	IF	CITATIONS
37	Review article: Effectiveness of ultra-brief interventions in the emergency department to reduce alcohol consumption: A systematic review. EMA - Emergency Medicine Australasia, 2016, 28, 629-640.	1.1	29
38	Understanding barriers, enablers, and long-term adherence to a health behavior intervention in people with multiple sclerosis. Disability and Rehabilitation, 2020, 42, 822-832.	1.8	29
39	Optimal management of mental health patients in Australian emergency departments: Barriers and solutions. EMA - Emergency Medicine Australasia, 2011, 23, 677-688.	1.1	28
40	Medication use in a large international sample of people with multiple sclerosis: associations with quality of life, relapse rate and disability. Neurological Research, 2015, 37, 662-673.	1.3	28
41	Presentation patterns and outcomes of patients with cancer accessing care in emergency departments in Victoria, Australia. Supportive Care in Cancer, 2016, 24, 1251-1260.	2.2	28
42	Emergency clinicians' attitudes and decisions in patient scenarios involving advance directives. Emergency Medicine Journal, 2012, 29, 720-724.	1.0	27
43	Factors relating to consent for organ donation: prospective data on potential organ donors. Internal Medicine Journal, 2015, 45, 40-47.	0.8	27
44	Engagement in a program promoting lifestyle modification is associated with better patient-reported outcomes for people with MS. Neurological Sciences, 2015, 36, 845-852.	1.9	27
45	Older peoples'™ experience of accessing emergency care. Australasian Emergency Nursing Journal, 2010, 13, 61-69.	1.9	26
46	Supervision and feedback for junior medical staff in Australian emergency departments: findings from the emergency medicine capacity assessment study. BMC Medical Education, 2010, 10, 74.	2.4	26
47	Understanding Australian Families'™ Organ Donation Decisions. Anaesthesia and Intensive Care, 2015, 43, 42-50.	0.7	26
48	Managing Acute Behavioural Disturbances in the Emergency Department Using the Environment, Policies and Practices: A Systematic Review. Western Journal of Emergency Medicine, 2017, 18, 647-661.	1.1	26
49	Opportunistic screening and clinician-delivered brief intervention for high-risk alcohol use among emergency department attendees: A randomized controlled trial. EMA - Emergency Medicine Australasia, 2008, 20, 121-128.	1.1	25
50	The experiences of patients with advanced cancer and caregivers presenting to Emergency Departments: A qualitative study. Palliative Medicine, 2018, 32, 439-446.	3.1	25
51	Health Outcomes and Lifestyle in a Sample of People With Multiple Sclerosis (HOLISM): Longitudinal and Validation Cohorts. Frontiers in Neurology, 2018, 9, 1074.	2.4	25
52	The Efficacy of Psychological Interventions for Managing Fatigue in People With Multiple Sclerosis: A Systematic Review and Meta-Analysis. Frontiers in Neurology, 2018, 9, 149.	2.4	25
53	Managing the advanced cancer patient in the Australian emergency department environment: findings from a national survey of emergency department clinicians. International Journal of Emergency Medicine, 2015, 8, 14.	1.6	24
54	Lifestyle and medication interventions for the prevention or delay of type 2 diabetes mellitus in prediabetes: a systematic review of randomised controlled trials. Australian and New Zealand Journal of Public Health, 2010, 34, 172-178.	1.8	23

#	ARTICLE	IF	CITATIONS
55	Perspectives of emergency department staff on the triage of mental health-related presentations: Implications for education, policy and practice. EMA - Emergency Medicine Australasia, 2012, 24, 492-500.	1.1	23
56	Longitudinal Associations of Modifiable Lifestyle Factors With Positive Depression-Screen Over 2.5-Years in an International Cohort of People Living With Multiple Sclerosis. Frontiers in Psychiatry, 2018, 9, 526.	2.6	23
57	Can the Elderly Handle the Heat? A Retrospective Case-Control Study of the Impact of Heat Waves on Older Patients Attending an Inner City Australian Emergency Department. Asia-Pacific Journal of Public Health, 2015, 27, NP1837-NP1846.	1.0	22
58	Point-of-care Hepatitis C virus testing and linkage to treatment in an Australian inner-city emergency department. International Journal of Drug Policy, 2019, 72, 84-90.	3.3	21
59	Emergency clinician-delivered screening and intervention for high-risk alcohol use: A qualitative analysis. EMA - Emergency Medicine Australasia, 2008, 20, 129-135.	1.1	20
60	Verbal dyspnoea score predicts emergency department departure status in patients with shortness of breath. EMA - Emergency Medicine Australasia, 2010, 22, 21-29.	1.1	20
61	Personal Attitudes and Beliefs regarding Organ and Tissue Donation: A Cross-Sectional Survey of Australian Emergency Department Clinicians. Progress in Transplantation, 2012, 22, 317-322.	0.7	20
62	Australian emergency doctors' and nurses' acceptance and knowledge regarding brain death: a national survey. Clinical Transplantation, 2012, 26, E254-60.	1.6	20
63	Predictors of Change in Employment Status and Associations with Quality of Life: A Prospective International Study of People with Multiple Sclerosis. Journal of Occupational Rehabilitation, 2020, 30, 105-114.	2.2	20
64	Medication Use Across Transition Points from the Emergency Department: Identifying Factors Associated with Medication Discrepancies. Annals of Pharmacotherapy, 2009, 43, 1755-1764.	1.9	19
65	Prospective validation of a predictive model that identifies homeless people at risk of re-presentation to the emergency department. Australasian Emergency Nursing Journal, 2012, 15, 2-13.	1.9	19
66	Can Meditation Influence Quality of Life, Depression, and Disease Outcome in Multiple Sclerosis? Findings from a Large International Web-Based Study. Behavioural Neurology, 2014, 2014, 1-9.	2.1	19
67	Effect of a residential retreat promoting lifestyle modifications on health-related quality of life in people with multiple sclerosis. Quality in Primary Care, 2010, 18, 379-89.	0.8	19
68	Can medical admission and length of stay be accurately predicted by emergency staff, patients or relatives?. Australian Health Review, 2007, 31, 633.	1.1	18
69	An observational study of emergency department intern activities. Medical Journal of Australia, 2008, 188, 514-519.	1.7	18
70	The effect of lipopolysaccharide on cholecystokinin in murine plasma and tissue. Peptides, 2005, 26, 447-455.	2.4	17
71	Perceptions of nurse practitioners by emergency department doctors in Australia. International Journal of Emergency Medicine, 2010, 3, 271-278.	1.6	17
72	The capacity of Australian ED to absorb the projected increase in intern numbers. EMA - Emergency Medicine Australasia, 2010, 22, 100-107.	1.1	17

#	ARTICLE	IF	CITATIONS
73	The cost-effectiveness of hospital-based telephone coaching for people with type 2 diabetes: a 10-year modelling analysis. BMC Health Services Research, 2016, 16, 521.	2.2	17
74	Registered Nurses' experiences of psychological well-being and ill-being in their first year of practice: A qualitative meta-synthesis. Journal of Advanced Nursing, 2021, 77, 1172-1187.	3.3	17
75	Australasian emergency physicians: A learning and educational needs analysis. Part One: Background and methodology. Profile of FACEM. EMA - Emergency Medicine Australasia, 2008, 20, 51-57.	1.1	16
76	Barriers to continuing medical education in Australian prevocational doctors. Australian Health Review, 2008, 32, 292.	1.1	16
77	Longitudinal Associations of the Healthy Lifestyle Index Score With Quality of Life in People With Multiple Sclerosis: A Prospective Cohort Study. Frontiers in Neurology, 2018, 9, 874.	2.4	16
78	CCK2 receptor nullification attenuates lipopolysaccharide-induced sickness behavior. American Journal of Physiology - Regulatory Integrative and Comparative Physiology, 2007, 292, R112-R123.	1.8	15
79	Australasian emergency physicians: A learning and educational needs analysis. Part Two: Confidence of FACEM for tasks and skills. EMA - Emergency Medicine Australasia, 2008, 20, 58-65.	1.1	15
80	Australasian emergency physicians: A Learning and educational needs analysis. Part Five: Barriers to CPD experienced by FACEM, and attitudes to the ACEM MOPS programme. EMA - Emergency Medicine Australasia, 2008, 20, 339-346.	1.1	15
81	Self-rated preparedness of Australian prevocational hospital doctors for emergencies. EMA - Emergency Medicine Australasia, 2008, 20, 144-148.	1.1	15
82	Which patients with dermatological conditions are admitted via the emergency department?. Australasian Journal of Dermatology, 2014, 55, 255-259.	0.7	15
83	Psychological Shift in Partners of People with Multiple Sclerosis Who Undertake Lifestyle Modification: An Interpretive Phenomenological Study. Frontiers in Psychology, 2018, 9, 15.	2.1	15
84	Metabolomic Biomarkers of Multiple Sclerosis: A Systematic Review. Frontiers in Molecular Biosciences, 2020, 7, 574133.	3.5	15
85	Attrition Within Digital Health Interventions for People With Multiple Sclerosis: Systematic Review and Meta-analysis. Journal of Medical Internet Research, 2022, 24, e27735.	4.3	15
86	Perceived Differences in the Management of Mental Health Patients in Remote and Rural Australia and Strategies for Improvement: Findings from a National Qualitative Study of Emergency Clinicians. Emergency Medicine International, 2011, 2011, 1-7.	0.8	14
87	Hospitalisation of high-care residents of aged care facilities: are goals of care discussed?. Internal Medicine Journal, 2013, 43, 144-149.	0.8	14
88	Which Dermatological Conditions Present to an Emergency Department in Australia?. Emergency Medicine International, 2014, 2014, 1-4.	0.8	14
89	Metabotropic glutamate receptors mediate lipopolysaccharide-induced fever and sickness behavior. Brain, Behavior, and Immunity, 2006, 20, 233-245.	4.1	13
90	Self-reported cognitive function in a large international cohort of people with multiple sclerosis: associations with lifestyle and other factors. European Journal of Neurology, 2019, 26, 142-154.	3.3	12

#	ARTICLE	IF	CITATIONS
91	Factors associated with re-presentation to emergency departments in elderly people with pain. Australian Health Review, 2014, 38, 461.	1.1	12
92	Validation of a verbal dyspnoea rating scale in the emergency department. EMA - Emergency Medicine Australasia, 2008, 20, 475-481.	1.1	11
93	Ideal care and the realities of practice: interdisciplinary relationships in the management of advanced cancer patients in Australian emergency departments. Supportive Care in Cancer, 2014, 22, 1029-1035.	2.2	11
94	Knowledge and Confidence of a Convenience Sample of Australasian Emergency Doctors in Managing Dental Emergencies: Results of a Survey. Emergency Medicine International, 2015, 2015, 1-13.	0.8	11
95	Prevalence of and risk factors for peripheral arterial disease in older adults in an Australian emergency department. Vascular, 2014, 22, 1-12.	0.9	10
96	On the path together: Experiences of partners of people with multiple sclerosis of the impact of lifestyle modification on their relationship. Health and Social Care in the Community, 2019, 27, 1515-1524.	1.6	10
97	Mastery is associated with greater physical and mental health-related quality of life in two international cohorts of people with multiple sclerosis. Multiple Sclerosis and Related Disorders, 2020, 38, 101481.	2.0	10
98	Self-reported use of vitamin D supplements is associated with higher physical quality of life scores in multiple sclerosis. Multiple Sclerosis and Related Disorders, 2021, 49, 102760.	2.0	10
99	Nurse wellbeing during the coronavirus (2019) pandemic: A qualitative descriptive study. Collegian, 2021, 28, 709-719.	1.3	10
100	“Better pathways of Care”: Suggested Improvements to the Emergency Department management of People with Advanced Cancer. Journal of Palliative Care, 2014, 30, 83-89.	1.0	10
101	Tobacco smoking by adult emergency department patients in Australia: a point-prevalence study. Public Health Research and Practice, 2016, 26, .	1.5	10
102	Donation after cardiac death: are Australian emergency clinicians supportive?. Internal Medicine Journal, 2013, 43, 816-819.	0.8	9
103	Associations of demographic and clinical factors with depression over 2.5-years in an international prospective cohort of people living with MS. Multiple Sclerosis and Related Disorders, 2019, 30, 165-175.	2.0	9
104	Managing acute behavioural disturbance in an emergency department using a behavioural assessment room. Australian Health Review, 2007, 31, 296.	1.1	8
105	Australasian emergency physicians: A learning and educational needs analysis. Part Three: Participation by FACEM in available CPD: What do they do and do they like it?. EMA - Emergency Medicine Australasia, 2008, 20, 156-163.	1.1	8
106	The Emergency Medicine Capacity Assessment Study: Anticipated impact of a major increase in intern numbers in Australian ED. EMA - Emergency Medicine Australasia, 2010, 22, 136-144.	1.1	8
107	Screening for type 2 diabetes with random finger-prick glucose and bedside HbA1c in an Australian emergency department. EMA - Emergency Medicine Australasia, 2010, 22, 427-434.	1.1	8
108	Erratum to “Methodology of an International Study of People with Multiple Sclerosis Recruited through Web 2.0 Platforms: Demographics, Lifestyle, and Disease Characteristics” Neurology Research International, 2013, 2013, 1-5.	1.3	8

#	ARTICLE	IF	CITATIONS
109	Attitudes of Australian Emergency Department Clinicians toward Organ and Tissue Donation: An Analysis of Cultural and Religious Influences. <i>Progress in Transplantation</i> , 2013, 23, 278-289.	0.7	8
110	International Differences in Multiple Sclerosis Health Outcomes and Associated Factors in a Cross-sectional Survey. <i>Frontiers in Neurology</i> , 2017, 8, 229.	2.4	8
111	Perceived cognitive impairment is associated with sexual dysfunction in people with multiple sclerosis: A 2.5-year follow-up study of a large international cohort. <i>Multiple Sclerosis and Related Disorders</i> , 2020, 45, 102410.	2.0	8
112	SF-6D health state utilities for lifestyle, sociodemographic and clinical characteristics of a large international cohort of people with multiple sclerosis. <i>Quality of Life Research</i> , 2020, 29, 2509-2527.	3.1	8
113	Fear of relapse in patients suffering from RRMS influence their quality of life. <i>Multiple Sclerosis and Related Disorders</i> , 2021, 54, 103137.	2.0	8
114	The Feasibility of a Web-Based Educational Lifestyle Program for People With Multiple Sclerosis: A Randomized Controlled Trial. <i>Frontiers in Public Health</i> , 2022, 10, 852214.	2.7	8
115	Australian emergency clinicians' perceptions and use of the GIVE Clinical Trigger for identification of potential organ and tissue donors. <i>EMA - Emergency Medicine Australasia</i> , 2012, 24, 501-509.	1.1	7
116	Prevalence and Characteristics of Interpersonal Violence in People Dying From Suicide in Victoria, Australia. <i>Asia-Pacific Journal of Public Health</i> , 2018, 30, 36-44.	1.0	7
117	Planning for the future: Modelling daily emergency department presentations in an Australian capital city. <i>EMA - Emergency Medicine Australasia</i> , 2019, 31, 750-755.	1.1	7
118	Mental Health Nurses' Dispositional Decision-Making for People Presenting to the Emergency Department With Deliberate Self-Harm: An Exploratory Study. <i>Perspectives in Psychiatric Care</i> , 2015, 51, 148-153.	1.9	6
119	Skills, expertise and role of Australian emergency clinicians in caring for people with advanced cancer. <i>BMJ Supportive and Palliative Care</i> , 2017, 7, 81-87.	1.6	6
120	Brief interventions to de-escalate disturbances in emergency departments. <i>British Journal of Nursing</i> , 2018, 27, 322-327.	0.7	6
121	Two healthy lifestyle scores are associated with lower subsequent fatigue risk using inverse probability weighting in an international longitudinal cohort of people with multiple sclerosis. <i>European Journal of Neurology</i> , 2021, 28, 2952-2964.	3.3	6
122	Illness perception and knowledge with regard to prediabetes and type 2 diabetes. <i>European Journal of Emergency Medicine</i> , 2012, 19, 353-358.	1.1	5
123	Use of a Checklist During Observation of a Simulated Cardiac Arrest Scenario Does Not Improve Time to CPR and Defibrillation Over Observation Alone for Subsequent Scenarios. <i>Teaching and Learning in Medicine</i> , 2015, 27, 71-79.	2.1	5
124	Taking active steps: Changes made by partners of people with multiple sclerosis who undertake lifestyle modification. <i>PLoS ONE</i> , 2019, 14, e0212422.	2.5	5
125	Therapeutic utilization of meditation resources by people with multiple sclerosis: insights from an online patient discussion forum. <i>Informatics for Health and Social Care</i> , 2020, 45, 374-384.	2.6	5
126	Views of the Future of Partners of People with Multiple Sclerosis Who Attended a Lifestyle Modification Workshop: A Qualitative Analysis of Perspectives and Experiences. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 85.	2.6	5

#	ARTICLE	IF	CITATIONS
127	Characteristics of mHealth app use in an international sample of people with multiple sclerosis. Multiple Sclerosis and Related Disorders, 2021, 54, 103092.	2.0	4
128	The Emergency Medicine Capacity Assessment Study: Perceived resource requirements to support a major increase in intern numbers in Australian emergency departments. EMA - Emergency Medicine Australasia, 2011, 23, 76-83.	1.1	3
129	Designing sound for health and wellbeing in emergency care settings. Journal of Applied Arts and Health, 2012, 2, 207-219.	0.4	3
130	Intensive simulation versus control in the assessment of time to skill competency and confidence of medical students to assess and manage cardiovascular and respiratory conditionsâ€”a pseudo-randomised trial. Advances in Simulation, 2016, 1, 15.	2.3	3
131	Barriers to the operation of mental health legislation in Australian emergency departments: a qualitative analysis. Journal of Law & Medicine, 2011, 18, 716-23.	0.0	3
132	Australasian emergency physicians: A learning and educational needs analysis. Part six: Differences in confidence, exposure to learning and expressed learning needs by subgroups of Australasian emergency physicians. EMA - Emergency Medicine Australasia, 2008, 20, 347-356.	1.1	2
133	Validation of a Verbal Rating Scale for Breathlessness Amongst Patients Referred for Cardiac Stress Tests. Heart Lung and Circulation, 2008, 17, 305-312.	0.4	2
134	Analysis of the emergency care experience of older people and their carers. Australasian Emergency Nursing Journal, 2009, 12, 174-175.	1.9	2
135	Exploring beliefs of the four major ethnic groups in Melbourne regarding healthcare and treatment. Australian Health Review, 2010, 34, 458.	1.1	2
136	Depression Symptoms and Risk Factors in Adult Emergency Department Patients: A Multisite Cross-Sectional Prevalence Survey. ISRN Emergency Medicine, 2013, 2013, 1-8.	0.5	2
137	Response from Prof. Jelinek and Dr Weiland to Scurveys: Sample sizes and response rates. EMA - Emergency Medicine Australasia, 2013, 25, 377-379.	1.1	2
138	Resource barriers to the facilitation of organ and tissue donation reported by Australian emergency clinicians. Australian Health Review, 2013, 37, 60.	1.1	2
139	Community asthma management of emergency department patients: A pilot study of adherence with national consensus guidelines. EMA - Emergency Medicine Australasia, 2018, 30, 423-425.	1.1	2
140	Differential multiple sclerosis treatment allocation between Australia and New Zealand associated with clinical outcomes but not mood or quality of life. Multiple Sclerosis and Related Disorders, 2019, 30, 25-32.	2.0	2
141	Review article: Common emergency department presenting complaints of prisoners: A systematic review. EMA - Emergency Medicine Australasia, 2019, 31, 183-192.	1.1	2
142	Decrease in treatment intensity predicts worse outcome in patients with locally advanced head and neck squamous cell carcinoma undergoing radiochemotherapy. Clinical and Translational Oncology, 2021, 23, 543-553.	2.4	2
143	Nurses' wellbeing during the coronavirus (2019) pandemic: A longitudinal mixedâ€”methods study. Nursing Open, 0, .	2.4	2
144	Current level of training, experience and perceptions of emergency physicians as expert witnesses: A pilot study. EMA - Emergency Medicine Australasia, 2009, 21, 497-502.	1.1	1

#	ARTICLE	IF	CITATIONS
145	Expectations of Care, Perceived Safety, and Anxiety following Acute Behavioural Disturbance in the Emergency Department. Emergency Medicine International, 2011, 2011, 1-7.	0.8	1
146	Psychosocial and Nonclinical Factors Predicting Hospital Utilization in Patients of a Chronic Disease Management Program. Journal of Ambulatory Care Management, 2015, 38, 77-86.	1.1	1
147	Adherence to national exercise guidelines by patients attending emergency departments: A multi-site survey. EMA - Emergency Medicine Australasia, 2017, 29, 276-282.	1.1	1
148	Does a modifiable risk factor score predict disability worsening in people with multiple sclerosis?. Multiple Sclerosis Journal - Experimental, Translational and Clinical, 2019, 5, 205521731988176.	1.0	1
149	Difficulties in Recruitment for a Randomised Controlled Trial of Lifestyle Intervention for Type 2 Diabetes: Implications for Diabetes Management. Open Journal of Endocrine and Metabolic Diseases, 2012, 02, 53-57.	0.2	1
150	Author reply. Internal Medicine Journal, 2013, 43, 1351-1351.	0.8	0
151	In reply to: "Study key words are inclusion criteria and should be shared for interpretation". Australasian Journal of Dermatology, 2015, 56, 139-141.	0.7	0
152	The Period Prevalence of Mind and Body Practice Use by Adult Emergency Department Patients. Journal of Alternative and Complementary Medicine, 2018, 24, 514-524.	2.1	0
153	Insights from Public Health Researchers into the Digital Transformation of an Educational Lifestyle Course. Studies in Health Technology and Informatics, 2021, , .	0.3	0