

# Jee-Hoon Jung

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/4337489/jee-hoon-jung-publications-by-citations.pdf>

**Version:** 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

86  
papers

1,723  
citations

20  
h-index

40  
g-index

116  
ext. papers

2,304  
ext. citations

4.9  
avg, IF

5.32  
L-index

#	Paper	IF	Citations
86	Online Diagnosis of Induction Motors Using MCSA. <i>IEEE Transactions on Industrial Electronics</i> , <b>2006</b> , 53, 1842-1852	8.9	341
85	Design Methodology of Bidirectional CLLC Resonant Converter for High-Frequency Isolation of DC Distribution Systems. <i>IEEE Transactions on Power Electronics</i> , <b>2013</b> , 28, 1741-1755	7.2	286
84	. <i>IEEE Transactions on Power Electronics</i> , <b>2013</b> , 28, 1642-1654	7.2	123
83	Effective Test Bed of 380-V DC Distribution System Using Isolated Power Converters. <i>IEEE Transactions on Industrial Electronics</i> , <b>2015</b> , 62, 4525-4536	8.9	95
82	High-performance online UPS using three-leg-type converter. <i>IEEE Transactions on Industrial Electronics</i> , <b>2005</b> , 52, 889-897	8.9	85
81	PWM and PFM Hybrid Control Method for LLC Resonant Converters in High Switching Frequency Operation. <i>IEEE Transactions on Industrial Electronics</i> , <b>2017</b> , 64, 253-263	8.9	60
80	. <i>IEEE Transactions on Industrial Electronics</i> , <b>2011</b> , 58, 4217-4231	8.9	57
79	The High-Efficiency Isolated ACDC Converter Using the Three-Phase Interleaved LLC Resonant Converter Employing the Y-Connected Rectifier. <i>IEEE Transactions on Power Electronics</i> , <b>2014</b> , 29, 4017-4028	7.2	56
78	Enhanced Power Line Communication Strategy for DC Microgrids Using Switching Frequency Modulation of Power Converters. <i>IEEE Transactions on Power Electronics</i> , <b>2017</b> , 32, 4140-4144	7.2	46
77	Theoretical analysis and optimal design of LLC resonant converter <b>2007</b> ,		33
76	Bifilar Winding of a Center-Tapped Transformer Including Integrated Resonant Inductance for LLC Resonant Converters. <i>IEEE Transactions on Power Electronics</i> , <b>2013</b> , 28, 615-620	7.2	31
75	High efficiency bidirectional LLC resonant converter for 380V DC power distribution system using digital control scheme <b>2012</b> ,		28
74	Flyback converter with novel active clamp control and secondary side post regulator for low standby power consumption under high-efficiency operation. <i>IET Power Electronics</i> , <b>2011</b> , 4, 1058	2.2	28
73	Comprehensive Electric-Thermal Photovoltaic Modeling for Power-Hardware-in-the-Loop Simulation (PHILS) Applications. <i>IEEE Transactions on Industrial Electronics</i> , <b>2017</b> , 64, 6255-6264	8.9	27
72	Power Stage and Feedback Loop Design for LLC Resonant Converter in High-Switching-Frequency Operation. <i>IEEE Transactions on Power Electronics</i> , <b>2017</b> , 32, 7770-7782	7.2	27
71	<b>2010</b> ,		26
70	Analysis and Design of a Multioutput Converter Using Asymmetrical PWM Half-Bridge Flyback Converter Employing a Parallel-Series Transformer. <i>IEEE Transactions on Industrial Electronics</i> , <b>2012</b> , 1-1	8.9	24

69	Load-Adaptive Modulation of a Series-Resonant Inverter for All-Metal Induction Heating Applications. <i>IEEE Transactions on Industrial Electronics</i> , <b>2018</b> , 65, 6983-6993	8.9	22
68	Corrosion Model of a Rotor-Bar-Under-Fault Progress in Induction Motors. <i>IEEE Transactions on Industrial Electronics</i> , <b>2006</b> , 53, 1829-1841	8.9	22
67	Feed-Forward Compensator of Operating Frequency for APWM HB Flyback Converter. <i>IEEE Transactions on Power Electronics</i> , <b>2012</b> , 27, 211-223	7.2	20
66	Enhanced Dual-Active-Bridge DCDC Converter for Balancing Bipolar Voltage Level of DC Distribution System. <i>IEEE Transactions on Industrial Electronics</i> , <b>2020</b> , 67, 10399-10409	8.9	20
65	Spread Spectrum Technique to Reduce EMI Emission for an LLC Resonant Converter Using a Hybrid Modulation Method. <i>IEEE Transactions on Power Electronics</i> , <b>2018</b> , 33, 3717-3721	7.2	17
64	Stability improvement of V/f-controlled induction motor drive systems by a dynamic current compensator. <i>IEEE Transactions on Industrial Electronics</i> , <b>2004</b> , 51, 930-933	8.9	17
63	Real-time simulation model development of single crystalline photovoltaic panels using fast computation methods. <i>Solar Energy</i> , <b>2012</b> , 86, 1826-1837	6.8	15
62	Single-Stage Voltage Balancer With High-Frequency Isolation for Bipolar LVDC Distribution System. <i>IEEE Transactions on Industrial Electronics</i> , <b>2020</b> , 67, 3596-3606	8.9	13
61	Spread Spectrum Technique for Decreasing EM Noise in High-Frequency APWM HB Resonant Converter With Reduced EMI Filter Size. <i>IEEE Transactions on Power Electronics</i> , <b>2019</b> , 34, 10845-10855	7.2	11
60	Power hardware-in-the-loop simulation (PHILS) of photovoltaic power generation using real-time simulation techniques and power interfaces. <i>Journal of Power Sources</i> , <b>2015</b> , 285, 137-145	8.9	11
59	Spread-Spectrum Technique Employing Phase-Shift Modulation to Reduce EM Noise for Parallel-Series LLC Resonant Converter. <i>IEEE Transactions on Power Electronics</i> , <b>2019</b> , 34, 1026-1031	7.2	10
58	Dynamic Model of PEM Fuel Cell Using Real-time Simulation Techniques. <i>Journal of Power Electronics</i> , <b>2010</b> , 10, 739-748	0.9	10
57	Design considerations of 1 MHz LLC resonant converter with GaN E-HEMT <b>2015</b> ,		9
56	Autonomous Control Strategy of DC Microgrid for Islanding Mode Using Power Line Communication. <i>Energies</i> , <b>2018</b> , 11, 924	3.1	8
55	Three level NPC dual active bridge capacitor voltage balancing switching modulation <b>2017</b> ,		8
54	Practical Design of Dual Active Bridge Converter as Isolated Bi-directional Power Interface for Solid State Transformer Applications. <i>Journal of Electrical Engineering and Technology</i> , <b>2016</b> , 11, 1265-1273	1.4	8
53	Modeling and Feedback Control of LLC Resonant Converters at High Switching Frequency. <i>Journal of Power Electronics</i> , <b>2016</b> , 16, 849-860	0.9	7
52	Test bed implementation of 380V DC distribution system using isolated bidirectional power converters <b>2013</b> ,		6

51	Series DC Arc Fault Detection Method for PV Systems Employing Differential Power Processing Structure. <i>IEEE Transactions on Power Electronics</i> , <b>2021</b> , 36, 9787-9795	7.2	6
50	Segmented Differential Power Processing Converter Unit and Control Algorithm for Photovoltaic Systems. <i>IEEE Transactions on Power Electronics</i> , <b>2021</b> , 36, 7797-7809	7.2	5
49	Enhanced Computation Performance of Photovoltaic Models for Power Hardware-in-the-Loop Simulation. <i>IEEE Transactions on Industrial Electronics</i> , <b>2021</b> , 68, 6952-6961	8.9	5
48	Design and implementation of high switching frequency LLC resonant converter for high power density <b>2015</b> ,		4
47	High Step-Up DC-DC Converter with Two Transformers for Low DC Renewable Energy Systems <b>2010</b> ,		4
46	Real-time and Power Hardware-in-the-loop Simulation of PEM Fuel Cell Stack System. <i>Journal of Power Electronics</i> , <b>2011</b> , 11, 202-210	0.9	4
45	Passive Lossless Snubbers Using the Coupled Inductor Method for the Soft Switching Capability of Boost PFC Rectifiers. <i>Journal of Power Electronics</i> , <b>2015</b> , 15, 366-377	0.9	4
44	Effective Magnetic Component Design of Three-Phase Dual-Active-Bridge Converter for LVDC Distribution System. <i>IEEE Transactions on Industrial Electronics</i> , <b>2021</b> , 68, 1828-1840	8.9	4
43	Modified Three-port DAB Converter Employing Voltage Balancing Capability for Bipolar DC Distribution System. <i>IEEE Transactions on Industrial Electronics</i> , <b>2021</b> , 1-1	8.9	4
42	Step-charging technique for CC/CV mode battery charging with low-cost control components in IPT systems. <i>IET Power Electronics</i> , <b>2018</b> , 11, 2523-2530	2.2	4
41	Comparison of input power factor correction techniques for buck converters in single-phase wireless power transfer systems <b>2015</b> ,		3
40	Analysis and Design of Three-Phase Buck Rectifier Employing UPS to Supply High Reliable DC Power. <i>Energies</i> , <b>2020</b> , 13, 1704	3.1	3
39	Real-time test-bed system development using power hardware-in-the-loop (PHIL) simulation technique for reliability test of DC nano grid. <i>Journal of Power Electronics</i> , <b>2020</b> , 20, 784-793	0.9	3
38	Isolated three-port DCDC converter employing ESS to obtain voltage balancing capability for bipolar LVDC distribution system. <i>Journal of Power Electronics</i> , <b>2020</b> , 20, 802-810	0.9	3
37	A boost PFC rectifier with a passive lossless snubber circuit using coupled inductors methods <b>2012</b> ,		3
36	Wireless Power Transfer System with Reduced EMI Emission Employing Spread Spectrum Technique <b>2020</b> ,		3
35	Design Considerations of Resonant Network and Transformer Magnetics for High Frequency LLC Resonant Converter. <i>Journal of Electrical Engineering and Technology</i> , <b>2016</b> , 11, 383-392	1.4	3
34	High Power Density Bidirectional Three-Port DC-DC Converter for Battery Applications in DC Microgrids <b>2019</b> ,		3

33	An Effective Experimental Optimization Method for Wireless Power Transfer System Design Using Frequency Domain Measurement. <i>Journal of the Korean Institute of Electromagnetic Engineering and Science</i> , <b>2017</b> , 17, 208-220	2.3	3
32	Spread Spectrum Based Power Line Communication and EM Noise Reduction Technique for Bidirectional HB CLLC Resonant Converter <b>2020</b> ,		3
31	Investigation of Zero Voltage Switching Capability for Bidirectional Series Resonant Converter Using Phase-Shift Modulation. <i>IEEE Transactions on Power Electronics</i> , <b>2019</b> , 34, 8842-8858	7.2	3
30	Load adaptive modulation method for all-metal induction heating application <b>2018</b> ,		3
29	Design methodology of dual active bridge converter for solid state transformer application in smart grid <b>2015</b> ,		2
28	Practical Design Methodology of IH and IPT Dual-Functional Apparatus. <i>IEEE Transactions on Power Electronics</i> , <b>2020</b> , 35, 8897-8901	7.2	2
27	Improved control strategy of 1 MHz LLC converter for high frequency resolution <b>2016</b> ,		2
26	Output current balancing method for three-phase interleaved LLC resonant converter employing Y-connected rectifier <b>2014</b> ,		2
25	Power hardware-in-the-loop simulation of single crystalline photovoltaic panel using real-time simulation techniques <b>2012</b> ,		2
24	Low standby power consumption and high cross regulation of active clamp flyback converter with SSPR <b>2010</b> ,		2
23	Novel techniques of the reduction of standby power consumption for multiple output converters. <i>IEEE Applied Power Electronics Conference and Exposition</i> , <b>2008</b> ,		2
22	Enhanced Switching Pattern to Improve Cell Balancing Performance in Active Cell Balancing Circuit Using Multi-Winding Transformer. <i>IEEE Access</i> , <b>2020</b> , 8, 149544-149554	3.5	2
21	Design Methodology of Quasi-Resonant Flyback Converter With a Divided Resonant Capacitor. <i>IEEE Transactions on Industrial Electronics</i> , <b>2021</b> , 68, 10796-10805	8.9	2
20	Spread Spectrum Technique with Random-Linear Modulation for EMI Mitigation and Audible Noise Elimination in IH Appliances. <i>IEEE Transactions on Industrial Electronics</i> , <b>2021</b> , 1-1	8.9	2
19	Tightly regulated dual-output half-bridge converter using PFM-APWM hybrid control method <b>2017</b> ,		1
18	Test-bed implementation of DC microgrid in islanding mode <b>2015</b> ,		1
17	Effective in-laboratory test method for PV power generation with enhanced PV emulation accuracy. <i>Journal of Power Electronics</i> , <b>2020</b> , 20, 1047-1054	0.9	1
16	Secondary side post regulator for improving cross regulation and reducing standby power consumption. <i>International Journal of Electronics</i> , <b>2013</b> , 100, 976-998	1.2	1

15	Data reduction method of sine look-up tables in microprocessor memory storage. <i>Electronics Letters</i> , <b>2010</b> , 46, 1656	1.1	1
14	Oxidation Models of Rotor Bar and End Ring Segment to Simulate Induction Motor Faults in Progress. <i>Journal of Power Electronics</i> , <b>2011</b> , 11, 163-172	0.9	1
13	Input voltage selection method of half-bridge series resonant inverters for all-metal induction heating applications using high turn-numbered coils. <i>Journal of Power Electronics</i> , <b>2020</b> , 20, 1629-1637	0.9	1
12	A Comprehensive Overview in Control Algorithms for High Switching-Frequency LLC Resonant Converter. <i>Energies</i> , <b>2020</b> , 13, 4455	3.1	1
11	Practical Controller Design of Three-Phase Dual Active Bridge Converter for Low Voltage DC Distribution System. <i>Electronics (Switzerland)</i> , <b>2020</b> , 9, 2101	2.6	1
10	A novel DC bus control signal using pulse frequency modulation for DC microgrids <b>2016</b> ,		1
9	Hybrid modulation strategy of three-phase dual-active-bridge converter to improve power conversion efficiency under light load conditions in LVDC applications. <i>Journal of Power Electronics</i> , <b>2020</b> , 20, 894-903	0.9	1
8	A Novel Switching Algorithm to improve Efficiency at light load conditions for Three-Phase DAB Converter in LVDC Application <b>2018</b> ,		1
7	Bidirectional Current-Fed CLLC Resonant Converter Employing Asymmetric PWM. <i>IEEE Transactions on Energy Conversion</i> , <b>2021</b> , 1-1	5.4	1
6	Design Methodology of Tightly Regulated Dual-Output LLC Resonant Converter Using PFM-APWM Hybrid Control Method. <i>Energies</i> , <b>2019</b> , 12, 2146	3.1	0
5	A Hybrid Switching Modulation of Isolated Bidirectional DC-DC Converter for Energy Storage System in DC Microgrid. <i>IEEE Access</i> , <b>2021</b> , 1-1	3.5	0
4	Hybrid Input Power Balancing Method of Modular Power Converters for High Efficiency, High Reliability, and Enhanced Dynamic Performance. <i>IEEE Transactions on Industrial Electronics</i> , <b>2021</b> , 1-1	8.9	0
3	Bidirectional CLLC Resonant Converter Employing PLC Capability and EM Noise Reduction Technique for Small-Sized ESS Application. <i>IEEE Journal of Emerging and Selected Topics in Industrial Electronics</i> , <b>2021</b> , 2, 277-286	2.6	0
2	Enhanced load adaptive modulation of induction heating series resonant inverters to heat various-material vessels. <i>Journal of Power Electronics</i> , 1	0.9	0
1	Extension of Zero Voltage Switching Capability for CLLC Resonant Converter. <i>Energies</i> , <b>2019</b> , 12, 818	3.1	