

Dalibor Satnsk

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4338739/dalibor-satinsky-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

108
papers

2,309
citations

28
h-index

40
g-index

114
ext. papers

2,576
ext. citations

5.4
avg, IF

5.1
L-index

| # | Paper | IF | Citations |
|-----|--|-----|-----------|
| 108 | Development of hybrid monoliths incorporating metal-organic frameworks for stir bar sorptive extraction coupled with liquid chromatography for determination of estrogen endocrine disruptors in water and human urine samples. <i>Mikrochimica Acta</i> , 2022 , 189, 92 | 5.8 | 0 |
| 107 | New polyamide 6 nanofibrous sorbents produced via alternating current electrospinning for the on-line solid phase extraction of small molecules in chromatography systems. <i>Microchemical Journal</i> , 2022 , 174, 107084 | 4.8 | 0 |
| 106 | UHPLC coupled with charged aerosol detector for rapid separation of steviol glycosides in commercial sweeteners and extract of <i>Stevia rebaudiana</i> . <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2022 , 207, 114398 | 3.5 | |
| 105 | Dynamics of Phloridzin and Related Compounds in Four Cultivars of Apple Trees during the Vegetation Period. <i>Molecules</i> , 2021 , 26, | 4.8 | 3 |
| 104 | The role of pKa, log P of analytes, and protein matrix in solid-phase extraction using native and coated nanofibrous and microfibrinous polymers prepared via meltblowing and combined meltblowing/electrospinning technologies. <i>Talanta</i> , 2021 , 232, 122470 | 6.2 | 1 |
| 103 | Comparison study of nanofibers, composite nano/microfiber materials, molecularly imprinted polymers, and core-shell sorbents used for on-line extraction-liquid chromatography of ochratoxins in Tokaj wines. <i>Microchemical Journal</i> , 2021 , 170, 106680 | 4.8 | 0 |
| 102 | Determination of Ochratoxin A and Ochratoxin B in Archived Tokaj Wines (Vintage 1959-2017) Using On-Line Solid Phase Extraction Coupled to Liquid Chromatography. <i>Toxins</i> , 2020 , 12, | 4.9 | 5 |
| 101 | On-line polydopamine coating as a new way to functionalize polypropylene fiber sorbent for solid phase extraction. <i>Talanta</i> , 2020 , 219, 121189 | 6.2 | 1 |
| 100 | Nanofibers as advanced sorbents for on-line solid phase extraction in liquid chromatography: A tutorial. <i>Analytica Chimica Acta</i> , 2020 , 1121, 83-96 | 6.6 | 9 |
| 99 | Poly-ε-caprolactone Nanofibrous Polymers: A Simple Alternative to Restricted Access Media for Extraction of Small Molecules from Biological Matrixes. <i>Analytical Chemistry</i> , 2020 , 92, 6801-6805 | 7.8 | 3 |
| 98 | 3D-Printed Magnetic Stirring Cages for Semidispersive Extraction of Bisphenols from Water Using Polymer Micro- and Nanofibers. <i>Analytical Chemistry</i> , 2020 , 92, 3964-3971 | 7.8 | 10 |
| 97 | Novel nanofibrous sorbents for the extraction and determination of resveratrol in wine. <i>Talanta</i> , 2020 , 206, 120181 | 6.2 | 6 |
| 96 | Polycaprolactone nanofibers functionalized with a dopamine coating for on-line solid phase extraction of bisphenols, betablockers, nonsteroidal drugs, and phenolic acids. <i>Mikrochimica Acta</i> , 2019 , 186, 710 | 5.8 | 12 |
| 95 | Screening of extraction properties of nanofibers in a sequential injection analysis system using a 3D printed device. <i>Talanta</i> , 2019 , 197, 517-521 | 6.2 | 7 |
| 94 | New generation of sequential injection chromatography: Great enhancement of capabilities of separation using flow analysis. <i>Talanta</i> , 2019 , 204, 272-277 | 6.2 | 3 |
| 93 | Micro-extraction by packed sorbent coupled on-line to a column-switching chromatography system: A case study on the determination of three beta-blockers in human urine. <i>Microchemical Journal</i> , 2019 , 147, 60-66 | 4.8 | 6 |
| 92 | Preparation of citrinin-selective molecularly imprinted polymer and its use for on-line solid-phase extraction coupled to liquid chromatography. <i>Analytical and Bioanalytical Chemistry</i> , 2019 , 411, 2395-2404 | 4.4 | 10 |

| | | | |
|----|---|------|----|
| 91 | Electrospun nanofiber polymers as extraction phases in analytical chemistry □The advances of the last decade. <i>TrAC - Trends in Analytical Chemistry</i> , 2019 , 110, 81-96 | 14.6 | 25 |
| 90 | Molecularly imprinted vs. reversed-phase extraction for the determination of zearalenone: a method development and critical comparison of sample clean-up efficiency achieved in an on-line coupled SPE chromatography system. <i>Analytical and Bioanalytical Chemistry</i> , 2018 , 410, 3265-3273 | 4.4 | 19 |
| 89 | Testing of nylon 6 nanofibers with different surface densities as sorbents for solid phase extraction and their selectivity comparison with commercial sorbent. <i>Talanta</i> , 2018 , 181, 326-332 | 6.2 | 20 |
| 88 | A validated UHPLC method for the determination of caffeoylquinic and di-caffeoylquinic acids in green coffee extracts using an RP-Amide fused-core column. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2018 , 151, 291-300 | 3.5 | |
| 87 | Nanofiber polymers as novel sorbents for on-line solid phase extraction in chromatographic system: A comparison with monolithic reversed phase C18 sorbent. <i>Analytica Chimica Acta</i> , 2018 , 1018, 26-34 | 6.6 | 19 |
| 86 | An on-line coupling of nanofibrous extraction with column-switching high performance liquid chromatography - A case study on the determination of bisphenol A in environmental water samples. <i>Talanta</i> , 2018 , 178, 141-146 | 6.2 | 28 |
| 85 | Development and validation of ultra-high performance supercritical fluid chromatography method for quantitative determination of nine sunscreens in cosmetic samples. <i>Analytica Chimica Acta</i> , 2018 , 1034, 184-194 | 6.6 | 18 |
| 84 | Current trends in the analysis and quality control of food supplements based on plant extracts. <i>Analytica Chimica Acta</i> , 2018 , 1036, 1-15 | 6.6 | 44 |
| 83 | A Comparative Study of Advanced Stationary Phases for Fast Liquid Chromatography Separation of Synthetic Food Colorants. <i>Molecules</i> , 2018 , 23, | 4.8 | 1 |
| 82 | A comparison study of nanofiber, microfiber, and new composite nano/microfiber polymers used as sorbents for on-line solid phase extraction in chromatography system. <i>Analytica Chimica Acta</i> , 2018 , 1023, 44-52 | 6.6 | 28 |
| 81 | Multilayered particle-packed column: Evaluation and comparison with monolithic and core-shell particle columns for the determination of red azo dyes in Sequential Injection Chromatography. <i>Journal of Separation Science</i> , 2017 , 40, 1225-1233 | 3.4 | 8 |
| 80 | The pentafluorophenyl stationary phase shows a unique separation efficiency for performing fast chromatography determination of highbush blueberry anthocyanins. <i>Talanta</i> , 2017 , 166, 249-254 | 6.2 | 16 |
| 79 | Seasonal Variations in the Behavior of Alcohol Sulfates in Agricultural Soils: a Field Study. <i>Water, Air, and Soil Pollution</i> , 2017 , 228, 1 | 2.6 | |
| 78 | A new approach to the rapid separation of isomeric compounds in a Silybum marianum extract using UHPLC core-shell column with F5 stationary phase. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2017 , 134, 203-213 | 3.5 | 32 |
| 77 | On-line coupling of molecularly imprinted solid phase extraction with liquid chromatography for the fast determination of coumarins from complex samples. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2017 , 145, 144-150 | 3.5 | 20 |
| 76 | Sub-1min separation in sequential injection chromatography for determination of synthetic water-soluble dyes in pharmaceutical formulation. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2017 , 143, 123-129 | 3.5 | 11 |
| 75 | A UHPLC method for the rapid separation and quantification of anthocyanins in acai berry and dry blueberry extracts. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2017 , 143, 204-213 | 3.5 | 18 |
| 74 | A UHPLC method for the rapid separation and quantification of phytosterols using tandem UV/Charged aerosol detection - A comparison of both detection techniques. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2017 , 140, 274-280 | 3.5 | 18 |

| | | | |
|----|--|------|----|
| 73 | Critical comparison of the on-line and off-line molecularly imprinted solid-phase extraction of patulin coupled with liquid chromatography. <i>Journal of Separation Science</i> , 2017 , 40, 4599-4609 | 3.4 | 8 |
| 72 | Fast separation of red colorants in beverages using cyano monolithic column in Sequential Injection Chromatography. <i>Microchemical Journal</i> , 2017 , 130, 384-389 | 4.8 | 6 |
| 71 | Aspects of decontamination of ivermectin and praziquantel from environmental waters using advanced oxidation technology. <i>Chemosphere</i> , 2016 , 144, 21-8 | 8.4 | 17 |
| 70 | A fully automated and fast method using direct sample injection combined with fused-core column on-line SPE-HPLC for determination of ochratoxin A and citrinin in lager beers. <i>Analytical and Bioanalytical Chemistry</i> , 2016 , 408, 3319-29 | 4.4 | 29 |
| 69 | Determination of green, blue and yellow artificial food colorants and their abuse in herb-coloured green Easter beers on tap. <i>Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment</i> , 2016 , 33, 1139-46 | 3.2 | 12 |
| 68 | A new method for rapid determination of indole-3-carbinol and its condensation products in nutraceuticals using core-shell column chromatography method. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2016 , 120, 383-90 | 3.5 | 9 |
| 67 | A study of retention characteristics and quality control of nutraceuticals containing resveratrol and polydatin using fused-core column chromatography. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2016 , 120, 112-9 | 3.5 | 8 |
| 66 | Development and validation of ultra-high performance supercritical fluid chromatography method for determination of illegal dyes and comparison to ultra-high performance liquid chromatography method. <i>Analytica Chimica Acta</i> , 2015 , 874, 84-96 | 6.6 | 33 |
| 65 | On-line hyphenation of solid-phase extraction to chromatographic separation of sulfonamides with fused-core columns in sequential injection chromatography. <i>Talanta</i> , 2015 , 133, 142-9 | 6.2 | 28 |
| 64 | An on-line SPE-HPLC method for effective sample preconcentration and determination of fenoxycarb and cis, trans-permethrin in surface waters. <i>Talanta</i> , 2015 , 142, 124-30 | 6.2 | 15 |
| 63 | On-line coupling of Micro-Extraction by Packed Sorbent with Sequential Injection Chromatography system for direct extraction and determination of betaxolol in human urine. <i>Talanta</i> , 2015 , 143, 132-137 | 6.2 | 16 |
| 62 | A New Gas Chromatography Method for Quality Control of Methylsulfonylmethane Content in Multicomponent Dietary Supplements. <i>Food Analytical Methods</i> , 2014 , 7, 1118-1122 | 3.4 | 7 |
| 61 | A high-performance liquid chromatography method with pre-column derivatization for the simultaneous determination of reduced glutathione, carnosine and taurine. <i>Analytical Methods</i> , 2014 , 6, 1475 | 3.2 | 14 |
| 60 | New method for the determination of carbamate and pyrethroid insecticides in water samples using on-line SPE fused core column chromatography. <i>Talanta</i> , 2014 , 129, 579-85 | 6.2 | 39 |
| 59 | On-line SPE-UHPLC method using fused core columns for extraction and separation of nine illegal dyes in chilli-containing spices. <i>Talanta</i> , 2014 , 130, 433-41 | 6.2 | 24 |
| 58 | Analysis of trace organic compounds in environmental, food and biological matrices using large-volume sample injection in column-switching liquid chromatography. <i>TrAC - Trends in Analytical Chemistry</i> , 2014 , 62, 69-85 | 14.6 | 40 |
| 57 | A Fast Determination of Chlorophylls in Barley Grass Juice Powder Using HPLC Fused-Core Column Technology and HPTLC. <i>Food Analytical Methods</i> , 2014 , 7, 629-635 | 3.4 | 8 |
| 56 | Identification of prometon, deisopropylprometon, and hydroxyprometon in groundwater by high resolution liquid chromatography/mass spectrometry. <i>Science of the Total Environment</i> , 2014 , 497-498, 459-466 | 10.2 | 5 |

| | | | |
|----|---|-----|----|
| 55 | Degradation study of nitroaromatic explosives 2-diazo-4,6-dinitrophenol and picramic acid using HPLC and UHPLC-ESI-MS/MS. <i>Analytical Methods</i> , 2014 , 6, 4761 | 3.2 | 3 |
| 54 | A Fast HPLC Method for Determination of Vitamin E Acetate in Dietary Supplements Using Monolithic Column. <i>Food Analytical Methods</i> , 2013 , 6, 380-385 | 3.4 | 17 |
| 53 | Fast HPLC Method for Determination of Fenoxycarb and Permethrin in Antiparasitic Veterinary Shampoo Using Fused-Core Column. <i>Chromatographia</i> , 2013 , 76, 1559-1564 | 2.1 | 3 |
| 52 | Fast and sensitive UHPLC methods with fluorescence and tandem mass spectrometry detection for the determination of tetracycline antibiotics in surface waters. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2013 , 927, 201-8 | 3.2 | 41 |
| 51 | A rapid HPLC column switching method for sample preparation and determination of β -carotene in food supplements. <i>Food Chemistry</i> , 2013 , 141, 1433-7 | 8.5 | 24 |
| 50 | Two-column sequential injection chromatography for fast isocratic separation of two analytes of greatly differing chemical properties. <i>Talanta</i> , 2013 , 114, 311-7 | 6.2 | 4 |
| 49 | HPLC column-switching technique for sample preparation and fluorescence determination of propranolol in urine using fused-core columns in both dimensions. <i>Analytical and Bioanalytical Chemistry</i> , 2013 , 405, 6583-7 | 4.4 | 15 |
| 48 | Green chromatography separation of analytes of greatly differing properties using a polyethylene glycol stationary phase and a low-toxic water-based mobile phase. <i>Analytical and Bioanalytical Chemistry</i> , 2013 , 405, 6105-15 | 4.4 | 21 |
| 47 | A fast on-line micro-column sample pretreatment with a HPLC column switching technique and large volume sample injection for determination of non-steroidal anti-inflammatory drugs in human serum. <i>Analytical Methods</i> , 2013 , 5, 6153 | 3.2 | 9 |
| 46 | High-resolution monolithic columns--a new tool for effective and quick separation. <i>Analytical and Bioanalytical Chemistry</i> , 2013 , 405, 2255-63 | 4.4 | 14 |
| 45 | A New and Fast HPLC Method for Determination of Rutin, Troxerutin, Diosmin and Hesperidin in Food Supplements Using Fused-Core Column Technology. <i>Food Analytical Methods</i> , 2013 , 6, 1353-1360 | 3.4 | 40 |
| 44 | Advantages of core-shell particle columns in Sequential Injection Chromatography for determination of phenolic acids. <i>Talanta</i> , 2013 , 103, 221-7 | 6.2 | 27 |
| 43 | Optimisation of an HPLC method for the simultaneous determination of pyrantel pamoate, praziquantel, fenbendazole, oxfendazole and butylhydroxyanisole using a phenyl stationary phase. <i>Analytical Methods</i> , 2012 , 4, 1592 | 3.2 | 11 |
| 42 | Enhanced capabilities of separation in Sequential Injection Chromatography--fused-core particle column and its comparison with narrow-bore monolithic column. <i>Talanta</i> , 2011 , 85, 1129-34 | 6.2 | 28 |
| 41 | Separation of Vitamins Retinol Acetate, Ergocalciferol, or Cholecalciferol and Tocopherol Acetate Using Sequential Injection Chromatography. <i>Analytical Letters</i> , 2011 , 44, 446-456 | 2.2 | 5 |
| 40 | Synthesis of mono-, di-, tri- and tetracarboxy azaphthalocyanines as potential dark quenchers. <i>Dyes and Pigments</i> , 2011 , 91, 112-119 | 4.6 | 17 |
| 39 | Two-column sequential injection chromatography--new approach for fast and effective analysis and its comparison with gradient elution chromatography. <i>Analytica Chimica Acta</i> , 2010 , 668, 61-6 | 6.6 | 19 |
| 38 | Ultra high performance liquid chromatography tandem mass spectrometric detection in clinical analysis of simvastatin and atorvastatin. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2009 , 877, 2093-103 | 3.2 | 47 |

| | | | |
|----|--|------|-----|
| 37 | Antileukotrienic phenethylamido derivatives of arylalkanoic acids in the treatment of ulcerative colitis. <i>European Journal of Medicinal Chemistry</i> , 2009 , 44, 332-44 | 6.8 | 8 |
| 36 | Comparison of UV and charged aerosol detection approach in pharmaceutical analysis of statins. <i>Talanta</i> , 2009 , 78, 834-9 | 6.2 | 45 |
| 35 | Highly sensitive gas-diffusion sequential injection analysis based on flow manipulation. <i>Talanta</i> , 2009 , 79, 1021-5 | 6.2 | 17 |
| 34 | Rapid and Simple Determination of Vitamin A and Vitamin E in Human Plasma by Column-Switching High-Performance Liquid Chromatography. <i>Current Analytical Chemistry</i> , 2009 , 5, 311-315 | 1.7 | 7 |
| 33 | Advantages of pentafluorophenylpropyl stationary phase over conventional C18 stationary phase--application to analysis of triamcinolone acetonide. <i>Talanta</i> , 2008 , 76, 597-601 | 6.2 | 11 |
| 32 | Determination of pesticides fenoxycarb and permethrin by sequential injection chromatography using miniaturized monolithic column. <i>Talanta</i> , 2008 , 77, 566-570 | 6.2 | 29 |
| 31 | HPLC methods for the determination of simvastatin and atorvastatin. <i>TrAC - Trends in Analytical Chemistry</i> , 2008 , 27, 352-367 | 14.6 | 64 |
| 30 | Using restricted-access materials and column switching in high-performance liquid chromatography for direct analysis of biologically-active compounds in complex matrices. <i>TrAC - Trends in Analytical Chemistry</i> , 2007 , 26, 375-384 | 14.6 | 105 |
| 29 | An overview of sequential injection chromatography. <i>Analytica Chimica Acta</i> , 2007 , 600, 129-35 | 6.6 | 80 |
| 28 | On-line coupling of sequential injection extraction with restricted-access materials and post-column derivatization for sample clean-up and determination of propranolol in human plasma. <i>Analytica Chimica Acta</i> , 2007 , 600, 122-8 | 6.6 | 13 |
| 27 | Fluorimetric SIA optosensing in pharmaceutical analysis: determination of paracetamol. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2007 , 45, 318-21 | 3.5 | 24 |
| 26 | Fluorescence optosensing implemented with sequential injection analysis: a novel strategy for the determination of labetalol. <i>Analytical and Bioanalytical Chemistry</i> , 2007 , 387, 2065-9 | 4.4 | 14 |
| 25 | A novel application of Onyxtrade mark monolithic column for simultaneous determination of salicylic acid and triamcinolone acetonide by sequential injection chromatography. <i>Talanta</i> , 2007 , 72, 854-8 | 6.2 | 28 |
| 24 | Simple determination of betamethasone and chloramphenicol in a pharmaceutical preparation using a short monolithic column coupled to a sequential injection system. <i>Journal of Separation Science</i> , 2006 , 29, 2494-9 | 3.4 | 36 |
| 23 | Automation of simultaneous release tests of two substances by sequential injection chromatography coupled with Franz cell. <i>Talanta</i> , 2006 , 69, 730-5 | 6.2 | 41 |
| 22 | Fast simultaneous spectrophotometric determination of naphazoline nitrate and methylparaben by sequential injection chromatography. <i>Talanta</i> , 2006 , 70, 408-13 | 6.2 | 40 |
| 21 | Using on-line solid phase extraction for determination of amiloride in human urine by sequential injection technique. <i>Analytica Chimica Acta</i> , 2006 , 573-574, 376-82 | 6.6 | 9 |
| 20 | Determination of ambroxol hydrochloride, methylparaben and benzoic acid in pharmaceutical preparations based on sequential injection technique coupled with monolithic column. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2006 , 40, 287-93 | 3.5 | 45 |

| | | | |
|----|--|-----|-----|
| 19 | Sequential injection chromatographic determination of ambroxol hydrochloride and doxycycline in pharmaceutical preparations. <i>Talanta</i> , 2005 , 68, 214-8 | 6.2 | 41 |
| 18 | Flow-through sol-gel optical biosensor for the colorimetric determination of acetazolamide. <i>Analyst, The</i> , 2005 , 130, 1190-7 | 5 | 24 |
| 17 | Sequential injection extraction based on restricted access material for determination of furosemide in serum. <i>Journal of Chromatography A</i> , 2005 , 1087, 245-51 | 4.5 | 25 |
| 16 | Novel Regioselective Preparation of 5-Chloropyrazine-2-Carbonitrile from Pyrazine-2-Carboxamide and Coupling Study of Substituted Phenylsulfanylpyrazine- 2-Carboxylic Acid Derivatives. <i>Current Organic Chemistry</i> , 2005 , 9, 49-60 | 1.7 | 13 |
| 15 | Derivatives of (Phenylsulfanyl)benzoic Acids with Multiple Antileukotrienic Activity. <i>Collection of Czechoslovak Chemical Communications</i> , 2004 , 69, 2098-2120 | | 7 |
| 14 | Sequential injection chromatographic determination of paracetamol, caffeine, and acetylsalicylic acid in pharmaceutical tablets. <i>Journal of Separation Science</i> , 2004 , 27, 529-36 | 3.4 | 68 |
| 13 | Colorimetric bismuth determination in pharmaceuticals using a xylenol orange sol-gel sensor coupled to a multicommutated flow system. <i>Analytica Chimica Acta</i> , 2004 , 504, 235-241 | 6.6 | 36 |
| 12 | Determination of salbutamol using on-line solid-phase extraction and sequential injection analysis. Comparison of chemiluminescence and fluorescence detection. <i>Analytical and Bioanalytical Chemistry</i> , 2003 , 376, 448-54 | 4.4 | 21 |
| 11 | Determination of bopindolol by sequential injection technique with spectrophotometric detection. <i>Il Farmaco</i> , 2003 , 58, 1057-62 | | 5 |
| 10 | Using on-line solid phase extraction for simultaneous determination of ascorbic acid and rutin trihydrate by sequential injection analysis. <i>Analytica Chimica Acta</i> , 2003 , 497, 165-174 | 6.6 | 72 |
| 9 | Fully automated drug liberation apparatus for semisolid preparations based on sequential injection analysis. <i>Analytica Chimica Acta</i> , 2003 , 499, 9-16 | 6.6 | 19 |
| 8 | Reversed-phase porous silica rods, an alternative approach to high-performance liquid chromatographic separation using the sequential injection chromatography technique. <i>Journal of Chromatography A</i> , 2003 , 1015, 239-44 | 4.5 | 50 |
| 7 | Monolithic columns— a new concept of separation in the sequential injection technique. <i>Analytica Chimica Acta</i> , 2003 , 499, 205-214 | 6.6 | 117 |
| 6 | Coupling of monolithic columns with sequential injection technique: A new separation approach in flow methods. <i>Analytica Chimica Acta</i> , 2003 , 494, 133-140 | 6.6 | 46 |
| 5 | Determination of bopindolol using the flow injection technique coupled with solid phase extraction. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2003 , 33, 1149-53 | 3.5 | 6 |
| 4 | On-line coupling of sequential injection extraction with restricted-access materials for sample clean-up and analysis of drugs in biological matrix. <i>Analyst, The</i> , 2003 , 128, 351-6 | 5 | 14 |
| 3 | Using on-line solid phase extraction for flow-injection spectrophotometric determination of salbutamol. <i>Analytica Chimica Acta</i> , 2002 , 455, 103-109 | 6.6 | 30 |
| 2 | Determination of rhodamine 123 by sequential injection technique for pharmacokinetic studies in the rat placenta. <i>Talanta</i> , 2002 , 58, 1145-1149 | 6.2 | 5 |

- 1 Automated simultaneous monitoring of nitrate and nitrite in surface water by sequential injection analysis. *Water Research*, **2002**, 36, 2777-83 12.5 26