
Esther Duarte

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4338855/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	European consensus table on the use of botulinum toxin type A in adult spasticity. Journal of Rehabilitation Medicine, 2009, 41, 13-25.	0.8	282
2	Virtual reality based rehabilitation speeds up functional recovery of the upper extremities after stroke: A randomized controlled pilot study in the acute phase of stroke using the Rehabilitation Gaming System. Restorative Neurology and Neuroscience, 2011, 29, 287-298.	0.4	201
3	The Combined Impact of Virtual Reality Neurorehabilitation and Its Interfaces on Upper Extremity Functional Recovery in Patients With Chronic Stroke. Stroke, 2012, 43, 2720-2728.	1.0	149
4	Trunk control test as a functional predictor in stroke patients. Journal of Rehabilitation Medicine, 2002, 34, 267-272.	0.8	141
5	A critical time window for recovery extends beyond one-year post-stroke. Journal of Neurophysiology, 2019, 122, 350-357.	0.9	100
6	Is botulinum toxin type A effective in the treatment of spastic shoulder pain in patients after stroke? A double-blind randomized clinical trial. Acta Dermato-Venereologica, 2007, 39, 440-447.	0.6	89
7	Music supported therapy promotes motor plasticity in individuals with chronic stroke. Brain Imaging and Behavior, 2016, 10, 1289-1307.	1.1	87
8	Sensorimotor Plasticity after Music-Supported Therapy in Chronic Stroke Patients Revealed by Transcranial Magnetic Stimulation. PLoS ONE, 2013, 8, e61883.	1.1	75
9	Respiratory muscle strength training and neuromuscular electrical stimulation in subacute dysphagic stroke patients: a randomized controlled trial. Clinical Rehabilitation, 2017, 31, 761-771.	1.0	62
10	Inspiratory and expiratory muscle training in subacute stroke. Neurology, 2015, 85, 564-572.	1.5	56
11	Musicâ€ s upported therapy in the rehabilitation of subacute stroke patients: a randomized controlled trial. Annals of the New York Academy of Sciences, 2018, 1423, 318-328.	1.8	51
12	Musical training as an alternative and effective method for neuro-education and neuro-rehabilitation. Frontiers in Psychology, 2015, 6, 475.	1.1	47
13	The visual amplification of goal-oriented movements counteracts acquired non-use in hemiparetic stroke patients. Journal of NeuroEngineering and Rehabilitation, 2015, 12, 50.	2.4	47
14	Malnutrition according to ESPEN consensus predicts hospitalizations and long-term mortality in rehabilitation patients with stable chronic obstructive pulmonary disease. Clinical Nutrition, 2019, 38, 2180-2186.	2.3	46
15	Potential benefits of music playing in stroke upper limb motor rehabilitation. Neuroscience and Biobehavioral Reviews, 2020, 112, 585-599.	2.9	46
16	Domiciliary VR-Based Therapy for Functional Recovery and Cortical Reorganization: Randomized Controlled Trial in Participants at the Chronic Stage Post Stroke. JMIR Serious Games, 2017, 5, e15.	1.7	44
17	Early detection of non-ambulatory survivors six months after stroke. NeuroRehabilitation, 2010, 26, 317-323.	0.5	42
18	Efficacy of low-frequency low-intensity electrotherapy in the treatment of breast cancer-related lymphoedema: a cross-over randomized trial. Clinical Rehabilitation, 2012, 26, 607-618.	1.0	42

ESTHER DUARTE

#	Article	IF	CITATIONS
19	Growth and Curve Stabilization in Girls With Adolescent Idiopathic Scoliosis. Spine, 2005, 30, 411-417.	1.0	39
20	Lymphedema Predictor Factors after Breast Cancer Surgery: A Survival Analysis. Lymphatic Research and Biology, 2015, 13, 268-274.	0.5	36
21	Usefulness of the volume-viscosity swallow test for screening dysphagia in subacute stroke patients in rehabilitation income. NeuroRehabilitation, 2013, 33, 631-638.	0.5	35
22	Analysis of the expectations of elderly patients before undergoing total knee replacement. Archives of Gerontology and Geriatrics, 2010, 51, e83-e87.	1.4	30
23	Sarcopenia According to the Revised European Consensus on Definition and Diagnosis (EWGSOP2) Criteria Predicts Hospitalizations and Long-Term Mortality in Rehabilitation Patients With Stable Chronic Obstructive Pulmonary Disease. Journal of the American Medical Directors Association, 2019, 20, 1047-1049.	1.2	28
24	Malnutrition According to GLIM Criteria Is Associated with Mortality and Hospitalizations in Rehabilitation Patients with Stable Chronic Obstructive Pulmonary Disease. Nutrients, 2021, 13, 369.	1.7	28
25	Social Integration of Stroke Patients through the Multiplayer Rehabilitation Gaming System. Lecture Notes in Computer Science, 2014, , 100-114.	1.0	24
26	Assessment of angle velocity in girls with adolescent idiopathic scoliosis. Scoliosis, 2009, 4, 20.	0.4	21
27	Usefulness of Citric Cough Test for Screening of Silent Aspiration in Subacute Stroke Patients: A Prospective Study. Archives of Physical Medicine and Rehabilitation, 2015, 96, 1277-1283.	0.5	16
28	Rehabilitation Profiles of Older Adult Stroke Survivors Admitted to Intermediate Care Units: A Multi-Centre Study. PLoS ONE, 2016, 11, e0166304.	1.1	16
29	CROSS-VALIDATION OF A MODEL FOR PREDICTING FUNCTIONAL STATUS AND LENGTH OF STAY IN PATIENTS WITH STROKE. Journal of Rehabilitation Medicine, 2006, 38, 204-206.	0.8	14
30	Enriching footsteps sounds in gait rehabilitation in chronic stroke patients: a pilot study. Annals of the New York Academy of Sciences, 2020, 1467, 48-59.	1.8	14
31	Effects of information and training provision in satisfaction of patients and carers in stroke rehabilitation. NeuroRehabilitation, 2013, 33, 639-647.	0.5	12
32	Overactivation of the supplementary motor area in chronic stroke patients. Journal of Neurophysiology, 2014, 112, 2251-2263.	0.9	12
33	Conjunctive rehabilitation of multiple cognitive domains for chronic stroke patients in virtual reality. , 2017, 2017, 947-952.		11
34	Change in cognitive performance is associated with functional recovery during post-acute stroke rehabilitation: a multi-centric study from intermediate care geriatric rehabilitation units of Catalonia. Neurological Sciences, 2015, 36, 1875-1880.	0.9	9
35	Enriched Music-supported Therapy for chronic stroke patients: a study protocol of a randomised controlled trial. BMC Neurology, 2021, 21, 19.	0.8	9
36	At Home Motor Rehabilitation in the Chronic Phase of Stroke Using the Rehabilitation Gaming System. Biosystems and Biorobotics, 2013, , 931-935.	0.2	8

ESTHER DUARTE

#	Article	IF	CITATIONS
37	Time course of motor gains induced by music-supported therapy after stroke: An exploratory case study Neuropsychology, 2017, 31, 624-635.	1.0	8
38	Designing an app for home-based enriched Music-supported Therapy in the rehabilitation of patients with chronic stroke: a pilot feasibility study. Brain Injury, 2021, 35, 1585-1597.	0.6	7
39	Taking a step toward implementation of Global Leadership Initiative on Malnutrition (GLIM) criteria in geriatric rehabilitation. European Geriatric Medicine, 2020, 11, 349-352.	1.2	6
40	ls peak expiratory flow an accurate sarcopenia screening tool in older patients referred to respiratory rehabilitation?. European Geriatric Medicine, 2020, 11, 297-306.	1.2	5
41	The effect of motor relearning on balance, mobility and performance of activities of daily living among post-stroke patients: Study protocol for a randomised controlled trial. European Stroke Journal, 2022, 7, 76-84.	2.7	4
42	Intensive rehabilitation programme for patients with subacute stroke in an inpatient rehabilitation facility: describing a protocol of a prospective cohort study. BMJ Open, 2021, 11, e046346.	0.8	3
43	Reply to the Letter to the Editor by Franco Franchignoni. Journal of Rehabilitation Medicine, 2003, 35, 150-151.	0.8	2
44	Improving Depressive Symptoms through Personalised Exercise and Activation (IDEA): Study Protocol for a Randomised Controlled Trial. International Journal of Environmental Research and Public Health, 2021, 18, 6306.	1.2	2
45	The Return Home Program: integrated health and social care for post-stroke patients. International Journal of Integrated Care, 2016, 16, 219.	0.1	1
46	Cerebral infarct site and affected vascular territory as factors in breathing weakness in patients with subacute stroke. Journal of Rehabilitation Medicine, 2020, 52, jrm00116.	0.8	0