

Jung-Hyun Shim

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4340888/jung-hyun-shim-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

133
papers

2,493
citations

26
h-index

42
g-index

136
ext. papers

2,941
ext. citations

4.7
avg, IF

4.75
L-index

#	Paper	IF	Citations
133	Preparation of topical bimatoprost with enhanced skin infiltration and hair regrowth efficacy in androgenic alopecia.. <i>Drug Delivery</i> , 2022 , 29, 328-341	7	3
132	Protection against Oxidative Stress-Induced Apoptosis by Fermented Sea Tangle (Aresch) in Osteoblastic MC3T3-E1 Cells through Activation of Nrf2 Signaling Pathway. <i>Foods</i> , 2021 , 10,	4.9	2
131	Podophyllotoxin Induces ROS-Mediated Apoptosis and Cell Cycle Arrest in Human Colorectal Cancer Cells via p38 MAPK Signaling. <i>Biomolecules and Therapeutics</i> , 2021 , 29, 658-666	4.2	1
130	Deoxypodophyllotoxin Inhibits Cell Growth and Induces Apoptosis by Blocking EGFR and MET in Gefitinib-Resistant Non-Small Cell Lung Cancer. <i>Journal of Microbiology and Biotechnology</i> , 2021 , 31, 559-569	3.3	3
129	Targeting LIMK1 with luteolin inhibits the growth of lung cancer in vitro and in vivo. <i>Journal of Cellular and Molecular Medicine</i> , 2021 , 25, 5560-5571	5.6	10
128	A Small Molecule Antagonist of PD-1/PD-L1 Interactions Acts as an Immune Checkpoint Inhibitor for NSCLC and Melanoma Immunotherapy. <i>Frontiers in Immunology</i> , 2021 , 12, 654463	8.4	2
127	The 3-deoxysappanchalcone induces ROS-mediated apoptosis and cell cycle arrest via JNK/p38 MAPKs signaling pathway in human esophageal cancer cells. <i>Phytomedicine</i> , 2021 , 86, 153564	6.5	7
126	Targeted inhibition of c-MET by podophyllotoxin promotes caspase-dependent apoptosis and suppresses cell growth in gefitinib-resistant non-small cell lung cancer cells. <i>Phytomedicine</i> , 2021 , 80, 153355	6.5	8
125	3-Deoxysappanchalcone Inhibits Skin Cancer Proliferation by Regulating T-Lymphokine-Activated Killer Cell-Originated Protein Kinase and. <i>Frontiers in Cell and Developmental Biology</i> , 2021 , 9, 638174	5.7	3
124	The Protective Effect of Topical Spermidine on Dry Eye Disease with Retinal Damage Induced by Diesel Particulate Matter2.5. <i>Pharmaceutics</i> , 2021 , 13,	6.4	2
123	Xanthohumol Inhibits the Growth of Keratin 18-Overexpressed Esophageal Squamous Cell Carcinoma and. <i>Frontiers in Cell and Developmental Biology</i> , 2020 , 8, 366	5.7	5
122	Janus kinase 2 inhibition by Licochalcone B suppresses esophageal squamous cell carcinoma growth. <i>Phytotherapy Research</i> , 2020 , 34, 2032-2043	6.7	8
121	Picropodophyllotoxin, an Epimer of Podophyllotoxin, Causes Apoptosis of Human Esophageal Squamous Cell Carcinoma Cells Through ROS-Mediated JNK/P38 MAPK Pathways. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	6
120	Isolation, Semisynthesis, and Molecular Modeling of Deoxypodophyllotoxin Analogs for an Anti-oral Cancer Agent. <i>Bulletin of the Korean Chemical Society</i> , 2020 , 41, 472-475	1.2	2
119	Licochalcone D Induces ROS-Dependent Apoptosis in Gefitinib-Sensitive or Resistant Lung Cancer Cells by Targeting EGFR and MET. <i>Biomolecules</i> , 2020 , 10,	5.9	13
118	Licochalcone C induces cell cycle G1 arrest and apoptosis in human esophageal squamous carcinoma cells by activation of the ROS/MAPK signaling pathway. <i>Journal of Chemotherapy</i> , 2020 , 32, 132-143	2.3	7
117	Dual inhibition of EGFR and MET by Echinatin retards cell growth and induces apoptosis of lung cancer cells sensitive or resistant to gefitinib. <i>Phytotherapy Research</i> , 2020 , 34, 388-400	6.7	9

116	Licochalcone H Synthesized by Modifying Structure of Licochalcone C Extracted from Glycyrrhiza inflata Induces Apoptosis of Esophageal Squamous Cell Carcinoma Cells. <i>Cell Biochemistry and Biophysics</i> , 2020 , 78, 65-76	3.2	2
115	Podophyllotoxin Isolated from Podophyllum peltatum Induces G2/M Phase Arrest and Mitochondrial-Mediated Apoptosis in Esophageal Squamous Cell Carcinoma Cells. <i>Forests</i> , 2020 , 11, 8	2.8	3
114	Isolinderalactone Induces Cell Death via Mitochondrial Superoxide- and STAT3-Mediated Pathways in Human Ovarian Cancer Cells. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	2
113	Dasatinib Inhibits Lung Cancer Cell Growth and Patient Derived Tumor Growth in Mice by Targeting LIMK1. <i>Frontiers in Cell and Developmental Biology</i> , 2020 , 8, 556532	5.7	9
112	Deoxypodophyllotoxin, a Lignan from , Induces Apoptosis and Cell Cycle Arrest by Inhibiting the EGFR Signaling Pathways in Esophageal Squamous Cell Carcinoma Cells. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	3
111	Alternative Options for Skin Cancer Therapy via Regulation of AKT and Related Signaling Pathways. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	4
110	Effects of Harvest Time on Phytochemical Constituents and Biological Activities of Berry Extracts. <i>Molecules</i> , 2019 , 24,	4.8	2
109	Cell growth inhibition by 3-deoxysappanchalcone is mediated by directly targeting the TOPK signaling pathway in colon cancer. <i>Phytomedicine</i> , 2019 , 61, 152813	6.5	18
108	Deoxypodophyllotoxin Exerts Anti-Cancer Effects on Colorectal Cancer Cells Through Induction of Apoptosis and Suppression of Tumorigenesis. <i>International Journal of Molecular Sciences</i> , 2019 , 20,	6.3	11
107	Targeting ROCK/LIMK/cofilin signaling pathway in cancer. <i>Archives of Pharmacal Research</i> , 2019 , 42, 481-491	6.1	33
106	Licochalcone D directly targets JAK2 to induced apoptosis in human oral squamous cell carcinoma. <i>Journal of Cellular Physiology</i> , 2019 , 234, 1780-1793	7	8
105	Licochalcone B inhibits growth and induces apoptosis of human non-small-cell lung cancer cells by dual targeting of EGFR and MET. <i>Phytomedicine</i> , 2019 , 63, 153014	6.5	15
104	Cytotoxic Constituents from the Roots of Asarum sieboldii in Human Breast Cancer Cells. <i>Natural Product Sciences</i> , 2019 , 25, 72	1.1	4
103	Retrochalcone Echinatin Triggers Apoptosis of Esophageal Squamous Cell Carcinoma via ROS- and ER Stress-Mediated Signaling Pathways. <i>Molecules</i> , 2019 , 24,	4.8	11
102	Tyrosinase Inhibition Antioxidant Effect and Cytotoxicity Studies of the Extracts of Cudrania tricuspidata Fruit Standardized in Chlorogenic Acid. <i>Molecules</i> , 2019 , 24,	4.8	10
101	Identification and Extraction Optimization of Active Constituents in Seib ex TANAKA Peel and Its Biological Evaluation. <i>Molecules</i> , 2019 , 24,	4.8	10
100	(S)-10-Hydroxycamptothecin Inhibits Esophageal Squamous Cell Carcinoma Growth In Vitro and In Vivo Via Decreasing Topoisomerase I Enzyme Activity. <i>Cancers</i> , 2019 , 11,	6.6	8
99	JAK2 regulation by licochalcone H inhibits the cell growth and induces apoptosis in oral squamous cell carcinoma. <i>Phytomedicine</i> , 2019 , 52, 60-69	6.5	12

98	Licochalcone H induces the apoptosis of human oral squamous cell carcinoma cells via regulation of matrix metalloproteinase-13. <i>Oncology Reports</i> , 2019 , 41, 333-340	3.5	11
97	Licochalcone C induced apoptosis in human oral squamous cell carcinoma cells by regulation of the JAK2/STAT3 signaling pathway. <i>Journal of Cellular Biochemistry</i> , 2018 , 119, 10118-10130	4.7	15
96	Oridonin induces apoptosis in oral squamous cell carcinoma probably through the generation of reactive oxygen species and the p38/JNK MAPK pathway. <i>International Journal of Oncology</i> , 2018 , 52, 1749-1759	4.4	11
95	Ethanol Extract of Leaf Ameliorates Hyperuricemia in Mice via Inhibition of Hepatic and Serum Xanthine Oxidase Activity. <i>Evidence-based Complementary and Alternative Medicine</i> , 2018 , 2018, 8037925 ²⁻³	2.3	7
94	Inhibitory Effect of Phenanthrenes and Dihydrostilbenes from <i>Dendrobium moniliforme</i> on Protein Tyrosine Phosphatase 1B. <i>Bulletin of the Korean Chemical Society</i> , 2018 , 39, 1467-1470	1.2	2
93	Optimization of the Extraction Conditions and Biological Evaluation of <i>H. Lev</i> as an Anti-Hyperuricemic Source. <i>Molecules</i> , 2018 , 23,	4.8	6
92	Antitumorigenic effect of atmospheric-pressure dielectric barrier discharge on human colorectal cancer cells via regulation of Sp1 transcription factor. <i>Scientific Reports</i> , 2017 , 7, 43081	4.9	22
91	Cytoprotective effects of esculetin against oxidative stress are associated with the upregulation of Nrf2-mediated NQO1 expression via the activation of the ERK pathway. <i>International Journal of Molecular Medicine</i> , 2017 , 39, 380-386	4.4	28
90	Rhein exhibits antitumorigenic effects by interfering with the interaction between prolyl isomerase Pin1 and c-Jun. <i>Oncology Reports</i> , 2017 , 37, 1865-1872	3.5	8
89	Licochalcone A Suppresses Specificity Protein 1 as a Novel Target in Human Breast Cancer Cells. <i>Journal of Cellular Biochemistry</i> , 2017 , 118, 4652-4663	4.7	23
88	Herbacetin suppresses cutaneous squamous cell carcinoma and melanoma cell growth by targeting AKT and ODC. <i>Carcinogenesis</i> , 2017 , 38, 1136-1146	4.6	19
87	Natural Compound Licochalcone B Induced Extrinsic and Intrinsic Apoptosis in Human Skin Melanoma (A375) and Squamous Cell Carcinoma (A431) Cells. <i>Phytotherapy Research</i> , 2017 , 31, 1858-1867 ^{6,7}	6.7	26
86	Esculetin exerts anti-proliferative effects against non-small-cell lung carcinoma by suppressing specificity protein 1 in vitro. <i>General Physiology and Biophysics</i> , 2017 , 36, 31-39	2.1	8
85	Identification of the biologically active constituents of <i>Camellia japonica</i> leaf and anti-hyperuricemic effect in vitro and in vivo. <i>International Journal of Molecular Medicine</i> , 2017 , 39, 1613-1620 ^{4,6,20}	4.4	22
84	Effects of Cellular 11 β -hydroxysteroid Dehydrogenase 1 on LPS-induced Inflammatory Responses in Synovial Cell Line, SW982. <i>Immune Network</i> , 2017 , 17, 171-178	6.1	1
83	Broad Spectrum Antimicrobial Activity of Licochalcones A and E against MDR (Multidrug Resistant) Strains of Clinical Origin. <i>Natural Product Communications</i> , 2017 , 12, 1934578X1701201	0.9	2
82	Role of Protein Kinases and Their Inhibitors in Radiation Response of Tumor Cells. <i>Current Pharmaceutical Design</i> , 2017 , 23, 4259-4280	3.3	3
81	Kahweol induces apoptosis by suppressing BTF3 expression through the ERK signaling pathway in non-small cell lung cancer cells. <i>International Journal of Oncology</i> , 2016 , 49, 2294-2302	4.4	16

80	Herbacetin Is a Novel Allosteric Inhibitor of Ornithine Decarboxylase with Antitumor Activity. <i>Cancer Research</i> , 2016 , 76, 1146-1157	10.1	25
79	Licochalcone B induces apoptosis of human oral squamous cell carcinoma through the extrinsic- and intrinsic-signaling pathways. <i>International Journal of Oncology</i> , 2016 , 48, 1749-57	4.4	21
78	Proteomic Assessment of the Relevant Factors Affecting Pork Meat Quality Associated with Muscles in Duroc Pigs. <i>Asian-Australasian Journal of Animal Sciences</i> , 2016 , 29, 1653-1663	2.4	5
77	Regional Differences of Proteins Expressing in Adipose Depots Isolated from Cows, Steers and Bulls as Identified by a Proteomic Approach. <i>Asian-Australasian Journal of Animal Sciences</i> , 2016 , 29, 1197-206	2.4	3
76	HPLC Analysis, Optimization of Extraction Conditions and Biological Evaluation of <i>Corylopsis coreana</i> Uyeki Flos. <i>Molecules</i> , 2016 , 21, 94	4.8	23
75	Esculetin Induces Apoptosis Through EGFR/PI3K/Akt Signaling Pathway and Nucleophosmin Relocalization. <i>Journal of Cellular Biochemistry</i> , 2016 , 117, 1210-21	4.7	19
74	Manumycin A induces apoptosis in malignant pleural mesothelioma through regulation of Sp1 and activation of the mitochondria-related apoptotic pathway. <i>Oncology Reports</i> , 2016 , 36, 117-24	3.5	4
73	Elapachone suppresses the proliferation of human malignant melanoma cells by targeting specificity protein 1. <i>Oncology Reports</i> , 2016 , 35, 1109-16	3.5	12
72	International ring trial for the validation of an event-specific Golden Rice 2 quantitative real-time polymerase chain reaction method. <i>Journal of Agricultural and Food Chemistry</i> , 2015 , 63, 4954-65	5.7	9
71	Downregulation of Sp1 is involved in Elapachone-induced cell cycle arrest and apoptosis in oral squamous cell carcinoma. <i>International Journal of Oncology</i> , 2015 , 46, 2606-12	4.4	13
70	Multifunctional effects of honokiol as an anti-inflammatory and anti-cancer drug in human oral squamous cancer cells and xenograft. <i>Biomaterials</i> , 2015 , 53, 274-84	15.6	27
69	COT phosphorylates prolyl-isomerase Pin1 to promote tumorigenesis in breast cancer. <i>Molecular Carcinogenesis</i> , 2015 , 54, 440-8	5	21
68	Beta-Lapachone Suppresses Non-small Cell Lung Cancer Proliferation through the Regulation of Specificity Protein 1. <i>Biological and Pharmaceutical Bulletin</i> , 2015 , 38, 1302-8	2.3	11
67	Computational and Biochemical Discovery of RSK2 as a Novel Target for Epigallocatechin Gallate (EGCG). <i>PLoS ONE</i> , 2015 , 10, e0130049	3.7	9
66	Role of transcription factor Sp1 in the 4-O-methylhonokiol-mediated apoptotic effect on oral squamous cancer cells and xenograft. <i>International Journal of Biochemistry and Cell Biology</i> , 2015 , 64, 287-97	5.6	15
65	Esculetin (6,7-dihydroxycoumarin): a potential cancer chemopreventive agent through suppression of Sp1 in oral squamous cancer cells. <i>International Journal of Oncology</i> , 2015 , 46, 265-71	4.4	18
64	Licochalcone A induces apoptosis in malignant pleural mesothelioma through downregulation of Sp1 and subsequent activation of mitochondria-related apoptotic pathway. <i>International Journal of Oncology</i> , 2015 , 46, 1385-92	4.4	21
63	Manumycin A from a new <i>Streptomyces</i> strain induces endoplasmic reticulum stress-mediated cell death through specificity protein 1 signaling in human oral squamous cell carcinoma. <i>International Journal of Oncology</i> , 2015 , 47, 1954-62	4.4	7

62	Apoptotic effects of 7,8-dihydroxyflavone in human oral squamous cancer cells through suppression of Sp1. <i>Oncology Reports</i> , 2015 , 33, 631-8	3.5	9
61	Cordycepin induces apoptosis through repressing hTERT expression and inducing extranuclear export of hTERT. <i>Journal of Bioscience and Bioengineering</i> , 2015 , 119, 351-7	3.3	12
60	Development, optimization, and single laboratory validation of an event-specific real-time PCR method for the detection and quantification of Golden Rice 2 using a novel taxon-specific assay. <i>Journal of Agricultural and Food Chemistry</i> , 2015 , 63, 1711-21	5.7	11
59	Quercetin Induces Antiproliferative Activity Against Human Hepatocellular Carcinoma (HepG2) Cells by Suppressing Specificity Protein 1 (Sp1). <i>Drug Development Research</i> , 2015 , 76, 9-16	5.1	24
58	Esculetin, a Coumarin Derivative, Exhibits Anti-proliferative and Pro-apoptotic Activity in G361 Human Malignant Melanoma. <i>Journal of Cancer Prevention</i> , 2015 , 20, 106-12	3	25
57	Anti-arthritis effects of (E)-2,4-bis(p-hydroxyphenyl)-2-butenal are mediated by inhibition of the STAT3 pathway. <i>British Journal of Pharmacology</i> , 2014 , 171, 2900-12	8.6	15
56	Chemical regulation of signaling pathways to programmed necrosis. <i>Archives of Pharmacal Research</i> , 2014 , 37, 689-97	6.1	3
55	Resveratrol contributes to chemosensitivity of malignant mesothelioma cells with activation of p53. <i>Food and Chemical Toxicology</i> , 2014 , 63, 153-60	4.7	16
54	Phosphorylation of PrxII promotes JNK-dependent apoptosis in adult cloned pig kidney. <i>International Journal of Biochemistry and Cell Biology</i> , 2014 , 53, 352-60	5.6	1
53	Distinctive roles of receptor-interacting protein kinases 1 and 3 in caspase-independent cell death of L929. <i>Cell Biochemistry and Function</i> , 2014 , 32, 62-9	4.2	9
52	Licochalcone A, a natural chalconoid isolated from Glycyrrhiza inflata root, induces apoptosis via Sp1 and Sp1 regulatory proteins in oral squamous cell carcinoma. <i>International Journal of Oncology</i> , 2014 , 45, 667-74	4.4	46
51	Anti-proliferative properties of kahweol in oral squamous cancer through the regulation specificity protein 1. <i>Phytotherapy Research</i> , 2014 , 28, 1879-86	6.7	15
50	Specificity protein 1 is a novel target of 2,4-bis (p-hydroxyphenyl)-2-butenal for the suppression of human oral squamous cell carcinoma cell growth. <i>Journal of Biomedical Science</i> , 2014 , 21, 4	13.3	8
49	Chemical Composition and in vitro Antimicrobial and Antioxidant Activities of Commercially Available Essential Oils against Multidrug Resistant Bacteria. <i>Journal of Life Science</i> , 2014 , 24, 266-273		
48	In vitro apoptotic effects of methanol extracts of Dianthus chinensis and Acalypha australis L. targeting specificity protein 1 in human oral cancer cells. <i>Head and Neck</i> , 2013 , 35, 992-8	4.2	21
47	Knockdown of cysteine-rich 61 inhibits proliferation, migration, and invasiveness of prostate carcinoma PC-3 cells. <i>Animal Cells and Systems</i> , 2013 , 17, 306-314	2.3	
46	Anti-proliferative effect of honokiol in oral squamous cancer through the regulation of specificity protein 1. <i>International Journal of Oncology</i> , 2013 , 43, 1103-10	4.4	30
45	The HDAC inhibitor, panobinostat, induces apoptosis by suppressing the expression of specificity protein 1 in oral squamous cell carcinoma. <i>International Journal of Molecular Medicine</i> , 2013 , 32, 860-6	4.4	21

44	Downregulation of Sp1 is involved in honokiol-induced cell cycle arrest and apoptosis in human malignant pleural mesothelioma cells. <i>Oncology Reports</i> , 2013 , 29, 2318-24	3.5	24
43	The flavonoid resveratrol suppresses growth of human malignant pleural mesothelioma cells through direct inhibition of specificity protein 1. <i>International Journal of Molecular Medicine</i> , 2012 , 30, 21-7	4.4	24
42	2,4-bis (p-hydroxyphenyl)-2-butenal (HPB242) induces apoptosis via modulating E7 expression and inhibition of PI3K/Akt pathway in SiHa human cervical cancer cells. <i>Nutrition and Cancer</i> , 2012 , 64, 1236-44	2.8	7
41	Reactive oxygen species and PI3K/Akt signaling play key roles in the induction of Nrf2-driven heme oxygenase-1 expression in sulforaphane-treated human mesothelioma MSTO-211H cells. <i>Food and Chemical Toxicology</i> , 2012 , 50, 116-23	4.7	83
40	Natural diterpenes from coffee, cafestol and kahweol induce apoptosis through regulation of specificity protein 1 expression in human malignant pleural mesothelioma. <i>Journal of Biomedical Science</i> , 2012 , 19, 60	13.3	63
39	Phosphoinositol 3-kinase, a novel target molecule for the inhibitory effects of juglone on TPA-induced cell transformation. <i>International Journal of Molecular Medicine</i> , 2012 , 30, 8-14	4.4	10
38	Role of transcription factor Sp1 in the quercetin-mediated inhibitory effect on human malignant pleural mesothelioma. <i>International Journal of Molecular Medicine</i> , 2012 , 30, 835-41	4.4	20
37	TPA-induced cell transformation provokes a complex formation between Pin1 and 90 kDa ribosomal protein S6 kinase 2. <i>Molecular and Cellular Biochemistry</i> , 2012 , 367, 85-92	4.2	20
36	<i>Althaea rosea</i> Cavanil and <i>Plantago major</i> L. suppress neoplastic cell transformation through the inhibition of epidermal growth factor receptor kinase. <i>Molecular Medicine Reports</i> , 2012 , 6, 843-7	2.9	10
35	Hesperidin Induces Apoptosis by Inhibiting Sp1 and Its Regulatory Protein in MSTO-211H Cells. <i>Biomolecules and Therapeutics</i> , 2012 , 20, 273-9	4.2	30
34	Epigallocatechin-gallate suppresses tumorigenesis by directly targeting Pin1. <i>Cancer Prevention Research</i> , 2011 , 4, 1366-77	3.2	88
33	Chemopreventive effect of tolfenamic acid on KB human cervical cancer cells and tumor xenograft by downregulating specificity protein 1. <i>European Journal of Cancer Prevention</i> , 2011 , 20, 102-11	2	29
32	Chemopreventive effects of synthetic C-substituted diindolylmethanes originating from cruciferous vegetables in human oral cancer cells. <i>European Journal of Cancer Prevention</i> , 2011 , 20, 417-25	2.5	12
31	Apoptotic effect of tolfenamic acid in androgen receptor-independent prostate cancer cell and xenograft tumor through specificity protein 1. <i>Cancer Science</i> , 2011 , 102, 742-8	6.9	28
30	Apoptotic effect of <i>Polygonum Cuspidatum</i> in oral cancer cells through the regulation of specificity protein 1. <i>Oral Diseases</i> , 2011 , 17, 162-70	3.5	33
29	Inhibition of myeloid cell leukemia-1 by tolfenamic acid induces apoptosis in mucoepidermoid carcinoma. <i>Oral Diseases</i> , 2011 , 17, 469-75	3.5	12
28	IL-32 inhibits cancer cell growth through inactivation of NF- κ B and STAT3 signals. <i>Oncogene</i> , 2011 , 30, 3345-59	9.2	81
27	(3-Chloroacetyl)-indole, a novel allosteric AKT inhibitor, suppresses colon cancer growth in vitro and in vivo. <i>Cancer Prevention Research</i> , 2011 , 4, 1842-51	3.2	21

26	Apoptotic Effect of Tolfenamic Acid in KB Human Oral Cancer Cells: Possible Involvement of the p38 MAPK Pathway. <i>Journal of Clinical Biochemistry and Nutrition</i> , 2010 , 47, 74-80	3.1	14
25	Epigallocatechin gallate suppresses lung cancer cell growth through Ras-GTPase-activating protein SH3 domain-binding protein 1. <i>Cancer Prevention Research</i> , 2010 , 3, 670-9	3.2	83
24	The prolyl isomerase Pin1 induces LC-3 expression and mediates tamoxifen resistance in breast cancer. <i>Journal of Biological Chemistry</i> , 2010 , 285, 23829-41	5.4	37
23	Histone XH2AX is required for <i>Xenopus</i> anterior neural development: critical role of threonine 16 phosphorylation. <i>Journal of Biological Chemistry</i> , 2010 , 285, 29525-34	5.4	9
22	KO-202125, a sauristolactam derivate, induces apoptosis to prevent KB human oral squamous carcinoma cells through inhibition of cyclooxygenase-2 expression. <i>European Journal of Cancer Prevention</i> , 2010 , 19, 23-30	2	3
21	Downregulation of immune response by the human cytokines Interleukin-32alpha and beta in cell-mediated rejection. <i>Cellular Immunology</i> , 2010 , 264, 47-53	4.4	6
20	[6]-Gingerol suppresses colon cancer growth by targeting leukotriene A4 hydrolase. <i>Cancer Research</i> , 2009 , 69, 5584-91	10.1	147
19	c-Jun N-terminal kinase 1 phosphorylates Myt1 to prevent UVA-induced skin cancer. <i>Molecular and Cellular Biology</i> , 2009 , 29, 2168-80	4.8	26
18	The prolyl isomerase Pin1 interacts with a ribosomal protein S6 kinase to enhance insulin-induced AP-1 activity and cellular transformation. <i>Carcinogenesis</i> , 2009 , 30, 671-81	4.6	38
17	Structural diversity of the active N-terminal kinase domain of p90 ribosomal S6 kinase 2. <i>PLoS ONE</i> , 2009 , 4, e8044	3.7	22
16	Caspase-3 activation as a key factor for HBx-transformed cell death. <i>Cell Proliferation</i> , 2008 , 41, 755-74	7.9	5
15	Interleukin-32 monoclonal antibodies for immunohistochemistry, Western blotting, and ELISA. <i>Journal of Immunological Methods</i> , 2008 , 333, 38-50	2.5	60
14	(-)-Epigallocatechin gallate regulates CD3-mediated T cell receptor signaling in leukemia through the inhibition of ZAP-70 kinase. <i>Journal of Biological Chemistry</i> , 2008 , 283, 28370-9	5.4	83
13	Cot, a novel kinase of histone H3, induces cellular transformation through up-regulation of c-fos transcriptional activity. <i>FASEB Journal</i> , 2008 , 22, 113-26	0.9	29
12	Protective effect of oxidative stress in HaCaT keratinocytes expressing E7 oncogene. <i>Amino Acids</i> , 2008 , 34, 135-41	3.5	18
11	RSK2 mediates muscle cell differentiation through regulation of NFAT3. <i>Journal of Biological Chemistry</i> , 2007 , 282, 8380-92	5.4	56
10	Antitumor effect of soluble beta-1,3-glucan from <i>Agrobacterium</i> sp. R259 KCTC 1019. <i>Journal of Microbiology and Biotechnology</i> , 2007 , 17, 1513-20	3.3	8
9	GripLaunch: a Novel Sensor-Based Mobile User Interface with Touch Sensing Housing. <i>International Journal of Fuzzy Logic and Intelligent Systems</i> , 2006 , 6, 304-313	1.8	

8	IL-18 E42A mutant is resistant to the inhibitory effects of HPV-16 E6 and E7 oncogenes on the IL-18-mediated immune response. <i>Cancer Letters</i> , 2005 , 229, 261-70	9.9	5
7	Protein profiling and identification of modulators regulated by human papillomavirus 16 E7 oncogene in HaCaT keratinocytes by proteomics. <i>Gynecologic Oncology</i> , 2005 , 99, 142-52	4.9	31
6	Signaling pathways implicated in alpha-melanocyte stimulating hormone-induced lipolysis in 3T3-L1 adipocytes. <i>Journal of Cellular Biochemistry</i> , 2005 , 96, 869-78	4.7	28
5	Development of PCR-ELISA for the detection of hepatitis B virus x gene expression and clinical application. <i>Journal of Clinical Laboratory Analysis</i> , 2005 , 19, 139-45	3	5
4	E7-expressing HaCaT keratinocyte cells are resistant to oxidative stress-induced cell death via the induction of catalase. <i>Proteomics</i> , 2005 , 5, 2112-22	4.8	24
3	Protein profiling and identification of modulators regulated by the E7 oncogene in the C33A cell line by proteomics and genomics. <i>Proteomics</i> , 2004 , 4, 839-48	4.8	50
2	Immune Stimulating Efficacy of Soluble β 1,3-glucans. <i>Immune Network</i> , 2003 , 3, 156	6.1	
1	Both E6 and E7 oncoproteins of human papillomavirus 16 inhibit IL-18-induced IFN-gamma production in human peripheral blood mononuclear and NK cells. <i>Journal of Immunology</i> , 2001 , 167, 497-504	5.3	93