
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4341247/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Phase IB Study of Vemurafenib in Combination with Irinotecan and Cetuximab in Patients with Metastatic Colorectal Cancer with <i>BRAF</i> V600E Mutation. Cancer Discovery, 2016, 6, 1352-1365.	7.7	192
2	Phase III study of pasireotide long-acting release in patients with metastatic neuroendocrine tumors and carcinoid symptoms refractory to available somatostatin analogues. Drug Design, Development and Therapy, 2015, 9, 5075.	2.0	160
3	Characterization of Anthropometric Changes that Occur During Neoadjuvant Therapy for Potentially Resectable Pancreatic Cancer. Annals of Surgical Oncology, 2015, 22, 2416-2423.	0.7	125
4	Preoperative Therapy and Pancreatoduodenectomy for Pancreatic Ductal Adenocarcinoma: a 25-Year Single-Institution Experience. Journal of Gastrointestinal Surgery, 2017, 21, 164-174.	0.9	124
5	Pazopanib and depot octreotide in advanced, well-differentiated neuroendocrine tumours: a multicentre, single-group, phase 2 study. Lancet Oncology, The, 2015, 16, 695-703.	5.1	111
6	Progression-Free Survival Remains Poor Over Sequential Lines of Systemic Therapy in Patients With BRAF-Mutated Colorectal Cancer. Clinical Colorectal Cancer, 2014, 13, 164-171.	1.0	108
7	Response and Survival Associated With First-line FOLFIRINOX vs Gemcitabine and nab-Paclitaxel Chemotherapy for Localized Pancreatic Ductal Adenocarcinoma. JAMA Surgery, 2020, 155, 832.	2.2	105
8	The gemcitabine, docetaxel, and capecitabine (GTX) regimen for metastatic pancreatic cancer: a retrospective analysis. Cancer Chemotherapy and Pharmacology, 2007, 61, 167-175.	1.1	82
9	Association of Clinical Factors With a Major Pathologic Response Following Preoperative Therapy for Pancreatic Ductal Adenocarcinoma. JAMA Surgery, 2017, 152, 1048.	2.2	82
10	Evidence for the efficacy of Iniparib, a PARP-1 inhibitor, in BRCA2-associated pancreatic cancer. Anticancer Research, 2011, 31, 1417-20.	0.5	78
11	<i>FBXW7</i> missense mutation: a novel negative prognostic factor in metastatic colorectal adenocarcinoma. Oncotarget, 2017, 8, 39268-39279.	0.8	69
12	Association of SMAD4 mutation with patient demographics, tumor characteristics, and clinical outcomes in colorectal cancer. PLoS ONE, 2017, 12, e0173345.	1.1	65
13	Radiographic and Serologic Predictors of Pathologic Major Response to Preoperative Therapy for Pancreatic Cancer. Annals of Surgery, 2021, 273, 806-813.	2.1	61
14	Family history as a marker of platinum sensitivity in pancreatic adenocarcinoma. Cancer Chemotherapy and Pharmacology, 2015, 76, 489-498.	1.1	59
15	Angiogenin/Ribonuclease 5 Is an EGFR Ligand and a Serum Biomarker for Erlotinib Sensitivity in Pancreatic Cancer. Cancer Cell, 2018, 33, 752-769.e8.	7.7	58
16	Olaparib Monotherapy for Previously Treated Pancreatic Cancer With DNA Damage Repair Genetic Alterations Other Than Germline <i>BRCA</i> Variants. JAMA Oncology, 2021, 7, 693.	3.4	56
17	Home-based exercise during preoperative therapy for pancreatic cancer. Langenbeck's Archives of Surgery, 2017, 402, 1175-1185.	0.8	52
18	Dual Inhibition of EGFR and c-Src by Cetuximab and Dasatinib Combined with FOLFOX Chemotherapy in Patients with Metastatic Colorectal Cancer. Clinical Cancer Research, 2017, 23, 4146-4154.	3.2	50

#	Article	IF	CITATIONS
19	Cell-free Circulating Tumor DNA Variant Allele Frequency Associates with Survival in Metastatic Cancer. Clinical Cancer Research, 2020, 26, 1924-1931.	3.2	50
20	Impact of hypofractionated and standard fractionated chemoradiation before pancreatoduodenectomy for pancreatic ductal adenocarcinoma. Cancer, 2016, 122, 2671-2679.	2.0	49
21	Physical activity and exercise during preoperative pancreatic cancer treatment. Supportive Care in Cancer, 2019, 27, 2275-2284.	1.0	45
22	The Addition of Postoperative Chemotherapy is Associated with Improved Survival in Patients with Pancreatic Cancer Treated with Preoperative Therapy. Annals of Surgical Oncology, 2015, 22, 1221-1228.	0.7	44
23	Exercise during preoperative therapy increases tumor vascularity in pancreatic tumor patients. Scientific Reports, 2019, 9, 13966.	1.6	43
24	Phase I/II study of azacitidine and capecitabine/oxaliplatin (CAPOX) in refractory CIMP-high metastatic colorectal cancer: evaluation of circulating methylated vimentin. Oncotarget, 2016, 7, 67495-67506.	0.8	42
25	Preoperative Chemoradiation for Pancreatic Adenocarcinoma Does Not Increase 90-Day Postoperative Morbidity or Mortality. Journal of Gastrointestinal Surgery, 2016, 20, 1975-1985.	0.9	42
26	Anthropometric Changes in Patients with Pancreatic Cancer Undergoing Preoperative Therapy and Pancreatoduodenectomy. Journal of Gastrointestinal Surgery, 2018, 22, 703-712.	0.9	39
27	Role of Neoadjuvant Therapy in the Multimodality Treatment of Older Patients with Pancreatic Cancer. Journal of the American College of Surgeons, 2014, 219, 111-120.	0.2	36
28	Antibiotic use influences outcomes in advanced pancreatic adenocarcinoma patients. Cancer Medicine, 2021, 10, 5041-5050.	1.3	35
29	Postoperative Chemotherapy Benefits Patients Who Received Preoperative Therapy and Pancreatectomy for Pancreatic Adenocarcinoma. Annals of Surgery, 2020, 271, 996-1002.	2.1	34
30	Retrospective analysis of systemic chemotherapy and total parenteral nutrition for the treatment of malignant small bowel obstruction. Cancer Medicine, 2016, 5, 239-247.	1.3	33
31	Randomized, doubleâ€blind, phase two study of ruxolitinib plus regorafenib in patients with relapsed/refractory metastatic colorectal cancer. Cancer Medicine, 2018, 7, 5382-5393.	1.3	32
32	Signet ring cell colorectal cancer: genomic insights into a rare subpopulation of colorectal adenocarcinoma. British Journal of Cancer, 2019, 121, 505-510.	2.9	32
33	Association between frailty syndrome and survival in patients with pancreatic adenocarcinoma. Cancer Medicine, 2019, 8, 2867-2876.	1.3	32
34	Germline DNA Sequencing Reveals Novel Mutations Predictive of Overall Survival in a Cohort of Patients with Pancreatic Cancer. Clinical Cancer Research, 2020, 26, 1385-1394.	3.2	31
35	Comprehensive Clinical and Molecular Characterization of <i>KRAS</i> ^{G12C} -Mutant Colorectal Cancer. JCO Precision Oncology, 2021, 5, 613-621.	1.5	31
36	Influence of Preoperative Therapy on Short- and Long-Term Outcomes of Patients with Adenocarcinoma of the Ampulla of Vater. Annals of Surgical Oncology, 2017, 24, 2031-2039.	0.7	30

#	Article	IF	CITATIONS
37	Randomized, phase I/II study of gemcitabine plus IGF-1R antagonist (MK-0646) versus gemcitabine plus erlotinib with and without MK-0646 for advanced pancreatic adenocarcinoma. Journal of Hematology and Oncology, 2018, 11, 71.	6.9	30
38	Randomized Controlled Trial Of Dalteparin For Primary Thromboprophylaxis For Venous Thromboembolism (VTE) In Patients With Advanced Pancreatic Cancer (APC): Risk Factors Predictive Of VTE. Blood, 2013, 122, 580-580.	0.6	27
39	A predictive model of inflammatory markers and patient-reported symptoms for cachexia in newly diagnosed pancreatic cancer patients. Supportive Care in Cancer, 2017, 25, 1809-1817.	1.0	26
40	Clinical utility of circulating cell-free DNA in advanced colorectal cancer. PLoS ONE, 2017, 12, e0183949.	1.1	25
41	High Prevalence of Hereditary Cancer Syndromes and Outcomes in Adults with Early-Onset Pancreatic Cancer. Cancer Prevention Research, 2018, 11, 679-686.	0.7	25
42	Baseline serum albumin is a predictive biomarker for patients with advanced pancreatic cancer treated with bevacizumab: A pooled analysis of 7 prospective trials of gemcitabineâ€based therapy with or without bevacizumab. Cancer, 2014, 120, 1780-1786.	2.0	23
43	An open-label, single-arm pilot study of EUS-guided brachytherapy with phosphorus-32 microparticles in combination with gemcitabine +/- nab-paclitaxel in unresectable locally advanced pancreatic cancer (OncoPaC-1): Technical details and study protocol. Endoscopic Ultrasound, 2020, 9, 24.	0.6	23
44	Joint prognostic effect of obesity and chronic systemic inflammation in patients with metastatic colorectal cancer. Cancer, 2015, 121, 2968-2975.	2.0	22
45	Benefit of Gemcitabine/Nab-Paclitaxel Rescue of Patients With Borderline Resectable or Locally Advanced Pancreatic Adenocarcinoma After Early Failure of FOLFIRINOX. Pancreas, 2019, 48, 837-843.	0.5	22
46	Does IGFR1 inhibition result in increased muscle mass loss in patients undergoing treatment for pancreatic cancer?. Journal of Cachexia, Sarcopenia and Muscle, 2014, 5, 307-313.	2.9	21
47	Bevacizumab plus gemcitabine and oxaliplatin as first-line therapy for metastatic or locally advanced pancreatic cancer: a phase II trial. Cancer Chemotherapy and Pharmacology, 2011, 68, 1431-1438.	1.1	20
48	Novel EUS-guided brachytherapy treatment of pancreatic cancer with phosphorus-32 microparticles: first United States experience. VideoGIE, 2019, 4, 223-225.	0.3	20
49	Treatment-related Hypertension as a Pharmacodynamic Biomarker for the Efficacy of Bevacizumab in Advanced Pancreas Cancer. American Journal of Clinical Oncology: Cancer Clinical Trials, 2016, 39, 614-618.	0.6	14
50	Assessment of Clinical Response Following Atezolizumab and Bevacizumab Treatment in Patients With Neuroendocrine Tumors. JAMA Oncology, 2022, 8, 904.	3.4	13
51	The Sequential Radiographic Effects of Preoperative Chemotherapy and (Chemo)Radiation on Tumor Anatomy in Patients with Localized Pancreatic Cancer. Annals of Surgical Oncology, 2020, 27, 3939-3947.	0.7	12
52	Emerging drugs for colorectal cancer. Expert Opinion on Emerging Drugs, 2008, 13, 629-642.	1.0	10
53	The use of GTX as second-line and later chemotherapy for metastatic pancreatic cancer: a retrospective analysis. Cancer Chemotherapy and Pharmacology, 2012, 69, 425-430.	1.1	10
54	Portomesenteric Venous Stenting for Palliation of Ascites and Variceal Bleeding Caused by Prehepatic Portal Hypertension. Oncologist, 2018, 23, 712-718.	1.9	9

#	Article	IF	CITATIONS
55	Modified gemcitabine plus nabâ€paclitaxel regimen in advanced pancreatic ductal adenocarcinoma. Cancer Medicine, 2020, 9, 5406-5415.	1.3	9
56	Should Combination Chemotherapy Serve as the Backbone in Clinical Trials of Advanced Pancreatic Cancer?. Pancreas, 2014, 43, 343-349.	0.5	8
57	First-Line Gemcitabine and Nab-Paclitaxel Chemotherapy for Localized Pancreatic Ductal Adenocarcinoma. Annals of Surgical Oncology, 2019, 26, 619-627.	0.7	8
58	The addition of erlotinib to gemcitabine and cisplatin does not appear to improve median survival in metastatic pancreatic cancer. Investigational New Drugs, 2013, 31, 1375-1383.	1.2	6
59	Dual-Energy X-Ray Absorptiometry Compared to Computed Tomography for Visceral Adiposity Assessment Among Gastrointestinal and Pancreatic Cancer Survivors. Scientific Reports, 2019, 9, 11500.	1.6	5
60	A Randomized, Placebo-Controlled, Double-Blind Study of Minocycline for Reducing the Symptom Burden Experienced by Patients With Advanced Pancreatic Cancer. Journal of Pain and Symptom Management, 2020, 59, 1052-1058.e1.	0.6	5
61	The effect of antibiotic use on survival of patients with resected pancreatic ductal adenocarcinoma Journal of Clinical Oncology, 2019, 37, e15773-e15773.	0.8	5
62	A retrospective analysis of antibiotics usage and effect on overall survival and progressive free survival in patients with metastatic pancreatic cancer Journal of Clinical Oncology, 2019, 37, e15781-e15781.	0.8	5
63	Trial Sponsorship and Time to Reporting for Phase 3 Randomized Cancer Clinical Trials. Cancers, 2020, 12, 2636.	1.7	4
64	FOLFOXIRI Versus Doublet Regimens in Right-Sided Metastatic Colorectal Cancer: Focus on Subsequent Therapies and Impact on Overall Survival. Clinical Colorectal Cancer, 2020, 19, 248-255.e6.	1.0	3
65	Phase I study of DFP-11207, a novel oral fluoropyrimidine with reasonable AUC and low Cmax and improved tolerability, in patients with solid tumors. Investigational New Drugs, 2020, 38, 1763-1773.	1.2	3
66	Medical oncology and pancreatic cancer: what the radiologist needs to know. Abdominal Radiology, 2018, 43, 383-392.	1.0	2
67	Phase II study of preoperation mFOLFIRINOX and chemoradiation for high-risk resectable and borderline resectable pancreatic adenocarcinoma Journal of Clinical Oncology, 2015, 33, 362-362.	0.8	2
68	FOLFIRINOX in pancreatic cancer patients age 75 years or older Journal of Clinical Oncology, 2019, 37, 362-362.	0.8	2
69	Bevacizumab Does Not Influence the Efficacy of Partial Splenic Embolization in the Management of Chemotherapy-Induced Hypersplenism. Clinical Colorectal Cancer, 2020, 19, e189-e199.	1.0	1
70	Proteomic profiling of phosphatidylinositol 3-kinase (PI3K) altered metastatic colorectal cancer (mCRC) after protein kinase B (Akt) inhibition: Insulin like growth factor 1 receptor (IGF1R) mediates adaptive resistance Journal of Clinical Oncology, 2018, 36, 3549-3549.	0.8	1
71	High prevalence of hereditary cancer syndromes and outcomes in adults with early-onset pancreatic cancer Journal of Clinical Oncology, 2018, 36, 4129-4129.	0.8	1
72	Evolution of phase 1 trials for patients with advanced pancreatic cancer: An update on the experience from MD Anderson Cancer Center Journal of Clinical Oncology, 2015, 33, 320-320.	0.8	0

#	Article	IF	CITATIONS
73	Outcomes of phase I clinical trials for patients with advanced pancreatic cancer: update of the MD Anderson Cancer Center experience. Oncotarget, 2017, 8, 87163-87173.	0.8	ο
74	Cell-free circulating tumor DNA somatic alteration burden and its impact on survival in metastatic cancer Journal of Clinical Oncology, 2018, 36, 12022-12022.	0.8	0
75	The association between female hormonal supplementation and molecular types in colorectal cancer Journal of Clinical Oncology, 2019, 37, e15133-e15133.	0.8	Ο
76	Phase I study of DFP-11207, a novel oral 5-FU with enhanced PK and improved tolerability, in patients with solid tumors Journal of Clinical Oncology, 2019, 37, 3034-3034.	0.8	0
77	FOLFOXIRI versus doublet-regimens in the first-line therapy of MSI-S right-sided (RS) metastatic colorectal cancer (mCRC): A survival analysis Journal of Clinical Oncology, 2019, 37, e15060-e15060.	0.8	Ο
78	Meat consumption and BRAF mutation status in colorectal cancer Journal of Clinical Oncology, 2019, 37, e15135-e15135.	0.8	0