C Randall Clark

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/4341419/c-randall-clark-publications-by-year.pdf

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

136 1,707 20 33 g-index h-index citations papers 1,846 138 4.58 3.4 L-index avg, IF ext. citations ext. papers

| # | Paper | IF | Citations |
|-----|---|-----|-----------|
| 136 | GCMS and GCIR of regioisomeric 4-N-bromodimethoxybenzyl derivatives of 3-trifluoromethylphenylpiperazine. <i>Forensic Chemistry</i> , 2022 , 29, 100416 | 2.8 | |
| 135 | GCMS and GCIR analysis of methylenedioxyphenylalkylamine analogues of the psychoactive 25X-NBOMe drugs. <i>Forensic Chemistry</i> , 2021 , 23, 100314 | 2.8 | 2 |
| 134 | GCMS and GCIR analysis of substituted N-benzyl 4-bromo-2,5-dimethoxyphenylisopropylamines. <i>Forensic Chemistry</i> , 2021 , 24, 100326 | 2.8 | 1 |
| 133 | GCMS and GCIR of regioisomeric 4-N-methoxy- and dimethoxybenzyl derivatives of 3-trifluoromethylphenylpiperazine. <i>International Journal of Mass Spectrometry</i> , 2021 , 469, 116673 | 1.9 | 1 |
| 132 | Vapor phase infrared identification of regioisomeric N-(dimethoxybenzyl)-4-iodo- and 4-bromo-2,5-dimethoxyphenethylamines. <i>Forensic Chemistry</i> , 2020 , 19, 100239 | 2.8 | 5 |
| 131 | Fragmentation pathways of pyrrolidinophenone synthetic cathinones and their application to the identification of emerging synthetic cathinone derivatives. <i>International Journal of Mass Spectrometry</i> , 2020 , 453, 116343 | 1.9 | 7 |
| 130 | Structure fragmentation studies of ring-substituted N-trifluoroacetyl-N-benzylphenethylamines related to the NBOMe drugs. <i>Rapid Communications in Mass Spectrometry</i> , 2020 , 34, e8593 | 2.2 | 3 |
| 129 | GCMS analysis of methylenedioxybenzyl analogues of the serotonin receptor agonists 25X-NBOMe drugs. <i>Forensic Chemistry</i> , 2020 , 21, 100284 | 2.8 | 3 |
| 128 | GCMS analysis of N-(bromodimethoxybenzyl)-2-, 3-, and 4-methoxyphenethylamines: Inverse analogues of the psychoactive 25B-NBOMe drug. <i>Forensic Chemistry</i> , 2020 , 21, 100277 | 2.8 | 6 |
| 127 | Identification of novel fragmentation pathways and fragment ion structures in the tandem mass spectra of protonated synthetic cathinones. <i>Forensic Chemistry</i> , 2020 , 19, 100245 | 2.8 | 7 |
| 126 | GCMS analysis of regioisomeric substituted N-benzyl-4-bromo-2,5-dimethoxyphenethylamines. <i>Forensic Chemistry</i> , 2019 , 14, 100164 | 2.8 | 13 |
| 125 | Vapor phase GC-IR identification of regioisomeric N-methoxybenzyl-4-substituted-2,5-dimethoxyphenethylamines (NBOMe). <i>Forensic Chemistry</i> , 2019 , 16, 100181 | 2.8 | 6 |
| 124 | Spectroscopic differentiation and chromatographic separation of regioisomeric indole aldehydes: Synthetic cannabinoids precursors. <i>Forensic Chemistry</i> , 2019 , 12, 78-90 | 2.8 | 3 |
| 123 | Gas Chromatography-Mass Spectrometry (GC-MS) and Gas Chromatography-Infrared (GC-IR) Analyses of the Chloro-1- n-pentyl-3-(1-naphthoyl)-Indoles: Regioisomeric Cannabinoids. <i>Applied Spectroscopy</i> , 2019 , 73, 433-443 | 3.1 | 2 |
| 122 | Analytical studies on the 2-naphthoyl substituted-1-n-pentylindoles: Regioisomeric synthetic cannabinoids. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2018 , 1077-1078, 77-84 | 3.2 | 6 |
| 121 | Correlation of vapor phase infrared spectra and regioisomeric structure in synthetic cannabinoids. Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 2018 , 196, 375-384 | 4.4 | 8 |
| 120 | Disubstituted piperazine analogues of trifluoromethylphenylpiperazine and methylenedioxybenzylpiperazine: analytical differentiation and serotonin receptor binding studies. <i>Forensic Sciences Research</i> , 2018 , 3, 161-169 | 3.6 | 3 |

| 119 | Comparing the dopaminergic neurotoxic effects of benzylpiperazine and benzoylpiperazine. <i>Toxicology Mechanisms and Methods</i> , 2018 , 28, 177-186 | 3.6 | 10 |
|-----|---|-----|----|
| 118 | Dopaminergic neurotoxic effects of 3-TFMPP derivatives. <i>Life Sciences</i> , 2018 , 209, 357-369 | 6.8 | 10 |
| 117 | GC-MS and GC-IR analysis of regioisomeric cannabinoids related to 1-(5-fluoropentyl)-3-(1-naphthoyl)-indole. <i>Forensic Chemistry</i> , 2018 , 10, 48-57 | 2.8 | 4 |
| 116 | GC-MS and GC-IR Analyses of the Methoxy-1-n-pentyl-3-(1-naphthoyl)-indoles: Regioisomeric Designer Cannabinoids. <i>Journal of Chromatographic Science</i> , 2018 , 56, 779-788 | 1.4 | 1 |
| 115 | Differentiation of methylated indole ring regioisomers of JWH-007: GCMS and GCIR studies. <i>Forensic Chemistry</i> , 2018 , 7, 1-9 | 2.8 | 5 |
| 114 | GCMS, GCMS/MS and GC-IR differentiation of carbonyl modified analogues of MDPV. <i>Forensic Chemistry</i> , 2017 , 3, 58-68 | 2.8 | 16 |
| 113 | GC-MS, GC-MS/MS and GC-IR differentiation of desoxy cathinone derivatives: Cyclic tertiary amines related to MDPV. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2017 , 1048, 38-48 | 3.2 | 11 |
| 112 | Differentiation of the six dimethoxypyrovalerone regioisomers: GC-MS, GC-MS/MS and GC-IR. <i>Talanta</i> , 2017 , 171, 220-228 | 6.2 | 10 |
| 111 | GC-MS, MS/MS and GC-IR Analysis of a Series of Methylenedioxyphenyl-Aminoketones: Precursors, Ring Regioisomers and Side-Chain Homologs of 3,4-Methylenedioxypyrovalerone. <i>Journal of Chromatographic Science</i> , 2017 , 55, 99-108 | 1.4 | 10 |
| 110 | Structure-Activity Relationship Studies for the Six Regioisomeric 1-n-Pentyl-3-(dimethoxybenzoyl)Indoles at Cannabinoid 1 and 2 Receptors. <i>Journal of Pharmaceutical Sciences and Pharmacology</i> , 2017 , 3, 113-123 | | |
| 109 | GC-MS and GC-IR Analysis of Disubstituted Piperazine Analogues of Benzylpiperazine and Trifluoromethylphenylpiperazine. <i>Journal of Pharmaceutical Sciences and Pharmacology</i> , 2017 , 3, 133-1 | 45 | 2 |
| 108 | GC-MS and IR Studies on the Six Possible Ring Regioisomeric Dimethylphenylpiperazines. <i>Journal of Pharmaceutical Sciences and Pharmacology</i> , 2017 , 3, 44-53 | | |
| 107 | Product ion tandem mass spectrometric differentiation of regioisomeric side-chain groups in cathinone derivatives. <i>Rapid Communications in Mass Spectrometry</i> , 2016 , 30, 1713-1721 | 2.2 | 11 |
| 106 | Differentiation of cyclic tertiary amine cathinone derivatives by product ion electron ionization mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 2016 , 30, 763-72 | 2.2 | 9 |
| 105 | Selective determination of dimenhydrinate in presence of six of its related substances and potential impurities using a direct GC/MS method. <i>Journal of Advanced Research</i> , 2016 , 7, 53-8 | 13 | 3 |
| 104 | Benzylpiperazine: "A messy drug". <i>Drug and Alcohol Dependence</i> , 2016 , 164, 1-7 | 4.9 | 13 |
| 103 | GC-MS differentiation of the six regioisomeric dimethoxybenzoyl-1-pentylindoles: Isomeric cannabinoid substances. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2016 , 125, 360-8 | 3.5 | 12 |
| 102 | Differentiation of homologous and regioisomeric methoxy-cathinone derivatives by GCMS, MS/MS and GCIR. <i>Forensic Chemistry</i> , 2016 , 2, 46-54 | 2.8 | 10 |

| 101 | Mass spectral studies on 1-n-pentyl-3-(1-naphthoyl)indole (JWH-018), three deuterium-labeled analogues and the inverse isomer 1-naphthoyl-3-n-pentylindole. <i>Rapid Communications in Mass Spectrometry</i> , 2015 , 29, 871-7 | 2.2 | 15 |
|-----|--|---------------|----|
| 100 | GC-MS studies on the six naphthoyl-substituted 1-n-pentyl-indoles: JWH-018 and five regioisomeric equivalents. <i>Forensic Science International</i> , 2015 , 252, 107-13 | 2.6 | 22 |
| 99 | GC-MS and IR studies on the six ring regioisomeric dimethoxyphenylpiperazines (DOMePPs). <i>Journal of Forensic Sciences</i> , 2015 , 60, 285-94 | 1.8 | 1 |
| 98 | GC-MS analysis of the regioisomeric methoxy- and methyl-benzoyl-1-pentylindoles: Isomeric synthetic cannabinoids. <i>Science and Justice - Journal of the Forensic Science Society</i> , 2015 , 55, 291-8 | 2 | 11 |
| 97 | Regioisomeric bromodimethoxy benzyl piperazines related to the designer substance 4-bromo-2,5-dimethoxybenzylpiperazine: GC-MS and FTIR analysis. <i>Forensic Science International</i> , 2014 , 240, 126-36 | 2.6 | 4 |
| 96 | GC-MS and IR studies on the six ring regioisomeric dimethoxybenzoyl-N-methylpiperazines (DMBzMPs). <i>Forensic Science International</i> , 2014 , 237, 53-61 | 2.6 | 1 |
| 95 | Synthetic cathinones: "a khat and mouse game". <i>Toxicology Letters</i> , 2014 , 229, 349-56 | 4.4 | 51 |
| 94 | GC-MS and FTIR evaluation of the six benzoyl-substituted-1-pentylindoles: isomeric synthetic cannabinoids. <i>Talanta</i> , 2014 , 129, 171-82 | 6.2 | 20 |
| 93 | Analytical differentiation of 1-alkyl-3-acylindoles and 1-acyl-3-alkylindoles: isomeric synthetic cannabinoids. <i>Analytical Chemistry</i> , 2014 , 86, 3801-8 | 7.8 | 16 |
| 92 | Differentiation of the 1-(methylenedioxyphenyl)-2-piperazinopropanes and 1-(methoxyphenyl)-2-piperazinopropanones by GC-IRD and GC-MS. <i>Forensic Science International</i> , 2014 , 235, 40-51 | 2.6 | 5 |
| 91 | In vitro formation of acetylmorphine from morphine and aspirin in postmortem gastric contents and deionized water. <i>Journal of Analytical Toxicology</i> , 2013 , 37, 500-6 | 2.9 | 4 |
| 90 | Gas chromatography/mass spectrometry analysis of the six-ring regioisomeric dimethoxybenzyl-N-methylpiperazines (DMBMPs). <i>Rapid Communications in Mass Spectrometry</i> , 2013 , 27, 2551-2558 | 2.2 | 6 |
| 89 | Differentiation of trifluoromethylbenzylpiperazines (TFMBZPs) and trifluoromethylbenzoylpiperazines (TFMBOPs) by GC-MS. <i>Forensic Science International</i> , 2013 , 233, 113 | - 20 6 | 2 |
| 88 | GC-MS and GC-IRD studies on the six-ring regioisomeric dimethoxybenzylpiperazines (DMBPs). <i>Drug Testing and Analysis</i> , 2013 , 5, 560-72 | 3.5 | 8 |
| 87 | GC-MS and GC-IRD studies on the six ring regioisomeric dimethoxybenzoylpiperazines (DMBzPs). <i>Forensic Science International</i> , 2013 , 231, 54-60 | 2.6 | 5 |
| 86 | Studies on the formation of N-methylperfluoroalkylnitrile cations from perfluoroacylphenethylamines in electron ionisation mass spectrometry: unique marker ion fragments in methamphetamine analysis. <i>European Journal of Mass Spectrometry</i> , 2012 , 18, 287-99 | 1.1 | 4 |
| 85 | Synthesis and GC-MS analysis of a series of homologs and regioisomers of 3,4-methylenedioxypyrovalerone (MDPV). <i>Forensic Science International</i> , 2012 , 223, 189-97 | 2.6 | 13 |
| 84 | GC-MS and GC-IRD studies on dimethoxyphenethylamines (DMPEA): regioisomers related to 2,5-DMPEA. <i>Journal of Chromatographic Science</i> , 2012 , 50, 1-9 | 1.4 | 12 |

(2009-2012)

| 83 | Differentiation of methylenedioxybenzylpiperazines and ethoxybenzylpiperazines by GC-IRD and GC-MS. <i>Journal of Chromatographic Science</i> , 2012 , 50, 553-63 | 1.4 | 3 | |
|----------------|---|-------------------|----|--|
| 82 | Differentiation of methoxybenzoylpiperazines (OMeBzPs) and methylenedioxybenzylpiperazines (MDBPs) By GC-IRD and GC-MS. <i>Drug Testing and Analysis</i> , 2012 , 4, 430-40 | 3.5 | 6 | |
| 81 | Differentiation of methylbenzylpiperazines (MBPs) and benzoylpiperazine (BNZP) using GC-MS and GC-IRD. <i>Drug Testing and Analysis</i> , 2012 , 4, 441-8 | 3.5 | 5 | |
| 80 | GC-MS and GC-IRD studies on brominated dimethoxyamphetamines: regioisomers related to 4-Br-2,5-DMA (DOB). <i>Drug Testing and Analysis</i> , 2012 , 4, 591-600 | 3.5 | 7 | |
| 79 | Differentiation of methylenedioxybenzylpiperazines (MDBPs) and methoxymethylbenzylpiperazines (MMBPs) By GC-IRD and GC-MS. <i>Forensic Science International</i> , 2011 , 210, 122-8 | 2.6 | 13 | |
| 78 | GC-MS and GC-IRD studies on the ring isomers of N-methyl-2-methoxyphenyl-3-butanamines (MPBA) related to 3,4-MDMA. <i>Journal of Chromatographic Science</i> , 2011 , 49, 345-52 | 1.4 | 2 | |
| 77 | GC-MS studies on side chain regioisomers related to substituted methylenedioxyphenethylamines: MDEA, MDMMA, and MBDB. <i>Journal of Chromatographic Science</i> , 2010 , 48, 726-32 | 1.4 | 1 | |
| 76 | GC-IRD studies on regioisomeric ring substituted methoxy methyl phenylacetones related to 3,4-methylenedioxyphenylacetone. <i>Forensic Science International</i> , 2010 , 194, 39-48 | 2.6 | 3 | |
| 75 | GC-IRD methods for the identification of some tertiary amines related to MDMA. <i>Forensic Science International</i> , 2010 , 199, 18-28 | 2.6 | 4 | |
| 74 | GC-MS and GC-IRD analysis of ring and side chain regioisomers of ethoxyphenethylamines related to the controlled substances MDEA, MDMMA and MBDB. <i>Forensic Science International</i> , 2010 , 200, 73-6 | 86 ^{2.6} | 10 | |
| 73 | Differentiation of methylenedioxybenzylpiperazines (MDBP) by GC-IRD and GC-MS. <i>Forensic Science International</i> , 2010 , 195, 78-85 | 2.6 | 16 | |
| 7 ² | GC and mass spectral studies on acylated side chain regioisomers of 3-methoxy-4-methyl-phenethylamine and 4-methoxy-3-methyl-phenethylamine. <i>Journal of Chromatographic Science</i> , 2009 , 47, 279-86 | 1.4 | 3 | |
| 71 | GC-MS evaluation of a series of acylated derivatives of 3,4-methylenedioxymethamphetamine. <i>Journal of Chromatographic Science</i> , 2009 , 47, 359-64 | 1.4 | 3 | |
| 70 | GC-IRD methods for the identification of isomeric ethoxyphenethylamines and methoxymethcathinones. <i>Forensic Science International</i> , 2009 , 184, 54-63 | 2.6 | 34 | |
| 69 | Comparison of GC-MS and GC-IRD methods for the differentiation of methamphetamine and regioisomeric substances. <i>Forensic Science International</i> , 2009 , 185, 67-77 | 2.6 | 25 | |
| 68 | Differentiation of the regioisomeric 2-, 3-, and 4-trifluoromethylphenylpiperazines (TFMPP) by GC-IRD and GC-MS. <i>Forensic Science International</i> , 2009 , 188, 31-9 | 2.6 | 29 | |
| 67 | GC-MS and GC-IRD studies on dimethoxyamphetamines (DMA): regioisomers related to 2,5-DMA. <i>Forensic Science International</i> , 2009 , 192, 115-25 | 2.6 | 16 | |
| 66 | Stability-Indicating Simultaneous Determination of Paracetamol and Three of Its Related Substances Using a Direct GC/MS Method. <i>Journal of AOAC INTERNATIONAL</i> , 2009 , 92, 1622-1630 | 1.7 | 9 | |

| 65 | Isoquinuclidines: A Review of Chemical and Pharmacological Properties. <i>Studies in Natural Products Chemistry</i> , 2008 , 34, 753-787 | 1.5 | 20 |
|----|---|-----|----|
| 64 | GC-MS studies on the regioisomeric methoxy-methyl-phenethylamines related to MDEA, MDMMA, and MBDB. <i>Journal of Chromatographic Science</i> , 2008 , 46, 900-6 | 1.4 | 5 |
| 63 | GC-MS analysis of acylated derivatives of a series of side chain regioisomers of 2-methoxy-4-methyl-phenethylamines. <i>Journal of Chromatographic Science</i> , 2008 , 46, 375-80 | 1.4 | 9 |
| 62 | GC-MS analysis of ring and side chain regioisomers of ethoxyphenethylamines. <i>Journal of Chromatographic Science</i> , 2008 , 46, 671-9 | 1.4 | 21 |
| 61 | GC-MS studies on acylated derivatives of 3-methoxy-4-methyl- and 4-methoxy-3-methyl-phenethylamines: regioisomers related to 3,4-MDMA. <i>Forensic Science International</i> , 2008 , 178, 61-82 | 2.6 | 18 |
| 60 | Chromatographic and mass spectral studies on methoxy methyl methamphetamines related to 3,4-methylenedioxymethamphetamine. <i>Journal of Chromatographic Science</i> , 2007 , 45, 466-76 | 1.4 | 16 |
| 59 | GC-MS studies on the regioisomeric 2,3- and 3,4-methylenedioxyphenethylamines related to MDEA, MDMMA, and MBDB. <i>Journal of Chromatographic Science</i> , 2007 , 45, 229-35 | 1.4 | 5 |
| 58 | Gas chromatography-mass spectrometry analysis of regioisomeric ring substituted methoxy methyl phenylacetones. <i>Journal of Chromatographic Science</i> , 2007 , 45, 458-65 | 1.4 | 14 |
| 57 | GC-MS analysis of acylated derivatives of the side-chain regioisomers of 4-methoxy-3-methyl-phenethylamines related to methylenedioxymethamphetamine. <i>Journal of Chromatographic Science</i> , 2007 , 45, 477-85 | 1.4 | 29 |
| 56 | Chromatographic and mass spectral studies on methoxymethcathinones related to 3,4-methylenedioxymethamphetamine. <i>Journal of Chromatographic Science</i> , 2006 , 44, 155-61 | 1.4 | 46 |
| 55 | GC-MS analysis of acylated derivatives of the side chain and ring regioisomers of methylenedioxymethamphetamine. <i>Journal of Chromatographic Science</i> , 2005 , 43, 296-303 | 1.4 | 37 |
| 54 | The identification of 3,4-MDMA from its mass equivalent isomers and isobaric substances using fast LC-ESI-MS-MS. <i>Journal of Chromatographic Science</i> , 2005 , 43, 92-7 | 1.4 | 2 |
| 53 | Chromatographic and mass spectral studies on isobaric and isomeric substances related to 3,4-methylenedioxymethamphetamine. <i>Journal of Chromatographic Science</i> , 2004 , 42, 464-9 | 1.4 | 11 |
| 52 | Gas chromatographic optimization studies on the side chain and ring regioisomers of methylenedioxymethamphetamine. <i>Journal of Chromatographic Science</i> , 2004 , 42, 293-8 | 1.4 | 27 |
| 51 | Chromatographic and spectroscopic methods of identification for the side-chain regioisomers of 3,4-methylenedioxyphenethylamines related to MDEA, MDMMA, and MBDB. <i>Journal of Chromatographic Science</i> , 2003 , 41, 227-33 | 1.4 | 25 |
| 50 | Liquid Chromatographic and Mass Spectral Methods of Identification for the Regioisomeric 2,3- and 3,4-Methylenedioxyphenalkylamines. <i>Journal of Chromatographic Science</i> , 1998 , 36, 131-138 | 1.4 | 15 |
| 49 | The pharmacokinetics and liver metabolism of N-hydroxy-3,4-methylenedioxyamphetamine (N-OH MDA) in rats. <i>Life Sciences</i> , 1994 , 54, PL519-24 | 6.8 | 1 |
| 48 | Pharmacokinetics and dialyzability of sulindac and metabolites in patients with end-stage renal failure. <i>Journal of Clinical Pharmacology</i> , 1993 , 33, 527-34 | 2.9 | 19 |

| 47 | Hydrophobic substituent constants derived by intracolumn bilogarithmic analysis of reversed-phase liquid chromatographic retention of 4,4Tdisubstituted benzanilides and benzamides. <i>Analytical Chemistry</i> , 1992 , 64, 1660-1668 | 7.8 | 6 |
|----------------------------|---|-----|------------------|
| 46 | Liquid Chromatographic and Spectral Analysis of the Stereoisomers of Dimethylaminorex. <i>Journal of AOAC INTERNATIONAL</i> , 1992 , 75, 423-427 | 1.7 | 2 |
| 45 | Liquid Chromatographic and Spectral Methods for the Differentiation of 3,4-Methylenedioxymethamphetamine (MDMA) from Regioisomeric Phenethylamines. <i>Journal of Liquid Chromatography and Related Technologies</i> , 1991 , 14, 1913-1928 | | 3 |
| 44 | Liquid Chromatographic and Mass Spectral Analysis of 1-Phenyl-2-Butanamines: Homologues of the Amphetamines. <i>Journal of Liquid Chromatography and Related Technologies</i> , 1991 , 14, 1393-1408 | | 4 |
| 43 | Liquid Chromatographic and Mass Spectral Analysis of 1-Phenyl-3-Butanamines: Homologues of the Amphetamines. <i>Journal of Liquid Chromatography and Related Technologies</i> , 1991 , 14, 557-571 | | 1 |
| 42 | Liquid Chromatographic Analysis of the Enantiomeric Composition of Norephedrine and Norpseudoephedrine Benzylic Inversion Products. <i>Journal of Liquid Chromatography and Related Technologies</i> , 1991 , 14, 29-44 | | 5 |
| 41 | Comparative anticonvulsant activity of 4-chlorobenzenesulfonamide and prototype antiepileptic drugs in rodents. <i>Epilepsia</i> , 1990 , 31, 474-9 | 6.4 | 5 |
| 40 | Anticonvulsant activity of some 4-methoxy- and 4-chlorobenzanilides. <i>Journal of Pharmaceutical Sciences</i> , 1990 , 79, 220-2 | 3.9 | 7 |
| 39 | Liquid Chromatographic and Mass Spectral Analysis of N,N-Disubstituted 3,4-Methylenedioxyamphetamines. <i>Journal of Liquid Chromatography and Related Technologies</i> , 1990 , 13, 263-274 | | 5 |
| 38 | Liquid Chromatographic Determination of N-Hydroxy-3,4-Methylenedioxyamphetamine and | | 1 |
| J | Metabolite in Plasma. Journal of Liquid Chromatography and Related Technologies, 1990, 13, 1375-1385 | | |
| 37 | Liquid Chromatographic Analysis of Regioisomers and Enantiomers of N-(Chlorobenzyl)-Methylphenethylamines: Analogues of Clobenzorex. <i>Journal of Liquid Chromatography and Related Technologies</i> , 1990 , 13, 763-777 | | 4 |
| | Liquid Chromatographic Analysis of Regioisomers and Enantiomers of N-(Chlorobenzyl)-Methylphenethylamines: Analogues of Clobenzorex. <i>Journal of Liquid</i> | | |
| 37 | Liquid Chromatographic Analysis of Regioisomers and Enantiomers of N-(Chlorobenzyl)-HMethylphenethylamines: Analogues of Clobenzorex. <i>Journal of Liquid Chromatography and Related Technologies</i> , 1990 , 13, 763-777 Liquid Chromatographic Separation of Some Common Benzodiazepines and their Metabolites. | 1.4 | 4 |
| 37 | Liquid Chromatographic Analysis of Regioisomers and Enantiomers of N-(Chlorobenzyl)-Methylphenethylamines: Analogues of Clobenzorex. <i>Journal of Liquid Chromatography and Related Technologies</i> , 1990 , 13, 763-777 Liquid Chromatographic Separation of Some Common Benzodiazepines and their Metabolites. <i>Journal of Liquid Chromatography and Related Technologies</i> , 1990 , 13, 4005-4021 Liquid chromatographic studies on the aqueous solution conformation of substituted benzamide | 1.4 | 6 |
| 37 36 35 | Liquid Chromatographic Analysis of Regioisomers and Enantiomers of N-(Chlorobenzyl)-Methylphenethylamines: Analogues of Clobenzorex. <i>Journal of Liquid Chromatography and Related Technologies</i> , 1990 , 13, 763-777 Liquid Chromatographic Separation of Some Common Benzodiazepines and their Metabolites. <i>Journal of Liquid Chromatography and Related Technologies</i> , 1990 , 13, 4005-4021 Liquid chromatographic studies on the aqueous solution conformation of substituted benzamide drug models. <i>Journal of Chromatographic Science</i> , 1989 , 27, 111-7 Behavioral effects of alpha-benzyl-N-methylphenethylamine (ABNMP), a methamphetamine analog: inhibition by ketanserin and para-chlorophenylalanine (PCPA). <i>Pharmacology Biochemistry</i> | | 4 6 4 |
| 37 36 35 34 | Liquid Chromatographic Analysis of Regioisomers and Enantiomers of N-(Chlorobenzyl)-EMethylphenethylamines: Analogues of Clobenzorex. <i>Journal of Liquid Chromatography and Related Technologies</i> , 1990 , 13, 763-777 Liquid Chromatographic Separation of Some Common Benzodiazepines and their Metabolites. <i>Journal of Liquid Chromatography and Related Technologies</i> , 1990 , 13, 4005-4021 Liquid chromatographic studies on the aqueous solution conformation of substituted benzamide drug models. <i>Journal of Chromatographic Science</i> , 1989 , 27, 111-7 Behavioral effects of alpha-benzyl-N-methylphenethylamine (ABNMP), a methamphetamine analog: inhibition by ketanserin and para-chlorophenylalanine (PCPA). <i>Pharmacology Biochemistry and Behavior</i> , 1988 , 29, 125-8 Comparative anticonvulsant activity and neurotoxicity of 4-amino-N-(2,6-dimethylphenyl)benzamide and prototype antiepileptic drugs in mice and rats. | 3.9 | 4 6 4 |
| 37 36 35 34 33 | Liquid Chromatographic Analysis of Regioisomers and Enantiomers of N-(Chlorobenzyl)-EMethylphenethylamines: Analogues of Clobenzorex. <i>Journal of Liquid Chromatography and Related Technologies</i> , 1990 , 13, 763-777 Liquid Chromatographic Separation of Some Common Benzodiazepines and their Metabolites. <i>Journal of Liquid Chromatography and Related Technologies</i> , 1990 , 13, 4005-4021 Liquid chromatographic studies on the aqueous solution conformation of substituted benzamide drug models. <i>Journal of Chromatographic Science</i> , 1989 , 27, 111-7 Behavioral effects of alpha-benzyl-N-methylphenethylamine (ABNMP), a methamphetamine analog: inhibition by ketanserin and para-chlorophenylalanine (PCPA). <i>Pharmacology Biochemistry and Behavior</i> , 1988 , 29, 125-8 Comparative anticonvulsant activity and neurotoxicity of 4-amino-N-(2,6-dimethylphenyl)benzamide and prototype antiepileptic drugs in mice and rats. <i>Epilepsia</i> , 1988 , 29, 198-203 Pharmacological effects of enantiomers of 4-amino-N-(alpha-methylbenzyl)benzamide, a chemically | 3.9 | 4 6 4 1 |

| 29 | Liquid Chromatographic Analysis of Some N-Alkyl-3,4-methylenedioxyamphetamines. <i>Journal of Liquid Chromatography and Related Technologies</i> , 1987 , 10, 2497-2504 | | 15 |
|----|--|------------------|-----------------|
| 28 | Reversed Phase Liquid Chromatographic Separation of Lysergic Acid Diethylamide (LSD) and Lysergic Acid Methylpropylamide (LAMPA). <i>Journal of Liquid Chromatography and Related Technologies</i> , 1987 , 10, 3481-3488 | | 7 |
| 27 | Synthesis and anticonvulsant activity of analogues of 4-amino-N-(1-phenylethyl)benzamide. <i>Journal of Medicinal Chemistry</i> , 1987 , 30, 1214-8 | 8.3 | 20 |
| 26 | Anticonvulsant activity of some 4-aminophenylacetamides. <i>Journal of Pharmaceutical Sciences</i> , 1987 , 76, 18-20 | 3.9 | 8 |
| 25 | Discovery and anticonvulsant activity of the potent metabolic inhibitor 4-amino-N-(2,6-dimethylphenyl)-3,5-dimethylbenzamide. <i>Journal of Medicinal Chemistry</i> , 1987 , 30, 1742 | -8·3 | 18 |
| 24 | Liquid chromatographic determination of the enantiomeric composition of methamphetamine prepared from ephedrine and pseudoephedrine. <i>Analytical Chemistry</i> , 1986 , 58, 1643-8 | 7.8 | 43 |
| 23 | Anticonvulsant activity of 2- and 3-aminobenzanilides. <i>Journal of Medicinal Chemistry</i> , 1986 , 29, 1534-7 | 8.3 | 39 |
| 22 | Structure-retention relationship analysis for some mono- and polycyclic aromatic hydrocarbons in reversed-phase liquid chromatography using molecular connectivity. <i>Analytical Chemistry</i> , 1986 , 58, 162 | . <i>5</i> -863: | 3 ¹⁵ |
| 21 | Resolution of Some Enantiomeric Amines of Forensic Interest by High-Performance Liquid Chromatography. <i>Journal of Forensic Sciences</i> , 1986 , 31, 12307J | 1.8 | 19 |
| 20 | Anticonvulsant activity of some 4-aminobenzanilides. <i>Journal of Medicinal Chemistry</i> , 1985 , 28, 1259-62 | 8.3 | 47 |
| 19 | Liquid Chromatographic Determination of Primary and Secondary Amines as 8-Quinolinesulfonyl Chloride Derivatives. <i>Journal of the Association of Official Analytical Chemists</i> , 1984 , 67, 687-691 | | 3 |
| 18 | Effects of Intramolecular Hydrogen Bonding on Solute Retention in Reversed-Phase Liquid Chromatography. Elution Characteristics of Some Isomeric Benzamides. <i>Journal of Chromatographic Science</i> , 1984 , 22, 75-79 | 1.4 | 12 |
| 17 | Anticonvulsant activity of some 4-aminobenzamides. <i>Journal of Medicinal Chemistry</i> , 1984 , 27, 779-82 | 8.3 | 61 |
| 16 | Synthesis and liquid chromatographic evaluation of some chiral derivatizing agents for resolution of amine enantiomers. <i>Analytical Chemistry</i> , 1984 , 56, 958-962 | 7.8 | 36 |
| 15 | Acute toxicity of some alkylaminocyclohexane carbonitriles, probable contaminants of phencyclidine analogs. <i>Journal of Applied Toxicology</i> , 1982 , 2, 16-17 | 4.1 | |
| 14 | Investigation of N-alkylbenzamides by reversed-phase liquid chromatography. <i>Journal of Chromatography A</i> , 1982 , 235, 31-41 | 4.5 | 28 |
| 13 | Investigation of N-alkylbenzamides by reversed-phase liquid chromatography. <i>Journal of Chromatography A</i> , 1982 , 235, 43-59 | 4.5 | 19 |
| 12 | Liquid chromatographic determination of clorazepate decomposition rates. <i>Journal of Chromatography A</i> , 1982 , 240, 196-201 | 4.5 | 5 |

LIST OF PUBLICATIONS

| 11 | Liquid chromatographic elution characteristics of some solutes used to measure column void volume on C18 bonded phases. <i>Analytical Chemistry</i> , 1981 , 53, 1341-1345 | 7.8 | 120 |
|----|--|-----|-----|
| 10 | Liquid Chromatographic Separation of Some Alkylaminocyclohexanecarbonitriles from Phenylcyclohexylamines Related to Phencyclidine. <i>Journal of the Association of Official Analytical Chemists</i> , 1981 , 64, 1431-1434 | | |
| 9 | Liquid chromatographic identification of clorazepate in pharmaceutical products. <i>Journal of Chromatography A</i> , 1980 , 188, 426-430 | 4.5 | 7 |
| 8 | Improved detectability of barbiturates in high performance liquid chromatography by post-column ionization. <i>Analytical Chemistry</i> , 1978 , 50, 635-637 | 7.8 | 49 |
| 7 | Precolumn Derivatization of Amines for Enhanced Detectability in Liquid Chromatography. <i>Journal of Chromatographic Science</i> , 1978 , 16, 332-339 | 1.4 | 18 |
| 6 | Iodine-amine charge-transfer complexes as spectrophotometric detectants in high pressure liquid chromatography. <i>Analytical Chemistry</i> , 1977 , 49, 2080-2083 | 7.8 | 9 |
| 5 | Gas and high pressure liquid chromatographic properties of some 4-nitrobenzamides of amphetamines and related arylalkylamines. <i>Analytical Chemistry</i> , 1977 , 49, 912-5 | 7.8 | 17 |
| 4 | 2-Azabicyclo (2.2.2)octane analogues of the prodine analgetics. <i>Journal of Medicinal Chemistry</i> , 1976 , 19, 852-4 | 8.3 | 9 |
| 3 | Stereoselective additions of phenylmagnesium bromide to N-substituted-2-azabicyclo[2.2.2]octa-5-and 6-ones. <i>Journal of Heterocyclic Chemistry</i> , 1974 , 11, 311-315 | 1.9 | 2 |
| 2 | Cholinergic activity of pilocarpine methiodide: a reinvestigation. <i>Journal of Pharmaceutical Sciences</i> , 1973 , 62, 1903-4 | 3.9 | 1 |
| 1 | 2-Azabicyclo(2.2.2)octane derivatives as conformational analogs of local anesthetics. <i>Journal of Medicinal Chemistry</i> , 1973 , 16, 853-6 | 8.3 | 19 |