

Laura E O'shea

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4341464/publications.pdf>

Version: 2024-02-01

23
papers

395
citations

840119

11
h-index

794141

19
g-index

23
all docs

23
docs citations

23
times ranked

242
citing authors

#	ARTICLE	IF	CITATIONS
1	Short-Term Assessment of Risk and Treatability (START): Systematic review and meta-analysis.. Psychological Assessment, 2014, 26, 990-1002.	1.2	63
2	Moderators of the predictive efficacy of the Historical, Clinical and Risk Management-20 for aggression in psychiatric facilities: Systematic review and meta-analysis. Aggression and Violent Behavior, 2013, 18, 255-270.	1.2	62
3	Differential predictive validity of the Historical, Clinical and Risk Management Scales (HCR-20) for inpatient aggression. Psychiatry Research, 2014, 220, 669-678.	1.7	42
4	The Predictive Validity of the Short-Term Assessment of Risk and Treatability (START) for Multiple Adverse Outcomes in a Secure Psychiatric Inpatient Setting. Assessment, 2016, 23, 150-162.	1.9	28
5	Predictive Validity of the Short-Term Assessment of Risk and Treatability (START) for Aggression and Self-Harm in a Secure Mental Health Service: Gender Differences. International Journal of Forensic Mental Health, 2015, 14, 132-146.	0.6	22
6	Predictive validity of the HCR-20 for inpatient aggression: the effect of intellectual disability on accuracy. Journal of Intellectual Disability Research, 2015, 59, 1042-1054.	1.2	21
7	Predictive validity of the HCR-20 for inpatient self-harm. Comprehensive Psychiatry, 2014, 55, 1937-1949.	1.5	17
8	Structured assessments for imminent aggression in mental health and correctional settings: Systematic review and meta-analysis. International Journal of Nursing Studies, 2020, 104, 103526.	2.5	16
9	Protective Factors in Risk Assessment Schemes for Adolescents in Mental Health and Criminal Justice Populations: A Systematic Review and Meta-Analysis of their Predictive Efficacy. Adolescent Research Review, 2018, 3, 95-112.	2.3	15
10	Predictive validity of the START for unauthorised leave and substance abuse in a secure mental health setting: A pseudo-prospective cohort study. International Journal of Nursing Studies, 2015, 52, 970-979.	2.5	13
11	Performance of Protective Factors Assessment in Risk Prediction for Adults: Systematic Review and Meta-Analysis. Clinical Psychology: Science and Practice, 2016, 23, 126-138.	0.6	13
12	The HCR-20 as a measure of reliable and clinically significant change in violence risk among secure psychiatric inpatients. Comprehensive Psychiatry, 2015, 62, 132-140.	1.5	11
13	Access to and sustainability of abortion services: a systematic review and meta-analysis for the National Institute of Health and Care Excellence's new clinical guidelines for England. Human Reproduction Update, 2020, 26, 886-903.	5.2	11
14	How short should short-term risk assessment be? Determining the optimum interval for START reassessment in a secure mental health service. Journal of Psychiatric and Mental Health Nursing, 2015, 22, 397-406.	1.2	10
15	Role of assessment components and recent adverse outcomes in risk estimation and prediction: Use of the Short Term Assessment of Risk and Treatability (START) in an adult secure inpatient mental health service. Psychiatry Research, 2016, 240, 398-405.	1.7	9
16	Reliable and Clinically Significant Change in Outcomes for Forensic Mental Health Inpatients: Use of the HoNOS-Secure. International Journal of Forensic Mental Health, 2017, 16, 161-171.	0.6	8
17	Predictive validity of the Short-Term Assessment of Risk and Treatability (START) for multiple adverse outcomes: The effect of diagnosis. Psychiatry Research, 2017, 256, 435-443.	1.7	8
18	Prevalence and predictors of verbal aggression in a secure mental health service: Use of the HCR-20. International Journal of Mental Health Nursing, 2015, 24, 314-323.	2.1	7

#	ARTICLE	IF	CITATIONS
19	Use of the HCR-20 for violence risk assessment: views of clinicians working in a secure inpatient mental health setting. <i>Journal of Forensic Practice</i> , 2017, 19, 130-138.	0.2	5
20	Structured risk assessment for reduction of multiple risk outcomes in a secure mental health setting: Use of the START. <i>Criminal Behaviour and Mental Health</i> , 2018, 28, 61-71.	0.4	5
21	Predictive validity of the HCR-20 for violent and non-violent sexual behaviour in a secure mental health service. <i>Criminal Behaviour and Mental Health</i> , 2016, 26, 366-379.	0.4	4
22	Cervical priming before surgical abortion between 14 and 24 weeks: a systematic review and meta-analyses for the National Institute for Health and Care Excellence's new clinical guidelines for England. <i>American Journal of Obstetrics & Gynecology MFM</i> , 2021, 3, 100283.	1.3	3
23	Cervical priming before surgical abortion up to 13+6 weeks' gestation: a systematic review and meta-analyses for the National Institute for Health and Care Excellence's new clinical guidelines for England. <i>American Journal of Obstetrics & Gynecology MFM</i> , 2020, 2, 100220.	1.3	2