

M-Pilar Marco

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4341698/publications.pdf>

Version: 2024-02-01

209
papers

7,796
citations

41258

49
h-index

69108

77
g-index

213
all docs

213
docs citations

213
times ranked

7977
citing authors

#	ARTICLE	IF	CITATIONS
1	Multifunctional nanoparticles " properties and prospects for their use in human medicine. Trends in Biotechnology, 2008, 26, 425-433.	4.9	722
2	Nanoparticle-based biosensors for detection of pathogenic bacteria. TrAC - Trends in Analytical Chemistry, 2009, 28, 1243-1252.	5.8	220
3	Biosensors for environmental applications: Future development trends. Pure and Applied Chemistry, 2004, 76, 723-752.	0.9	199
4	Biosensors for environmental monitoring A global perspective. Talanta, 2005, 65, 291-297.	2.9	194
5	Nanobody: outstanding features for diagnostic and therapeutic applications. Analytical and Bioanalytical Chemistry, 2019, 411, 1703-1713.	1.9	167
6	A label-free and portable multichannel surface plasmon resonance immunosensor for on site analysis of antibiotics in milk samples. Biosensors and Bioelectronics, 2010, 26, 1231-1238.	5.3	166
7	Electrochemical Magnetoimmunosensing Strategy for the Detection of Pesticides Residues. Analytical Chemistry, 2006, 78, 1780-1788.	3.2	144
8	Biosensors for environmental monitoring of endocrine disruptors: a review article. Analytical and Bioanalytical Chemistry, 2004, 378, 588-598.	1.9	141
9	Competitive flow immunoassay with fluorescence detection for determination of 4-nitrophenol. Analytica Chimica Acta, 2001, 426, 185-195.	2.6	128
10	Environmental applications of analytical biosensors. Measurement Science and Technology, 1996, 7, 1547-1562.	1.4	120
11	Electrochemical magneto immunosensing of antibiotic residues in milk. Biosensors and Bioelectronics, 2007, 22, 2184-2191.	5.3	114
12	Integrated disposable electrochemical immunosensors for the simultaneous determination of sulfonamide and tetracycline antibiotics residues in milk. Biosensors and Bioelectronics, 2013, 50, 100-105.	5.3	100
13	Immunochemical techniques for environmental analysis II. Antibody production and immunoassay development. TrAC - Trends in Analytical Chemistry, 1995, 14, 415-425.	5.8	97
14	Part per trillion determination of atrazine in natural water samples by a surface plasmon resonance immunosensor. Analytical and Bioanalytical Chemistry, 2007, 388, 207-214.	1.9	97
15	Development of a highly sensitive enzyme-linked immunosorbent assay for atrazine Performance evaluation by flow injection immunoassay. Analytica Chimica Acta, 1997, 347, 149-162.	2.6	90
16	Immunochemical Assays for Direct Sulfonamide Antibiotic Detection In Milk and Hair Samples Using Antibody Derivatized Magnetic Nanoparticles. Journal of Agricultural and Food Chemistry, 2008, 56, 736-743.	2.4	87
17	Generation of Broad Specificity Antibodies for Sulfonamide Antibiotics and Development of an Enzyme-Linked Immunosorbent Assay (ELISA) for the Analysis of Milk Samples. Journal of Agricultural and Food Chemistry, 2009, 57, 385-394.	2.4	87
18	An impedimetric immunosensor based on interdigitated microelectrodes (ID ^{1/4} E) for the determination of atrazine residues in food samples. Biosensors and Bioelectronics, 2008, 23, 1367-1373.	5.3	86

#	ARTICLE	IF	CITATIONS
19	A multianalyte ELISA for immunochemical screening of sulfonamide, fluoroquinolone and β -lactam antibiotics in milk samples using class-selective bioreceptors. <i>Analytical and Bioanalytical Chemistry</i> , 2008, 391, 1703-1712.	1.9	85
20	Impedimetric immunosensor for the specific label free detection of ciprofloxacin antibiotic. <i>Biosensors and Bioelectronics</i> , 2007, 23, 549-555.	5.3	84
21	Development of Stable, Water-Dispersible, and Biofunctionalizable Superparamagnetic Iron Oxide Nanoparticles. <i>Chemistry of Materials</i> , 2011, 23, 2795-2802.	3.2	84
22	Disposable and integrated amperometric immunosensor for direct determination of sulfonamide antibiotics in milk. <i>Biosensors and Bioelectronics</i> , 2012, 36, 81-88.	5.3	80
23	Immunochemical techniques for environmental analysis I. Immunosensors. <i>TrAC - Trends in Analytical Chemistry</i> , 1995, 14, 341-350.	5.8	79
24	Immunoassay for folic acid detection in vitamin-fortified milk based on electrochemical magneto sensors. <i>Biosensors and Bioelectronics</i> , 2009, 24, 2057-2063.	5.3	77
25	Accurate Determination of 2,4,6-Trichloroanisole in Wines at Low Parts Per Trillion by Solid-Phase Microextraction Followed by GC-ECD. <i>Journal of Agricultural and Food Chemistry</i> , 2003, 51, 3509-3514.	2.4	75
26	Pilot Survey for Determination of the Antifouling Agent Irgarol 1051 in Enclosed Seawater Samples by a Direct Enzyme-Linked Immunosorbent Assay and Solid-Phase Extraction Followed by Liquid Chromatography \textasciitimes Diode Array Detection. <i>Environmental Science & Technology</i> , 1997, 31, 3530-3535.	4.6	74
27	Impedimetric Immunosensor Based on a Polypyrrole \textasciitimes Antibiotic Model Film for the Label-Free Picomolar Detection of Ciprofloxacin. <i>Analytical Chemistry</i> , 2009, 81, 8405-8409.	3.2	72
28	Portable Surface Plasmon Resonance Immunosensor for the Detection of Fluoroquinolone Antibiotic Residues in Milk. <i>Journal of Agricultural and Food Chemistry</i> , 2011, 59, 5036-5043.	2.4	72
29	A General Perspective of the Characterization and Quantification of Nanoparticles: Imaging, Spectroscopic, and Separation Techniques. <i>Critical Reviews in Solid State and Materials Sciences</i> , 2014, 39, 423-458.	6.8	72
30	Development of an enzyme-linked immunosorbent assay for carbaryl. <i>Journal of Agricultural and Food Chemistry</i> , 1993, 41, 423-430.	2.4	69
31	Preparation of Antibodies and Development of an Enzyme-Linked Immunosorbent Assay (ELISA) for the Determination of Doxycycline Antibiotic in Milk Samples. <i>Journal of Agricultural and Food Chemistry</i> , 2012, 60, 3837-3846.	2.4	69
32	Nanogold probe enhanced Surface Plasmon Resonance immunosensor for improved detection of antibiotic residues. <i>Biosensors and Bioelectronics</i> , 2012, 34, 151-158.	5.3	68
33	Ultrasensitive amperometric magnetoimmunosensor for human C-reactive protein quantification in serum. <i>Sensors and Actuators B: Chemical</i> , 2013, 188, 212-220.	4.0	68
34	Biosensors for pharmaceuticals based on novel technology. <i>TrAC - Trends in Analytical Chemistry</i> , 2011, 30, 541-553.	5.8	66
35	Development of an Immunochemical Technique for the Analysis of Trichlorophenols Using Theoretical Models. <i>Analytical Chemistry</i> , 2000, 72, 2237-2246.	3.2	64
36	Molecular Modeling Assisted Hapten Design To Produce Broad Selectivity Antibodies for Fluoroquinolone Antibiotics. <i>Analytical Chemistry</i> , 2012, 84, 4527-4534.	3.2	64

#	ARTICLE	IF	CITATIONS
37	Influence of the Hapten Design on the Development of a Competitive ELISA for the Determination of the Antifouling Agent Irgarol 1051 at Trace Levels. <i>Analytical Chemistry</i> , 1998, 70, 4004-4014.	3.2	63
38	Development and optimization of an indirect enzyme-linked immunosorbent assay for 4-nitrophenol. Application to the analysis of certified water samples. <i>Analytica Chimica Acta</i> , 1999, 387, 255-266.	2.6	63
39	Colloidal-based localized surface plasmon resonance (LSPR) biosensor for the quantitative determination of stanozolol. <i>Analytical and Bioanalytical Chemistry</i> , 2008, 391, 1813-1820.	1.9	61
40	Wavelength-interrogated optical biosensor for multi-analyte screening of sulfonamide, fluoroquinolone, β -lactam and tetracycline antibiotics in milk. <i>TrAC - Trends in Analytical Chemistry</i> , 2009, 28, 769-777.	5.8	59
41	Preparation of antisera and development of a direct enzyme-linked immunosorbent assay for the determination of the antifouling agent Irgarol 1051. <i>Analytica Chimica Acta</i> , 1997, 347, 139-147.	2.6	58
42	Current bioanalytical methods for detection of penicillins. <i>Analytical and Bioanalytical Chemistry</i> , 2012, 403, 1549-1566.	1.9	56
43	Development of a Selective Enzyme-Linked Immunosorbent Assay for 1-Naphthol-the Major Metabolite of Carbaryl (1-Naphthyl N-Methylcarbamate). <i>Journal of Agricultural and Food Chemistry</i> , 1994, 42, 934-943.	2.4	55
44	Recent advances in analytical and bioanalysis applications of noble metal nanorods. <i>Analytical and Bioanalytical Chemistry</i> , 2010, 398, 2451-2469.	1.9	55
45	Impedimetric immunosensor for atrazine detection using interdigitated Au -electrodes (ID Au 's). <i>Sensors and Actuators B: Chemical</i> , 2007, 125, 526-537.	4.0	53
46	Waveguide interrogated optical immunosensor (WIOS) for detection of sulfonamide antibiotics in milk. <i>Biosensors and Bioelectronics</i> , 2009, 24, 3340-3346.	5.3	53
47	Current and near-future technologies for antibiotic susceptibility testing and resistant bacteria detection. <i>TrAC - Trends in Analytical Chemistry</i> , 2020, 127, 115891.	5.8	53
48	Development and Evaluation of an Immunoassay for Biological Monitoring Chlorophenols in Urine as Potential Indicators of Occupational Exposure. <i>Analytical Chemistry</i> , 2002, 74, 468-478.	3.2	51
49	Three-dimensional interdigitated electrode array as a transducer for label-free biosensors. <i>Biosensors and Bioelectronics</i> , 2008, 24, 729-735.	5.3	51
50	Indirect competitive immunoassay for trichlorophenol determination. <i>Analytica Chimica Acta</i> , 2002, 452, 191-206.	2.6	50
51	Conductimetric immunosensor for atrazine detection based on antibodies labelled with gold nanoparticles. <i>Sensors and Actuators B: Chemical</i> , 2008, 134, 95-103.	4.0	50
52	Effect of the pheromone biosynthesis activating neuropeptide on sex pheromone biosynthesis in <i>Spodoptera littoralis</i> isolated glands. <i>Archives of Insect Biochemistry and Physiology</i> , 1994, 27, 77-87.	0.6	49
53	Quantitative detection of doping substances by a localised surface plasmon sensor. <i>Biosensors and Bioelectronics</i> , 2006, 21, 1345-1349.	5.3	45
54	Rapid method based on immunoassay for determination of paraquat residues in wheat, barley and potato. <i>Food Control</i> , 2014, 41, 193-201.	2.8	45

#	ARTICLE	IF	CITATIONS
55	Detection of Fluoroquinolone Antibiotics in Milk via a Labelless Immunoassay Based upon an Alternating Current Impedance Protocol. <i>Analytical Chemistry</i> , 2008, 80, 9233-9239.	3.2	40
56	Competitive multi-immunosensing of pesticides based on the particle manipulation with negative dielectrophoresis. <i>Biosensors and Bioelectronics</i> , 2010, 25, 1928-1933.	5.3	40
57	Electrochemical biosensing of pesticide residues based on affinity biocomposite platforms. <i>Biosensors and Bioelectronics</i> , 2007, 22, 1707-1715.	5.3	39
58	Hapten design and development of an ELISA (enzyme-linked immunosorbent assay) for the detection of the mercapturic acid conjugates of naphthalene. <i>Journal of Organic Chemistry</i> , 1993, 58, 7548-7556.	1.7	38
59	Quantum dot-based array for sensitive detection of <i>Escherichia coli</i> . <i>Analytical and Bioanalytical Chemistry</i> , 2011, 399, 2755-2762.	1.9	38
60	Validation of an immunoassay method for the determination of traces of carbaryl in vegetable and fruit extracts by liquid chromatography with photodiode array and mass spectrometric detection. <i>Journal of Chromatography A</i> , 1998, 823, 109-120.	1.8	37
61	Development of a Coulombimetric immunosensor based on specific antibodies labeled with CdS nanoparticles for sulfonamide antibiotic residues analysis and its application to honey samples. <i>Biosensors and Bioelectronics</i> , 2013, 43, 211-217.	5.3	37
62	Kynurenic Acid Levels are Increased in the CSF of Alzheimer's Disease Patients. <i>Biomolecules</i> , 2020, 10, 571.	1.8	37
63	Analysis of Nonylphenol: Advances and Improvements in the Immunochemical Determination Using Antibodies Raised against the Technical Mixture and Hydrophilic Immunoreagents. <i>Environmental Science & Technology</i> , 2006, 40, 559-568.	4.6	36
64	Detection of pesticide residues using an immunodevice based on negative dielectrophoresis. <i>Biosensors and Bioelectronics</i> , 2009, 24, 1592-1597.	5.3	36
65	Validation of two immunoassay methods for environmental monitoring of carbaryl and 1-naphthol in ground water samples. <i>Analytica Chimica Acta</i> , 1995, 311, 319-329.	2.6	35
66	Evidence for both humoral and neural regulation of sex pheromone biosynthesis in <i>Spodoptera littoralis</i> . <i>Archives of Insect Biochemistry and Physiology</i> , 1996, 31, 157-167.	0.6	33
67	Determination of atrazine residues in red wine samples. A conductimetric solution. <i>Food Chemistry</i> , 2010, 122, 888-894.	4.2	33
68	Development of a cellular biosensor for the detection of 2,4,6-trichloroanisole (TCA). <i>Talanta</i> , 2011, 84, 936-940.	2.9	33
69	Coulombimetric immunosensor for paraquat based on electrochemical nanoproboscopes. <i>Sensors and Actuators B: Chemical</i> , 2014, 194, 353-360.	4.0	33
70	Effect of competitor design on immunoassay specificity: Development and evaluation of an enzyme-linked immunosorbent assay for 2,4-dinitrophenol. <i>Analytica Chimica Acta</i> , 1999, 387, 267-279.	2.6	31
71	Electrochemical Detection of Fluoroquinolone Antibiotics in Milk Using a Magneto Immunosensor. <i>Sensors</i> , 2014, 14, 15965-15980.	2.1	31
72	Immunochemical Determination of Pyocyanin and 1-Hydroxyphenazine as Potential Biomarkers of <i>Pseudomonas aeruginosa</i> Infections. <i>Analytical Chemistry</i> , 2016, 88, 1631-1638.	3.2	31

#	ARTICLE	IF	CITATIONS
73	Direct Competitive Enzyme-Linked Immunosorbent Assay for the Determination of the Highly Polar Short-Chain Sulfophenyl Carboxylates. <i>Analytical Chemistry</i> , 2005, 77, 5283-5293.	3.2	30
74	Biomonitoring Human Exposure to Organohalogenated Substances by Measuring Urinary Chlorophenols Using a High-Throughput Screening (HTS) Immunochemical Method. <i>Environmental Science & Technology</i> , 2006, 40, 2469-2477.	4.6	30
75	Detection of pathogenic Bacteria by Electrochemical Impedance Spectroscopy: Influence of the immobilization strategies on the sensor performance. <i>Procedia Chemistry</i> , 2009, 1, 1291-1294.	0.7	30
76	Validation of an Enzyme-Linked Immunosorbent Assay for Detecting Sulfonamides in Feed Resources. <i>Journal of Agricultural and Food Chemistry</i> , 2010, 58, 7526-7531.	2.4	30
77	Novel strategy for sulfapyridine detection using a fully integrated electrochemical Bio-MEMS: Application to honey analysis. <i>Biosensors and Bioelectronics</i> , 2017, 93, 282-288.	5.3	30
78	Enzyme-linked immunosorbent assay for the specific detection of the mercapturic acid metabolites of naphthalene. <i>Chemical Research in Toxicology</i> , 1993, 6, 284-293.	1.7	29
79	Reversible immunosensor for the automatic determination of atrazine. Selection and performance of three polyclonal antisera. <i>Analytica Chimica Acta</i> , 1999, 386, 201-210.	2.6	29
80	Development and application of immunoaffinity chromatography for the determination of the triazinic biocides in seawater. <i>Journal of Chromatography A</i> , 2001, 909, 61-72.	1.8	29
81	Preparation of antibodies and development of a sensitive immunoassay with fluorescence detection for triazine herbicides. <i>Analytical and Bioanalytical Chemistry</i> , 2008, 391, 1801-1812.	1.9	29
82	Development and validation of an enzyme linked immunosorbent assay for fluoroquinolones in animal feeds. <i>Food Control</i> , 2015, 57, 195-201.	2.8	29
83	Synthesis of haptens and conjugates for an enzyme immunoassay for analysis of the herbicide bromacil. <i>Journal of Agricultural and Food Chemistry</i> , 1992, 40, 1459-1465.	2.4	28
84	Immunochemical determination of xenobiotics with endocrine disrupting effects. <i>Analytical and Bioanalytical Chemistry</i> , 2004, 378, 563-575.	1.9	28
85	Development of an Enzyme-Linked Immunosorbent Assay for the Determination of the Linear Alkylbenzene Sulfonates and Long-Chain Sulfophenyl Carboxylates Using Antibodies Generated by Pseudoheterologous Immunization. <i>Analytical Chemistry</i> , 2006, 78, 71-81.	3.2	28
86	ASSURED Point-of-Need Food Safety Screening: A Critical Assessment of Portable Food Analyzers. <i>Foods</i> , 2021, 10, 1399.	1.9	28
87	Phenazines as potential biomarkers of <i>Pseudomonas aeruginosa</i> infections: synthesis regulation, pathogenesis and analytical methods for their detection. <i>Analytical and Bioanalytical Chemistry</i> , 2020, 412, 5897-5912.	1.9	27
88	Performance of two immunoassays for the determination of atrazine in sea water samples as compared with on-line solid phase extraction-liquid chromatography-diode array detection. <i>Analytica Chimica Acta</i> , 1996, 330, 41-51.	2.6	26
89	Electrochemical coding strategies using metallic nanoprobe for biosensing applications. <i>TrAC - Trends in Analytical Chemistry</i> , 2016, 79, 9-22.	5.8	26
90	Regulation of sex pheromone biosynthesis in two noctuid species, <i>S. littoralis</i> and <i>M. brassicae</i> , may involve both PBAN and the ventral nerve cord. <i>Archives of Insect Biochemistry and Physiology</i> , 1998, 37, 295-304.	0.6	25

#	ARTICLE	IF	CITATIONS
91	An Immunosensor for the Automatic Determination of the Antifouling Agent Irgarol 1051 in Natural Waters. <i>Environmental Science & Technology</i> , 1998, 32, 3442-3447.	4.6	25
92	Competitive Quenching Fluorescence Immunoassay for Chlorophenols Based on Laser-Induced Fluorescence Detection in Microdroplets. <i>Analytical Chemistry</i> , 2003, 75, 83-90.	3.2	25
93	Characterisation of the interdigitated electrode array with tantalum silicide electrodes separated by insulating barriers. <i>Electrochemistry Communications</i> , 2008, 10, 1621-1624.	2.3	25
94	Immunosensor for trace determination of Irgarol 1051 in seawater using organic media. <i>Analytica Chimica Acta</i> , 1999, 387, 227-233.	2.6	24
95	Temporal distribution of PBAN-like immunoreactivity in the hemolymph of <i>Mamestra brassicae</i> females in relation to sex pheromone production and calling behavior. <i>Archives of Insect Biochemistry and Physiology</i> , 1999, 40, 80-87.	0.6	24
96	Labelless Immunosensor Assay for Fluoroquinolone Antibiotics Based Upon an AC Impedance Protocol. <i>Analytical Letters</i> , 2007, 40, 1412-1422.	1.0	24
97	Preparation of Antibodies for the Designer Steroid Tetrahydrogestrinone and Development of an Enzyme-Linked Immunosorbent Assay for Human Urine Analysis. <i>Analytical Chemistry</i> , 2007, 79, 3734-3740.	3.2	24
98	Determination of Haloanisols in White Wine by Immunosorbent Solid-Phase Extraction Followed by Enzyme-Linked Immunosorbent Assay. <i>Journal of Agricultural and Food Chemistry</i> , 2006, 54, 9176-9183.	2.4	23
99	Mass spectrometric characterization of urinary toremifene metabolites for doping control analyses. <i>Journal of Chromatography A</i> , 2011, 1218, 4727-4737.	1.8	23
100	Ecdysteroid production in tissue cultures of <i>Polypodium vulgare</i> . <i>Phytochemistry</i> , 1990, 29, 3819-3821.	1.4	22
101	Biological Monitoring of 2,4,5-Trichlorophenol (I): Preparation of Antibodies and Development of an Immunoassay Using Theoretical Models. <i>Chemical Research in Toxicology</i> , 2002, 15, 1360-1370.	1.7	22
102	Evaluation of a field-test kit for triazine herbicides (SensioScreen® TR500) as a fast assay to detect pesticide contamination in water samples. <i>Analytica Chimica Acta</i> , 2003, 475, 105-115.	2.6	21
103	Immunochemical Determination of 2,4,6-Trichloroanisole as the Responsible Agent for the Musty Odor in Foods. 1. Molecular Modeling Studies for Antibody Production. <i>Journal of Agricultural and Food Chemistry</i> , 2003, 51, 3924-3931.	2.4	21
104	Determination of Irgarol 1051 in Western Mediterranean sediments. Development and application of supercritical fluid extraction-immunoaffinity chromatography procedure. <i>Water Research</i> , 2003, 37, 3658-3665.	5.3	21
105	Simultaneous immunochemical detection of stanozolol and the main human metabolite, 3- α -hydroxy-stanozolol, in urine and serum samples. <i>Analytical Biochemistry</i> , 2008, 376, 221-228.	1.1	21
106	Immunochemical Analysis of 2,4,6-Tribromophenol for Assessment of Wood Contamination. <i>Journal of Agricultural and Food Chemistry</i> , 2008, 56, 29-34.	2.4	21
107	Fluorescence site-encoded DNA addressable hapten microarray for anabolic androgenic steroids. <i>TrAC - Trends in Analytical Chemistry</i> , 2009, 28, 718-728.	5.8	21
108	Development and evaluation of C18 and immunosorbent solid-phase extraction methods prior immunochemical analysis of chlorophenols in human urine. <i>Analytica Chimica Acta</i> , 2005, 533, 67-82.	2.6	20

#	ARTICLE	IF	CITATIONS
109	Gel-based immunotest for simultaneous detection of 2,4,6-trichlorophenol and ochratoxin A in red wine. <i>Analytica Chimica Acta</i> , 2010, 672, 3-8.	2.6	20
110	Multiplexed immunoassay to detect anabolic androgenic steroids in human serum. <i>Analytical and Bioanalytical Chemistry</i> , 2012, 403, 1361-1371.	1.9	20
111	Immunochemical detection of penicillins by using biohybrid magnetic particles. <i>Food Control</i> , 2015, 51, 381-389.	2.8	20
112	Smartphone-based magneto-immunosensor on carbon black modified screen-printed electrodes for point-of-need detection of aflatoxin B1 in cereals. <i>Analytica Chimica Acta</i> , 2022, 1221, 340118.	2.6	20
113	Direct application of an enzyme-linked immunosorbent assay method for carbaryl determination in fruits and vegetables. Comparison with a liquid chromatographyâ€“postcolumn reaction fluorescence detection method. <i>Analytica Chimica Acta</i> , 1999, 387, 245-253.	2.6	19
114	Electronic Anabolic Steroid Recognition with Carbon Nanotube Field-Effect Transistors. <i>ACS Nano</i> , 2010, 4, 1473-1480.	7.3	19
115	Design and fabrication of a <sc>COP</sc>-based microfluidic chip: Chronoamperometric detection of <sc>T</sc>roponin <sc>T</sc>. <i>Electrophoresis</i> , 2012, 33, 3187-3194.	1.3	19
116	Immunochemical determination of fluoroquinolone antibiotics in cattle hair: A strategy to ensure food safety. <i>Food Chemistry</i> , 2014, 157, 221-228.	4.2	19
117	Immunoassays on thiol-ene synthetic paper generate a superior fluorescence signal. <i>Biosensors and Bioelectronics</i> , 2020, 163, 112279.	5.3	19
118	The benefits of carbon black, gold and magnetic nanomaterials for point-of-harvest electrochemical quantification of domoic acid. <i>Mikrochimica Acta</i> , 2020, 187, 164.	2.5	19
119	Ecdysteroid depletion by azadirachtin in <i>Tenebrio molitor</i> pupae. <i>Pesticide Biochemistry and Physiology</i> , 1990, 38, 60-65.	1.6	18
120	Phytoecdysteroid analysis by high-performance liquid chromatography-thermospray mass spectrometry. <i>Journal of Chromatography A</i> , 1993, 641, 81-87.	1.8	18
121	Evaluation of 4-Nitrophenol ELISA Kit for Assessing the Origin of Organic Pollution in Wastewater Treatment Works. <i>Environmental Science & Technology</i> , 1999, 33, 3898-3904.	4.6	18
122	Preparation of Antibodies and Development of an Enzyme-Linked Immunosorbent Assay for Determination of Dealkylated Hydroxytriazines. <i>Journal of Agricultural and Food Chemistry</i> , 2003, 51, 156-164.	2.4	18
123	Single frequency impedimetric immunosensor for atrazine detection. <i>Sensors and Actuators B: Chemical</i> , 2008, 129, 921-928.	4.0	18
124	A high throughput immunoassay for the therapeutic drug monitoring of tegafur. <i>Analyst, The</i> , 2017, 142, 2404-2410.	1.7	18
125	Interferometric nanoimmunosensor for label-free and real-time monitoring of Irgarol 1051 in seawater. <i>Biosensors and Bioelectronics</i> , 2018, 117, 47-52.	5.3	18
126	Multiplexed immunochemical techniques for the detection of pollutants in aquatic environments. <i>TrAC - Trends in Analytical Chemistry</i> , 2018, 106, 1-10.	5.8	18

#	ARTICLE	IF	CITATIONS
127	Development of an Enzyme-Linked Immunosorbent Assay for Determination of the Miticide Bromopropylate. <i>Journal of Agricultural and Food Chemistry</i> , 2009, 57, 375-384.	2.4	17
128	Synthesis of Steroid- ⁶⁶ Oligonucleotide Conjugates for a DNA Site-Encoded SPR Immunosensor. <i>Bioconjugate Chemistry</i> , 2012, 23, 2183-2191.	1.8	16
129	Two-photon fluorescent immunosensor for androgenic hormones using resonant grating waveguide structures. <i>Sensors and Actuators B: Chemical</i> , 2012, 174, 394-401.	4.0	16
130	Three-Dimensional Interdigitated Electrode Array as a Tool for Surface Reactions Registration. <i>Electroanalysis</i> , 2012, 24, 69-75.	1.5	16
131	An electrochemical magneto immunosensor (EMIS) for the determination of paraquat residues in potato samples. <i>Analytical and Bioanalytical Chemistry</i> , 2013, 405, 7841-7849.	1.9	16
132	¹³ C Dynamic Nmr Studies on Restricted Rotation about C-N Bond in 2-Aryl-1-formyl-4-piperidones. <i>Heterocycles</i> , 1989, 29, 2185.	0.4	16
133	Efficient determination of phytoecdysteroids from <i>Ajuga</i> species and <i>Polypodium vulgare</i> by high-performance liquid chromatography. <i>Journal of Chromatography A</i> , 1990, 514, 199-207.	1.8	15
134	Rapid immunochemical analysis of the sulfonamide-sugar conjugated fraction of antibiotic contaminated honey samples. <i>Food Chemistry</i> , 2015, 178, 156-163.	4.2	15
135	A microfluidic device for the automated electrical readout of low-density glass-slide microarrays. <i>Biosensors and Bioelectronics</i> , 2015, 74, 698-704.	5.3	15
136	Bioanalytical methods for cytostatic therapeutic drug monitoring and occupational exposure assessment. <i>TrAC - Trends in Analytical Chemistry</i> , 2017, 93, 152-170.	5.8	15
137	Multimodal plasmonic biosensing nanostructures prepared by DNA-directed immobilization of multifunctional DNA-gold nanoparticles. <i>Biosensors and Bioelectronics</i> , 2017, 90, 13-22.	5.3	15
138	Immunoassay and amperometric biosensor approaches for the detection of deltamethrin in seawater. <i>Analytical and Bioanalytical Chemistry</i> , 2018, 410, 5923-5930.	1.9	15
139	Light-induced mechanisms for nanocarrier TM s cargo release. <i>Colloids and Surfaces B: Biointerfaces</i> , 2019, 173, 825-832.	2.5	15
140	Traceability of sulfonamide antibiotic treatment by immunochemical analysis of farm animal hair samples. <i>Analytical and Bioanalytical Chemistry</i> , 2009, 395, 1009-1016.	1.9	14
141	Extraction-less, rapid assay for the direct detection of 2,4,6-trichloroanisole (TCA) in cork samples. <i>Talanta</i> , 2014, 125, 336-340.	2.9	14
142	Immunochemical Determination of 2,4,6-Trichloroanisole as the Responsible Agent for the Musty Odor in Foods. 2. Immunoassay Evaluation. <i>Journal of Agricultural and Food Chemistry</i> , 2003, 51, 3932-3939.	2.4	13
143	Evaluation of a Newly Developed Enzyme-Linked Immunosorbent Assay for Determination of Linear Alkyl Benzenesulfonates in Wastewater Treatment Plants. <i>Environmental Science & Technology</i> , 2006, 40, 5064-5070.	4.6	13
144	A New Methodology for the Rational Design of Molecularly Imprinted Polymers. <i>Analytical Letters</i> , 2007, 40, 1294-1306.	1.0	13

#	ARTICLE	IF	CITATIONS
145	Nonlinear immunofluorescent assay for androgenic hormones based on resonant structures. <i>Optics Express</i> , 2008, 16, 13315.	1.7	13
146	Enzyme-linked immunosorbent assays for therapeutic drug monitoring coumarin oral anticoagulants in plasma. <i>Analytica Chimica Acta</i> , 2018, 1028, 59-65.	2.6	13
147	Fluorescent microarray for multiplexed quantification of environmental contaminants in seawater samples. <i>Talanta</i> , 2018, 184, 499-506.	2.9	13
148	Development of a highly sensitive ELISA for the determination of PBAN and its application to the analysis of hemolymph in <i>Spodoptera littoralis</i> . <i>Archives of Insect Biochemistry and Physiology</i> , 1995, 30, 369-381.	0.6	12
149	High-Throughput Immunochemical Method to Assess the 2-Heptyl-4-quinolone Quorum Sensing Molecule as a Potential Biomarker of <i>Pseudomonas aeruginosa</i> Infections. <i>ACS Infectious Diseases</i> , 2020, 6, 3237-3246.	1.8	12
150	Kynurenic Acid Electrochemical Immunosensor: Blood-Based Diagnosis of Alzheimer's Disease. <i>Biosensors</i> , 2021, 11, 20.	2.3	12
151	Diagnosis and Stratification of <i>Pseudomonas aeruginosa</i> Infected Patients by Immunochemical Quantitative Determination of Pyocyanin From Clinical Bacterial Isolates. <i>Frontiers in Cellular and Infection Microbiology</i> , 2021, 11, 786929.	1.8	12
152	Advances in techniques for ecdysteroid analysis. <i>Invertebrate Reproduction and Development</i> , 1990, 18, 55-66.	0.3	11
153	Biological Monitoring of 2,4,5-Trichlorophenol (II): Evaluation of an Enzyme-Linked Immunosorbent Assay for the Analysis of Water, Urine, and Serum Samples. <i>Chemical Research in Toxicology</i> , 2002, 15, 1371-1379.	1.7	11
154	A high-throughput screening (HTS) immunochemical method for the analysis of stanozolol metabolites in cattle urine samples. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2010, 878, 243-252.	1.2	11
155	Azadirachtin induced imaginal moult deficiencies in <i>Tenebrio molitor</i> L. (Coleoptera: Tenebrionidae). <i>Journal of Stored Products Research</i> , 1990, 26, 53-57.	1.2	10
156	Immunochemical Determination of Pharmaceuticals and Personal Care Products as Emerging Pollutants. , 0, , 181-244.		10
157	Development of an immunoassay for terbutryn: Study of the influence of the immunization protocol. <i>Talanta</i> , 2012, 89, 310-316.	2.9	10
158	Sandwich NP-based biobarcode assay for quantification C-reactive protein in plasma samples. <i>Analytica Chimica Acta</i> , 2017, 992, 112-118.	2.6	10
159	A high-specificity immunoassay for the therapeutic drug monitoring of cyclophosphamide. <i>Analyst, The</i> , 2019, 144, 5172-5178.	1.7	10
160	An Immunochemical Approach to Quantify and Assess the Potential Value of the <i>Pseudomonas</i> Quinolone Signal as a Biomarker of Infection. <i>Analytical Chemistry</i> , 2021, 93, 4859-4866.	3.2	10
161	Preliminary study for simultaneous detection and quantification of androgenic anabolic steroids using ELISA and pattern recognition techniques. <i>Analyst, The</i> , 2011, 136, 4045.	1.7	9
162	A portable electrochemical magnetoimmunosensor for detection of sulfonamide antimicrobials in honey. <i>Analytical and Bioanalytical Chemistry</i> , 2013, 405, 7885-7895.	1.9	9

#	ARTICLE	IF	CITATIONS
163	Amperometric Biosensor for Continuous Monitoring Irgarol 1051 in Sea Water. <i>Electroanalysis</i> , 2016, 28, 1833-1838.	1.5	9
164	Quantification of interacting cognate odorants with olfactory receptors in nanovesicles. <i>Scientific Reports</i> , 2017, 7, 17483.	1.6	9
165	Studies towards hcTnI Immunodetection Using Electrochemical Approaches Based on Magnetic Microbeads. <i>Sensors</i> , 2018, 18, 2457.	2.1	9
166	Immediate hypersensitivity to penicillins. Identification of a new antigenic determinant. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2018, 148, 17-23.	1.4	8
167	Development and validation of a multianalyte immunoassay for the quantification of environmental pollutants in seawater samples from the Catalonia coastal area. <i>Analytical and Bioanalytical Chemistry</i> , 2019, 411, 5897-5907.	1.9	8
168	Synthetic applications of 2-aryl-4-piperidones. V1.. <i>Tetrahedron</i> , 1991, 47, 5585-5602.	1.0	7
169	Production of Antibodies for the Quantitative Detection of the Anabolically Active Androgens 17 β -Boldenone and Methylboldenone. <i>Analytical Letters</i> , 2007, 40, 1461-1472.	1.0	7
170	Disulfide Symmetric Dimers as Stable Pre α -Hapten Forms for Bioconjugation: A Strategy to Prepare Immunoreagents for the Detection of Sulfophenyl Carboxylate Residues in Environmental Samples. <i>Chemistry - A European Journal</i> , 2008, 14, 1906-1917.	1.7	7
171	Evaluation of Immunoassays as an Alternative for the Rapid Determination of Pesticides in Wine and Grape Samples. <i>Journal of AOAC INTERNATIONAL</i> , 2010, 93, 2-11.	0.7	7
172	Biological and clinical significance of quorum sensing alkylquinolones: current analytical and bioanalytical methods for their quantification. <i>Analytical and Bioanalytical Chemistry</i> , 2021, 413, 4599-4618.	1.9	7
173	Chapter 2.8 Application of bioassays/biosensors for the analysis of pharmaceuticals in environmental samples. <i>Comprehensive Analytical Chemistry</i> , 2007, 50, 279-334.	0.7	6
174	An immunochemical strategy based on peptidoglycan synthetic peptide epitopes to diagnose <i>Staphylococcus aureus</i> infections. <i>Analytica Chimica Acta</i> , 2015, 889, 203-211.	2.6	6
175	Competitive ELISA for N-terminal pro-brain natriuretic peptide (NT-proBNP) determination in human plasma. <i>Analyst</i> , The, 2020, 145, 6719-6727.	1.7	6
176	Chapter 22 Fundamentals and applications of biosensors for environmental analysis. <i>Techniques and Instrumentation in Analytical Chemistry</i> , 2000, 21, 1075-1105.	0.0	5
177	Enzyme Immunoassay for 2,4,6-Trichloroanisole Based on Monoclonal Antibodies. <i>Analytical Letters</i> , 2003, 36, 713-729.	1.0	5
178	Immunochemical Determination of Industrial Emerging Pollutants. , 0, , 119-180.		5
179	Biosensors for Pharmaceuticals and Emerging Contaminants Based on Novel Micro and Nanotechnology Approaches. <i>Handbook of Environmental Chemistry</i> , 2009, , 47-68.	0.2	5
180	Lipoprotein(a) determination in human serum using a nitrilotriacetic acid derivative immunosensing scaffold on disposable electrodes. <i>Analytical and Bioanalytical Chemistry</i> , 2014, 406, 5379-5387.	1.9	5

#	ARTICLE	IF	CITATIONS
181	Two photon versus one photon fluorescence excitation in whispering gallery mode microresonators. <i>Journal of Luminescence</i> , 2016, 170, 860-865.	1.5	5
182	Development of Novel Magneto-Biosensor for Sulfapyridine Detection. <i>Biosensors</i> , 2020, 10, 43.	2.3	5
183	Bacteria Detection at a Single-Cell Level through a Cyanotype-Based Photochemical Reaction. <i>Analytical Chemistry</i> , 2022, 94, 787-792.	3.2	5
184	Non-Specific Adsorption of Streptavidin on Single Walled Carbon Nanotubes. <i>Journal of Nanoscience and Nanotechnology</i> , 2009, 9, 6149-6156.	0.9	4
185	Application of Bioassays/Biosensors for the Analysis of Pharmaceuticals in Environmental Samples. <i>Comprehensive Analytical Chemistry</i> , 2013, , 195-229.	0.7	4
186	Assessment of analytical methods to determine pyrethroids content of bednets. <i>Tropical Medicine and International Health</i> , 2017, 22, 41-51.	1.0	4
187	Biobarcode assay for the oral anticoagulant acenocoumarol. <i>Talanta</i> , 2018, 178, 308-314.	2.9	4
188	Electrogeneration of polymer films functionalized by fluoroquinolone models for the development of antibiotic immunosensor. <i>Irbm</i> , 2008, 29, 181-186.	3.7	3
189	Reusable conductimetric array of interdigitated microelectrodes for the readout of low-density microarrays. <i>Analytica Chimica Acta</i> , 2014, 832, 44-50.	2.6	3
190	Development and impedimetric evaluation of a magnetic interdigitated microelectrode. <i>Sensors and Actuators B: Chemical</i> , 2014, 203, 444-451.	4.0	3
191	New approach based on immunochemical techniques for monitoring of selective estrogen receptor modulators (SERMs) in human urine. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2018, 156, 147-152.	1.4	3
192	Multiplexed Immunosensor Based on the Amperometric Transduction for Monitoring of Marine Pollutants in Sea Water. <i>Sensors</i> , 2020, 20, 5532.	2.1	3
193	High-sensitive nonlinear detection of steroids by resonant double grating waveguide structures-based immunosensors. , 2011, , .		2
194	Bond Elasticity Controls Molecular Recognition Specificity in Antibody-Antigen Binding. <i>Nano Letters</i> , 2013, 13, 5197-5202.	4.5	2
195	A plasmonic biosensor array exploiting plasmon coupling between gold nanorods and spheres for domoic acid detection via two methods. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2021, 252, 119473.	2.0	2
196	Procedure 34 Electrochemical determination of sulfonamide antibiotics in milk samples using a class-selective antibody. <i>Comprehensive Analytical Chemistry</i> , 2007, 49, e237-e241.	0.7	1
197	Multidetecion Of Anabolic Androgenic Steroids Using Immunoarrays and Pattern Recognition Techniques. , 2009, , .		1
198	Non-linear fluorescence excitation of Rhodamine 6G and TRITC labeled IgG in whispering gallery mode microresonators. <i>Proceedings of SPIE</i> , 2015, , .	0.8	1

#	ARTICLE	IF	CITATIONS
199	Immunochemical strategy for quantification of G-coupled olfactory receptor proteins on natural nanovesicles. <i>Colloids and Surfaces B: Biointerfaces</i> , 2016, 139, 269-276.	2.5	1
200	PBAN Regulation of Sex Pheromone Biosynthesis in <i>Spodoptera littoralis</i> . , 1997, , 46-53.		1
201	Nanobiosensors for In Vitro and In Vivo Analysis of Biomolecules. <i>Methods in Molecular Biology</i> , 2012, 811, 207-221.	0.4	1
202	Development of a Fluorescent Microfluidic Device Based on Antibody Microarray Read-Out for Therapeutic Drug Monitoring of Acenocoumarol. <i>Frontiers in Bioengineering and Biotechnology</i> , 2022, 10, 848501.	2.0	1
203	Procedure 33 Electrochemical determination of atrazine in orange juice and bottled water samples based on Protein A biocomposite electrodes. <i>Comprehensive Analytical Chemistry</i> , 2007, , e233-e236.	0.7	0
204	High frequency response of a novel biosensor based on interdigitated $\frac{1}{4}$ -electrodes (ID $\frac{1}{4}$ E's). , 2007, , .		0
205	Studies on toxic oil syndrome: development of an enzyme-linked immunosorbent assay for 3-(N-phenylamino)propane-1,2-diol in human urine. <i>Analytical and Bioanalytical Chemistry</i> , 2008, 391, 617-624.	1.9	0
206	Interdigitated $\frac{1}{4}$ -electrodes for development of an impedimetric immunosensor for atrazine detection. , 2009, , .		0
207	Direct Quantitative Immunochemical Analysis of Autoinducer Peptide IV for Diagnosing and Stratifying <i>Staphylococcus aureus</i> Infections. <i>ACS Infectious Diseases</i> , 2022, 8, 645-656.	1.8	0
208	Compact Microfluidic Platform with LED Light-Actuated Valves for Enzyme-Linked Immunosorbent Assay Automation. <i>Biosensors</i> , 2022, 12, 280.	2.3	0
209	Portable flow multiplexing device for continuous, in situ biodetection of environmental contaminants. <i>Sensing and Bio-Sensing Research</i> , 2022, 37, 100505.	2.2	0