

Mireia Urpi-Sarda

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4341864/mireia-urpi-sarda-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

101
papers

5,819
citations

47
h-index

75
g-index

107
ext. papers

6,575
ext. citations

5.6
avg, IF

5.39
L-index

#	Paper	IF	Citations
101	Apolipoprotein E and sex modulate fatty acid metabolism in a prospective observational study of cognitive decline.. <i>Alzheimer's Research and Therapy</i> , 2022 , 14, 1	9	3
100	Food and Microbiota Metabolites Associate with Cognitive Decline in Older Subjects: A 12-Year Prospective Study. <i>Molecular Nutrition and Food Research</i> , 2021 , 65, e2100606	5.9	4
99	Early signature in the blood lipidome associated with subsequent cognitive decline in the elderly: A case-control analysis nested within the Three-City cohort study. <i>EBioMedicine</i> , 2021 , 64, 103216	8.8	2
98	Effect of COVID-19 Lockdown on Dietary Habits and Lifestyle of Food Science Students and Professionals from Spain. <i>Nutrients</i> , 2021 , 13,	6.7	19
97	The 3-Year Effect of the Mediterranean Diet Intervention on Inflammatory Biomarkers Related to Cardiovascular Disease. <i>Biomedicines</i> , 2021 , 9,	4.8	3
96	Discovery of Intake Biomarkers of Lentils, Chickpeas, and White Beans by Untargeted LC-MS Metabolomics in Serum and Urine. <i>Molecular Nutrition and Food Research</i> , 2020 , 64, e1901137	5.9	9
95	Phytochemicals in Legumes: A Qualitative Reviewed Analysis. <i>Journal of Agricultural and Food Chemistry</i> , 2020 , 68, 13486-13496	5.7	6
94	Caffeine Compromises Proliferation of Human Hippocampal Progenitor Cells. <i>Frontiers in Cell and Developmental Biology</i> , 2020 , 8, 806	5.7	3
93	Quantitative Dietary Fingerprinting (QDF)-A Novel Tool for Comprehensive Dietary Assessment Based on Urinary Nutrimetabolomics. <i>Journal of Agricultural and Food Chemistry</i> , 2020 , 68, 1851-1861	5.7	22
92	Comparative metabolite fingerprinting of legumes using LC-MS-based untargeted metabolomics. <i>Food Research International</i> , 2019 , 126, 108666	7	23
91	Improving the reporting quality of intervention trials addressing the inter-individual variability in response to the consumption of plant bioactives: quality index and recommendations. <i>European Journal of Nutrition</i> , 2019 , 58, 49-64	5.2	7
90	Diet-Related Metabolites Associated with Cognitive Decline Revealed by Untargeted Metabolomics in a Prospective Cohort. <i>Molecular Nutrition and Food Research</i> , 2019 , 63, e1900177	5.9	20
89	Impact of Foods and Dietary Supplements Containing Hydroxycinnamic Acids on Cardiometabolic Biomarkers: A Systematic Review to Explore Inter-Individual Variability. <i>Nutrients</i> , 2019 , 11,	6.7	17
88	Non-targeted metabolomic biomarkers and metabolotypes of type 2 diabetes: A cross-sectional study of PREDIMED trial participants. <i>Diabetes and Metabolism</i> , 2019 , 45, 167-174	5.4	33
87	Evaluation and comparison of bioinformatic tools for the enrichment analysis of metabolomics data. <i>BMC Bioinformatics</i> , 2018 , 19, 1	3.6	170
86	Macronutrient and fibre intake of young Spanish children with reference to their in utero growth status: Are they eating a healthy diet?. <i>Journal of Paediatrics and Child Health</i> , 2018 , 54, 563-571	1.3	
85	Elevated circulating levels of succinate in human obesity are linked to specific gut microbiota. <i>ISME Journal</i> , 2018 , 12, 1642-1657	11.9	132

84	Biomarkers of food intake for cocoa and liquorice (products): a systematic review. <i>Genes and Nutrition</i> , 2018 , 13, 22	4.3	17
83	Urinary H Nuclear Magnetic Resonance Metabolomic Fingerprinting Reveals Biomarkers of Pulse Consumption Related to Energy-Metabolism Modulation in a Subcohort from the PREDIMED study. <i>Journal of Proteome Research</i> , 2017 , 16, 1483-1491	5.6	12
82	Microbial metabolites are associated with a high adherence to a Mediterranean dietary pattern using a H-NMR-based untargeted metabolomics approach. <i>Journal of Nutritional Biochemistry</i> , 2017 , 48, 36-43	6.3	17
81	Anti-Inflammatory Effects of the Mediterranean Diet in the Early and Late Stages of Atheroma Plaque Development. <i>Mediators of Inflammation</i> , 2017 , 2017, 3674390	4.3	53
80	Long-Term Immunomodulatory Effects of a Mediterranean Diet in Adults at High Risk of Cardiovascular Disease in the PREvenci� con Dieta MEDiterr�nea (PREDIMED) Randomized Controlled Trial. <i>Journal of Nutrition</i> , 2016 , 146, 1684-93	4.1	99
79	Dietary Epicatechin Is Available to Breastfed Infants through Human Breast Milk in the Form of Host and Microbial Metabolites. <i>Journal of Agricultural and Food Chemistry</i> , 2016 , 64, 5354-60	5.7	21
78	Systematic analysis of the polyphenol metabolome using the Phenol-Explorer database. <i>Molecular Nutrition and Food Research</i> , 2016 , 60, 203-11	5.9	53
77	Metabolomic Approaches in the Study of Wine Benefits in Human Health 2016 , 293-317		0
76	Tomato Sauce Enriched with Olive Oil Exerts Greater Effects on Cardiovascular Disease Risk Factors than Raw Tomato and Tomato Sauce: A Randomized Trial. <i>Nutrients</i> , 2016 , 8, 170	6.7	40
75	Association between Both Total Baseline Urinary and Dietary Polyphenols and Substantial Physical Performance Decline Risk in Older Adults: A 9-year Follow-up of the InCHIANTI Study. <i>Journal of Nutrition, Health and Aging</i> , 2016 , 20, 478-85	5.2	17
74	Nutrimetabolomics fingerprinting to identify biomarkers of bread exposure in a free-living population from the PREDIMED study cohort. <i>Metabolomics</i> , 2015 , 11, 155-165	4.7	33
73	Metabolomics for Biomarkers of Type 2 Diabetes Mellitus: Advances and Nutritional Intervention Trends. <i>Current Cardiovascular Risk Reports</i> , 2015 , 9, 1	0.9	17
72	The Relationship Between Urinary Total Polyphenols and the Frailty Phenotype in a Community-Dwelling Older Population: The InCHIANTI Study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2015 , 70, 1141-7	6.4	22
71	Metabolic fingerprint after acute and under sustained consumption of a functional beverage based on grape skin extract in healthy human subjects. <i>Food and Function</i> , 2015 , 6, 1288-98	6.1	22
70	Association of habitual dietary resveratrol exposure with the development of frailty in older age: the Invecchiare in Chianti study. <i>American Journal of Clinical Nutrition</i> , 2015 , 102, 1534-42	7	32
69	Low Levels of a Urinary Biomarker of Dietary Polyphenol Are Associated with Substantial Cognitive Decline over a 3-Year Period in Older Adults: The Invecchiare in Chianti Study. <i>Journal of the American Geriatrics Society</i> , 2015 , 63, 938-46	5.6	45
68	Resveratrol metabolite profiling in clinical nutrition research—from diet to uncovering disease risk biomarkers: epidemiological evidence. <i>Annals of the New York Academy of Sciences</i> , 2015 , 1348, 107-15	6.5	8
67	A metabolomics-driven approach to predict cocoa product consumption by designing a multimetabolite biomarker model in free-living subjects from the PREDIMED study. <i>Molecular Nutrition and Food Research</i> , 2015 , 59, 212-20	5.9	41

66	Phenolic and microbial-targeted metabolomics to discovering and evaluating wine intake biomarkers in human urine and plasma. <i>Electrophoresis</i> , 2015 , 36, 2259-2268	3.6	23
65	Metabolomic insights into the intricate gut microbial-host interaction in the development of obesity and type 2 diabetes. <i>Frontiers in Microbiology</i> , 2015 , 6, 1151	5.7	85
64	Metabolomic pattern analysis after mediterranean diet intervention in a nondiabetic population: a 1- and 3-year follow-up in the PREDIMED study. <i>Journal of Proteome Research</i> , 2015 , 14, 531-40	5.6	76
63	An NMR metabolomics approach reveals a combined-biomarkers model in a wine interventional trial with validation in free-living individuals of the PREDIMED study. <i>Metabolomics</i> , 2015 , 11, 797-806	4.7	21
62	Resveratrol levels and all-cause mortality in older community-dwelling adults. <i>JAMA Internal Medicine</i> , 2014 , 174, 1077-84	11.5	110
61	Resveratrol metabolic fingerprinting after acute and chronic intakes of a functional beverage in humans. <i>Electrophoresis</i> , 2014 , 35, 1637-43	3.6	9
60	Novel multimetabolite prediction of walnut consumption by a urinary biomarker model in a free-living population: the PREDIMED study. <i>Journal of Proteome Research</i> , 2014 , 13, 3476-83	5.6	44
59	High levels of Bifidobacteria are associated with increased levels of anthocyanin microbial metabolites: a randomized clinical trial. <i>Food and Function</i> , 2014 , 5, 1932-8	6.1	88
58	Emerging Applications of Metabolomics to Polyphenols and CVD Biomarker Discovery 2014 , 1025-1044		
57	Cocoa polyphenols and inflammatory markers of cardiovascular disease. <i>Nutrients</i> , 2014 , 6, 844-80	6.7	82
56	Prediction of the wine polyphenol metabolic space: an application of the Phenol-Explorer database. <i>Molecular Nutrition and Food Research</i> , 2014 , 58, 466-77	5.9	22
55	The combination of resveratrol and conjugated linoleic acid attenuates the individual effects of these molecules on triacylglycerol metabolism in adipose tissue. <i>European Journal of Nutrition</i> , 2014 , 53, 575-82	5.2	12
54	The effects of the mediterranean diet on biomarkers of vascular wall inflammation and plaque vulnerability in subjects with high risk for cardiovascular disease. A randomized trial. <i>PLoS ONE</i> , 2014 , 9, e100084	3.7	152
53	Resveratrol administration or SIRT1 overexpression does not increase LXR signaling and macrophage-to-feces reverse cholesterol transport in vivo. <i>Translational Research</i> , 2013 , 161, 110-7	11	7
52	Comparative analysis of sample preparation methods to handle the complexity of the blood fluid metabolome: when less is more. <i>Analytical Chemistry</i> , 2013 , 85, 341-8	7.8	104
51	Cocoa consumption reduces NF- κ B activation in peripheral blood mononuclear cells in humans. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2013 , 23, 257-63	4.5	47
50	Effects of red wine polyphenols and alcohol on glucose metabolism and the lipid profile: a randomized clinical trial. <i>Clinical Nutrition</i> , 2013 , 32, 200-6	5.9	135
49	Contribution of Bioactive Foods and Their Emerging Role in Immunomodulation, Inflammation, and Arthritis 2013 , 43-65		2

48	Cardioprotective effects of cocoa: clinical evidence from randomized clinical intervention trials in humans. <i>Molecular Nutrition and Food Research</i> , 2013 , 57, 936-47	5.9	65
47	Microbial metabolomic fingerprinting in urine after regular dealcoholized red wine consumption in humans. <i>Journal of Agricultural and Food Chemistry</i> , 2013 , 61, 9166-75	5.7	36
46	High concentrations of a urinary biomarker of polyphenol intake are associated with decreased mortality in older adults. <i>Journal of Nutrition</i> , 2013 , 143, 1445-50	4.1	61
45	Metabolomic fingerprint in patients at high risk of cardiovascular disease by cocoa intervention. <i>Molecular Nutrition and Food Research</i> , 2013 , 57, 962-73	5.9	43
44	Bioavailability of Flavanones. <i>Oxidative Stress and Disease</i> , 2012 ,		5
43	Pharmacokinetics of resveratrol metabolic profile in healthy humans after moderate consumption of red wine and grape extract tablets. <i>Pharmacological Research</i> , 2012 , 66, 375-82	10.2	124
42	Gut and microbial resveratrol metabolite profiling after moderate long-term consumption of red wine versus dealcoholized red wine in humans by an optimized ultra-high-pressure liquid chromatography tandem mass spectrometry method. <i>Journal of Chromatography A</i> , 2012 , 1265, 105-13	4.5	47
41	Urolithins are the main urinary microbial-derived phenolic metabolites discriminating a moderate consumption of nuts in free-living subjects with diagnosed metabolic syndrome. <i>Journal of Agricultural and Food Chemistry</i> , 2012 , 60, 8930-40	5.7	58
40	Regular consumption of cocoa powder with milk increases HDL cholesterol and reduces oxidized LDL levels in subjects at high-risk of cardiovascular disease. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2012 , 22, 1046-53	4.5	86
39	Virgin olive oil and nuts as key foods of the Mediterranean diet effects on inflammatory biomarkers related to atherosclerosis. <i>Pharmacological Research</i> , 2012 , 65, 577-83	10.2	151
38	High urinary levels of resveratrol metabolites are associated with a reduction in the prevalence of cardiovascular risk factors in high-risk patients. <i>Pharmacological Research</i> , 2012 , 65, 615-20	10.2	49
37	Distribution of resveratrol metabolites in liver, adipose tissue, and skeletal muscle in rats fed different doses of this polyphenol. <i>Journal of Agricultural and Food Chemistry</i> , 2012 , 60, 4833-40	5.7	67
36	Differential effects of polyphenols and alcohol of red wine on the expression of adhesion molecules and inflammatory cytokines related to atherosclerosis: a randomized clinical trial. <i>American Journal of Clinical Nutrition</i> , 2012 , 95, 326-34	7	126
35	Reply to X Yang and Y Zhao. <i>American Journal of Clinical Nutrition</i> , 2012 , 95, 1497-1498	7	1
34	The Mediterranean diet pattern and its main components are associated with lower plasma concentrations of tumor necrosis factor receptor 60 in patients at high risk for cardiovascular disease. <i>Journal of Nutrition</i> , 2012 , 142, 1019-25	4.1	72
33	Dealcoholized red wine decreases systolic and diastolic blood pressure and increases plasma nitric oxide: short communication. <i>Circulation Research</i> , 2012 , 111, 1065-8	15.7	98
32	Phenol-Explorer 2.0: a major update of the Phenol-Explorer database integrating data on polyphenol metabolism and pharmacokinetics in humans and experimental animals. <i>Database: the Journal of Biological Databases and Curation</i> , 2012 , 2012, bas031	5	105
31	Comparison of 24-h volume and creatinine-corrected total urinary polyphenol as a biomarker of total dietary polyphenols in the Invecchiare InCHIANTI study. <i>Analytica Chimica Acta</i> , 2011 , 704, 110-5	6.6	54

30	Total polyphenol excretion and blood pressure in subjects at high cardiovascular risk. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2011 , 21, 323-31	4.5	56
29	Databases on food phytochemicals and their health-promoting effects. <i>Journal of Agricultural and Food Chemistry</i> , 2011 , 59, 4331-48	5.7	151
28	Determination of resveratrol and piceid in beer matrices by solid-phase extraction and liquid chromatography-tandem mass spectrometry. <i>Journal of Chromatography A</i> , 2011 , 1218, 698-705	4.5	39
27	Dealcoholised beers reduce atherosclerosis and expression of adhesion molecules in apoE-deficient mice. <i>British Journal of Nutrition</i> , 2011 , 105, 721-30	3.6	12
26	Targeted analysis of conjugated and microbial-derived phenolic metabolites in human urine after consumption of an almond skin phenolic extract. <i>Journal of Nutrition</i> , 2010 , 140, 1799-807	4.1	20
25	Disposition of soy isoflavones in normal human breast tissue. <i>American Journal of Clinical Nutrition</i> , 2010 , 91, 976-84	7	74
24	Molecular mechanism of hesperetin-7-O-glucuronide, the main circulating metabolite of hesperidin, involved in osteoblast differentiation. <i>Journal of Agricultural and Food Chemistry</i> , 2010 , 58, 668-75	5.7	42
23	Effect of milk on the urinary excretion of microbial phenolic acids after cocoa powder consumption in humans. <i>Journal of Agricultural and Food Chemistry</i> , 2010 , 58, 4706-11	5.7	53
22	Almond (<i>Prunus dulcis</i> (Mill.) D.A. Webb) polyphenols: from chemical characterization to targeted analysis of phenolic metabolites in humans. <i>Archives of Biochemistry and Biophysics</i> , 2010 , 501, 124-33	4.1	36
21	Metabolomics study of human urinary metabolome modifications after intake of almond (<i>Prunus dulcis</i> (Mill.) D.A. Webb) skin polyphenols. <i>Journal of Proteome Research</i> , 2010 , 9, 5859-67	5.6	94
20	Insights into the metabolism and microbial biotransformation of dietary flavan-3-ols and the bioactivity of their metabolites. <i>Food and Function</i> , 2010 , 1, 233-53	6.1	436
19	Distribution of epicatechin metabolites in lymphoid tissues and testes of young rats with a cocoa-enriched diet. <i>British Journal of Nutrition</i> , 2010 , 103, 1393-7	3.6	29
18	Methodological aspects for metabolome visualization and characterization: a metabolomic evaluation of the 24 h evolution of human urine after cocoa powder consumption. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2010 , 51, 373-81	3.5	47
17	Resveratrol and Bioactive Flavonoids in Immune Function 2010 , 397-420		2
16	Dihydroxylated phenolic acids derived from microbial metabolism reduce lipopolysaccharide-stimulated cytokine secretion by human peripheral blood mononuclear cells. <i>British Journal of Nutrition</i> , 2009 , 102, 201-6	3.6	107
15	Effect of cocoa powder on the modulation of inflammatory biomarkers in patients at high risk of cardiovascular disease. <i>American Journal of Clinical Nutrition</i> , 2009 , 90, 1144-50	7	163
14	Resveratrol metabolites in urine as a biomarker of wine intake in free-living subjects: The PREDIMED Study. <i>Free Radical Biology and Medicine</i> , 2009 , 46, 1562-6	7.8	83
13	Epicatechin, procyanidins, and phenolic microbial metabolites after cocoa intake in humans and rats. <i>Analytical and Bioanalytical Chemistry</i> , 2009 , 394, 1545-56	4.4	176

12	Targeted metabolic profiling of phenolics in urine and plasma after regular consumption of cocoa by liquid chromatography-tandem mass spectrometry. <i>Journal of Chromatography A</i> , 2009 , 1216, 7258-67	4.5	142
11	Profile of plasma and urine metabolites after the intake of almond [<i>Prunus dulcis</i> (Mill.) D.A. Webb] polyphenols in humans. <i>Journal of Agricultural and Food Chemistry</i> , 2009 , 57, 10134-42	5.7	73
10	An LC-MS-based metabolomics approach for exploring urinary metabolome modifications after cocoa consumption. <i>Journal of Proteome Research</i> , 2009 , 8, 5060-8	5.6	129
9	Flavanol and flavonol contents of cocoa powder products: influence of the manufacturing process. <i>Journal of Agricultural and Food Chemistry</i> , 2008 , 56, 3111-7	5.7	154
8	Tissue distribution of isoflavones in ewes after consumption of red clover silage. <i>Archives of Biochemistry and Biophysics</i> , 2008 , 476, 205-10	4.1	32
7	Orally administered isoflavones are present as glucuronides in the human prostate. <i>Nutrition and Cancer</i> , 2008 , 60, 461-8	2.8	18
6	Cocoa-enriched diet enhances antioxidant enzyme activity and modulates lymphocyte composition in thymus from young rats. <i>Journal of Agricultural and Food Chemistry</i> , 2007 , 55, 6431-8	5.7	66
5	HPLC-tandem mass spectrometric method to characterize resveratrol metabolism in humans. <i>Clinical Chemistry</i> , 2007 , 53, 292-9	5.5	86
4	Diagnostic performance of urinary resveratrol metabolites as a biomarker of moderate wine consumption. <i>Clinical Chemistry</i> , 2006 , 52, 1373-80	5.5	73
3	Uptake of diet resveratrol into the human low-density lipoprotein. Identification and quantification of resveratrol metabolites by liquid chromatography coupled with tandem mass spectrometry. <i>Analytical Chemistry</i> , 2005 , 77, 3149-55	7.8	117
2	Phenolic Compounds: Chemistry and Occurrence in Fruits and Vegetables		53-88 6
1	Bioavailability and Metabolism of Resveratrol		265-297 10