## Anand R Nair

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4343091/publications.pdf Version: 2024-02-01



ΔΝΑΝΟ Ρ ΝΑΙΡ

#	Article	IF	CITATIONS
1	Failure to vasodilate in response to salt loading blunts renal blood flow and causes salt-sensitive hypertension. Cardiovascular Research, 2021, 117, 308-319.	1.8	20
2	Myocardial Infarction and the Fine Balance of Iron. JACC Basic To Translational Science, 2021, 6, 581-583.	1.9	2
3	Abstract MP14: Endothelial Cullin3 Mutation Causes Decreased Nitric Oxide (NO) Bioavailability And Vascular Dysfunction Through Protein Phosphatase 2A. Hypertension, 2021, 78, .	1.3	Ο
4	Increased Susceptibility of Mice Lacking Renin-b to Angiotensin Il–Induced Organ Damage. Hypertension, 2020, 76, 468-477.	1.3	8
5	A Rodent Model of Reperfused Hemorrhagic Myocardial Infarction. FASEB Journal, 2020, 34, 1-1.	0.2	Ο
6	Reperfused hemorrhagic myocardial infarction in rats. PLoS ONE, 2020, 15, e0243207.	1.1	2
7	Abstract P086: Endothelial Cullin3 Mutation Causes Vascular Dysfunction, Arterial Stiffening, And Hypertension. Hypertension, 2020, 76, .	1.3	0
8	Endothelial PPARγ (Peroxisome Proliferator–Activated Receptor-γ) Protects From Angiotensin II–Induced Endothelial Dysfunction in Adult Offspring Born From Pregnancies Complicated by Hypertension. Hypertension, 2019, 74, 173-183.	1.3	18
9	Conditional deletion of smooth muscle Cullin-3 causes severe progressive hypertension. JCI Insight, 2019, 4, .	2.3	24
10	RhoBTB1 protects against hypertension and arterial stiffness by restraining phosphodiesterase 5 activity. Journal of Clinical Investigation, 2019, 129, 2318-2332.	3.9	32
11	Endothelialâ€Specific Interference with PPARγ Causes Endothelial Dysfunction with Sex―Specific Mechanisms in Offspring Born from AVPâ€infused Pregnancies. FASEB Journal, 2019, 33, 758.3.	0.2	0
12	PPARÎ <sup>3</sup> Target Gene Retinol Binding Protein 7 (RBP7) Protects Against Endothelial Dysfunction Induced by Mitochondrial Uncoupling. FASEB Journal, 2019, 33, 527.14.	0.2	0
13	Protective Role of Vascular Smooth Muscle RhoBTB1 in Hypertension. FASEB Journal, 2019, 33, 835.19.	0.2	Ο
14	Abstract 120: Protective Role of Vascular Smooth Muscle Rho-Related BTB Domain Containing Protein 1 in Hypertension and Arterial Stiffness. Hypertension, 2019, 74, .	1.3	0
15	Abstract 065: Endothelial CULLIN3 Mutation Causes Vascular Dysfunction, Arterial Stiffening, and Hypertension. Hypertension, 2019, 74, .	1.3	Ο
16	Abstract P183: Retinol Binding Protein 7, a PPARÎ <sup>3</sup> Target Gene Protects Against Endothelial Dysfunction Induced by Mitochondrial Uncoupling. Hypertension, 2019, 74, .	1.3	0
17	Arginine vasopressin infusion is sufficient to model clinical features of preeclampsia in mice. JCI Insight, 2018, 3, .	2.3	55
18	Interference With Endothelial PPAR (Peroxisome Proliferator–Activated Receptor)-γ Causes Accelerated Cerebral Vascular Dysfunction in Response to Endogenous Renin-Angiotensin System Activation. Hypertension, 2018, 72, 1227-1235.	1.3	17

Anand R Nair

#	Article	IF	CITATIONS
19	Endogenous Reninâ€Angiotensin System Activation Causes Accelerated Cerebral Vascular Dysfunction in Mice Expressing Dominantâ€Negative Mutations in PPARγ in Endothelium. FASEB Journal, 2018, 32, 711.13.	0.2	0
20	High Mobility Group Box 1 Neutralization in the Brain Prevents Inflammation, Sympathoexcitation and Hypertension. FASEB Journal, 2018, 32, 599.2.	0.2	0
21	Cardiovascular Effects of Endothelialâ€5pecific Interference with PPARγ Activity in Offspring Born from AVPâ€induced Preeclamptic Pregnancies. FASEB Journal, 2018, 32, 911.5.	0.2	0
22	Smooth Muscle Cullinâ€3 Deficiency Causes Vascular Dysfunction, Arterial Stiffness and Severe Hypertension. FASEB Journal, 2018, 32, 843.15.	0.2	0
23	Abstract 133: Endothelial-Specific Interference With PPARÎ <sup>3</sup> Increases the Susceptibility to Angiotensin II-Induced Endothelial Dysfunction in Adult Offspring Born from AVP-Infused Pregnancies. Hypertension, 2018, 72, .	1.3	0
24	Abstract 036: Interference With PPARγ in the Endothelium Produces Endothelial Dysfunction in the Cerebral Circulation in Response to Activation of the Endogenous Renin-Angiotensin System. Hypertension, 2018, 72, .	1.3	0
25	Abstract 110: Vascular Smooth Muscle RhoBTB1 Protects From Hypertension and Arterial Stiffness by Cullin-3 Dependent Ubiquitination of Phosphodiesterase 5. Hypertension, 2018, 72, .	1.3	0
26	Abstract 094: Smooth Muscle PPARÎ <sup>3</sup> Mutation Causes Impaired Renal Blood Flow and Salt-Sensitive Hypertension. Hypertension, 2018, 72, .	1.3	0
27	Blueberry supplementation attenuates oxidative stress within monocytes and modulates immune cell levels in adults with metabolic syndrome: a randomized, double-blind, placebo-controlled trial. Food and Function, 2017, 8, 4118-4128.	2.1	38
28	Abstract P264: Endothelial-specific Interference With PPARÎ <sup>3</sup> Activity in Offspring Born From AVP-induced Preeclamptic Pregnancies Has Cardio-renal and Metabolic Consequences. Hypertension, 2017, 70, .	1.3	0
29	Abstract 062: Vascular Dysfunction and Hypertension are Prevented by a Novel PPARÎ <sup>3</sup> Target Gene, RhoBTB1. Hypertension, 2017, 70, .	1.3	0
30	Abstract 099: Smooth Muscle PPARÎ <sup>3</sup> Mutation Causes Salt-sensitive Hypertension. Hypertension, 2017, 70, .	1.3	0
31	The Anti-Inflammatory Effects of Blueberries in an Animal Model of Post-Traumatic Stress Disorder (PTSD). PLoS ONE, 2016, 11, e0160923.	1.1	42
32	Abstract P205: Endothelium-specific Interference with PPARG Causes Cerebral Vascular Dysfunction in Response to Endogenous Renin-angiotensin System Activation. Hypertension, 2016, 68, .	1.3	0
33	Abstract P158: Cullin3 Regulated Endothelial Function by Modulating eNOS Activity. Hypertension, 2016, 68, .	1.3	0
34	Abstract 053: RhoBTB1 is a Novel Gene Protecting Against Hypertension. Hypertension, 2016, 68, .	1.3	0
35	Toll-Like Receptor 4 Promotes Autonomic Dysfunction, Inflammation and Microglia Activation in the Hypothalamic Paraventricular Nucleus: Role of Endoplasmic Reticulum Stress. PLoS ONE, 2015, 10, e0122850.	1.1	57
36	Angiotensin II-induced hypertensive renal inflammation is mediated through HMGB1-TLR4 signaling in rat tubulo-epithelial cells. Experimental Cell Research, 2015, 335, 238-247.	1.2	60

Anand R Nair

#	Article	IF	CITATIONS
37	Selective activation of angiotensin <scp>AT</scp> <sub>2</sub> receptors attenuates progression of pulmonary hypertension and inhibits cardiopulmonary fibrosis. British Journal of Pharmacology, 2015, 172, 2219-2231.	2.7	75
38	Aerobic training normalizes autonomic dysfunction, HMGB1 content, microglia activation and inflammation in hypothalamic paraventricular nucleus of SHR. American Journal of Physiology - Heart and Circulatory Physiology, 2015, 309, H1115-H1122.	1.5	63
39	Differential effects of sertraline in a predator exposure animal model of post-traumatic stress disorder. Frontiers in Behavioral Neuroscience, 2014, 8, 256.	1.0	41
40	Role of TLR4 in lipopolysaccharide-induced acute kidney injury: Protection by blueberry. Free Radical Biology and Medicine, 2014, 71, 16-25.	1.3	58
41	Valproic acid effects in the hippocampus and prefrontal cortex in an animal model of post-traumatic stress disorder. Behavioural Brain Research, 2014, 268, 72-80.	1.2	68
42	A Blueberry-Enriched Diet Improves Renal Function and Reduces Oxidative Stress in Metabolic Syndrome Animals: Potential Mechanism of TLR4-MAPK Signaling Pathway. PLoS ONE, 2014, 9, e111976.	1.1	43
43	(Pro)renin Receptor Mediates Both Angiotensin II-Dependent and -Independent Oxidative Stress in Neuronal Cells. PLoS ONE, 2013, 8, e58339.	1.1	63
44	Inflammation, oxidative stress, and neuroprotective factors in the pathophysiology of PTSD in an animal model. FASEB Journal, 2013, 27, 691.5.	0.2	1
45	Blueberry treatment improves renal function and reduces oxidative stress in Metabolic Syndrome animals – Role of Tollâ€like receptor 4 (TLR4). FASEB Journal, 2013, 27, 955.16.	0.2	0
46	NLRP3 Inflammasome is activated in the kidneys of Metabolic Syndrome animals. FASEB Journal, 2013, 27, 917.5.	0.2	0