

Silvia M Vidal

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4344148/publications.pdf>

Version: 2024-02-01

62
papers

4,586
citations

218381

26
h-index

123241

61
g-index

63
all docs

63
docs citations

63
times ranked

5382
citing authors

#	ARTICLE	IF	CITATIONS
1	The c-Rel transcription factor limits early interferon and neuroinflammatory responses to prevent herpes simplex encephalitis onset in mice. <i>Scientific Reports</i> , 2021, 11, 21171.	1.6	1
2	A point mutation in the linker domain of mouse STAT5A is associated with impaired NK-cell regulation. <i>Genes and Immunity</i> , 2020, 21, 136-141.	2.2	2
3	Bisphosphoglycerate Mutase Deficiency Protects against Cerebral Malaria and Severe Malaria-Induced Anemia. <i>Cell Reports</i> , 2020, 32, 108170.	2.9	7
4	ZBTB7B (ThPOK) Is Required for Pathogenesis of Cerebral Malaria and Protection against Pulmonary Tuberculosis. <i>Infection and Immunity</i> , 2020, 88, .	1.0	6
5	Mechanisms of Natural Killer Cell Evasion Through Viral Adaptation. <i>Annual Review of Immunology</i> , 2020, 38, 511-539.	9.5	22
6	CYRI/FAM49B negatively regulates RAC1-driven cytoskeletal remodelling and protects against bacterial infection. <i>Nature Microbiology</i> , 2019, 4, 1516-1531.	5.9	37
7	Rel-Dependent Immune and Central Nervous System Mechanisms Control Viral Replication and Inflammation during Mouse Herpes Simplex Encephalitis. <i>Journal of Immunology</i> , 2019, 202, 1479-1493.	0.4	10
8	The complex of MCMV proteins and MHC class I evades NK cell control and drives the evolution of virus-specific activating Ly49 receptors. <i>Journal of Experimental Medicine</i> , 2019, 216, 1809-1827.	4.2	19
9	Neutrophil Chemotaxis in Moving Gradients. <i>Advanced Biology</i> , 2018, 2, 1700243.	3.0	18
10	Insights into the pathogenesis of herpes simplex encephalitis from mouse models. <i>Mammalian Genome</i> , 2018, 29, 425-445.	1.0	44
11	The mitochondrial protease HtrA2 restricts the NLRP3 and AIM2 inflammasomes. <i>Scientific Reports</i> , 2018, 8, 8446.	1.6	19
12	Discovery of Variants Underlying Host Susceptibility to Virus Infection Using Whole-Exome Sequencing. <i>Methods in Molecular Biology</i> , 2017, 1656, 209-227.	0.4	0
13	USP15 regulates type I interferon response and is required for pathogenesis of neuroinflammation. <i>Nature Immunology</i> , 2017, 18, 54-63.	7.0	90
14	Mouse Chromosome 4 Is Associated with the Baseline and Allergic IgE Phenotypes. <i>G3: Genes, Genomes, Genetics</i> , 2017, 7, 2559-2564.	0.8	1
15	A Point Mutation in p190A RhoGAP Affects Ciliogenesis and Leads to Glomerulocystic Kidney Defects. <i>PLoS Genetics</i> , 2016, 12, e1005785.	1.5	21
16	Expansion and Protection by a Virus-Specific NK Cell Subset Lacking Expression of the Inhibitory NKR-P1B Receptor during Murine Cytomegalovirus Infection. <i>Journal of Immunology</i> , 2016, 197, 2325-2337.	0.4	19
17	Type I interferon restricts type 2 immunopathology through the regulation of group 2 innate lymphoid cells. <i>Nature Immunology</i> , 2016, 17, 65-75.	7.0	305
18	Whole exome sequencing identifies the TNNI3K gene as a cause of familial conduction system disease and congenital junctional ectopic tachycardia. <i>International Journal of Cardiology</i> , 2015, 185, 114-116.	0.8	29

#	ARTICLE	IF	CITATIONS
19	THEMIS Is Required for Pathogenesis of Cerebral Malaria and Protection against Pulmonary Tuberculosis. <i>Infection and Immunity</i> , 2015, 83, 759-768.	1.0	26
20	Cyclosporine A Treatment Inhibits Abcc6-Dependent Cardiac Necrosis and Calcification following Coxsackievirus B3 Infection in Mice. <i>PLoS ONE</i> , 2015, 10, e0138222.	1.1	10
21	Mapping of a Chromosome 12 Region Associated with Airway Hyperresponsiveness in a Recombinant Congenic Mouse Strain and Selection of Potential Candidate Genes by Expression and Sequence Variation Analyses. <i>PLoS ONE</i> , 2014, 9, e104234.	1.1	4
22	Mouse ENU Mutagenesis to Understand Immunity to Infection: Methods, Selected Examples, and Perspectives. <i>Genes</i> , 2014, 5, 887-925.	1.0	19
23	Specific Dysregulation of IFN γ Production by Natural Killer Cells Confers Susceptibility to Viral Infection. <i>PLoS Pathogens</i> , 2014, 10, e1004511.	2.1	13
24	Altered IFN γ -Mediated Immunity and Transcriptional Expression Patterns in N-Ethyl-N-Nitrosourea-Induced STAT4 Mutants Confer Susceptibility to Acute Typhoid-like Disease. <i>Journal of Immunology</i> , 2014, 192, 259-270.	0.4	17
25	Cellular Inhibitor of Apoptosis Protein cIAP2 Protects against Pulmonary Tissue Necrosis during Influenza Virus Infection to Promote Host Survival. <i>Cell Host and Microbe</i> , 2014, 15, 23-35.	5.1	141
26	CCDC88B is a novel regulator of maturation and effector functions of T cells during pathological inflammation. <i>Journal of Experimental Medicine</i> , 2014, 211, 2519-2535.	4.2	44
27	Viral MHC Class I-like Molecule Allows Evasion of NK Cell Effector Responses In Vivo. <i>Journal of Immunology</i> , 2014, 193, 6061-6069.	0.4	18
28	Type I IFN Triggers RIG-I/TLR3/NLRP3-dependent Inflammasome Activation in Influenza A Virus Infected Cells. <i>PLoS Pathogens</i> , 2013, 9, e1003256.	2.1	199
29	Genome-Wide Mouse Mutagenesis Reveals CD45-Mediated T Cell Function as Critical in Protective Immunity to HSV-1. <i>PLoS Pathogens</i> , 2013, 9, e1003637.	2.1	20
30	Genetic dissection of NK cell responses. <i>Frontiers in Immunology</i> , 2013, 3, 425.	2.2	5
31	Suppression of Hepcidin Expression and Iron Overload Mediate Salmonella Susceptibility in Ankyrin 1 ENU-Induced Mutant. <i>PLoS ONE</i> , 2013, 8, e55331.	1.1	16
32	The NK Cell Response to Mouse Cytomegalovirus Infection Affects the Level and Kinetics of the Early CD8 ⁺ T-Cell Response. <i>Journal of Virology</i> , 2012, 86, 2165-2175.	1.5	78
33	Mapping of Clinical and Expression Quantitative Trait Loci in a Sex-Dependent Effect of Host Susceptibility to Mouse-Adapted Influenza H3N2/HK/1/68. <i>Journal of Immunology</i> , 2012, 188, 3949-3960.	0.4	48
34	An N-Ethyl-N-Nitrosourea (ENU)-Induced Dominant Negative Mutation in the JAK3 Kinase Protects against Cerebral Malaria. <i>PLoS ONE</i> , 2012, 7, e31012.	1.1	23
35	Natural killer cell responses during viral infections: flexibility and conditioning of innate immunity by experience. <i>Current Opinion in Virology</i> , 2011, 1, 497-512.	2.6	124
36	Self or nonself? That is the question: sensing of cytomegalovirus infection by innate immune receptors. <i>Mammalian Genome</i> , 2011, 22, 6-18.	1.0	8

#	ARTICLE	IF	CITATIONS
37	Distinct MHC class I-dependent NK cell-activating receptors control cytomegalovirus infection in different mouse strains. <i>Journal of Experimental Medicine</i> , 2011, 208, 1105-1117.	4.2	57
38	Quantitative Trait Locus Analysis, Pathway Analysis, and Consomic Mapping Show Genetic Variants of <i>Tnni3k</i> , <i>Fpgt</i> , or <i>H28</i> Control Susceptibility to Viral Myocarditis. <i>Journal of Immunology</i> , 2011, 186, 6398-6405.	0.4	56
39	The Impact of Ly49-NK Cell-Dependent Recognition of MCMV Infection on Innate and Adaptive Immune Responses. <i>Journal of Biomedicine and Biotechnology</i> , 2011, 2011, 1-9.	3.0	17
40	NK Cell Receptor/H2-Dk-Dependent Host Resistance to Viral Infection Is Quantitatively Modulated by H2q Inhibitory Signals. <i>PLoS Genetics</i> , 2011, 7, e1001368.	1.5	9
41	Bulk Segregation Mapping of Mutations in Closely Related Strains of Mice. <i>Genetics</i> , 2010, 186, 1139-1146.	1.2	30
42	Cytomegalovirus immunoevasin reveals the physiological role of missing self-recognition in natural killer cell dependent virus control in vivo. <i>Journal of Experimental Medicine</i> , 2010, 207, 2663-2673.	4.2	72
43	<i>N</i> -Ethyl- <i>N</i> -Nitrosourea-Induced Mutation in Ubiquitin-Specific Peptidase 18 Causes Hyperactivation of IFN- γ Signaling and Suppresses STAT4-Induced IFN- β Production, Resulting in Increased Susceptibility to <i>Salmonella</i> Typhimurium. <i>Journal of Immunology</i> , 2010, 185, 3593-3601.	0.4	36
44	Use of Inbred Mouse Strains to Map Recognition Receptors of MCMV Infected Cells in the NK Cell Gene Locus. <i>Methods in Molecular Biology</i> , 2010, 612, 393-409.	0.4	3
45	Activating receptors promote NK cell expansion for maintenance, IL-10 production, and CD8 T cell regulation during viral infection. <i>Journal of Experimental Medicine</i> , 2009, 206, 2235-2251.	4.2	186
46	Ly49P recognition of cytomegalovirus-infected cells expressing H2-Dk and CMV-encoded m04 correlates with the NK cell antiviral response. <i>Journal of Experimental Medicine</i> , 2009, 206, 515-523.	4.2	121
47	NK cells stroll down the memory lane. <i>Immunology and Cell Biology</i> , 2009, 87, 261-263.	1.0	6
48	NK cell receptors and their MHC class I ligands in host response to cytomegalovirus: Insights from the mouse genome. <i>Seminars in Immunology</i> , 2008, 20, 331-342.	2.7	14
49	<i>Ly49h</i> -Deficient C57BL/6 Mice: A New Mouse Cytomegalovirus-Susceptible Model Remains Resistant to Unrelated Pathogens Controlled by the NK Gene Complex. <i>Journal of Immunology</i> , 2008, 181, 6394-6405.	0.4	95
50	Critical Residues at the Ly49 Natural Killer Receptor's Homodimer Interface Determine Functional Recognition of m157, a Mouse Cytomegalovirus MHC Class I-Like Protein. <i>Journal of Immunology</i> , 2007, 178, 369-377.	0.4	25
51	Enemy at the gates: forward genetics of the mouse antiviral response. <i>Current Opinion in Immunology</i> , 2006, 18, 617-626.	2.4	5
52	<i>Cmv4</i> , a New Locus Linked to the NK Cell Gene Complex, Controls Innate Resistance to Cytomegalovirus in Wild-Derived Mice. <i>Journal of Immunology</i> , 2006, 176, 5478-5485.	0.4	43
53	Epistasis between mouse <i>Klra</i> and major histocompatibility complex class I loci is associated with a new mechanism of natural killer cell-mediated innate resistance to cytomegalovirus infection. <i>Nature Genetics</i> , 2005, 37, 593-599.	9.4	137
54	Maneuvering for advantage: the genetics of mouse susceptibility to virus infection. <i>Trends in Genetics</i> , 2003, 19, 447-457.	2.9	11

#	ARTICLE	IF	CITATIONS
55	Transgenic Expression of the Activating Natural Killer Receptor Ly49H Confers Resistance to Cytomegalovirus in Genetically Susceptible Mice. <i>Journal of Experimental Medicine</i> , 2003, 197, 515-526.	4.2	114
56	Cloning, expression and chromosomal location of NKX6B to 10q26, a region frequently deleted in brain tumors. <i>Mammalian Genome</i> , 2001, 12, 157-162.	1.0	25
57	Susceptibility to mouse cytomegalovirus is associated with deletion of an activating natural killer cell receptor of the C-type lectin superfamily. <i>Nature Genetics</i> , 2001, 28, 42-45.	9.4	354
58	Title is missing!. <i>Nature Genetics</i> , 2001, 28, 42-45.	9.4	167
59	Assessment of Cmv1 candidates by genetic mapping and in vivo antibody depletion of NK cell subsets. <i>International Immunology</i> , 1999, 11, 1541-1551.	1.8	24
60	Natural resistance to infection with intracellular parasites: molecular genetics identifies <i>Nramp1</i> as the <i>Bcg/Ity/Lsh</i> locus. <i>Journal of Leukocyte Biology</i> , 1995, 58, 382-390.	1.5	144
61	Haplotype Mapping and Sequence Analysis of the Mouse <i>Nramp</i> Gene Predict Susceptibility to Infection with Intracellular Parasites. <i>Genomics</i> , 1994, 23, 51-61.	1.3	252
62	Natural resistance to infection with intracellular parasites: Isolation of a candidate for <i>Bcg</i> . <i>Cell</i> , 1993, 73, 469-485.	13.5	1,119