
Cedric Leo Meunier

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4344651/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Environmentally induced functional shifts in phytoplankton and their potential consequences for ecosystem functioning. Global Change Biology, 2022, 28, 2804-2819.	9.5	15
2	A systematic study of zooplankton-based indices of marine ecological change and water quality: Application to the European marine strategy framework Directive (MSFD). Ecological Indicators, 2022, 135, 108587.	6.3	15
3	An integrated multiple driver mesocosm experiment reveals the effect of global change on planktonic food web structure. Communications Biology, 2022, 5, 179.	4.4	8
4	To Regulate or Not to Regulate: Assimilation of Dietary Fatty Acids in the Temperate Copepod Temora longicornis. Frontiers in Marine Science, 2022, 9, .	2.5	0
5	Leveraging differences in multiple prey traits allows selective copepods to meet their threshold elemental ratios. Limnology and Oceanography, 2021, 66, 2914-2922.	3.1	2
6	Maturation of the digestive system of Downs herring larvae (Clupea harengus, Linnaeus, 1758): identification of critical periods through ontogeny. Marine Biology, 2021, 168, 1.	1.5	4
7	Environmental impacts on single-cell variation within a ubiquitous diatom: The role of growth rate. PLoS ONE, 2021, 16, e0251213.	2.5	6
8	Toward Improved Model Capacities for Assessment of Climate Impacts on Coastal Bentho-Pelagic Food Webs and Ecosystem Services. Frontiers in Marine Science, 2021, 8, .	2.5	1
9	A matter of time and proportion: the availability of phosphorus-rich phytoplankton influences growth and behavior of copepod nauplii. Journal of Plankton Research, 2020, 42, 530-538.	1.8	2
10	Biology of Salpa thompsoni: editorial comment on the highlight article by Lüskow et al. (2020). Marine Biology, 2020, 167, 1.	1.5	0
11	Does prey elemental stoichiometry influence copepod movement over ontogeny?. Limnology and Oceanography, 2019, 64, 2467-2477.	3.1	8
12	You are not always what you eat—Fatty acid bioconversion and lipid homeostasis in the larvae of the sand mason worm Lanice conchilega. PLoS ONE, 2019, 14, e0218015.	2.5	8
13	Acclimation and adaptation of the coastal calanoid copepod Acartia tonsa to ocean acidification: a long-term laboratory investigation. Marine Ecology - Progress Series, 2019, 619, 35-51.	1.9	18
14	Effects of low-frequency noise and temperature on copepod and amphipod performance. Proceedings of Meetings on Acoustics, 2019, , .	0.3	2
15	The craving for phosphorus in heterotrophic dinoflagellates and its potential implications for biogeochemical cycles. Limnology and Oceanography, 2018, 63, 1774-1784.	3.1	11
16	Bioenergetics of the copepod Temora longicornis under different nutrient regimes. Journal of Plankton Research, 2018, 40, 420-435.	1.8	12
17	Nutrient optimization of tree growth alters structure and function of boreal soil food webs. Forest Ecology and Management, 2018, 428, 46-56.	3.2	11
18	To share or not to share? Phytoplankton species coexistence puzzle in a competition model incorporating multiple resource-limitation and synthesizing unit concepts. Ecological Modelling, 2018, 383, 150-159.	2.5	11

CEDRIC LEO MEUNIER

#	Article	IF	CITATIONS
19	Winter river discharge may affect summer estuarine jellyfish blooms. Marine Ecology - Progress Series, 2018, 591, 253-265.	1.9	14
20	Allochthonous carbon is a major driver of the microbial food web – A mesocosm study simulating elevated terrestrial matter runoff. Marine Environmental Research, 2017, 129, 236-244.	2.5	13
21	Direct and indirect effects of near-future pCO2 levels on zooplankton dynamics. Marine and Freshwater Research, 2017, 68, 373.	1.3	14
22	From Elements to Function: Toward Unifying Ecological Stoichiometry and Trait-Based Ecology. Frontiers in Environmental Science, 2017, 5, .	3.3	67
23	An Operational Framework for the Advancement of a Molecule-to-Biosphere Stoichiometry Theory. Frontiers in Marine Science, 2017, 4, .	2.5	14
24	Impact of nitrogen deposition on forest and lake food webs in nitrogenâ€limited environments. Global Change Biology, 2016, 22, 164-179.	9.5	93
25	Temperature driven changes in the diet preference of omnivorous copepods: no more meat when it's hot?. Ecology Letters, 2016, 19, 45-53.	6.4	81
26	Withstanding multiple stressors: ephyrae of the moon jellyfish (Aurelia aurita, Scyphozoa) in a high-temperature, high-CO2 and low-oxygen environment. Marine Biology, 2016, 163, 1.	1.5	17
27	Temperatureâ€driven changes in the diet preference of omnivorous copepods: no more meat when it's hot? AÂresponse to Winder <i>et al</i> Ecology Letters, 2016, 19, 1386-1388.	6.4	6
28	Zooplankton eat what they need: copepod selective feeding and potential consequences for marine systems. Oikos, 2016, 125, 50-58.	2.7	96
29	Rapid evolution of a consumer stoichiometric trait destabilizes consumer–producer dynamics. Oikos, 2015, 124, 960-969.	2.7	29
30	A New Approach to Homeostatic Regulation: Towards a Unified View of Physiological and Ecological Concepts. PLoS ONE, 2014, 9, e107737.	2.5	53
31	Impact of swimming behaviour and nutrient limitation on predator–prey interactions in pelagic microbial food webs. Journal of Experimental Marine Biology and Ecology, 2013, 446, 29-35.	1.5	19
32	Goldman revisited: Fasterâ€growing phytoplankton has lower N : P and lower stoichiometric flexibility. Limnology and Oceanography, 2013, 58, 2076-2088.	3.1	136
33	Dynamic stoichiometric response to food quality fluctuations in the heterotrophic dinoflagellate Oxyrrhis marina. Marine Biology, 2012, 159, 2241-2248.	1.5	23
34	Intraspecific selectivity, compensatory feeding and flexible homeostasis in the phagotrophic flagellate Oxyrrhis marina: three ways to handle food quality fluctuations. Hydrobiologia, 2012, 680, 53-62.	2.0	35
35	The role of ciliates, heterotrophic dinoflagellates and copepods in structuring spring plankton communities at Helgoland Roads, North Sea. Marine Biology, 2011, 158, 1551-1580.	1.5	100
36	Structural characterization of hemoglobins from Monilifera and Frenulata tubeworms (Siboglinids): First discovery of giant hexagonal-bilayer hemoglobin in the former "Pogonophora―group. Comparative Biochemistry and Physiology Part A, Molecular & Integrative Physiology, 2010, 155, 41-48.	1.8	14

#	Article	IF	CITATIONS
37	Metabarcoding analysis suggests that flexible food web interactions in the eukaryotic plankton community are more common than specific predator–prey relationships at Helgoland Roads, North Sea. ICES Journal of Marine Science, 0, , .	2.5	10