Martin O Weickert

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4344830/publications.pdf

Version: 2024-02-01

148 papers 7,859 citations

45 h-index 84 g-index

154 all docs

154 docs citations

154 times ranked

10528 citing authors

#	Article	IF	CITATIONS
1	Metabolic Effects of Dietary Fiber Consumption and Prevention of Diabetes. Journal of Nutrition, 2008, 138, 439-442.	1.3	498
2	Gender differences in the metabolic syndrome and their role for cardiovascular disease. Clinical Research in Cardiology, 2006, 95, 136-147.	1.5	375
3	The Health Benefits of Dietary Fibre. Nutrients, 2020, 12, 3209.	1.7	324
4	Impact of Dietary Fiber Consumption on Insulin Resistance and the Prevention of Type 2 Diabetes. Journal of Nutrition, 2018, 148, 7-12.	1.3	307
5	Cereal Fiber Improves Whole-Body Insulin Sensitivity in Overweight and Obese Women. Diabetes Care, 2006, 29, 775-780.	4.3	258
6	Changes of Adiponectin Oligomer Composition by Moderate Weight Reduction. Diabetes, 2005, 54, 2712-2719.	0.3	249
7	Cardiometabolic Aspects of the Polycystic Ovary Syndrome. Endocrine Reviews, 2012, 33, 812-841.	8.9	242
8	A high normal TSH is associated with the metabolic syndrome. Clinical Endocrinology, 2010, 72, 696-701.	1,2	178
9	Impact of cereal fibre on glucose-regulating factors. Diabetologia, 2005, 48, 2343-2353.	2.9	173
10	Improved Glycemic Control and Vascular Function in Overweight and Obese Subjects by Glyoxalase 1 Inducer Formulation. Diabetes, 2016, 65, 2282-2294.	0.3	170
11	Measuring the glycemic index of foods: interlaboratory study. American Journal of Clinical Nutrition, 2008, 87, 247S-257S.	2.2	166
12	Effect of Human Body Weight Changes on Circulating Levels of Peptide YY and Peptide YY3–36. Journal of Clinical Endocrinology and Metabolism, 2007, 92, 583-588.	1.8	162
13	Effects of long-term soluble vs. insoluble dietary fiber intake on high-fat diet-induced obesity in C57BL/6J mice. Journal of Nutritional Biochemistry, 2010, 21, 278-284.	1.9	161
14	Arabinoxylan consumption decreases postprandial serum glucose, serum insulin and plasma total ghrelin response in subjects with impaired glucose tolerance. European Journal of Clinical Nutrition, 2007, 61, 334-341.	1.3	160
15	Effects of Weight Loss and Long-Term Weight Maintenance With Diets Varying in Protein and Glycemic Index on Cardiovascular Risk Factors. Circulation, 2011, 124, 2829-2838.	1.6	160
16	Obesity and Polycystic Ovary Syndrome: Implications for Pathogenesis and Novel Management Strategies. Clinical Medicine Insights Reproductive Health, 2019, 13, 117955811987404.	3.9	157
17	Effects of supplemented isoenergetic diets differing in cereal fiber and protein content on insulin sensitivity in overweight humans. American Journal of Clinical Nutrition, 2011, 94, 459-471.	2.2	148
18	Impact of Diet Composition on Blood Glucose Regulation. Critical Reviews in Food Science and Nutrition, 2016, 56, 541-590.	5.4	144

#	Article	IF	CITATIONS
19	Free Fatty Acids Link Metabolism and Regulation of the Insulin-Sensitizing Fibroblast Growth Factor-21. Diabetes, 2009, 58, 1532-1538.	0.3	139
20	Growth Hormone Response during Oral Glucose Tolerance Test: The Impact of Assay Method on the Estimation of Reference Values in Patients with Acromegaly and in Healthy Controls, and the Role of Gender, Age, and Body Mass Index. Journal of Clinical Endocrinology and Metabolism, 2008, 93, 1254-1262.	1.8	136
21	External validation of the fatty liver index and lipid accumulation product indices, using 1H-magnetic resonance spectroscopy, to identify hepatic steatosis in healthy controls and obese, insulin-resistant individuals. European Journal of Endocrinology, 2014, 171, 561-569.	1.9	126
22	WISP1 Is a Novel Adipokine Linked to Inflammation in Obesity. Diabetes, 2015, 64, 856-866.	0.3	107
23	Signalling mechanisms linking hepatic glucose and lipid metabolism. Diabetologia, 2006, 49, 1732-1741.	2.9	104
24	Telotristat ethyl in carcinoid syndrome: safety and efficacy in the TELECAST phase 3 trial. Endocrine-Related Cancer, 2018, 25, 309-322.	1.6	103
25	Wheat-fibre-induced changes of postprandial peptide YY and ghrelin responses are not associated with acute alterations of satiety. British Journal of Nutrition, 2006, 96, 795-798.	1.2	102
26	Evidence That Kidney Function but Not Type 2 Diabetes Determines Retinol-Binding Protein 4 Serum Levels. Diabetes, 2008, 57, 3323-3326.	0.3	98
27	Impairment of fat oxidation under high- vs. low-glycemic index diet occurs before the development of an obese phenotype. American Journal of Physiology - Endocrinology and Metabolism, 2010, 298, E287-E295.	1.8	85
28	Insulin Up-Regulates Natriuretic Peptide Clearance Receptor Expression in the Subcutaneous Fat Depot in Obese Subjects: A Missing Link between CVD Risk and Obesity?. Journal of Clinical Endocrinology and Metabolism, 2012, 97, E731-E739.	1.8	81
29	Elevated hepatic chemerin mRNA expression in human non-alcoholic fatty liver disease. European Journal of Endocrinology, 2013, 169, 547-557.	1.9	69
30	Isoforms of Retinol binding protein 4 (RBP4) are increased in chronic diseases of the kidney but not of the liver. Lipids in Health and Disease, 2008, 7, 29.	1.2	68
31	The Role of Insulin-Like Growth Factor (IGF) Binding Protein-2 in the Insulin-Mediated Decrease in IGF-I Bioactivity. Journal of Clinical Endocrinology and Metabolism, 2009, 94, 5093-5101.	1.8	68
32	Carob Pulp Preparation Rich in Insoluble Dietary Fiber and Polyphenols Enhances Lipid Oxidation and Lowers Postprandial Acylated Ghrelin in Humans. Journal of Nutrition, 2006, 136, 1533-1538.	1.3	62
33	Mechanisms of Insulin Resistance at the Crossroad of Obesity with Associated Metabolic Abnormalities and Cognitive Dysfunction. International Journal of Molecular Sciences, 2021, 22, 546.	1.8	62
34	Medical management of secretory syndromes related to gastroenteropancreatic neuroendocrine tumours. Endocrine-Related Cancer, 2016, 23, R423-R436.	1.6	59
35	Arabinoxylan Fibre Consumption Improved Glucose Metabolism, but did not Affect Serum Adipokines in Subjects with Impaired Glucose Tolerance. Hormone and Metabolic Research, 2006, 38, 761-766.	0.7	58
36	The androgen receptor CAG repeat modifies the impact of testosterone on insulin resistance in women with polycystic ovary syndrome. European Journal of Endocrinology, 2006, 155, 127-130.	1.9	58

#	Article	IF	CITATIONS
37	Circulating vaspin is unrelated to insulin sensitivity in a cohort of nondiabetic humans. European Journal of Endocrinology, 2010, 162, 507-513.	1.9	58
38	Multiple roles of glyoxalase 1-mediated suppression of methylglyoxal glycation in cancer biologyâ€"Involvement in tumour suppression, tumour growth, multidrug resistance and target for chemotherapy. Seminars in Cancer Biology, 2018, 49, 83-93.	4.3	58
39	Arabinoxylan-enriched Meal Increases Serum Ghrelin Levels in Healthy Humans. Hormone and Metabolic Research, 2005, 37, 303-308.	0.7	57
40	Hepatic Insulin Clearance Is Closely Related to Metabolic Syndrome Components. Diabetes Care, 2013, 36, 3779-3785.	4.3	57
41	Paraneoplastic endocrine syndromes. Endocrine-Related Cancer, 2017, 24, R173-R190.	1.6	54
42	Changes in dominant groups of the gut microbiota do not explain cereal-fiber induced improvement of whole-body insulin sensitivity. Nutrition and Metabolism, 2011, 8, 90.	1.3	51
43	Intravenous Lipid and Heparin Infusion-Induced Elevation in Free Fatty Acids and Triglycerides Modifies Circulating Androgen Levels in Women: A Randomized, Controlled Trial. Journal of Clinical Endocrinology and Metabolism, 2008, 93, 3900-3906.	1.8	49
44	Clock genes alterations and endocrine disorders. European Journal of Clinical Investigation, 2018, 48, e12927.	1.7	49
45	Adipocyte fatty acid-binding protein is associated with markers of obesity, but is an unlikely link between obesity, insulin resistance, and hyperandrogenism in polycystic ovary syndrome women. European Journal of Endocrinology, 2007, 157, 195-200.	1.9	48
46	Regulatory microRNAs in Brown, Brite and White Adipose Tissue. Cells, 2020, 9, 2489.	1.8	46
47	A Thr ⁹⁴ Ala mutation in human liver fatty acid-binding protein contributes to reduced hepatic glycogenolysis and blunted elevation of plasma glucose levels in lipid-exposed subjects. American Journal of Physiology - Endocrinology and Metabolism, 2007, 293, E1078-E1084.	1.8	43
48	Carob pulp preparation rich in insoluble dietary fibre and polyphenols increases plasma glucose and serum insulin responses in combination with a glucose load in humans. British Journal of Nutrition, 2007, 98, 101-105.	1.2	43
49	Deficiency of glucose-dependent insulinotropic polypeptide receptor prevents ovariectomy-induced obesity in mice. American Journal of Physiology - Endocrinology and Metabolism, 2008, 295, E350-E355.	1.8	42
50	Fibre supplementation for the prevention of type 2 diabetes and improvement of glucose metabolism: the randomised controlled Optimal Fibre Trial (OptiFiT). Diabetologia, 2018, 61, 1295-1305.	2.9	42
51	The Low-Carbohydrate Diet: Short-Term Metabolic Efficacy Versus Longer-Term Limitations. Nutrients, 2021, 13, 1187.	1.7	39
52	Free Fatty Acids Increase Androgen Precursorsin Vivo. Journal of Clinical Endocrinology and Metabolism, 2006, 91, 1501-1507.	1.8	38
53	Dietary Influences on the Microbiota–Gut–Brain Axis. International Journal of Molecular Sciences, 2021, 22, 3502.	1.8	37
54	Reversal of Insulin Resistance in Overweight and Obese Subjects by trans-Resveratrol and Hesperetin Combination—Link to Dysglycemia, Blood Pressure, Dyslipidemia, and Low-Grade Inflammation. Nutrients, 2021, 13, 2374.	1.7	37

#	Article	IF	CITATIONS
55	Elevated Soluble CD163 in Gestational Diabetes Mellitus: Secretion from Human Placenta and Adipose Tissue. PLoS ONE, 2014, 9, e101327.	1.1	37
56	Acetylsalicylic Acid Improves Lipid-Induced Insulin Resistance in Healthy Men. Journal of Clinical Endocrinology and Metabolism, 2006, 91, 964-967.	1.8	36
57	Nutritional Modulation of Insulin Resistance. Scientifica, 2012, 2012, 1-15.	0.6	36
58	What dietary modification best improves insulin sensitivity and why?. Clinical Endocrinology, 2012, 77, 508-512.	1.2	36
59	Screening for malnutrition in patients with gastro-entero-pancreatic neuroendocrine tumours: a cross-sectional study. BMJ Open, 2016, 6, e010765.	0.8	34
60	Soy isoflavones increase preprandial peptide YY (PYY), but have no effect on ghrelin and body weight in healthy postmenopausal women. Journal of Negative Results in BioMedicine, 2006, 5, 11.	1.4	33
61	Improved insulin sensitivity, preserved beta cell function and improved whole-body glucose metabolism after low-dose growth hormone replacement therapy in adults with severe growth hormone deficiency: a pilot study. Diabetologia, 2010, 53, 1304-1313.	2.9	33
62	Management of Asymptomatic Sporadic Nonfunctioning Pancreatic Neuroendocrine Neoplasms (ASPEN) â‰⊉ cm: Study Protocol for a Prospective Observational Study. Frontiers in Medicine, 2020, 7, 598438.	1.2	33
63	Metabolic effects of diets differing in glycaemic index depend on age and endogenous glucose-dependent insulinotrophic polypeptide in mice. Diabetologia, 2009, 52, 2159-2168.	2.9	32
64	Modulation of Amino Acid Metabolic Signatures by Supplemented Isoenergetic Diets Differing in Protein and Cereal Fiber Content. Journal of Clinical Endocrinology and Metabolism, 2014, 99, E2599-E2609.	1.8	32
65	Predicting impaired glucose metabolism in women with polycystic ovary syndrome by decision tree modelling. Diabetologia, 2006, 49, 2572-2579.	2.9	30
66	Glucagon Suppression of Ghrelin Secretion Is Exerted at Hypothalamus-Pituitary Level. Journal of Clinical Endocrinology and Metabolism, 2006, 91, 3528-3533.	1.8	30
67	Increased acylated plasma ghrelin, but improved lipid profiles 24-h after consumption of carob pulp preparation rich in dietary fibre and polyphenols. British Journal of Nutrition, 2007, 98, 1170-1177.	1.2	30
68	Assessment of circulating Wnt1 inducible signalling pathway protein 1 (WISP-1)/CCN4 as a novel biomarker of obesity. Journal of Cell Communication and Signaling, 2018, 12, 539-548.	1.8	30
69	External beam radiotherapy in differentiated thyroid carcinoma: A systematic review. Head and Neck, 2016, 38, E2297-305.	0.9	29
70	Retinol-binding protein 4 is associated with insulin resistance, but appears unsuited for metabolic screening in women with polycystic ovary syndrome European Journal of Endocrinology, 2008, 158, 517-523.	1.9	27
71	Increased interleukin-10 but unchanged insulin sensitivity after 4 weeks of $(1, 3)(1, 6)$ - \hat{l}^2 -glycan consumption in overweight humans. Nutrition Research, 2009, 29, 248-254.	1.3	27
72	Alterations of retinol-binding protein 4 species in patients with different stages of chronic kidney disease and their relation to lipid parameters. Biochemical and Biophysical Research Communications, 2010, 393, 79-83.	1.0	26

#	Article	IF	Citations
73	Elevated Fetal Adipsin/Acylation-Stimulating Protein (ASP) in Obese Pregnancy: Novel Placental Secretion via Hofbauer Cells. Journal of Clinical Endocrinology and Metabolism, 2013, 98, 4113-4122.	1.8	26
74	Voice outcomes after thyroidectomy without superior and recurrent laryngeal nerve injury: VoiSS questionnaire and GRBAS tool assessment. European Archives of Oto-Rhino-Laryngology, 2016, 273, 4543-4547.	0.8	25
75	Human amylase gene copy number variation as a determinant of metabolic state. Expert Review of Endocrinology and Metabolism, 2018, 13, 193-205.	1.2	25
76	Fasting Glucose State Determines Metabolic Response to Supplementation with Insoluble Cereal Fibre: A Secondary Analysis of the Optimal Fibre Trial (OptiFiT). Nutrients, 2019, 11, 2385.	1.7	24
77	Androgen receptor CAG repeat length polymorphism modifies the impact of testosterone on insulin sensitivity in men. European Journal of Endocrinology, 2011, 164, 1013-1018.	1.9	23
78	Asprosin, a novel pleiotropic adipokine implicated in fasting and obesity-related cardio-metabolic disease: Comprehensive review of preclinical and clinical evidence. Cytokine and Growth Factor Reviews, 2021, 60, 120-132.	3.2	22
79	Increase in serum resistin during weight loss in overweight subjects is related to lipid metabolism. International Journal of Obesity, 2006, 30, 1097-1103.	1.6	21
80	Chemotherapy in NETs: When and how. Reviews in Endocrine and Metabolic Disorders, 2017, 18, 485-497.	2.6	21
81	Effects of supplemented isoenergetic diets varying in cereal fiber and protein content on the bile acid metabolic signature and relation to insulin resistance. Nutrition and Diabetes, 2018, 8, 11.	1.5	21
82	Implications of Resveratrol in Obesity and Insulin Resistance: A State-of-the-Art Review. Nutrients, 2022, 14, 2870.	1.7	21
83	KCNJ11 E23K Affects Diabetes Risk and Is Associated With the Disposition Index: Results of two independent German cohorts. Diabetes Care, 2008, 31, 87-89.	4.3	20
84	Fetuin A is a Predictor of Liver Fat in Preoperative Patients with Nonalcoholic Fatty Liver Disease. Journal of Investigative Surgery, 2016, 29, 266-274.	0.6	20
85	Changes in Weight Associated With Telotristat Ethyl in the Treatment of Carcinoid Syndrome. Clinical Therapeutics, 2018, 40, 952-962.e2.	1.1	19
86	Modification of fecal microbiota as a mediator of effective weight loss and metabolic benefits following bariatric surgery. Expert Review of Endocrinology and Metabolism, 2020, 15, 363-373.	1.2	19
87	Effects of resistance exercise and whey protein supplementation on skeletal muscle strength, mass, physical function, and hormonal and inflammatory biomarkers in healthy active older men: a randomised, double-blind, placebo-controlled trial. Experimental Gerontology, 2022, 158, 111651.	1.2	19
88	Malignancy Risk Analysis in Patients with Inadequate Fine Needle Aspiration Cytology (FNAC) of the Thyroid. PLoS ONE, 2012, 7, e49078.	1.1	18
89	Prolonged treatment with vitamin D in postmenopausal women with primary hyperparathyroidism. Endocrine Connections, 2012, 1 , $13-21$.	0.8	17
90	The prognosis and management of neuroendocrine neoplasms-related metastatic bone disease: lessons from clinical practice. Endocrine, 2019, 64, 690-701.	1.1	17

#	Article	IF	Citations
91	Mechanisms of Central Hypogonadism. International Journal of Molecular Sciences, 2021, 22, 8217.	1.8	17
92	Identification of a functional protein kinase $\hat{Cl^2}$ promoter polymorphism in humans related to insulin resistance. Molecular Genetics and Metabolism, 2008, 93, 210-215.	0.5	16
93	Effects of Acarbose Treatment on Markers of Insulin Sensitivity and Systemic Inflammation. Diabetes Technology and Therapeutics, 2011, 13, 615-623.	2.4	16
94	The Impact of Insulin-Independent, Glucagon-Induced Suppression of Total Ghrelin on Satiety in Obesity and Type 1 Diabetes Mellitus. Journal of Clinical Endocrinology and Metabolism, 2013, 98, 4133-4142.	1.8	16
95	Supplementation of Vitamin D Deficiency in Patients with Neuroendocrine Tumors Using Over-the-Counter Vitamin D3 Preparations. Nutrition and Cancer, 2018, 70, 748-754.	0.9	16
96	The Impact of 68Gallium DOTA PET/CT in Managing Patients With Sporadic and Familial Pancreatic Neuroendocrine Tumours. Frontiers in Endocrinology, 2021, 12, 654975.	1.5	16
97	Quantifying the Improvement of Surrogate Indices of Hepatic Insulin Resistance Using Complex Measurement Techniques. PLoS ONE, 2012, 7, e39029.	1.1	16
98	Combination of acarbose and ezetimibe prevents non-alcoholic fatty liver disease: A break of intestinal insulin resistance?. Journal of Hepatology, 2010, 52, 952-953.	1.8	14
99	Fibroblast growth factors: new insights, new targets in the management of diabetes. Minerva Endocrinology, 2017, 42, 248-270.	0.6	14
100	T3/rT3-Ratio is Associated with Insulin Resistance Independent of TSH. Hormone and Metabolic Research, 2011, 43, 130-134.	0.7	13
101	Glucagon Decreases IGF-1 Bioactivity in Humans, Independently of Insulin, by Modulating Its Binding Proteins. Journal of Clinical Endocrinology and Metabolism, 2017, 102, 3480-3490.	1.8	13
102	Effects of Euglycemic Hyperinsulinemia and Lipid Infusion on Circulating Cholecystokinin. Journal of Clinical Endocrinology and Metabolism, 2008, 93, 2328-2333.	1.8	12
103	Obesity Does Not Modulate the Glycometabolic Benefit of Insoluble Cereal Fibre in Subjects with Prediabetes—A Stratified Post Hoc Analysis of the Optimal Fibre Trial (OptiFiT). Nutrients, 2019, 11, 2726.	1.7	12
104	Gastroenteropancreatic neuroendocrine tumours: an overview. British Journal of Nursing, 2016, 25, S12-S15.	0.3	11
105	High fiber intake, dietary protein, and prevention of type 2 diabetes. Expert Review of Endocrinology and Metabolism, 2018, 13, 223-224.	1.2	11
106	Tumour diameter is not reliable for management of non-secreting pancreatic neuroendocrine tumours. Endocrine Connections, 2017, 6, 876-885.	0.8	10
107	Improved Thyroid Hypoechogenicity Following Bariatric-Induced Weight Loss in Euthyroid Adults With Severe Obesity—a Pilot Study. Frontiers in Endocrinology, 2018, 9, 488.	1.5	10
108	Lung Metastases in Patients with Well-Differentiated Gastroenteropancreatic Neuroendocrine Neoplasms: An Appraisal of the Validity of Thoracic Imaging Surveillance. Neuroendocrinology, 2019, 108, 308-316.	1,2	10

#	Article	IF	CITATIONS
109	Obesity: novel and unusual predisposing factors. Therapeutic Advances in Endocrinology and Metabolism, 2020, 11, 204201882092201.	1.4	10
110	Levothyroxine Medication is Associated with Adiposity Independent of TSH. Experimental and Clinical Endocrinology and Diabetes, 2012, 120, 351-354.	0.6	9
111	Diagnosis and Management of Polycystic Ovary Syndrome (PCOS). , 2015, , 99-113.		9
112	<i>AMY1</i> Gene Copy Number Correlates With Glucose Absorption and Visceral Fat Volume, but Not with Insulin Resistance. Journal of Clinical Endocrinology and Metabolism, 2020, 105, e3586-e3596.	1.8	9
113	The relationship between obstructive sleep apnoea and quality of life in women with polycystic ovary syndrome: a cross-sectional study. Therapeutic Advances in Endocrinology and Metabolism, 2020, 11, 204201882090668.	1.4	9
114	Metabolomic linkage reveals functional interaction between glucose-dependent insulinotropic polypeptide and ghrelin in humans. American Journal of Physiology - Endocrinology and Metabolism, 2011, 301, E608-E617.	1.8	8
115	The effect of prophylactic surgery in survival and HRQoL in appendiceal NEN. Endocrine, 2020, 70, 178-186.	1.1	8
116	Effect of Meglitinides on Postprandial Ghrelin Secretion Pattern in Type 2 Diabetes Mellitus. Diabetes Technology and Therapeutics, 2010, 12, 57-64.	2.4	7
117	Annual Change in Insulin Sensitivity. Hormone and Metabolic Research, 2011, 43, 720-722.	0.7	7
118	Systematic review and metaâ€analysis of the metabolic effects of modifiedâ€release hydrocortisone versus standard glucocorticoid replacement therapy in adults with adrenal insufficiency. Clinical Endocrinology, 2020, 93, 637-651.	1.2	7
119	Impact of the COVID-19 pandemic on neuroendocrine tumour services in England. Endocrine, 2021, 71, 14-19.	1.1	7
120	Acarbose treatment enhances mid-regional pro-atrial natriuretic peptide concentrations in non-diabetic individuals: further evidence for a common cardiometabolic pathway?. Diabetologia, 2012, 55, 3392-3395.	2.9	6
121	Low–Glycemic Index vs High–Cereal Fiber Diet in Type 2 Diabetes. JAMA - Journal of the American Medical Association, 2009, 301, 1538.	3.8	5
122	A reverse postural test as a screening tool for aldosterone-producing adenoma: a pilot study. Endocrine, 2009, 36, 75-82.	1.1	5
123	A randomised controlled trial of the impact of structured written and verbal advice by community pharmacists on improving hypertension education and control in patients with high blood pressure. European Journal of Clinical Pharmacology, 2018, 74, 1391-1395.	0.8	5
124	Early Metabolic Benefits of Switching Hydrocortisone to Modified Release Hydrocortisone in Adult Adrenal Insufficiency. Frontiers in Endocrinology, 2021, 12, 641247.	1.5	5
125	Glyoxalase 1 copy number variation in patients with well differentiated gastro-entero-pancreatic neuroendocrine tumours (GEP-NET). Oncotarget, 2017, 8, 76961-76973.	0.8	5
126	Nutrition and exercise in the treatment of type 2 diabetes mellitus. Hamdan Medical Journal, 2012, 5, 131.	0.2	5

#	Article	IF	CITATIONS
127	Endoplasmic reticulum stress and the unfolded protein response in skeletal muscle of subjects suffering from peritoneal sepsis. Scientific Reports, 2022, 12, 504.	1.6	5
128	Chemical Inhibition of Citrate Metabolism Alters Body Fat Content in Mice. Hormone and Metabolic Research, 2006, 38, 134-136.	0.7	4
129	A polymorphism within the connective tissue growth factor (CTGF) gene has no effect on non-invasive markers of beta-cell area and risk of type 2 diabetes. Disease Markers, 2011, 31, 241-6.	0.6	4
130	Cell-type specific regulation of the human 11beta-hydroxysteroid dehydrogenase type 1 promoter. Archives of Physiology and Biochemistry, 2007, 113, 110-115.	1.0	3
131	Dose-dependent effects of insoluble fibre on glucose metabolism: a stratified post hoc analysis of the Optimal Fibre Trial (OptiFiT). Acta Diabetologica, 2021, 58, 1649-1658.	1.2	3
132	Malignant hypercalcaemia related to parathyroid hormone-related peptide (PTHrP) secretion from a metastatic pancreatic neuroendocrine tumour (NET). BMJ Case Reports, 2017, 2017, bcr2017219692.	0.2	3
133	The Gestational Effects of Maternal Appetite Axis Molecules on Fetal Growth, Metabolism and Long-Term Metabolic Health: A Systematic Review. International Journal of Molecular Sciences, 2022, 23, 695.	1.8	3
134	Should malnutrition screening be routine for patients with GEP-NET?. International Journal of Endocrine Oncology, 2016, 3, 197-201.	0.4	2
135	Effects of Insoluble Cereal Fibre on Body Fat Distribution in the Optimal Fibre Trial. Molecular Nutrition and Food Research, 2021, 65, 2000991.	1.5	2
136	Role of the Gut Peptide Glucose-Induced Insulinomimetic Peptide in Energy Balance. Results and Problems in Cell Differentiation, 2011, 52, 183-188.	0.2	2
137	Modulation of circulating vasoactive peptides and extracellular matrix proteins are two novel mechanisms in the cardioprotective action of acarbose. Minerva Endocrinologica, 2016, 41, 456-68.	1.7	2
138	Effects of intake of breakfast or caffeine-containing beverages on measurement of circulating chromogranin A in plasma. GastroHep, 2019, 1, 11-21.	0.3	1
139	Weight Maintenance up to 48 Weeks in Patients With Carcinoid Syndrome Treated With Telotristat Ethyl: Pooled Data From the Open-Label Extensions of the Phase III Clinical Trials TELESTAR and TELECAST. Clinical Therapeutics, 2021, 43, 1779-1785.	1.1	1
140	Heart failure with preserved ejection fraction (HFpEF) pathophysiology study (IDENTIFY-HF): does increased arterial stiffness associate with HFpEF, in addition to ageing and vascular effects of comorbidities? Rationale and design. BMJ Open, 2019, 9, e027984.	0.8	1
141	Changes in 24â€ħ energy expenditure, substrate oxidation, and body composition following resistance exercise and a high protein diet via whey protein supplementation in healthy older men. Physiological Reports, 2022, 10, .	0.7	1
142	Improved gall bladder motility in PCOS women treated with metformin – interaction of free fatty acids with circulating cholecystokinin?. Clinical Endocrinology, 2012, 76, 454-455.	1.2	0
143	Practicable Measures and Indices of Insulin Resistance in Nutrition Research. Current Obesity Reports, 2013, 2, 285-292.	3.5	0
144	Tumour Size is not a Reliable Criterion for Resection of Patients with Non-Secreting Pancreatic Neuroendocrine Tumours: Results of an International, Multi-Centre, Operative Cohort. Gastroenterology, 2017, 152, S1234-S1235.	0.6	0

#	Article	IF	CITATIONS
145	How might remote management of diabetes mellitus during the COVID-19 pandemic impact patient care?. Expert Review of Endocrinology and Metabolism, 2021, 16, 155-158.	1.2	0
146	A high normal TSH is associated with the metabolic syndrome. Clinical Endocrinology, 2009, , .	1.2	0
147	Association of weight change with telotristat ethyl in the treatment of carcinoid syndrome Journal of Clinical Oncology, 2017, 35, e15692-e15692.	0.8	O
148	Obstructive sleep apnea and polycystic ovary syndrome: Clinical interactions and underlying pathophysiology., 2022,, 325-344.		0