

Martin O Weickert

List of Publications by Citations

Source: <https://exaly.com/author-pdf/4344830/martin-o-weickert-publications-by-citations.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

144
papers

5,689
citations

40
h-index

72
g-index

153
ext. papers

6,730
ext. citations

5.3
avg, IF

5.78
L-index

#	Paper	IF	Citations
144	Metabolic effects of dietary fiber consumption and prevention of diabetes. <i>Journal of Nutrition</i> , 2008 , 138, 439-42	4.1	381
143	Gender differences in the metabolic syndrome and their role for cardiovascular disease. <i>Clinical Research in Cardiology</i> , 2006 , 95, 136-47	6.1	306
142	Changes of adiponectin oligomer composition by moderate weight reduction. <i>Diabetes</i> , 2005 , 54, 2712-9.	9.9	232
141	Cereal fiber improves whole-body insulin sensitivity in overweight and obese women. <i>Diabetes Care</i> , 2006 , 29, 775-80	14.6	203
140	Cardiometabolic aspects of the polycystic ovary syndrome. <i>Endocrine Reviews</i> , 2012 , 33, 812-41	27.2	188
139	Impact of Dietary Fiber Consumption on Insulin Resistance and the Prevention of Type 2 Diabetes. <i>Journal of Nutrition</i> , 2018 , 148, 7-12	4.1	159
138	Effect of human body weight changes on circulating levels of peptide YY and peptide YY3-36. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2007 , 92, 583-8	5.6	144
137	Impact of cereal fibre on glucose-regulating factors. <i>Diabetologia</i> , 2005 , 48, 2343-53	10.3	144
136	A high normal TSH is associated with the metabolic syndrome. <i>Clinical Endocrinology</i> , 2010 , 72, 696-701	3.4	140
135	Arabinoxylan consumption decreases postprandial serum glucose, serum insulin and plasma total ghrelin response in subjects with impaired glucose tolerance. <i>European Journal of Clinical Nutrition</i> , 2007 , 61, 334-41	5.2	136
134	Measuring the glycemic index of foods: interlaboratory study. <i>American Journal of Clinical Nutrition</i> , 2008 , 87, 247S-257S	7	134
133	Improved Glycemic Control and Vascular Function in Overweight and Obese Subjects by Glyoxalase 1 Inducer Formulation. <i>Diabetes</i> , 2016 , 65, 2282-94	0.9	132
132	Effects of weight loss and long-term weight maintenance with diets varying in protein and glycemic index on cardiovascular risk factors: the diet, obesity, and genes (DiOGenes) study: a randomized, controlled trial. <i>Circulation</i> , 2011 , 124, 2829-38	16.7	131
131	Effects of long-term soluble vs. insoluble dietary fiber intake on high-fat diet-induced obesity in C57BL/6J mice. <i>Journal of Nutritional Biochemistry</i> , 2010 , 21, 278-84	6.3	130
130	Free fatty acids link metabolism and regulation of the insulin-sensitizing fibroblast growth factor-21. <i>Diabetes</i> , 2009 , 58, 1532-8	0.9	120
129	Effects of supplemented isoenergetic diets differing in cereal fiber and protein content on insulin sensitivity in overweight humans. <i>American Journal of Clinical Nutrition</i> , 2011 , 94, 459-71	7	116
128	Growth hormone response during oral glucose tolerance test: the impact of assay method on the estimation of reference values in patients with acromegaly and in healthy controls, and the role of gender, age, and body mass index. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2008 , 93, 1254-62	5.6	110

127	The Health Benefits of Dietary Fibre. <i>Nutrients</i> , 2020 , 12,	6.7	94
126	Impact of Diet Composition on Blood Glucose Regulation. <i>Critical Reviews in Food Science and Nutrition</i> , 2016 , 56, 541-90	11.5	92
125	Wheat-fibre-induced changes of postprandial peptide YY and ghrelin responses are not associated with acute alterations of satiety. <i>British Journal of Nutrition</i> , 2006 , 96, 795-8	3.6	90
124	Evidence that kidney function but not type 2 diabetes determines retinol-binding protein 4 serum levels. <i>Diabetes</i> , 2008 , 57, 3323-6	0.9	86
123	Signalling mechanisms linking hepatic glucose and lipid metabolism. <i>Diabetologia</i> , 2006 , 49, 1732-41	10.3	82
122	External validation of the fatty liver index and lipid accumulation product indices, using 1H-magnetic resonance spectroscopy, to identify hepatic steatosis in healthy controls and obese, insulin-resistant individuals. <i>European Journal of Endocrinology</i> , 2014 , 171, 561-9	6.5	80
121	WISP1 is a novel adipokine linked to inflammation in obesity. <i>Diabetes</i> , 2015 , 64, 856-66	0.9	78
120	Telotristat ethyl in carcinoid syndrome: safety and efficacy in the TELECAST phase 3 trial. <i>Endocrine-Related Cancer</i> , 2018 , 25, 309-322	5.7	77
119	Impairment of fat oxidation under high- vs. low-glycemic index diet occurs before the development of an obese phenotype. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2010 , 298, E287-95	6.5	73
118	Insulin up-regulates natriuretic peptide clearance receptor expression in the subcutaneous fat depot in obese subjects: a missing link between CVD risk and obesity?. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2012 , 97, E731-9	5.6	68
117	The role of insulin-like growth factor (IGF) binding protein-2 in the insulin-mediated decrease in IGF-I bioactivity. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2009 , 94, 5093-101	5.6	62
116	Elevated hepatic chemerin mRNA expression in human non-alcoholic fatty liver disease. <i>European Journal of Endocrinology</i> , 2013 , 169, 547-57	6.5	58
115	Isoforms of retinol binding protein 4 (RBP4) are increased in chronic diseases of the kidney but not of the liver. <i>Lipids in Health and Disease</i> , 2008 , 7, 29	4.4	55
114	Obesity and Polycystic Ovary Syndrome: Implications for Pathogenesis and Novel Management Strategies. <i>Clinical Medicine Insights Reproductive Health</i> , 2019 , 13, 1179558119874042	6.5	53
113	The androgen receptor CAG repeat modifies the impact of testosterone on insulin resistance in women with polycystic ovary syndrome. <i>European Journal of Endocrinology</i> , 2006 , 155, 127-30	6.5	50
112	Carob pulp preparation rich in insoluble dietary fiber and polyphenols enhances lipid oxidation and lowers postprandial acylated ghrelin in humans. <i>Journal of Nutrition</i> , 2006 , 136, 1533-8	4.1	50
111	Arabinoxylan-enriched meal increases serum ghrelin levels in healthy humans. <i>Hormone and Metabolic Research</i> , 2005 , 37, 303-8	3.1	50
110	Circulating vaspin is unrelated to insulin sensitivity in a cohort of nondiabetic humans. <i>European Journal of Endocrinology</i> , 2010 , 162, 507-13	6.5	48

109	Arabinoxylan fibre consumption improved glucose metabolism, but did not affect serum adipokines in subjects with impaired glucose tolerance. <i>Hormone and Metabolic Research</i> , 2006 , 38, 761-6 ^{3.1}	47
108	Hepatic insulin clearance is closely related to metabolic syndrome components. <i>Diabetes Care</i> , 2013 , 36, 3779-85	14.6 46
107	Medical management of secretory syndromes related to gastroenteropancreatic neuroendocrine tumours. <i>Endocrine-Related Cancer</i> , 2016 , 23, R423-36	5.7 45
106	Multiple roles of glyoxalase 1-mediated suppression of methylglyoxal glycation in cancer biology-Involvement in tumour suppression, tumour growth, multidrug resistance and target for chemotherapy. <i>Seminars in Cancer Biology</i> , 2018 , 49, 83-93	12.7 44
105	Intravenous lipid and heparin infusion-induced elevation in free fatty acids and triglycerides modifies circulating androgen levels in women: a randomized, controlled trial. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2008 , 93, 3900-6	5.6 44
104	A Thr94Ala mutation in human liver fatty acid-binding protein contributes to reduced hepatic glycogenolysis and blunted elevation of plasma glucose levels in lipid-exposed subjects. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2007 , 293, E1078-84	6 40
103	Adipocyte fatty acid-binding protein is associated with markers of obesity, but is an unlikely link between obesity, insulin resistance, and hyperandrogenism in polycystic ovary syndrome women. <i>European Journal of Endocrinology</i> , 2007 , 157, 195-200	6.5 38
102	Changes in dominant groups of the gut microbiota do not explain cereal-fiber induced improvement of whole-body insulin sensitivity. <i>Nutrition and Metabolism</i> , 2011 , 8, 90	4.6 36
101	Deficiency of glucose-dependent insulinotropic polypeptide receptor prevents ovariectomy-induced obesity in mice. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2008 , 295, E350-5	6 35
100	Paraneoplastic endocrine syndromes. <i>Endocrine-Related Cancer</i> , 2017 , 24, R173-R190	5.7 34
99	Carob pulp preparation rich in insoluble dietary fibre and polyphenols increases plasma glucose and serum insulin responses in combination with a glucose load in humans. <i>British Journal of Nutrition</i> , 2007 , 98, 101-5	3.6 34
98	Clock genes alterations and endocrine disorders. <i>European Journal of Clinical Investigation</i> , 2018 , 48, e12927	4.6 32
97	What dietary modification best improves insulin sensitivity and why?. <i>Clinical Endocrinology</i> , 2012 , 77, 508-12	3.4 31
96	Acetylsalicylic acid improves lipid-induced insulin resistance in healthy men. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2006 , 91, 964-7	5.6 31
95	Free fatty acids increase androgen precursors in vivo. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2006 , 91, 1501-7	5.6 30
94	Metabolic effects of diets differing in glycaemic index depend on age and endogenous glucose-dependent insulinotropic polypeptide in mice. <i>Diabetologia</i> , 2009 , 52, 2159-68	10.3 28
93	Glucagon suppression of ghrelin secretion is exerted at hypothalamus-pituitary level. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2006 , 91, 3528-33	5.6 28
92	Screening for malnutrition in patients with gastro-entero-pancreatic neuroendocrine tumours: a cross-sectional study. <i>BMJ Open</i> , 2016 , 6, e010765	3 27

91	Improved insulin sensitivity, preserved beta cell function and improved whole-body glucose metabolism after low-dose growth hormone replacement therapy in adults with severe growth hormone deficiency: a pilot study. <i>Diabetologia</i> , 2010 , 53, 1304-13	10.3	27
90	Soy isoflavones increase preprandial peptide YY (PYY), but have no effect on ghrelin and body weight in healthy postmenopausal women. <i>Journal of Negative Results in BioMedicine</i> , 2006 , 5, 11		27
89	Elevated soluble CD163 in gestational diabetes mellitus: secretion from human placenta and adipose tissue. <i>PLoS ONE</i> , 2014 , 9, e101327	3.7	27
88	Retinol-binding protein 4 is associated with insulin resistance, but appears unsuited for metabolic screening in women with polycystic ovary syndrome. <i>European Journal of Endocrinology</i> , 2008 , 158, 517-23	6.5	26
87	Modulation of amino acid metabolic signatures by supplemented isoenergetic diets differing in protein and cereal fiber content. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2014 , 99, E2599-609	5.6	25
86	Predicting impaired glucose metabolism in women with polycystic ovary syndrome by decision tree modelling. <i>Diabetologia</i> , 2006 , 49, 2572-9	10.3	25
85	Increased interleukin-10 but unchanged insulin sensitivity after 4 weeks of (1, 3)(1, 6)-beta-glycan consumption in overweight humans. <i>Nutrition Research</i> , 2009 , 29, 248-54	4	24
84	Nutritional modulation of insulin resistance. <i>Scientifica</i> , 2012 , 2012, 424780	2.6	23
83	Fibre supplementation for the prevention of type 2 diabetes and improvement of glucose metabolism: the randomised controlled Optimal Fibre Trial (OptiFIT). <i>Diabetologia</i> , 2018 , 61, 1295-1305	10.3	22
82	Elevated fetal adipisin/acylation-stimulating protein (ASP) in obese pregnancy: novel placental secretion via Hofbauer cells. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2013 , 98, 4113-22	5.6	21
81	Alterations of retinol-binding protein 4 species in patients with different stages of chronic kidney disease and their relation to lipid parameters. <i>Biochemical and Biophysical Research Communications</i> , 2010 , 393, 79-83	3.4	21
80	Increased acylated plasma ghrelin, but improved lipid profiles 24-h after consumption of carob pulp preparation rich in dietary fibre and polyphenols. <i>British Journal of Nutrition</i> , 2007 , 98, 1170-7	3.6	20
79	Androgen receptor CAG repeat length polymorphism modifies the impact of testosterone on insulin sensitivity in men. <i>European Journal of Endocrinology</i> , 2011 , 164, 1013-8	6.5	19
78	External beam radiotherapy in differentiated thyroid carcinoma: A systematic review. <i>Head and Neck</i> , 2016 , 38 Suppl 1, E2297-305	4.2	19
77	Regulatory microRNAs in Brown, Brite and White Adipose Tissue. <i>Cells</i> , 2020 , 9,	7.9	18
76	Assessment of circulating Wnt1 inducible signalling pathway protein 1 (WISP-1)/CCN4 as a novel biomarker of obesity. <i>Journal of Cell Communication and Signaling</i> , 2018 , 12, 539-548	5.2	18
75	KCNJ11 E23K affects diabetes risk and is associated with the disposition index: results of two independent German cohorts. <i>Diabetes Care</i> , 2008 , 31, 87-9	14.6	17
74	Increase in serum resistin during weight loss in overweight subjects is related to lipid metabolism. <i>International Journal of Obesity</i> , 2006 , 30, 1097-103	5.5	17

73	Mechanisms of Insulin Resistance at the Crossroad of Obesity with Associated Metabolic Abnormalities and Cognitive Dysfunction. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	17
72	Fetuin A is a Predictor of Liver Fat in Preoperative Patients with Nonalcoholic Fatty Liver Disease. <i>Journal of Investigative Surgery</i> , 2016 , 29, 266-74	1.2	16
71	Chemotherapy in NETs: When and how. <i>Reviews in Endocrine and Metabolic Disorders</i> , 2017 , 18, 485-497	10.5	16
70	Changes in Weight Associated With Telotristat Ethyl in the Treatment of Carcinoid Syndrome. <i>Clinical Therapeutics</i> , 2018 , 40, 952-962.e2	3.5	16
69	Human amylase gene copy number variation as a determinant of metabolic state. <i>Expert Review of Endocrinology and Metabolism</i> , 2018 , 13, 193-205	4.1	15
68	Prolonged treatment with vitamin D in postmenopausal women with primary hyperparathyroidism. <i>Endocrine Connections</i> , 2012 , 1, 13-21	3.5	15
67	Malignancy risk analysis in patients with inadequate fine needle aspiration cytology (FNAC) of the thyroid. <i>PLoS ONE</i> , 2012 , 7, e49078	3.7	15
66	Combination of acarbose and ezetimibe prevents non-alcoholic fatty liver disease: a break of intestinal insulin resistance?. <i>Journal of Hepatology</i> , 2010 , 52, 952-3	13.4	14
65	Identification of a functional protein kinase Cbeta promoter polymorphism in humans related to insulin resistance. <i>Molecular Genetics and Metabolism</i> , 2008 , 93, 210-5	3.7	14
64	Quantifying the improvement of surrogate indices of hepatic insulin resistance using complex measurement techniques. <i>PLoS ONE</i> , 2012 , 7, e39029	3.7	14
63	Effects of supplemented isoenergetic diets varying in cereal fiber and protein content on the bile acid metabolic signature and relation to insulin resistance. <i>Nutrition and Diabetes</i> , 2018 , 8, 11	4.7	13
62	Voice outcomes after thyroidectomy without superior and recurrent laryngeal nerve injury: VoiSS questionnaire and GRBAS tool assessment. <i>European Archives of Oto-Rhino-Laryngology</i> , 2016 , 273, 4543-4547	3.5	13
61	Fasting Glucose State Determines Metabolic Response to Supplementation with Insoluble Cereal Fibre: A Secondary Analysis of the Optimal Fibre Trial (OptiFIT). <i>Nutrients</i> , 2019 , 11,	6.7	13
60	The impact of insulin-independent, glucagon-induced suppression of total ghrelin on satiety in obesity and type 1 diabetes mellitus. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2013 , 98, 4133-42	5.6	12
59	Effects of acarbose treatment on markers of insulin sensitivity and systemic inflammation. <i>Diabetes Technology and Therapeutics</i> , 2011 , 13, 615-23	8.1	12
58	Effects of euglycemic hyperinsulinemia and lipid infusion on circulating cholecystokinin. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2008 , 93, 2328-33	5.6	11
57	Supplementation of Vitamin D Deficiency in Patients with Neuroendocrine Tumors Using Over-the-Counter Vitamin D3 Preparations. <i>Nutrition and Cancer</i> , 2018 , 70, 748-754	2.8	11
56	Modification of fecal microbiota as a mediator of effective weight loss and metabolic benefits following bariatric surgery. <i>Expert Review of Endocrinology and Metabolism</i> , 2020 , 15, 363-373	4.1	10

55	The Low-Carbohydrate Diet: Short-Term Metabolic Efficacy Versus Longer-Term Limitations. <i>Nutrients</i> , 2021 , 13,	6.7	10
54	The prognosis and management of neuroendocrine neoplasms-related metastatic bone disease: lessons from clinical practice. <i>Endocrine</i> , 2019 , 64, 690-701	4	10
53	Reversal of Insulin Resistance in Overweight and Obese Subjects by -Resveratrol and Hesperetin Combination-Link to Dysglycemia, Blood Pressure, Dyslipidemia, and Low-Grade Inflammation. <i>Nutrients</i> , 2021 , 13,	6.7	10
52	Gastroenteropancreatic neuroendocrine tumours: an overview. <i>British Journal of Nursing</i> , 2016 , 25, S12-5.7	5.7	9
51	T3/rT3-ratio is associated with insulin resistance independent of TSH. <i>Hormone and Metabolic Research</i> , 2011 , 43, 130-4	3.1	9
50	Fibroblast growth factors: new insights, new targets in the management of diabetes. <i>Minerva Endocrinology</i> , 2017 , 42, 248-270	2.5	9
49	Dietary Influences on the Microbiota-Gut-Brain Axis. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	9
48	Obesity Does Not Modulate the Glycometabolic Benefit of Insoluble Cereal Fibre in Subjects with Prediabetes-A Stratified Post Hoc Analysis of the Optimal Fibre Trial (OptiFIT). <i>Nutrients</i> , 2019 , 11,	6.7	8
47	Tumour diameter is not reliable for management of non-secreting pancreatic neuroendocrine tumours. <i>Endocrine Connections</i> , 2017 , 6, 876-885	3.5	8
46	Metabolomic linkage reveals functional interaction between glucose-dependent insulinotropic polypeptide and ghrelin in humans. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2011 , 301, E608-17	6	8
45	The relationship between obstructive sleep apnoea and quality of life in women with polycystic ovary syndrome: a cross-sectional study. <i>Therapeutic Advances in Endocrinology and Metabolism</i> , 2020 , 11, 2042018820906689	4.5	7
44	Management of Asymptomatic Sporadic Nonfunctioning Pancreatic Neuroendocrine Neoplasms (ASPEN) ≥ cm: Study Protocol for a Prospective Observational Study. <i>Frontiers in Medicine</i> , 2020 , 7, 598438	4.9	7
43	Lung Metastases in Patients with Well-Differentiated Gastroenteropancreatic Neuroendocrine Neoplasms: An Appraisal of the Validity of Thoracic Imaging Surveillance. <i>Neuroendocrinology</i> , 2019 , 108, 308-316	5.6	6
42	Glucagon Decreases IGF-1 Bioactivity in Humans, Independently of Insulin, by Modulating Its Binding Proteins. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2017 , 102, 3480-3490	5.6	6
41	Annual change in insulin sensitivity. <i>Hormone and Metabolic Research</i> , 2011 , 43, 720-2	3.1	6
40	Levothyroxine medication is associated with adiposity independent of TSH. <i>Experimental and Clinical Endocrinology and Diabetes</i> , 2012 , 120, 351-4	2.3	6
39	AMY1 Gene Copy Number Correlates With Glucose Absorption and Visceral Fat Volume, but Not with Insulin Resistance. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020 , 105,	5.6	6
38	Improved Thyroid Hypoechoogenicity Following Bariatric-Induced Weight Loss in Euthyroid Adults With Severe Obesity-a Pilot Study. <i>Frontiers in Endocrinology</i> , 2018 , 9, 488	5.7	6

37	Ernährungsempfehlungen zur Behandlung des Diabetes mellitus [Empfehlungen zur Proteinzufuhr. <i>Diabetologie Und Stoffwechsel</i> , 2016 , 11, 272-282	0.7	5
36	Acarbose treatment enhances mid-regional pro-atrial natriuretic peptide concentrations in non-diabetic individuals: further evidence for a common cardiometabolic pathway?. <i>Diabetologia</i> , 2012 , 55, 3392-5	10.3	5
35	Low-glycemic index vs high-cereal fiber diet in type 2 diabetes. <i>JAMA - Journal of the American Medical Association</i> , 2009 , 301, 1538; author reply 1538-9	27.4	5
34	Systematic review and meta-analysis of the metabolic effects of modified-release hydrocortisone versus standard glucocorticoid replacement therapy in adults with adrenal insufficiency. <i>Clinical Endocrinology</i> , 2020 , 93, 637-651	3.4	4
33	A randomised controlled trial of the impact of structured written and verbal advice by community pharmacists on improving hypertension education and control in patients with high blood pressure. <i>European Journal of Clinical Pharmacology</i> , 2018 , 74, 1391-1395	2.8	4
32	Chemical inhibition of citrate metabolism alters body fat content in mice. <i>Hormone and Metabolic Research</i> , 2006 , 38, 134-6	3.1	4
31	Glyoxalase 1 copy number variation in patients with well differentiated gastro-entero-pancreatic neuroendocrine tumours (GEP-NET). <i>Oncotarget</i> , 2017 , 8, 76961-76973	3.3	4
30	A polymorphism within the connective tissue growth factor (CTGF) gene has no effect on non-invasive markers of beta-cell area and risk of type 2 diabetes. <i>Disease Markers</i> , 2011 , 31, 241-6	3.2	4
29	Impact of the COVID-19 pandemic on neuroendocrine tumour services in England. <i>Endocrine</i> , 2021 , 71, 14-19	4	4
28	Asprosin, a novel pleiotropic adipokine implicated in fasting and obesity-related cardio-metabolic disease: Comprehensive review of preclinical and clinical evidence. <i>Cytokine and Growth Factor Reviews</i> , 2021 , 60, 120-132	17.9	4
27	Diagnosis and Management of Polycystic Ovary Syndrome (PCOS) 2015 , 99-113		3
26	The effect of prophylactic surgery in survival and HRQoL in appendiceal NEN. <i>Endocrine</i> , 2020 , 70, 178-186		3
25	Effect of meglitinides on postprandial ghrelin secretion pattern in type 2 diabetes mellitus. <i>Diabetes Technology and Therapeutics</i> , 2010 , 12, 57-64	8.1	3
24	Cell-type specific regulation of the human 11beta-hydroxysteroid dehydrogenase type 1 promoter. <i>Archives of Physiology and Biochemistry</i> , 2007 , 113, 110-5	2.2	3
23	Nutrition and exercise in the treatment of type 2 diabetes mellitus. <i>Hamdan Medical Journal</i> , 2012 , 5, 131	0.2	3
22	Obesity: novel and unusual predisposing factors. <i>Therapeutic Advances in Endocrinology and Metabolism</i> , 2020 , 11, 2042018820922018	4.5	2
21	A reverse postural test as a screening tool for aldosterone-producing adenoma: a pilot study. <i>Endocrine</i> , 2009 , 36, 75-82	4	2
20	Malignant hypercalcaemia related to parathyroid hormone-related peptide (PTHrP) secretion from a metastatic pancreatic neuroendocrine tumour (NET). <i>BMJ Case Reports</i> , 2017 , 2017,	0.9	2

19	Effects of resistance exercise and whey protein supplementation on skeletal muscle strength, mass, physical function, and hormonal and inflammatory biomarkers in healthy active older men: a randomised, double-blind, placebo-controlled trial.. <i>Experimental Gerontology</i> , 2021 , 158, 111651	4.5	2
18	Role of the gut Peptide glucose-induced insulinomimetic Peptide in energy balance. <i>Results and Problems in Cell Differentiation</i> , 2010 , 52, 183-8	1.4	2
17	Should malnutrition screening be routine for patients with GEP-NET?. <i>International Journal of Endocrine Oncology</i> , 2016 , 3, 197-201	0.3	2
16	Modulation of circulating vasoactive peptides and extracellular matrix proteins are two novel mechanisms in the cardioprotective action of acarbose. <i>Minerva Endocrinologica</i> , 2016 , 41, 456-68	1.9	2
15	Effects of intake of breakfast or caffeine-containing beverages on measurement of circulating chromogranin A in plasma. <i>GastroHep</i> , 2019 , 1, 11-21	1	1
14	Heart failure with preserved ejection fraction (HFpEF) pathophysiology study (IDENTIFY-HF): does increased arterial stiffness associate with HFpEF, in addition to ageing and vascular effects of comorbidities? Rationale and design. <i>BMJ Open</i> , 2019 , 9, e027984	3	1
13	Effects of Insoluble Cereal Fibre on Body Fat Distribution in the Optimal Fibre Trial. <i>Molecular Nutrition and Food Research</i> , 2021 , 65, e2000991	5.9	1
12	The Impact of Gallium DOTA PET/CT in Managing Patients With Sporadic and Familial Pancreatic Neuroendocrine Tumours. <i>Frontiers in Endocrinology</i> , 2021 , 12, 654975	5.7	1
11	Dose-dependent effects of insoluble fibre on glucose metabolism: a stratified post hoc analysis of the Optimal Fibre Trial (OptiFiT). <i>Acta Diabetologica</i> , 2021 , 58, 1649-1658	3.9	1
10	Endoplasmic reticulum stress and the unfolded protein response in skeletal muscle of subjects suffering from peritoneal sepsis.. <i>Scientific Reports</i> , 2022 , 12, 504	4.9	0
9	Early Metabolic Benefits of Switching Hydrocortisone to Modified Release Hydrocortisone in Adult Adrenal Insufficiency. <i>Frontiers in Endocrinology</i> , 2021 , 12, 641247	5.7	0
8	Practicable Measures and Indices of Insulin Resistance in Nutrition Research. <i>Current Obesity Reports</i> , 2013 , 2, 285-292	8.4	
7	Improved gall bladder motility in PCOS women treated with metformin--interaction of free fatty acids with circulating cholecystokinin?. <i>Clinical Endocrinology</i> , 2012 , 76, 454-5; author reply 455-6	3.4	
6	Geschlechtsspezifische Aspekte beim metabolischen Syndrom. <i>Diabetologe</i> , 2008 , 4, 182-188	0.2	
5	Ballaststoffe, glykämischer Index und Diabetesprävention. <i>Aktuelle Ernährungsmedizin Klinik Und Praxis</i> , 2007 , 32, 175-180	0.3	
4	Association of weight change with telotristat ethyl in the treatment of carcinoid syndrome.. <i>Journal of Clinical Oncology</i> , 2017 , 35, e15692-e15692	2.2	
3	How might remote management of diabetes mellitus during the COVID-19 pandemic impact patient care?. <i>Expert Review of Endocrinology and Metabolism</i> , 2021 , 16, 155-158	4.1	
2	Weight Maintenance up to 48 Weeks in Patients With Carcinoid Syndrome Treated With Telotristat Ethyl: Pooled Data From the Open-Label Extensions of the Phase III Clinical Trials TELESTAR and TELECAST. <i>Clinical Therapeutics</i> , 2021 , 43, 1779-1785	3.5	

- 1 Obstructive sleep apnea and polycystic ovary syndrome: Clinical interactions and underlying pathophysiology **2022**, 325-344