

# Jiwen Cheng

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/434569/jiwen-cheng-publications-by-citations.pdf>

**Version:** 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

230  
papers

4,174  
citations

31  
h-index

54  
g-index

240  
ext. papers

4,996  
ext. citations

4.6  
avg, IF

5.6  
L-index

#	Paper	IF	Citations
230	Association of the Asp312Asn and Lys751Gln polymorphisms in the XPD gene with the risk of non-Hodgkin lymphoma: evidence from a meta-analysis. <i>Chinese Journal of Cancer</i> , <b>2015</b> , 34, 108-14		298
229	Prognostic role of neutrophil-to-lymphocyte ratio in colorectal cancer: a systematic review and meta-analysis. <i>International Journal of Cancer</i> , <b>2014</b> , 134, 2403-13	7.5	297
228	Polymorphisms in the XPG gene and risk of gastric cancer in Chinese populations. <i>Human Genetics</i> , <b>2012</b> , 131, 1235-44	6.3	159
227	Genetic variations of mTORC1 genes and risk of gastric cancer in an Eastern Chinese population. <i>Molecular Carcinogenesis</i> , <b>2013</b> , 52 Suppl 1, E70-9	5	107
226	Association of potentially functional variants in the XPG gene with neuroblastoma risk in a Chinese population. <i>Journal of Cellular and Molecular Medicine</i> , <b>2016</b> , 20, 1481-90	5.6	96
225	MALAT1 is a prognostic factor in glioblastoma multiforme and induces chemoresistance to temozolomide through suppressing miR-203 and promoting thymidylate synthase expression. <i>Oncotarget</i> , <b>2017</b> , 8, 22783-22799	3.3	89
224	METTL3 promotes ovarian carcinoma growth and invasion through the regulation of AXL translation and epithelial to mesenchymal transition. <i>Gynecologic Oncology</i> , <b>2018</b> , 151, 356-365	4.9	87
223	Circulating miR-208b and miR-34a are associated with left ventricular remodeling after acute myocardial infarction. <i>International Journal of Molecular Sciences</i> , <b>2014</b> , 15, 5774-88	6.3	82
222	Association of Common Genetic Variants in Pre-microRNAs and Neuroblastoma Susceptibility: A Two-Center Study in Chinese Children. <i>Molecular Therapy - Nucleic Acids</i> , <b>2018</b> , 11, 1-8	10.7	78
221	miR-134: A Human Cancer Suppressor?. <i>Molecular Therapy - Nucleic Acids</i> , <b>2017</b> , 6, 140-149	10.7	75
220	Association of MTHFR C677T and A1298C polymorphisms with non-Hodgkin lymphoma susceptibility: evidence from a meta-analysis. <i>Scientific Reports</i> , <b>2014</b> , 4, 6159	4.9	74
219	Long non-coding RNA LINC01133 represses KLF2, P21 and E-cadherin transcription through binding with EZH2, LSD1 in non small cell lung cancer. <i>Oncotarget</i> , <b>2016</b> , 7, 11696-707	3.3	74
218	Functional Polymorphisms at ERCC1/XPF Genes Confer Neuroblastoma Risk in Chinese Children. <i>EBioMedicine</i> , <b>2018</b> , 30, 113-119	8.8	65
217	miR-200c suppresses endometriosis by targeting MALAT1 in vitro and in vivo. <i>Stem Cell Research and Therapy</i> , <b>2017</b> , 8, 251	8.3	60
216	The gene rs1042522 C>G polymorphism and neuroblastoma risk in Chinese children. <i>Aging</i> , <b>2017</b> , 9, 852-859	3.59	52
215	Inhibition of SALL4 reduces tumorigenicity involving epithelial-mesenchymal transition via Wnt/βcatenin pathway in esophageal squamous cell carcinoma. <i>Journal of Experimental and Clinical Cancer Research</i> , <b>2016</b> , 35, 98	12.8	52
214	New Frontiers in Genetics, Gut Microbiota, and Immunity: A Rosetta Stone for the Pathogenesis of Inflammatory Bowel Disease. <i>BioMed Research International</i> , <b>2017</b> , 2017, 8201672	3	47

213	Genetic Variations of GWAS-Identified Genes and Neuroblastoma Susceptibility: a Replication Study in Southern Chinese Children. <i>Translational Oncology</i> , <b>2017</b> , 10, 936-941	4.9	42
212	Reduced fetal telomere length in gestational diabetes. <i>PLoS ONE</i> , <b>2014</b> , 9, e86161	3.7	42
211	NFKB1 -94insertion/deletion ATTG polymorphism and cancer risk: Evidence from 50 case-control studies. <i>Oncotarget</i> , <b>2017</b> , 8, 9806-9822	3.3	42
210	Downregulation of miRNA-638 promotes angiogenesis and growth of hepatocellular carcinoma by targeting VEGF. <i>Oncotarget</i> , <b>2016</b> , 7, 30702-11	3.3	40
209	Potentially functional polymorphisms in the LIN28B gene contribute to neuroblastoma susceptibility in Chinese children. <i>Journal of Cellular and Molecular Medicine</i> , <b>2016</b> , 20, 1534-41	5.6	38
208	Evaluation of GWAS-identified SNPs at 6p22 with neuroblastoma susceptibility in a Chinese population. <i>Tumor Biology</i> , <b>2016</b> , 37, 1635-9	2.9	36
207	Associations between lncRNA polymorphisms and neuroblastoma risk in Chinese children. <i>Aging</i> , <b>2018</b> , 10, 481-491	5.6	36
206	BARD1 Gene Polymorphisms Confer Nephroblastoma Susceptibility. <i>EBioMedicine</i> , <b>2017</b> , 16, 101-105	8.8	35
205	Prognostic role of pre-treatment serum AFP-L3% in hepatocellular carcinoma: systematic review and meta-analysis. <i>PLoS ONE</i> , <b>2014</b> , 9, e87011	3.7	35
204	Association between NER Pathway Gene Polymorphisms and Wilms Tumor Risk. <i>Molecular Therapy - Nucleic Acids</i> , <b>2018</b> , 12, 854-860	10.7	35
203	Whole Exome Sequencing Identifies Frequent Somatic Mutations in Cell-Cell Adhesion Genes in Chinese Patients with Lung Squamous Cell Carcinoma. <i>Scientific Reports</i> , <b>2015</b> , 5, 14237	4.9	34
202	Transcriptome analysis of EGFR tyrosine kinase inhibitors resistance associated long noncoding RNA in non-small cell lung cancer. <i>Biomedicine and Pharmacotherapy</i> , <b>2017</b> , 87, 20-26	7.5	33
201	Methylation levels at IGF2 and GNAS DMRs in infants born to preeclamptic pregnancies. <i>BMC Genomics</i> , <b>2013</b> , 14, 472	4.5	33
200	Association of BRCA2 N372H polymorphism with cancer susceptibility: a comprehensive review and meta-analysis. <i>Scientific Reports</i> , <b>2014</b> , 4, 6791	4.9	31
199	LMO1 gene polymorphisms contribute to decreased neuroblastoma susceptibility in a Southern Chinese population. <i>Oncotarget</i> , <b>2016</b> , 7, 22770-8	3.3	30
198	MicroRNA-20a-5p targets RUNX3 to regulate proliferation and migration of human hepatocellular cancer cells. <i>Oncology Reports</i> , <b>2016</b> , 36, 3379-3386	3.5	29
197	LncRNA XIST facilitates cell growth, migration and invasion via modulating H3 histone methylation of DKK1 in neuroblastoma. <i>Cell Cycle</i> , <b>2019</b> , 18, 1882-1892	4.7	28
196	Association between PLCE1 rs2274223 A > G polymorphism and cancer risk: proof from a meta-analysis. <i>Scientific Reports</i> , <b>2015</b> , 5, 7986	4.9	27

195	Association between genetic variants in the gene and gastric cancer risk in a Southern Chinese population. <i>Aging</i> , <b>2016</b> , 8, 3311-3320	5.6	27
194	Expression of circulating microRNA-20a and let-7a in esophageal squamous cell carcinoma. <i>World Journal of Gastroenterology</i> , <b>2015</b> , 21, 4660-5	5.6	27
193	METTL14 Gene Polymorphisms Confer Neuroblastoma Susceptibility: An Eight-Center Case-Control Study. <i>Molecular Therapy - Nucleic Acids</i> , <b>2020</b> , 22, 17-26	10.7	27
192	Correlation between the genetic variants of base excision repair (BER) pathway genes and neuroblastoma susceptibility in eastern Chinese children. <i>Cancer Communications</i> , <b>2020</b> , 40, 641-646	9.4	27
191	Base Excision Repair Gene Polymorphisms and Wilms Tumor Susceptibility. <i>EBioMedicine</i> , <b>2018</b> , 33, 88-93.8	9.3	27
190	HOTAIR gene polymorphisms contribute to increased neuroblastoma susceptibility in Chinese children. <i>Cancer</i> , <b>2018</b> , 124, 2599-2606	6.4	26
189	Relevance of LIG4 gene polymorphisms with cancer susceptibility: evidence from a meta-analysis. <i>Scientific Reports</i> , <b>2014</b> , 4, 6630	4.9	26
188	Blockade of Cannabinoid CB1 receptor attenuates the acquisition of morphine-induced conditioned place preference along with a downregulation of ERK, CREB phosphorylation, and BDNF expression in the nucleus accumbens and hippocampus. <i>Neuroscience Letters</i> , <b>2016</b> , 630, 70-76	3.3	25
187	Polymorphisms in the AKT1 and AKT2 genes and oesophageal squamous cell carcinoma risk in an Eastern Chinese population. <i>Journal of Cellular and Molecular Medicine</i> , <b>2016</b> , 20, 666-77	5.6	24
186	Association of and gene polymorphisms with Wilms tumor risk: a four-center case-control study. <i>Aging</i> , <b>2019</b> , 11, 1551-1563	5.6	24
185	polymorphisms reduce neuroblastoma risk in Chinese children: a two-center case-control study. <i>Oncotarget</i> , <b>2017</b> , 8, 65620-65626	3.3	24
184	The Association between GWAS-identified BARD1 Gene SNPs and Neuroblastoma Susceptibility in a Southern Chinese Population. <i>International Journal of Medical Sciences</i> , <b>2016</b> , 13, 133-8	3.7	24
183	Gene Polymorphisms Contribute to Colorectal Cancer Susceptibility: A Two-Stage Case-Control Study. <i>Journal of Cancer</i> , <b>2016</b> , 7, 1731-1739	4.5	24
182	rs11655237 C>T confers neuroblastoma susceptibility in Chinese population. <i>Bioscience Reports</i> , <b>2018</b> , 38,	4.1	23
181	Solute carrier family 35 member F2 is indispensable for papillary thyroid carcinoma progression through activation of transforming growth factor- $\beta$ type I receptor/apoptosis signal-regulating kinase 1/mitogen-activated protein kinase signaling axis. <i>Cancer Science</i> , <b>2018</b> , 109, 642-655	6.9	23
180	Association of XPC Gene Polymorphisms with Colorectal Cancer Risk in a Southern Chinese Population: A Case-Control Study and Meta-Analysis. <i>Genes</i> , <b>2016</b> , 7,	4.2	23
179	rs11655237 C>T Polymorphism Impacts Hepatoblastoma Susceptibility in Chinese Children. <i>Frontiers in Genetics</i> , <b>2019</b> , 10, 506	4.5	21
178	Preoperative aspartate aminotransferase-to-platelet ratio index (APRI) is a predictor on postoperative outcomes of hepatocellular carcinoma. <i>Medicine (United States)</i> , <b>2016</b> , 95, e5486	1.8	21

177	Meta-analysis of the prognostic and diagnostic significance of serum/plasma osteopontin in hepatocellular carcinoma. <i>Journal of Clinical Gastroenterology</i> , <b>2014</b> , 48, 806-14	3	21
176	Placental imbalance of Th1- and Th2-type cytokines in preeclampsia <b>2005</b> , 84, 788		21
175	Identification of 38 novel loci for systemic lupus erythematosus and genetic heterogeneity between ancestral groups. <i>Nature Communications</i> , <b>2021</b> , 12, 772	17.4	21
174	Arsenic trioxide inhibits EMT in hepatocellular carcinoma by promoting lncRNA MEG3 via PKM2. <i>Biochemical and Biophysical Research Communications</i> , <b>2019</b> , 513, 834-840	3.4	20
173	Genetic variants in the nucleotide excision repair pathway genes and gastric cancer susceptibility in a southern Chinese population. <i>Cancer Management and Research</i> , <b>2018</b> , 10, 765-774	3.6	20
172	New progress of non-surgical treatments for hepatocellular carcinoma. <i>Medical Oncology</i> , <b>2013</b> , 30, 381	3.7	20
171	Major hepatectomy is safe for hepatocellular carcinoma in elderly patients with cirrhosis. <i>European Journal of Gastroenterology and Hepatology</i> , <b>2014</b> , 26, 444-51	2.2	20
170	Association of LEP G2548A and LEPR Q223R polymorphisms with cancer susceptibility: evidence from a meta-analysis. <i>PLoS ONE</i> , <b>2013</b> , 8, e75135	3.7	20
169	Induction of Sertoli-like cells from human fibroblasts by NR5A1 and GATA4. <i>ELife</i> , <b>2019</b> , 8,	8.9	20
168	METTL3 restrains papillary thyroid cancer progression via mA/c-Rel/IL-8-mediated neutrophil infiltration. <i>Molecular Therapy</i> , <b>2021</b> , 29, 1821-1837	11.7	20
167	Genome-Wide Association Study of Susceptibility Loci for Radiation-Induced Brain Injury. <i>Journal of the National Cancer Institute</i> , <b>2019</b> , 111, 620-628	9.7	20
166	Protein Regulator of Cytokinesis PRC1 Confers Chemoresistance and Predicts an Unfavorable Postoperative Survival of Hepatocellular Carcinoma Patients. <i>Journal of Cancer</i> , <b>2017</b> , 8, 801-808	4.5	19
165	The correlation between LIN28B gene potentially functional variants and Wilms tumor susceptibility in Chinese children. <i>Journal of Clinical Laboratory Analysis</i> , <b>2018</b> , 32,	3	19
164	Potentially functional polymorphisms in the ERCC2 gene and risk of esophageal squamous cell carcinoma in Chinese populations. <i>Scientific Reports</i> , <b>2014</b> , 4, 6281	4.9	19
163	Relevance of polymorphisms to neuroblastoma risk in Chinese children: a four-center case-control study. <i>Aging</i> , <b>2018</b> , 10, 1989-2000	5.6	19
162	Association between gene Arg72Pro polymorphism and WilmsPtumor risk in a Chinese population. <i>OncoTargets and Therapy</i> , <b>2017</b> , 10, 1149-1154	4.4	18
161	polymorphisms and neuroblastoma risk in Chinese children: a three-center case-control study. <i>Aging</i> , <b>2018</b> , 10, 808-818	5.6	18
160	Proton pump inhibitors can reverse the YAP mediated paclitaxel resistance in epithelial ovarian cancer. <i>BMC Molecular and Cell Biology</i> , <b>2019</b> , 20, 49	2.7	18

159	Genetic variant of PRKAA1 and gastric cancer risk in an eastern Chinese population. <i>Oncotarget</i> , <b>2015</b> , 6, 42661-6	3.3	17
158	XPG rs2296147 T>C polymorphism predicted clinical outcome in colorectal cancer. <i>Oncotarget</i> , <b>2016</b> , 7, 11724-32	3.3	17
157	Genetic variants in mA modification core genes are associated with glioma risk in Chinese children. <i>Molecular Therapy - Oncolytics</i> , <b>2021</b> , 20, 199-208	6.4	17
156	A Functional Polymorphism (rs2494752) in the AKT1 Promoter Region and Gastric Adenocarcinoma Risk in an Eastern Chinese Population. <i>Scientific Reports</i> , <b>2016</b> , 6, 20008	4.9	17
155	MiR-181a/b induce the growth, invasion, and metastasis of neuroblastoma cells through targeting ABI1. <i>Molecular Carcinogenesis</i> , <b>2018</b> , 57, 1237-1250	5	17
154	gene polymorphisms and risk of neuroblastoma in Chinese children. <i>Aging</i> , <b>2018</b> , 10, 2944-2953	5.6	16
153	Polymorphisms in nucleotide excision repair genes and risk of primary prostate cancer in Chinese Han populations. <i>Oncotarget</i> , <b>2017</b> , 8, 24362-24371	3.3	16
152	gene polymorphisms reduce neuroblastoma risk in Chinese children. <i>Oncotarget</i> , <b>2017</b> , 8, 91343-91349	3.3	16
151	Polymorphisms in the XPC gene and gastric cancer susceptibility in a Southern Chinese population. <i>OncoTargets and Therapy</i> , <b>2016</b> , 9, 5513-9	4.4	16
150	ALKBH5 gene polymorphisms and Wilms tumor risk in Chinese children: A five-center case-control study. <i>Journal of Clinical Laboratory Analysis</i> , <b>2020</b> , 34, e23251	3	15
149	Prognostic role of pretreatment blood lymphocyte count in patients with solid tumors: a systematic review and meta-analysis. <i>Cancer Cell International</i> , <b>2020</b> , 20, 15	6.4	15
148	super-enhancer polymorphism rs2168101 G>T correlates with decreased neuroblastoma risk in Chinese children. <i>Journal of Cancer</i> , <b>2018</b> , 9, 1592-1597	4.5	15
147	A novel TP53 variant (rs78378222 A > C) in the polyadenylation signal is associated with increased cancer susceptibility: evidence from a meta-analysis. <i>Oncotarget</i> , <b>2016</b> , 7, 32854-65	3.3	15
146	MicroRNA expression profiles and networks in placentas complicated with selective intrauterine growth restriction. <i>Molecular Medicine Reports</i> , <b>2017</b> , 16, 6650-6673	2.9	14
145	Associations between polymorphisms and neuroblastoma risk in Chinese children. <i>Bioscience Reports</i> , <b>2019</b> , 39,	4.1	14
144	Polymorphisms in gene and neuroblastoma risk in Chinese children: a 3-center case-control study. <i>Cancer Management and Research</i> , <b>2018</b> , 10, 1807-1816	3.6	14
143	LIN28A gene polymorphisms modify neuroblastoma susceptibility: A four-centre case-control study. <i>Journal of Cellular and Molecular Medicine</i> , <b>2020</b> , 24, 1059-1066	5.6	14
142	Effect of ApoA4 on SERPINA3 mediated by nuclear receptors NR4A1 and NR1D1 in hepatocytes. <i>Biochemical and Biophysical Research Communications</i> , <b>2017</b> , 487, 327-332	3.4	13

141	Dysregulation of miR-638 in hepatocellular carcinoma and its clinical significance. <i>Oncology Letters</i> , <b>2017</b> , 13, 3859-3865	2.6	13
140	No association between MTR rs1805087 A > G polymorphism and non-Hodgkin lymphoma susceptibility: evidence from 11 486 subjects. <i>Leukemia and Lymphoma</i> , <b>2015</b> , 56, 763-7	1.9	13
139	Placenta-specific protein 1 promotes cell proliferation and invasion in non-small cell lung cancer. <i>Oncology Reports</i> , <b>2018</b> , 39, 53-60	3.5	13
138	Associations between gene polymorphisms and WilmsTumor susceptibility. <i>Oncotarget</i> , <b>2017</b> , 8, 50665-50672	3.9	13
137	SLC34A2 simultaneously promotes papillary thyroid carcinoma growth and invasion through distinct mechanisms. <i>Oncogene</i> , <b>2020</b> , 39, 2658-2675	9.2	13
136	PSCA polymorphisms and gastric cancer susceptibility in an eastern Chinese population. <i>Oncotarget</i> , <b>2016</b> , 7, 9420-8	3.3	13
135	Association Between HACE1 Gene Polymorphisms and WilmsPTumor Risk in a Chinese Population. <i>Cancer Investigation</i> , <b>2017</b> , 35, 633-638	2.1	12
134	Associations between CYP1A1 rs1048943 A > G and rs4646903 T > C genetic variations and colorectal cancer risk: Proof from 26 case-control studies. <i>Oncotarget</i> , <b>2016</b> , 7, 51365-51374	3.3	12
133	and polymorphisms are not associated with hepatoblastoma susceptibility in Chinese children. <i>Experimental Hematology and Oncology</i> , <b>2019</b> , 8, 11	7.8	11
132	Association between METTL3 gene polymorphisms and neuroblastoma susceptibility: A nine-centre case-control study. <i>Journal of Cellular and Molecular Medicine</i> , <b>2020</b> , 24, 9280-9286	5.6	11
131	rs6505162 C>A polymorphism contributes to decreased Wilms tumor risk. <i>Journal of Cancer</i> , <b>2018</b> , 9, 2460-2465	4.5	11
130	LIN28A gene polymorphisms confer Wilms tumour susceptibility: A four-centre case-control study. <i>Journal of Cellular and Molecular Medicine</i> , <b>2019</b> , 23, 7105-7110	5.6	11
129	Additional data support the role of rs11655237 C>T in the development of neuroblastoma. <i>Aging</i> , <b>2019</b> , 11, 2369-2377	5.6	11
128	Identification of an immune-related gene-based signature to predict prognosis of patients with gastric cancer. <i>World Journal of Gastrointestinal Oncology</i> , <b>2020</b> , 12, 857-876	3.4	11
127	ABIN3 Negatively Regulates Necroptosis-induced Intestinal Inflammation Through Recruiting A20 and Restricting the Ubiquitination of RIPK3 in Inflammatory Bowel Disease. <i>Journal of Crohns and Colitis</i> , <b>2021</b> , 15, 99-114	1.5	11
126	LINC00673 rs11655237 C>T and susceptibility to Wilms tumor: A five-center case-control study. <i>Journal of Gene Medicine</i> , <b>2019</b> , 21, e3133	3.5	10
125	CASP7 variants modify susceptibility to cervical cancer in Chinese women. <i>Scientific Reports</i> , <b>2015</b> , 5, 9225	4.9	10
124	Association of TP53 rs1042522 C>G and miR-34b/c rs4938723 T>C polymorphisms with hepatoblastoma susceptibility: A seven-center case-control study. <i>Journal of Gene Medicine</i> , <b>2020</b> , 22, e3182	3.5	10

123	Association of the rs1042522 C>G polymorphism and hepatoblastoma risk in Chinese children. <i>Journal of Cancer</i> , <b>2019</b> , 10, 3444-3449	4.5	10
122	Sublethal heat treatment promotes epithelial-mesenchymal transition and enhances the malignant potential of hepatocellular carcinoma. <i>Hepatology</i> , <b>2014</b> , 59, 1650	11.2	10
121	Integrin Subunit beta 8 (ITGB8) Upregulation Is an Independent Predictor of Unfavorable Survival of High-Grade Serous Ovarian Carcinoma Patients. <i>Medical Science Monitor</i> , <b>2018</b> , 24, 8933-8940	3.2	10
120	YTHDC1 gene polymorphisms and hepatoblastoma susceptibility in Chinese children: A seven-center case-control study. <i>Journal of Gene Medicine</i> , <b>2020</b> , 22, e3249	3.5	10
119	Gene Variants Confer Hepatoblastoma Susceptibility: A Seven-Center Case-Control Study. <i>Molecular Therapy - Oncolytics</i> , <b>2020</b> , 18, 118-125	6.4	10
118	MDM4 genetic variants and risk of gastric cancer in an Eastern Chinese population. <i>Oncotarget</i> , <b>2017</b> , 8, 19547-19555	3.3	9
117	Lack of Associations between Gene Polymorphisms and Neuroblastoma Susceptibility in a Chinese Population. <i>BioMed Research International</i> , <b>2016</b> , 2016, 2932049	3	9
116	rs1042522 C>G polymorphism and Wilms tumor susceptibility in Chinese children: a four-center case-control study. <i>Bioscience Reports</i> , <b>2019</b> , 39,	4.1	8
115	A Prospective, Randomized Comparison of Intramuscular Phloroglucinol Versus Oral Misoprostol for Cervix Pretreatment Before Diagnostic Hysteroscopy. <i>International Surgery</i> , <b>2015</b> , 100, 1207-11	0.1	8
114	gene polymorphisms modify hepatoblastoma susceptibility in Chinese children. <i>Journal of Cancer</i> , <b>2020</b> , 11, 3512-3518	4.5	8
113	The association between NQO1 Pro187Ser polymorphism and bladder cancer susceptibility: a meta-analysis of 15 studies. <i>PLoS ONE</i> , <b>2015</b> , 10, e0116500	3.7	8
112	rs6090311 A>G polymorphism reduces Hepatoblastoma risk: Evidence from a seven-center case-control study. <i>Journal of Cancer</i> , <b>2020</b> , 11, 5129-5134	4.5	8
111	The association between RFC1 G80A polymorphism and cancer susceptibility: Evidence from 33 studies. <i>Journal of Cancer</i> , <b>2016</b> , 7, 144-52	4.5	8
110	Gene Polymorphisms Reduce Neuroblastoma Risk in Eastern Chinese Children: A Three-Center Case-Control Study. <i>Frontiers in Oncology</i> , <b>2018</b> , 8, 468	5.3	8
109	gene rs1042522 allele G decreases neuroblastoma risk: a two-centre case-control study. <i>Journal of Cancer</i> , <b>2019</b> , 10, 467-471	4.5	7
108	The contribution of WTAP gene variants to Wilms tumor susceptibility. <i>Gene</i> , <b>2020</b> , 754, 144839	3.8	7
107	Association of A66G polymorphism with cancer susceptibility: Evidence from 85 studies. <i>Journal of Cancer</i> , <b>2017</b> , 8, 266-277	4.5	7
106	MspI polymorphism and the risk of oral squamous cell carcinoma: Evidence from a meta-analysis. <i>Molecular and Clinical Oncology</i> , <b>2016</b> , 4, 660-666	1.6	7



105	Polymorphisms and Neuroblastoma Risk in Chinese Children: A Three-Center Case-Control Study. <i>Oxidative Medicine and Cellular Longevity</i> , <b>2019</b> , 2019, 5736175	6.7	7
104	rs4938723 T>C Decreases Neuroblastoma Risk: A Replication Study in the Hunan Children. <i>Disease Markers</i> , <b>2019</b> , 2019, 6514608	3.2	7
103	rs8173 G>C Polymorphism Decreases Wilms Tumor Risk in Chinese Children. <i>Journal of Oncology</i> , <b>2019</b> , 2019, 9074908	4.5	7
102	Epidemiologic report and serologic findings for household contacts of three cases of influenza A (H7N9) virus infection. <i>Journal of Clinical Virology</i> , <b>2014</b> , 59, 129-31	14.5	7
101	Association of Interleukin-10 -3575T>A and -1082A>G polymorphisms with non-Hodgkin lymphoma susceptibility: a comprehensive review and meta-analysis. <i>Molecular Genetics and Genomics</i> , <b>2015</b> , 290, 2063-73	3.1	7
100	Pleiotropic effect of common variants in Hirschsprung disease and neuroblastoma. <i>Aging</i> , <b>2019</b> , 11, 1252-1261	5.6	7
99	Association of polymorphisms in MALAT1 with the risk of endometrial cancer in Southern Chinese women. <i>Journal of Clinical Laboratory Analysis</i> , <b>2020</b> , 34, e23146	3	7
98	gene polymorphisms and neuroblastoma susceptibility in Chinese children: a six-center case-control study. <i>Journal of Cancer</i> , <b>2019</b> , 10, 6358-6363	4.5	7
97	The rs2147578 C > G polymorphism in the lnc-LAMC2-1:1 gene is associated with increased neuroblastoma risk in the Henan children. <i>BMC Cancer</i> , <b>2018</b> , 18, 948	4.8	7
96	Sex-specific cardiopulmonary exercise testing indices related to hemodynamics in idiopathic pulmonary arterial hypertension. <i>Therapeutic Advances in Respiratory Disease</i> , <b>2017</b> , 11, 135-145	4.9	6
95	promoter del1518 polymorphism and cancer risk: evidence from 22,931 subjects. <i>OncoTargets and Therapy</i> , <b>2017</b> , 10, 3773-3780	4.4	6
94	gene rs11037575 C>T polymorphism confers neuroblastoma susceptibility in a Southern Chinese population. <i>OncoTargets and Therapy</i> , <b>2017</b> , 10, 1969-1975	4.4	6
93	Common variations within gene and neuroblastoma susceptibility in a Southern Chinese population. <i>OncoTargets and Therapy</i> , <b>2017</b> , 10, 703-709	4.4	6
92	gene associated polymorphisms and Wilms tumor risk in Chinese children: a four-center case-control study. <i>Annals of Translational Medicine</i> , <b>2019</b> , 7, 475	3.2	6
91	METTL3 polymorphisms and Wilms tumor susceptibility in Chinese children: A five-center case-control study. <i>Journal of Gene Medicine</i> , <b>2020</b> , 22, e3255	3.5	6
90	Genetic variant rs4072037 of MUC1 and gastric cancer risk in an Eastern Chinese population. <i>Oncotarget</i> , <b>2016</b> , 7, 15930-6	3.3	6
89	Association between Gene Polymorphisms and Neuroblastoma Risk in Chinese Children: A Two-Center Case-Control Study. <i>Journal of Cancer</i> , <b>2018</b> , 9, 535-539	4.5	6
88	Genetic variations in nucleotide excision repair pathway genes and hepatoblastoma susceptibility. <i>International Journal of Cancer</i> , <b>2021</b> , 149, 1649-1658	7.5	6

87	Common genetic variants in pre-microRNAs are associated with cervical cancer susceptibility in southern Chinese women. <i>Journal of Cancer</i> , <b>2020</b> , 11, 2133-2138	4.5	5
86	Lack of associations between gene polymorphisms and neuroblastoma susceptibility in Chinese children. <i>Bioscience Reports</i> , <b>2018</b> , 38,	4.1	5
85	gene polymorphisms and neuroblastoma susceptibility in Chinese children. <i>Journal of Cancer</i> , <b>2019</b> , 10, 4159-4164	4.5	5
84	Association of IL10 -819C>T and -592C>A Polymorphisms with Non-Hodgkin Lymphoma Susceptibility: Evidence From Published Studies. <i>Journal of Cancer</i> , <b>2015</b> , 6, 709-16	4.5	5
83	Gene Polymorphisms and Hepatoblastoma Susceptibility in Chinese Children. <i>Journal of Oncology</i> , <b>2021</b> , 2021, 6658480	4.5	5
82	Functional Polymorphisms in Gene and Neuroblastoma Risk in Chinese Children. <i>Journal of Cancer</i> , <b>2018</b> , 9, 4521-4526	4.5	5
81	Identification and Validation of Core Genes Involved in the Development of Papillary Thyroid Carcinoma via Bioinformatics Analysis. <i>International Journal of Genomics</i> , <b>2019</b> , 2019, 5894926	2.5	4
80	LIG3 gene polymorphisms and risk of gastric cancer in a Southern Chinese population. <i>Gene</i> , <b>2019</b> , 705, 90-94	3.8	4
79	Association of CMYC polymorphisms with hepatoblastoma risk.. <i>Translational Cancer Research</i> , <b>2020</b> , 9, 849-855	0.3	4
78	RSRC1 and CPZ gene polymorphisms with neuroblastoma susceptibility in Chinese children. <i>Gene</i> , <b>2018</b> , 662, 83-87	3.8	4
77	gene polymorphisms and risk of neuroblastoma in Chinese children: a two-center case-control study. <i>Journal of Cancer</i> , <b>2018</b> , 9, 2751-2756	4.5	4
76	Investigation of association between LINC00673 rs11655237 C>T and Wilms tumor susceptibility. <i>Journal of Clinical Laboratory Analysis</i> , <b>2019</b> , 33, e22930	3	4
75	Functions, mechanisms, and therapeutic implications of METTL14 in human cancer.. <i>Journal of Hematology and Oncology</i> , <b>2022</b> , 15, 13	22.4	4
74	Bimanual irrigation-aspiration for ectopia lentis and use of a small incision for 4-point scleral-sutured foldable intraocular lens and anterior vitrectomy in patients with Marfan syndrome. <i>Indian Journal of Ophthalmology</i> , <b>2019</b> , 67, 1629-1633	1.6	4
73	Increased serum levels of neopterin and soluble interleukin-2 receptor in intrahepatic cholestasis of pregnancy <b>2004</b> , 83, 1067		4
72	Obstetric outcomes for twins from different conception methods - A multicenter cross-sectional study from China. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , <b>2021</b> , 100, 1061-1067	3.8	4
71	FABP4 deactivates NF- $\kappa$ B-IL1 $\beta$ pathway by ubiquitinating ATPB in tumor-associated macrophages and promotes neuroblastoma progression. <i>Clinical and Translational Medicine</i> , <b>2021</b> , 11, e395	5.7	4
70	Role of FTO gene polymorphisms in Wilms tumor predisposition: A five-center case-control study. <i>Journal of Gene Medicine</i> , <b>2021</b> , 23, e3348	3.5	4

69	OGT regulated O-GlcNAcylation promotes papillary thyroid cancer malignancy via activating YAP. <i>Oncogene</i> , <b>2021</b> , 40, 4859-4871	9.2	4
68	gene polymorphisms and neuroblastoma susceptibility in Chinese children: an eight-center case-control study. <i>Journal of Cancer</i> , <b>2021</b> , 12, 2465-2471	4.5	4
67	Super-Enhancer rs2168101 G>T Polymorphism Reduces Wilms Tumor Risk. <i>Journal of Cancer</i> , <b>2019</b> , 10, 1808-1813	4.5	3
66	Polymorphisms and Hepatoblastoma Susceptibility: A Five-Center Case-Control Study. <i>Pharmacogenomics and Personalized Medicine</i> , <b>2020</b> , 13, 51-57	2.1	3
65	Association of MYC gene polymorphisms with neuroblastoma risk in Chinese children: A four-center case-control study. <i>Journal of Gene Medicine</i> , <b>2020</b> , 22, e3190	3.5	3
64	Clinical and hemodynamic characteristics of pulmonary hypertension associated with interstitial lung disease in China. <i>Clinical Respiratory Journal</i> , <b>2018</b> , 12, 915-921	1.7	3
63	Association of miR-34b/c rs4938723 and TP53 Arg72Pro Polymorphisms with Neuroblastoma Susceptibility: Evidence from Seven Centers. <i>Translational Oncology</i> , <b>2019</b> , 12, 1282-1288	4.9	3
62	MYCN gene polymorphisms and Wilms tumor susceptibility in Chinese children. <i>Journal of Clinical Laboratory Analysis</i> , <b>2019</b> , 33, e22988	3	3
61	Predictive efficacy of the Braden Q Scale for pediatric pressure ulcer risk assessment in the PICU: a meta-analysis. <i>Pediatric Research</i> , <b>2019</b> , 86, 436-443	3.2	3
60	Large malignant ovarian tumors during pregnancy: two cases. <i>OncoTargets and Therapy</i> , <b>2014</b> , 7, 2121-5	4.4	3
59	Molecular cloning and characterization of a new cDNA sequence encoding a venom peptide from the centipede <i>Scolopendra subspinipes mutilans</i> . <i>Molecular Biology</i> , <b>2012</b> , 46, 508-513	1.2	3
58	Targeting RAS in neuroblastoma: Is it possible?. <i>Pharmacology &amp; Therapeutics</i> , <b>2021</b> , 236, 108054	13.9	3
57	Association between PHOX2B gene rs28647582 T>C polymorphism and Wilms tumor susceptibility. <i>Bioscience Reports</i> , <b>2019</b> , 39,	4.1	3
56	Predictive model for risk of gastric cancer using genetic variants from genome-wide association studies and high-evidence meta-analysis. <i>Cancer Medicine</i> , <b>2020</b> , 9, 7310-7316	4.8	3
55	Association between NER pathway gene polymorphisms and neuroblastoma risk in an eastern Chinese population. <i>Molecular Therapy - Oncolytics</i> , <b>2021</b> , 20, 3-11	6.4	3
54	Predictors of Failed Intrauterine Balloon Tamponade in the Management of Severe Postpartum Hemorrhage. <i>Frontiers in Medicine</i> , <b>2021</b> , 8, 656422	4.9	3
53	4-tert-butylphenoxy substituted phthalocyanine with RGD motif as highly selective one-photon and two-photon imaging probe for mitochondria and cancer cell. <i>Journal of Porphyrins and Phthalocyanines</i> , <b>2016</b> , 20, 397-406	1.8	3
52	Associations between gene polymorphisms and neuroblastoma susceptibility in Chinese children. <i>Translational Pediatrics</i> , <b>2021</b> , 10, 146-152	4.2	3

51	rs7973450 A>G increases neuroblastoma risk in Chinese children: a four-center case-control study. <i>OncoTargets and Therapy</i> , <b>2019</b> , 12, 7289-7295	4.4	2
50	Coherent Structure of Flow Based on Denoised Signals in T-junction Ducts with Vertical Blades. <i>Entropy</i> , <b>2019</b> , 21,	2.8	2
49	Experimental Study of Flow Structure Characteristics for a T-Junction Duct With Horizontal Vanes. <i>Journal of Fluids Engineering, Transactions of the ASME</i> , <b>2019</b> , 141,	2.1	2
48	Association of and polymorphisms with neuroblastoma risk in Eastern Chinese population: a three-center case-control study. <i>Bioscience Reports</i> , <b>2019</b> , 39,	4.1	2
47	Sex differences of hemodynamics during acute vasoreactivity testing to predict the outcomes of chronic thromboembolic pulmonary hypertension. <i>Clinical Respiratory Journal</i> , <b>2020</b> , 14, 611-621	1.7	2
46	The association of and gene polymorphisms with Wilms tumor risk in Chinese children. <i>Journal of Cancer</i> , <b>2020</b> , 11, 804-809	4.5	2
45	Gene rs8756 A>C Polymorphism Reduces Neuroblastoma Risk in Chinese Children: A Four-Center Case-Control Study. <i>OncoTargets and Therapy</i> , <b>2020</b> , 13, 465-472	4.4	2
44	The role of m6A modification in pediatric cancer.. <i>Biochimica Et Biophysica Acta: Reviews on Cancer</i> , <b>2022</b> , 188691	11.2	2
43	gene polymorphisms and neuroblastoma susceptibility in Chinese children.. <i>Aging</i> , <b>2021</b> , 13, 25426-25439	9.6	2
42	Prognostic value of epithelial-mesenchymal transition related genes: SLUG and QKI in breast cancer patients. <i>International Journal of Clinical and Experimental Pathology</i> , <b>2019</b> , 12, 2009-2021	1.4	2
41	Association of polymorphisms in MALAT1 with the risk of endometriosis in Southern Chinese women. <i>Biology of Reproduction</i> , <b>2020</b> , 102, 943-949	3.9	2
40	HMGA2 gene polymorphisms and Wilms tumor susceptibility in Chinese children: a four-center case-control study. <i>Biotechnology and Applied Biochemistry</i> , <b>2020</b> , 67, 939-945	2.8	2
39	NRAS rs2273267 A>T polymorphism reduces neuroblastoma risk in Chinese children. <i>Gene</i> , <b>2020</b> , 727, 144262	3.8	2
38	rs11752942 A>G polymorphism decreases neuroblastoma risk in Chinese children. <i>Cell Cycle</i> , <b>2020</b> , 19, 2367-2372	4.7	2
37	Gene Expression Profile and Prognostic Value of m6A RNA Methylation Regulators in Hepatocellular Carcinoma. <i>Journal of Hepatocellular Carcinoma</i> , <b>2021</b> , 8, 85-101	5.3	2
36	YTHDC1 gene polymorphisms and Wilms tumor susceptibility in Chinese children: A five-center case-control study. <i>Gene</i> , <b>2021</b> , 783, 145571	3.8	2
35	Null Genotype Significantly Increases the Susceptibility to Urinary System Cancer: Evidences from 63,876 Subjects. <i>Journal of Cancer</i> , <b>2016</b> , 7, 1680-1693	4.5	2
34	Association of the SNP285 Polymorphism with Cancer Susceptibility: A Meta-Analysis. <i>Disease Markers</i> , <b>2016</b> , 2016, 4585484	3.2	2

33	Association between lncRNA-H19 polymorphisms and hepatoblastoma risk in an ethnic Chinese population. <i>Journal of Cellular and Molecular Medicine</i> , <b>2021</b> , 25, 742-750	5.6	2
32	polymorphisms and hepatoblastoma susceptibility in Chinese children. <i>Journal of Cancer</i> , <b>2021</b> , 12, 1373-1378	4.3	2
31	Polymorphisms in METTL3 gene and hepatoblastoma risk in Chinese children: A seven-center case-control study. <i>Gene</i> , <b>2021</b> , 800, 145834	3.8	2
30	The Association of Polymorphisms in Base Excision Repair Genes with Ovarian Cancer Susceptibility in Chinese Women: A Two-Center Case-Control Study. <i>Journal of Cancer</i> , <b>2021</b> , 12, 264-269	4.5	2
29	Aromatic Ring Substituted Aaptamine Analogues as Potential Cytotoxic Agents against Extranodal Natural Killer/T-Cell Lymphoma. <i>Journal of Natural Products</i> , <b>2020</b> , 83, 3758-3763	4.9	1
28	Pre-retrieval reperfusion decreases cancer recurrence after rat ischemic liver graft transplantation. <i>Journal of Hepatology</i> , <b>2014</b> , 61, 962	13.4	1
27	Gene rs3738067 A>G Polymorphism Decreases Neuroblastoma Risk in Chinese Children: Evidence From an Eight-Center Case-Control Study.. <i>Frontiers in Medicine</i> , <b>2021</b> , 8, 797195	4.9	1
26	METTL14 gene polymorphisms decrease Wilms tumor susceptibility in Chinese children. <i>BMC Cancer</i> , <b>2021</b> , 21, 1294	4.8	1
25	Acute vasoreactivity testing predicts outcome of idiopathic pulmonary arterial hypertension patients with a negative acute response. <i>Annals of Translational Medicine</i> , <b>2020</b> , 8, 1650	3.2	1
24	METTL14 gene polymorphisms influence hepatoblastoma predisposition in Chinese children: Evidences from a seven-center case-control study. <i>Gene</i> , <b>2022</b> , 809, 146050	3.8	1
23	Histone Demethylase PHF8 Is Required for the Development of the Zebrafish Inner Ear and Posterior Lateral Line. <i>Frontiers in Cell and Developmental Biology</i> , <b>2020</b> , 8, 566504	5.7	1
22	Rotational constraint contributes to collective cell durotaxis. <i>Applied Physics Letters</i> , <b>2020</b> , 117, 213702	3.4	1
21	Impact of YTHDF1 gene polymorphisms on Wilms tumor susceptibility: A five-center case-control study. <i>Journal of Clinical Laboratory Analysis</i> , <b>2021</b> , 35, e23875	3	1
20	Generation of induced pluripotent stem cell line, ZJUCHi002-A, from Charcot-Marie-Tooth disease type 2A (CMT2A) patient with a mutation of c.752C>T in MFN2. <i>Stem Cell Research</i> , <b>2019</b> , 36, 101411	1.6	1
19	Lack of associations between gene polymorphisms and neuroblastoma susceptibility in Chinese children. <i>Journal of Cancer</i> , <b>2019</b> , 10, 5722-5726	4.5	1
18	Variable predictors of acute pulmonary embolism recurrence with duration of follow-up. <i>Journal of Thoracic Disease</i> , <b>2020</b> , 12, 403-413	2.6	1
17	The contribution of gene rs3738067 A>G to the Wilms tumor susceptibility. <i>Journal of Cancer</i> , <b>2021</b> , 12, 6165-6169	4.5	1
16	CCNB2/SASP/Cathepsin B & PGE2 Axis Induce Cell Senescence Mediated Malignant Transformation. <i>International Journal of Biological Sciences</i> , <b>2021</b> , 17, 3538-3553	11.2	1

15	Association between genetic polymorphisms of base excision repair pathway and glioma susceptibility in Chinese children.. <i>World Journal of Pediatrics</i> , <b>2022</b> , 1	4.6	1
14	The Different Effects of Direct Bilirubin on Portopulmonary Hypertension and Idiopathic Pulmonary Arterial Hypertension. <i>International Journal of Clinical Practice</i> , <b>2022</b> , 2022, 1-10	2.9	0
13	Transcriptome analysis of lncRNA expression patterns in human congenital lung malformations. <i>BMC Genomics</i> , <b>2021</b> , 22, 861	4.5	0
12	Perinatal Outcomes and Risk Factors for Preterm Birth in Twin Pregnancies in a Chinese Population: A Multi-center Retrospective Study. <i>Frontiers in Medicine</i> , <b>2021</b> , 8, 657862	4.9	0
11	Soluble ST2 and mixed venous oxygen saturation for prediction of mortality in patients with pulmonary hypertension. <i>Journal of Thoracic Disease</i> , <b>2021</b> , 13, 3478-3488	2.6	0
10	Generation of a human Charcot-Marie-Tooth disease type 1B (CMT1B) iPSC line, ZJUCHi001-A, with a mutation of c.292C>T in MPZ. <i>Stem Cell Research</i> , <b>2019</b> , 35, 101407	1.6	0
9	H19 gene polymorphisms and Wilms tumor risk in Chinese children: a four-center case-control study. <i>Molecular Genetics &amp; Genomic Medicine</i> , <b>2021</b> , 9, e1584	2.3	0
8	Incidence and Risk Factors of Postpartum Hemorrhage in China: A Multicenter Retrospective Study. <i>Frontiers in Medicine</i> , <b>2021</b> , 8, 673500	4.9	0
7	IGSF11 is required for pericentric heterochromatin dissociation during meiotic diplotene. <i>PLoS Genetics</i> , <b>2021</b> , 17, e1009778	6	0
6	Long non-coding RNA BBOX1-AS1 exacerbates esophageal squamous cell carcinoma development by regulating HOXB7/Eatenin axis.. <i>Experimental Cell Research</i> , <b>2022</b> , 415, 113117	4.2	0
5	Therapeutic Effects of Synthetic Triblock Amphiphilic Short Antimicrobial Peptides on Human Lung Adenocarcinoma. <i>Pharmaceutics</i> , <b>2022</b> , 14, 929	6.4	0
4	Association of Gene Polymorphisms with WilmsPTumor Susceptibility in Chinese Children. <i>Journal of Oncology</i> , <b>2019</b> , 2019, 3518149	4.5	
3	Flow structure of the entrance of a T-junction duct without/with a circular cylinder. <i>Journal of Turbulence</i> , <b>2019</b> , 20, 337-359	2.1	
2	Association Between Arg72Pro Polymorphism in and Malignant Abdominal Solid Tumor Risk in Hunan Children. <i>Cancer Control</i> , <b>2021</b> , 28, 10732748211004880	2.2	
1	Computer-aided quantitative MSCT measurements may be useful for congenital lung malformations surgical approach selection. <i>Pediatric Surgery International</i> , <b>2021</b> , 37, 1273-1280	2.1	