

Jiwen Cheng

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/434569/jiwen-cheng-publications-by-year.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

230
papers

4,174
citations

31
h-index

54
g-index

240
ext. papers

4,996
ext. citations

4.6
avg, IF

5.6
L-index

#	Paper	IF	Citations
230	The role of m6A modification in pediatric cancer.. <i>Biochimica Et Biophysica Acta: Reviews on Cancer</i> , 2022 , 188691	11.2	2
229	Functions, mechanisms, and therapeutic implications of METTL14 in human cancer.. <i>Journal of Hematology and Oncology</i> , 2022 , 15, 13	22.4	4
228	The Different Effects of Direct Bilirubin on Portopulmonary Hypertension and Idiopathic Pulmonary Arterial Hypertension. <i>International Journal of Clinical Practice</i> , 2022 , 2022, 1-10	2.9	0
227	METTL14 gene polymorphisms influence hepatoblastoma predisposition in Chinese children: Evidences from a seven-center case-control study. <i>Gene</i> , 2022 , 809, 146050	3.8	1
226	Long non-coding RNA BBOX1-AS1 exacerbates esophageal squamous cell carcinoma development by regulating HOXB7/Eatenin axis.. <i>Experimental Cell Research</i> , 2022 , 415, 113117	4.2	0
225	Therapeutic Effects of Synthetic Triblock Amphiphilic Short Antimicrobial Peptides on Human Lung Adenocarcinoma. <i>Pharmaceutics</i> , 2022 , 14, 929	6.4	0
224	Association between genetic polymorphisms of base excision repair pathway and glioma susceptibility in Chinese children.. <i>World Journal of Pediatrics</i> , 2022 , 1	4.6	1
223	gene polymorphisms and neuroblastoma susceptibility in Chinese children.. <i>Aging</i> , 2021 , 13, 25426-25439	3.6	2
222	Gene rs3738067 A>G Polymorphism Decreases Neuroblastoma Risk in Chinese Children: Evidence From an Eight-Center Case-Control Study.. <i>Frontiers in Medicine</i> , 2021 , 8, 797195	4.9	1
221	Transcriptome analysis of lncRNA expression patterns in human congenital lung malformations. <i>BMC Genomics</i> , 2021 , 22, 861	4.5	0
220	METTL14 gene polymorphisms decrease Wilms tumor susceptibility in Chinese children. <i>BMC Cancer</i> , 2021 , 21, 1294	4.8	1
219	Targeting RAS in neuroblastoma: Is it possible?. <i>Pharmacology & Therapeutics</i> , 2021 , 236, 108054	13.9	3
218	Gene Polymorphisms and Hepatoblastoma Susceptibility in Chinese Children. <i>Journal of Oncology</i> , 2021 , 2021, 6658480	4.5	5
217	Gene Expression Profile and Prognostic Value of m6A RNA Methylation Regulators in Hepatocellular Carcinoma. <i>Journal of Hepatocellular Carcinoma</i> , 2021 , 8, 85-101	5.3	2
216	Association between NER pathway gene polymorphisms and neuroblastoma risk in an eastern Chinese population. <i>Molecular Therapy - Oncolytics</i> , 2021 , 20, 3-11	6.4	3
215	Obstetric outcomes for twins from different conception methods - A multicenter cross-sectional study from China. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2021 , 100, 1061-1067	3.8	4
214	Genetic variants in mA modification core genes are associated with glioma risk in Chinese children. <i>Molecular Therapy - Oncolytics</i> , 2021 , 20, 199-208	6.4	17

213	Perinatal Outcomes and Risk Factors for Preterm Birth in Twin Pregnancies in a Chinese Population: A Multi-center Retrospective Study. <i>Frontiers in Medicine</i> , 2021 , 8, 657862	4.9	0
212	FABP4 deactivates NF- κ B-IL1 β pathway by ubiquitinating ATPB in tumor-associated macrophages and promotes neuroblastoma progression. <i>Clinical and Translational Medicine</i> , 2021 , 11, e395	5.7	4
211	YTHDC1 gene polymorphisms and Wilms tumor susceptibility in Chinese children: A five-center case-control study. <i>Gene</i> , 2021 , 783, 145571	3.8	2
210	Role of FTO gene polymorphisms in Wilms tumor predisposition: A five-center case-control study. <i>Journal of Gene Medicine</i> , 2021 , 23, e3348	3.5	4
209	METTL3 restrains papillary thyroid cancer progression via mA/c-Rel/IL-8-mediated neutrophil infiltration. <i>Molecular Therapy</i> , 2021 , 29, 1821-1837	11.7	20
208	OGT regulated O-GlcNAcylation promotes papillary thyroid cancer malignancy via activating YAP. <i>Oncogene</i> , 2021 , 40, 4859-4871	9.2	4
207	Impact of YTHDF1 gene polymorphisms on Wilms tumor susceptibility: A five-center case-control study. <i>Journal of Clinical Laboratory Analysis</i> , 2021 , 35, e23875	3	1
206	Soluble ST2 and mixed venous oxygen saturation for prediction of mortality in patients with pulmonary hypertension. <i>Journal of Thoracic Disease</i> , 2021 , 13, 3478-3488	2.6	0
205	Predictors of Failed Intrauterine Balloon Tamponade in the Management of Severe Postpartum Hemorrhage. <i>Frontiers in Medicine</i> , 2021 , 8, 656422	4.9	3
204	ABIN3 Negatively Regulates Necroptosis-induced Intestinal Inflammation Through Recruiting A20 and Restricting the Ubiquitination of RIPK3 in Inflammatory Bowel Disease. <i>Journal of Crohns and Colitis</i> , 2021 , 15, 99-114	1.5	11
203	Association between lncRNA-H19 polymorphisms and hepatoblastoma risk in an ethnic Chinese population. <i>Journal of Cellular and Molecular Medicine</i> , 2021 , 25, 742-750	5.6	2
202	H19 gene polymorphisms and Wilms tumor risk in Chinese children: a four-center case-control study. <i>Molecular Genetics & Genomic Medicine</i> , 2021 , 9, e1584	2.3	0
201	Association Between Arg72Pro Polymorphism in and Malignant Abdominal Solid Tumor Risk in Hunan Children. <i>Cancer Control</i> , 2021 , 28, 10732748211004880	2.2	
200	polymorphisms and hepatoblastoma susceptibility in Chinese children. <i>Journal of Cancer</i> , 2021 , 12, 1373-1378	4.1378	2
199	gene polymorphisms and neuroblastoma susceptibility in Chinese children: an eight-center case-control study. <i>Journal of Cancer</i> , 2021 , 12, 2465-2471	4.5	4
198	The contribution of gene rs3738067 A>G to the Wilms tumor susceptibility. <i>Journal of Cancer</i> , 2021 , 12, 6165-6169	4.5	1
197	Identification of 38 novel loci for systemic lupus erythematosus and genetic heterogeneity between ancestral groups. <i>Nature Communications</i> , 2021 , 12, 772	17.4	21
196	Genetic variations in nucleotide excision repair pathway genes and hepatoblastoma susceptibility. <i>International Journal of Cancer</i> , 2021 , 149, 1649-1658	7.5	6

195	Computer-aided quantitative MSCT measurements may be useful for congenital lung malformations surgical approach selection. <i>Pediatric Surgery International</i> , 2021 , 37, 1273-1280	2.1	
194	Incidence and Risk Factors of Postpartum Hemorrhage in China: A Multicenter Retrospective Study. <i>Frontiers in Medicine</i> , 2021 , 8, 673500	4.9	0
193	IGSF11 is required for pericentric heterochromatin dissociation during meiotic diplotene. <i>PLoS Genetics</i> , 2021 , 17, e1009778	6	0
192	Polymorphisms in METTL3 gene and hepatoblastoma risk in Chinese children: A seven-center case-control study. <i>Gene</i> , 2021 , 800, 145834	3.8	2
191	Associations between gene polymorphisms and neuroblastoma susceptibility in Chinese children. <i>Translational Pediatrics</i> , 2021 , 10, 146-152	4.2	3
190	CCNB2/SASP/Cathepsin B & PGE2 Axis Induce Cell Senescence Mediated Malignant Transformation. <i>International Journal of Biological Sciences</i> , 2021 , 17, 3538-3553	11.2	1
189	The Association of Polymorphisms in Base Excision Repair Genes with Ovarian Cancer Susceptibility in Chinese Women: A Two-Center Case-Control Study. <i>Journal of Cancer</i> , 2021 , 12, 264-269	4.5	2
188	Aromatic Ring Substituted Aaptamine Analogues as Potential Cytotoxic Agents against Extranodal Natural Killer/T-Cell Lymphoma. <i>Journal of Natural Products</i> , 2020 , 83, 3758-3763	4.9	1
187	The contribution of WTAP gene variants to Wilms tumor susceptibility. <i>Gene</i> , 2020 , 754, 144839	3.8	7
186	Association of CMYC polymorphisms with hepatoblastoma risk.. <i>Translational Cancer Research</i> , 2020 , 9, 849-855	0.3	4
185	Association of TP53 rs1042522 C>G and miR-34b/c rs4938723 T>C polymorphisms with hepatoblastoma susceptibility: A seven-center case-control study. <i>Journal of Gene Medicine</i> , 2020 , 22, e3182	3.5	10
184	Common genetic variants in pre-microRNAs are associated with cervical cancer susceptibility in southern Chinese women. <i>Journal of Cancer</i> , 2020 , 11, 2133-2138	4.5	5
183	Association between METTL3 gene polymorphisms and neuroblastoma susceptibility: A nine-centre case-control study. <i>Journal of Cellular and Molecular Medicine</i> , 2020 , 24, 9280-9286	5.6	11
182	Polymorphisms and Hepatoblastoma Susceptibility: A Five-Center Case-Control Study. <i>Pharmacogenomics and Personalized Medicine</i> , 2020 , 13, 51-57	2.1	3
181	ALKBH5 gene polymorphisms and Wilms tumor risk in Chinese children: A five-center case-control study. <i>Journal of Clinical Laboratory Analysis</i> , 2020 , 34, e23251	3	15
180	Sex differences of hemodynamics during acute vasoreactivity testing to predict the outcomes of chronic thromboembolic pulmonary hypertension. <i>Clinical Respiratory Journal</i> , 2020 , 14, 611-621	1.7	2
179	Prognostic role of pretreatment blood lymphocyte count in patients with solid tumors: a systematic review and meta-analysis. <i>Cancer Cell International</i> , 2020 , 20, 15	6.4	15
178	The association of and gene polymerphisms with Wilms tumor risk in Chinese children. <i>Journal of Cancer</i> , 2020 , 11, 804-809	4.5	2

177	Gene rs8756 A>C Polymorphism Reduces Neuroblastoma Risk in Chinese Children: A Four-Center Case-Control Study. <i>OncoTargets and Therapy</i> , 2020 , 13, 465-472	4.4	2
176	Association of MYC gene polymorphisms with neuroblastoma risk in Chinese children: A four-center case-control study. <i>Journal of Gene Medicine</i> , 2020 , 22, e3190	3.5	3
175	gene polymorphisms modify hepatoblastoma susceptibility in Chinese children. <i>Journal of Cancer</i> , 2020 , 11, 3512-3518	4.5	8
174	Acute vasoreactivity testing predicts outcome of idiopathic pulmonary arterial hypertension patients with a negative acute response. <i>Annals of Translational Medicine</i> , 2020 , 8, 1650	3.2	1
173	Identification of an immune-related gene-based signature to predict prognosis of patients with gastric cancer. <i>World Journal of Gastrointestinal Oncology</i> , 2020 , 12, 857-876	3.4	11
172	SLC34A2 simultaneously promotes papillary thyroid carcinoma growth and invasion through distinct mechanisms. <i>Oncogene</i> , 2020 , 39, 2658-2675	9.2	13
171	Association of polymorphisms in MALAT1 with the risk of endometrial cancer in Southern Chinese women. <i>Journal of Clinical Laboratory Analysis</i> , 2020 , 34, e23146	3	7
170	Association of polymorphisms in MALAT1 with the risk of endometriosis in Southern Chinese women. <i>Biology of Reproduction</i> , 2020 , 102, 943-949	3.9	2
169	LIN28A gene polymorphisms modify neuroblastoma susceptibility: A four-centre case-control study. <i>Journal of Cellular and Molecular Medicine</i> , 2020 , 24, 1059-1066	5.6	14
168	HMGA2 gene polymorphisms and Wilms tumor susceptibility in Chinese children: a four-center case-control study. <i>Biotechnology and Applied Biochemistry</i> , 2020 , 67, 939-945	2.8	2
167	NRAS rs2273267 A>T polymorphism reduces neuroblastoma risk in Chinese children. <i>Gene</i> , 2020 , 727, 144262	3.8	2
166	METTL14 Gene Polymorphisms Confer Neuroblastoma Susceptibility: An Eight-Center Case-Control Study. <i>Molecular Therapy - Nucleic Acids</i> , 2020 , 22, 17-26	10.7	27
165	Histone Demethylase PHF8 Is Required for the Development of the Zebrafish Inner Ear and Posterior Lateral Line. <i>Frontiers in Cell and Developmental Biology</i> , 2020 , 8, 566504	5.7	1
164	Rotational constraint contributes to collective cell durotaxis. <i>Applied Physics Letters</i> , 2020 , 117, 213702	3.4	1
163	Predictive model for risk of gastric cancer using genetic variants from genome-wide association studies and high-evidence meta-analysis. <i>Cancer Medicine</i> , 2020 , 9, 7310-7316	4.8	3
162	YTHDC1 gene polymorphisms and hepatoblastoma susceptibility in Chinese children: A seven-center case-control study. <i>Journal of Gene Medicine</i> , 2020 , 22, e3249	3.5	10
161	Gene Variants Confer Hepatoblastoma Susceptibility: A Seven-Center Case-Control Study. <i>Molecular Therapy - Oncolytics</i> , 2020 , 18, 118-125	6.4	10
160	rs6090311 A>G polymorphism reduces Hepatoblastoma risk: Evidence from a seven-center case-control study. <i>Journal of Cancer</i> , 2020 , 11, 5129-5134	4.5	8

159	METTL3 polymorphisms and Wilms tumor susceptibility in Chinese children: A five-center case-control study. <i>Journal of Gene Medicine</i> , 2020 , 22, e3255	3.5	6
158	Correlation between the genetic variants of base excision repair (BER) pathway genes and neuroblastoma susceptibility in eastern Chinese children. <i>Cancer Communications</i> , 2020 , 40, 641-646	9.4	27
157	rs11752942 A>G polymorphism decreases neuroblastoma risk in Chinese children. <i>Cell Cycle</i> , 2020 , 19, 2367-2372	4.7	2
156	Variable predictors of acute pulmonary embolism recurrence with duration of follow-up. <i>Journal of Thoracic Disease</i> , 2020 , 12, 403-413	2.6	1
155	LINC00673 rs11655237 C>T and susceptibility to Wilms tumor: A five-center case-control study. <i>Journal of Gene Medicine</i> , 2019 , 21, e3133	3.5	10
154	Identification and Validation of Core Genes Involved in the Development of Papillary Thyroid Carcinoma via Bioinformatics Analysis. <i>International Journal of Genomics</i> , 2019 , 2019, 5894926	2.5	4
153	rs7973450 A>G increases neuroblastoma risk in Chinese children: a four-center case-control study. <i>OncoTargets and Therapy</i> , 2019 , 12, 7289-7295	4.4	2
152	Coherent Structure of Flow Based on Denoised Signals in T-junction Ducts with Vertical Blades. <i>Entropy</i> , 2019 , 21,	2.8	2
151	rs1042522 C>G polymorphism and Wilms tumor susceptibility in Chinese children: a four-center case-control study. <i>Bioscience Reports</i> , 2019 , 39,	4.1	8
150	Experimental Study of Flow Structure Characteristics for a T-Junction Duct With Horizontal Vanes. <i>Journal of Fluids Engineering, Transactions of the ASME</i> , 2019 , 141,	2.1	2
149	LncRNA XIST facilitates cell growth, migration and invasion via modulating H3 histone methylation of DKK1 in neuroblastoma. <i>Cell Cycle</i> , 2019 , 18, 1882-1892	4.7	28
148	Super-Enhancer rs2168101 G>T Polymorphism Reduces Wilms Tumor Risk. <i>Journal of Cancer</i> , 2019 , 10, 1808-1813	4.5	3
147	Association of and polymorphisms with neuroblastoma risk in Eastern Chinese population: a three-center case-control study. <i>Bioscience Reports</i> , 2019 , 39,	4.1	2
146	rs11655237 C>T Polymorphism Impacts Hepatoblastoma Susceptibility in Chinese Children. <i>Frontiers in Genetics</i> , 2019 , 10, 506	4.5	21
145	Association of Gene Polymorphisms with WilmsPTumor Susceptibility in Chinese Children. <i>Journal of Oncology</i> , 2019 , 2019, 3518149	4.5	
144	and polymorphisms are not associated with hepatoblastoma susceptibility in Chinese children. <i>Experimental Hematology and Oncology</i> , 2019 , 8, 11	7.8	11
143	LIG3 gene polymorphisms and risk of gastric cancer in a Southern Chinese population. <i>Gene</i> , 2019 , 705, 90-94	3.8	4
142	Arsenic trioxide inhibits EMT in hepatocellular carcinoma by promoting lncRNA MEG3 via PKM2. <i>Biochemical and Biophysical Research Communications</i> , 2019 , 513, 834-840	3.4	20

141	Associations between polymorphisms and neuroblastoma risk in Chinese children. <i>Bioscience Reports</i> , 2019 , 39,	4.1	14
140	gene rs1042522 allele G decreases neuroblastoma risk: a two-centre case-control study. <i>Journal of Cancer</i> , 2019 , 10, 467-471	4.5	7
139	gene polymorphisms and neuroblastoma susceptibility in Chinese children. <i>Journal of Cancer</i> , 2019 , 10, 4159-4164	4.5	5
138	Flow structure of the entrance of a T-junction duct without/with a circular cylinder. <i>Journal of Turbulence</i> , 2019 , 20, 337-359	2.1	
137	Polymorphisms and Neuroblastoma Risk in Chinese Children: A Three-Center Case-Control Study. <i>Oxidative Medicine and Cellular Longevity</i> , 2019 , 2019, 5736175	6.7	7
136	Association of the rs1042522 C>G polymorphism and hepatoblastoma risk in Chinese children. <i>Journal of Cancer</i> , 2019 , 10, 3444-3449	4.5	10
135	Association of miR-34b/c rs4938723 and TP53 Arg72Pro Polymorphisms with Neuroblastoma Susceptibility: Evidence from Seven Centers. <i>Translational Oncology</i> , 2019 , 12, 1282-1288	4.9	3
134	LIN28A gene polymorphisms confer Wilms tumour susceptibility: A four-centre case-control study. <i>Journal of Cellular and Molecular Medicine</i> , 2019 , 23, 7105-7110	5.6	11
133	MYCN gene polymorphisms and Wilms tumor susceptibility in Chinese children. <i>Journal of Clinical Laboratory Analysis</i> , 2019 , 33, e22988	3	3
132	Predictive efficacy of the Braden Q Scale for pediatric pressure ulcer risk assessment in the PICU: a meta-analysis. <i>Pediatric Research</i> , 2019 , 86, 436-443	3.2	3
131	Investigation of association between LINC00673 rs11655237 C>T and Wilms tumor susceptibility. <i>Journal of Clinical Laboratory Analysis</i> , 2019 , 33, e22930	3	4
130	rs4938723 T>C Decreases Neuroblastoma Risk: A Replication Study in the Hunan Children. <i>Disease Markers</i> , 2019 , 2019, 6514608	3.2	7
129	rs8173 G>C Polymorphism Decreases Wilms Tumor Risk in Chinese Children. <i>Journal of Oncology</i> , 2019 , 2019, 9074908	4.5	7
128	Pleiotropic effect of common variants in Hirschsprung disease and neuroblastoma. <i>Aging</i> , 2019 , 11, 1252-1261	5.2	7
127	Association of and gene polymorphisms with Wilms tumor risk: a four-center case-control study. <i>Aging</i> , 2019 , 11, 1551-1563	5.6	24
126	Additional data support the role of rs11655237 C>T in the development of neuroblastoma. <i>Aging</i> , 2019 , 11, 2369-2377	5.6	11
125	Prognostic value of epithelial-mesenchymal transition related genes: SLUG and QKI in breast cancer patients. <i>International Journal of Clinical and Experimental Pathology</i> , 2019 , 12, 2009-2021	1.4	2
124	gene associated polymorphisms and Wilms tumor risk in Chinese children: a four-center case-control study. <i>Annals of Translational Medicine</i> , 2019 , 7, 475	3.2	6

123	Bimanual irrigation-aspiration for ectopia lentis and use of a small incision for 4-point scleral-sutured foldable intraocular lens and anterior vitrectomy in patients with Marfan syndrome. <i>Indian Journal of Ophthalmology</i> , 2019 , 67, 1629-1633	1.6	4
122	Induction of Sertoli-like cells from human fibroblasts by NR5A1 and GATA4. <i>ELife</i> , 2019 , 8,	8.9	20
121	Association between PHOX2B gene rs28647582 T>C polymorphism and Wilms tumor susceptibility. <i>Bioscience Reports</i> , 2019 , 39,	4.1	3
120	Generation of induced pluripotent stem cell line, ZJUCHi002-A, from Charcot-Marie-Tooth disease type 2A (CMT2A) patient with a mutation of c.752C>T in MFN2. <i>Stem Cell Research</i> , 2019 , 36, 101411	1.6	1
119	Generation of a human Charcot-Marie-Tooth disease type 1B (CMT1B) iPSC line, ZJUCHi001-A, with a mutation of c.292C>T in MPZ. <i>Stem Cell Research</i> , 2019 , 35, 101407	1.6	0
118	Lack of associations between gene polymorphisms and neuroblastoma susceptibility in Chinese children. <i>Journal of Cancer</i> , 2019 , 10, 5722-5726	4.5	1
117	Proton pump inhibitors can reverse the YAP mediated paclitaxel resistance in epithelial ovarian cancer. <i>BMC Molecular and Cell Biology</i> , 2019 , 20, 49	2.7	18
116	gene polymorphisms and neuroblastoma susceptibility in Chinese children: a six-center case-control study. <i>Journal of Cancer</i> , 2019 , 10, 6358-6363	4.5	7
115	Genome-Wide Association Study of Susceptibility Loci for Radiation-Induced Brain Injury. <i>Journal of the National Cancer Institute</i> , 2019 , 111, 620-628	9.7	20
114	rs11655237 C>T confers neuroblastoma susceptibility in Chinese population. <i>Bioscience Reports</i> , 2018 , 38,	4.1	23
113	Solute carrier family 35 member F2 is indispensable for papillary thyroid carcinoma progression through activation of transforming growth factor- β type I receptor/apoptosis signal-regulating kinase 1/mitogen-activated protein kinase signaling axis. <i>Cancer Science</i> , 2018 , 109, 642-655	6.9	23
112	RSRC1 and CPZ gene polymorphisms with neuroblastoma susceptibility in Chinese children. <i>Gene</i> , 2018 , 662, 83-87	3.8	4
111	HOTAIR gene polymorphisms contribute to increased neuroblastoma susceptibility in Chinese children. <i>Cancer</i> , 2018 , 124, 2599-2606	6.4	26
110	Lack of associations between gene polymorphisms and neuroblastoma susceptibility in Chinese children. <i>Bioscience Reports</i> , 2018 , 38,	4.1	5
109	Functional Polymorphisms at ERCC1/XPF Genes Confer Neuroblastoma Risk in Chinese Children. <i>EBioMedicine</i> , 2018 , 30, 113-119	8.8	65
108	Clinical and hemodynamic characteristics of pulmonary hypertension associated with interstitial lung disease in China. <i>Clinical Respiratory Journal</i> , 2018 , 12, 915-921	1.7	3
107	The correlation between LIN28B gene potentially functional variants and Wilms tumor susceptibility in Chinese children. <i>Journal of Clinical Laboratory Analysis</i> , 2018 , 32,	3	19
106	rs6505162 C>A polymorphism contributes to decreased Wilms tumor risk. <i>Journal of Cancer</i> , 2018 , 9, 2460-2465	4.5	11

105	Genetic variants in the nucleotide excision repair pathway genes and gastric cancer susceptibility in a southern Chinese population. <i>Cancer Management and Research</i> , 2018 , 10, 765-774	3.6	20
104	super-enhancer polymorphism rs2168101 G>T correlates with decreased neuroblastoma risk in Chinese children. <i>Journal of Cancer</i> , 2018 , 9, 1592-1597	4.5	15
103	Polymorphisms in gene and neuroblastoma risk in Chinese children: a 3-center case-control study. <i>Cancer Management and Research</i> , 2018 , 10, 1807-1816	3.6	14
102	gene polymorphisms and risk of neuroblastoma in Chinese children: a two-center case-control study. <i>Journal of Cancer</i> , 2018 , 9, 2751-2756	4.5	4
101	Association of Common Genetic Variants in Pre-microRNAs and Neuroblastoma Susceptibility: A Two-Center Study in Chinese Children. <i>Molecular Therapy - Nucleic Acids</i> , 2018 , 11, 1-8	10.7	78
100	Placenta-specific protein 1 promotes cell proliferation and invasion in non-small cell lung cancer. <i>Oncology Reports</i> , 2018 , 39, 53-60	3.5	13
99	Integrin Subunit beta 8 (ITGB8) Upregulation Is an Independent Predictor of Unfavorable Survival of High-Grade Serous Ovarian Carcinoma Patients. <i>Medical Science Monitor</i> , 2018 , 24, 8933-8940	3.2	10
98	Associations between lncRNA polymorphisms and neuroblastoma risk in Chinese children. <i>Aging</i> , 2018 , 10, 481-491	5.6	36
97	polymorphisms and neuroblastoma risk in Chinese children: a three-center case-control study. <i>Aging</i> , 2018 , 10, 808-818	5.6	18
96	Relevance of polymorphisms to neuroblastoma risk in Chinese children: a four-center case-control study. <i>Aging</i> , 2018 , 10, 1989-2000	5.6	19
95	gene polymorphisms and risk of neuroblastoma in Chinese children. <i>Aging</i> , 2018 , 10, 2944-2953	5.6	16
94	Gene Polymorphisms Reduce Neuroblastoma Risk in Eastern Chinese Children: A Three-Center Case-Control Study. <i>Frontiers in Oncology</i> , 2018 , 8, 468	5.3	8
93	Functional Polymorphisms in Gene and Neuroblastoma Risk in Chinese Children. <i>Journal of Cancer</i> , 2018 , 9, 4521-4526	4.5	5
92	METTL3 promotes ovarian carcinoma growth and invasion through the regulation of AXL translation and epithelial to mesenchymal transition. <i>Gynecologic Oncology</i> , 2018 , 151, 356-365	4.9	87
91	The rs2147578 C > G polymorphism in the lnc-LAMC2-1:1 gene is associated with increased neuroblastoma risk in the Henan children. <i>BMC Cancer</i> , 2018 , 18, 948	4.8	7
90	Association between Gene Polymorphisms and Neuroblastoma Risk in Chinese Children: A Two-Center Case-Control Study. <i>Journal of Cancer</i> , 2018 , 9, 535-539	4.5	6
89	Association between NER Pathway Gene Polymorphisms and Wilms Tumor Risk. <i>Molecular Therapy - Nucleic Acids</i> , 2018 , 12, 854-860	10.7	35
88	MiR-181a/b induce the growth, invasion, and metastasis of neuroblastoma cells through targeting ABI1. <i>Molecular Carcinogenesis</i> , 2018 , 57, 1237-1250	5	17

87	Base Excision Repair Gene Polymorphisms and Wilms Tumor Susceptibility. <i>EBioMedicine</i> , 2018 , 33, 88-93	3.8	27
86	miR-134: A Human Cancer Suppressor?. <i>Molecular Therapy - Nucleic Acids</i> , 2017 , 6, 140-149	10.7	75
85	BARD1 Gene Polymorphisms Confer Nephroblastoma Susceptibility. <i>EBioMedicine</i> , 2017 , 16, 101-105	8.8	35
84	Effect of ApoA4 on SERPINA3 mediated by nuclear receptors NR4A1 and NR1D1 in hepatocytes. <i>Biochemical and Biophysical Research Communications</i> , 2017 , 487, 327-332	3.4	13
83	Sex-specific cardiopulmonary exercise testing indices related to hemodynamics in idiopathic pulmonary arterial hypertension. <i>Therapeutic Advances in Respiratory Disease</i> , 2017 , 11, 135-145	4.9	6
82	Dysregulation of miR-638 in hepatocellular carcinoma and its clinical significance. <i>Oncology Letters</i> , 2017 , 13, 3859-3865	2.6	13
81	Transcriptome analysis of EGFR tyrosine kinase inhibitors resistance associated long noncoding RNA in non-small cell lung cancer. <i>Biomedicine and Pharmacotherapy</i> , 2017 , 87, 20-26	7.5	33
80	MicroRNA expression profiles and networks in placentas complicated with selective intrauterine growth restriction. <i>Molecular Medicine Reports</i> , 2017 , 16, 6650-6673	2.9	14
79	Genetic Variations of GWAS-Identified Genes and Neuroblastoma Susceptibility: a Replication Study in Southern Chinese Children. <i>Translational Oncology</i> , 2017 , 10, 936-941	4.9	42
78	New Frontiers in Genetics, Gut Microbiota, and Immunity: A Rosetta Stone for the Pathogenesis of Inflammatory Bowel Disease. <i>BioMed Research International</i> , 2017 , 2017, 8201672	3	47
77	promoter del1518 polymorphism and cancer risk: evidence from 22,931 subjects. <i>OncoTargets and Therapy</i> , 2017 , 10, 3773-3780	4.4	6
76	miR-200c suppresses endometriosis by targeting MALAT1 in vitro and in vivo. <i>Stem Cell Research and Therapy</i> , 2017 , 8, 251	8.3	60
75	Association of A66G polymorphism with cancer susceptibility: Evidence from 85 studies. <i>Journal of Cancer</i> , 2017 , 8, 266-277	4.5	7
74	gene rs11037575 C>T polymorphism confers neuroblastoma susceptibility in a Southern Chinese population. <i>OncoTargets and Therapy</i> , 2017 , 10, 1969-1975	4.4	6
73	MALAT1 is a prognostic factor in glioblastoma multiforme and induces chemoresistance to temozolomide through suppressing miR-203 and promoting thymidylate synthase expression. <i>Oncotarget</i> , 2017 , 8, 22783-22799	3.3	89
72	Protein Regulator of Cytokinesis PRC1 Confers Chemoresistance and Predicts an Unfavorable Postoperative Survival of Hepatocellular Carcinoma Patients. <i>Journal of Cancer</i> , 2017 , 8, 801-808	4.5	19
71	Common variations within gene and neuroblastoma susceptibility in a Southern Chinese population. <i>OncoTargets and Therapy</i> , 2017 , 10, 703-709	4.4	6
70	Association between gene Arg72Pro polymorphism and WilmsTumor risk in a Chinese population. <i>OncoTargets and Therapy</i> , 2017 , 10, 1149-1154	4.4	18

69	The gene rs1042522 C>G polymorphism and neuroblastoma risk in Chinese children. <i>Aging</i> , 2017 , 9, 852-859	3.5	52
68	Association Between HACE1 Gene Polymorphisms and WilmsTumor Risk in a Chinese Population. <i>Cancer Investigation</i> , 2017 , 35, 633-638	2.1	12
67	Polymorphisms in nucleotide excision repair genes and risk of primary prostate cancer in Chinese Han populations. <i>Oncotarget</i> , 2017 , 8, 24362-24371	3.3	16
66	NFKB1 -94insertion/deletion ATTG polymorphism and cancer risk: Evidence from 50 case-control studies. <i>Oncotarget</i> , 2017 , 8, 9806-9822	3.3	42
65	MDM4 genetic variants and risk of gastric cancer in an Eastern Chinese population. <i>Oncotarget</i> , 2017 , 8, 19547-19555	3.3	9
64	Associations between gene polymorphisms and WilmsTumor susceptibility. <i>Oncotarget</i> , 2017 , 8, 50665-50672	3.3	13
63	polymorphisms reduce neuroblastoma risk in Chinese children: a two-center case-control study. <i>Oncotarget</i> , 2017 , 8, 65620-65626	3.3	24
62	gene polymorphisms reduce neuroblastoma risk in Chinese children. <i>Oncotarget</i> , 2017 , 8, 91343-91349	3.3	16
61	Evaluation of GWAS-identified SNPs at 6p22 with neuroblastoma susceptibility in a Chinese population. <i>Tumor Biology</i> , 2016 , 37, 1635-9	2.9	36
60	Preoperative aspartate aminotransferase-to-platelet ratio index (APRI) is a predictor on postoperative outcomes of hepatocellular carcinoma. <i>Medicine (United States)</i> , 2016 , 95, e5486	1.8	21
59	Inhibition of SALL4 reduces tumorigenicity involving epithelial-mesenchymal transition via Wnt/βcatenin pathway in esophageal squamous cell carcinoma. <i>Journal of Experimental and Clinical Cancer Research</i> , 2016 , 35, 98	12.8	52
58	Polymorphisms in the AKT1 and AKT2 genes and oesophageal squamous cell carcinoma risk in an Eastern Chinese population. <i>Journal of Cellular and Molecular Medicine</i> , 2016 , 20, 666-77	5.6	24
57	MspI polymorphism and the risk of oral squamous cell carcinoma: Evidence from a meta-analysis. <i>Molecular and Clinical Oncology</i> , 2016 , 4, 660-666	1.6	7
56	Association between genetic variants in the gene and gastric cancer risk in a Southern Chinese population. <i>Aging</i> , 2016 , 8, 3311-3320	5.6	27
55	Associations between CYP1A1 rs1048943 A > G and rs4646903 T > C genetic variations and colorectal cancer risk: Proof from 26 case-control studies. <i>Oncotarget</i> , 2016 , 7, 51365-51374	3.3	12
54	XPG rs2296147 T>C polymorphism predicted clinical outcome in colorectal cancer. <i>Oncotarget</i> , 2016 , 7, 11724-32	3.3	17
53	LMO1 gene polymorphisms contribute to decreased neuroblastoma susceptibility in a Southern Chinese population. <i>Oncotarget</i> , 2016 , 7, 22770-8	3.3	30
52	Downregulation of miRNA-638 promotes angiogenesis and growth of hepatocellular carcinoma by targeting VEGF. <i>Oncotarget</i> , 2016 , 7, 30702-11	3.3	40

51	A novel TP53 variant (rs78378222 A > C) in the polyadenylation signal is associated with increased cancer susceptibility: evidence from a meta-analysis. <i>Oncotarget</i> , 2016 , 7, 32854-65	3.3	15
50	Association of XPC Gene Polymorphisms with Colorectal Cancer Risk in a Southern Chinese Population: A Case-Control Study and Meta-Analysis. <i>Genes</i> , 2016 , 7,	4.2	23
49	The association between RFC1 G80A polymorphism and cancer susceptibility: Evidence from 33 studies. <i>Journal of Cancer</i> , 2016 , 7, 144-52	4.5	8
48	Null Genotype Significantly Increases the Susceptibility to Urinary System Cancer: Evidences from 63,876 Subjects. <i>Journal of Cancer</i> , 2016 , 7, 1680-1693	4.5	2
47	PSCA polymorphisms and gastric cancer susceptibility in an eastern Chinese population. <i>Oncotarget</i> , 2016 , 7, 9420-8	3.3	13
46	The Association between GWAS-identified BARD1 Gene SNPs and Neuroblastoma Susceptibility in a Southern Chinese Population. <i>International Journal of Medical Sciences</i> , 2016 , 13, 133-8	3.7	24
45	Polymorphisms in the XPC gene and gastric cancer susceptibility in a Southern Chinese population. <i>OncoTargets and Therapy</i> , 2016 , 9, 5513-9	4.4	16
44	Genetic variant rs4072037 of MUC1 and gastric cancer risk in an Eastern Chinese population. <i>Oncotarget</i> , 2016 , 7, 15930-6	3.3	6
43	Lack of Associations between Gene Polymorphisms and Neuroblastoma Susceptibility in a Chinese Population. <i>BioMed Research International</i> , 2016 , 2016, 2932049	3	9
42	Association of the SNP285 Polymorphism with Cancer Susceptibility: A Meta-Analysis. <i>Disease Markers</i> , 2016 , 2016, 4585484	3.2	2
41	Gene Polymorphisms Contribute to Colorectal Cancer Susceptibility: A Two-Stage Case-Control Study. <i>Journal of Cancer</i> , 2016 , 7, 1731-1739	4.5	24
40	Long non-coding RNA LINC01133 represses KLF2, P21 and E-cadherin transcription through binding with EZH2, LSD1 in non small cell lung cancer. <i>Oncotarget</i> , 2016 , 7, 11696-707	3.3	74
39	MicroRNA-20a-5p targets RUNX3 to regulate proliferation and migration of human hepatocellular cancer cells. <i>Oncology Reports</i> , 2016 , 36, 3379-3386	3.5	29
38	A Functional Polymorphism (rs2494752) in the AKT1 Promoter Region and Gastric Adenocarcinoma Risk in an Eastern Chinese Population. <i>Scientific Reports</i> , 2016 , 6, 20008	4.9	17
37	4-tert-butylphenoxy substituted phthalocyanine with RGD motif as highly selective one-photon and two-photon imaging probe for mitochondria and cancer cell. <i>Journal of Porphyrins and Phthalocyanines</i> , 2016 , 20, 397-406	1.8	3
36	Blockade of Cannabinoid CB1 receptor attenuates the acquisition of morphine-induced conditioned place preference along with a downregulation of ERK, CREB phosphorylation, and BDNF expression in the nucleus accumbens and hippocampus. <i>Neuroscience Letters</i> , 2016 , 630, 70-76	3.3	25
35	Association of potentially functional variants in the XPG gene with neuroblastoma risk in a Chinese population. <i>Journal of Cellular and Molecular Medicine</i> , 2016 , 20, 1481-90	5.6	96
34	Potentially functional polymorphisms in the LIN28B gene contribute to neuroblastoma susceptibility in Chinese children. <i>Journal of Cellular and Molecular Medicine</i> , 2016 , 20, 1534-41	5.6	38

33	A Prospective, Randomized Comparison of Intramuscular Phloroglucinol Versus Oral Misoprostol for Cervix Pretreatment Before Diagnostic Hysteroscopy. <i>International Surgery</i> , 2015 , 100, 1207-11	0.1	8
32	Association of the Asp312Asn and Lys751Gln polymorphisms in the XPD gene with the risk of non-Hodgkin lymphoma: evidence from a meta-analysis. <i>Chinese Journal of Cancer</i> , 2015 , 34, 108-14		298
31	CASP7 variants modify susceptibility to cervical cancer in Chinese women. <i>Scientific Reports</i> , 2015 , 5, 9225	4.9	10
30	No association between MTR rs1805087 A > G polymorphism and non-Hodgkin lymphoma susceptibility: evidence from 11 486 subjects. <i>Leukemia and Lymphoma</i> , 2015 , 56, 763-7	1.9	13
29	Whole Exome Sequencing Identifies Frequent Somatic Mutations in Cell-Cell Adhesion Genes in Chinese Patients with Lung Squamous Cell Carcinoma. <i>Scientific Reports</i> , 2015 , 5, 14237	4.9	34
28	Association between PLCE1 rs2274223 A > G polymorphism and cancer risk: proof from a meta-analysis. <i>Scientific Reports</i> , 2015 , 5, 7986	4.9	27
27	Association of IL10 -819C>T and -592C>A Polymorphisms with Non-Hodgkin Lymphoma Susceptibility: Evidence from Published Studies. <i>Journal of Cancer</i> , 2015 , 6, 709-16	4.5	5
26	Genetic variant of PRKAA1 and gastric cancer risk in an eastern Chinese population. <i>Oncotarget</i> , 2015 , 6, 42661-6	3.3	17
25	Association of Interleukin-10 -3575T>A and -1082A>G polymorphisms with non-Hodgkin lymphoma susceptibility: a comprehensive review and meta-analysis. <i>Molecular Genetics and Genomics</i> , 2015 , 290, 2063-73	3.1	7
24	The association between NQO1 Pro187Ser polymorphism and bladder cancer susceptibility: a meta-analysis of 15 studies. <i>PLoS ONE</i> , 2015 , 10, e0116500	3.7	8
23	Expression of circulating microRNA-20a and let-7a in esophageal squamous cell carcinoma. <i>World Journal of Gastroenterology</i> , 2015 , 21, 4660-5	5.6	27
22	Association of MTHFR C677T and A1298C polymorphisms with non-Hodgkin lymphoma susceptibility: evidence from a meta-analysis. <i>Scientific Reports</i> , 2014 , 4, 6159	4.9	74
21	Association of BRCA2 N372H polymorphism with cancer susceptibility: a comprehensive review and meta-analysis. <i>Scientific Reports</i> , 2014 , 4, 6791	4.9	31
20	Prognostic role of neutrophil-to-lymphocyte ratio in colorectal cancer: a systematic review and meta-analysis. <i>International Journal of Cancer</i> , 2014 , 134, 2403-13	7.5	297
19	Epidemiologic report and serologic findings for household contacts of three cases of influenza A (H7N9) virus infection. <i>Journal of Clinical Virology</i> , 2014 , 59, 129-31	14.5	7
18	Potentially functional polymorphisms in the ERCC2 gene and risk of esophageal squamous cell carcinoma in Chinese populations. <i>Scientific Reports</i> , 2014 , 4, 6281	4.9	19
17	Relevance of LIG4 gene polymorphisms with cancer susceptibility: evidence from a meta-analysis. <i>Scientific Reports</i> , 2014 , 4, 6630	4.9	26
16	Prognostic role of pre-treatment serum AFP-L3% in hepatocellular carcinoma: systematic review and meta-analysis. <i>PLoS ONE</i> , 2014 , 9, e87011	3.7	35

15	Large malignant ovarian tumors during pregnancy: two cases. <i>OncoTargets and Therapy</i> , 2014 , 7, 2121-5	4.4	3
14	Circulating miR-208b and miR-34a are associated with left ventricular remodeling after acute myocardial infarction. <i>International Journal of Molecular Sciences</i> , 2014 , 15, 5774-88	6.3	82
13	Pre-retrieval reperfusion decreases cancer recurrence after rat ischemic liver graft transplantation. <i>Journal of Hepatology</i> , 2014 , 61, 962	13.4	1
12	Sublethal heat treatment promotes epithelial-mesenchymal transition and enhances the malignant potential of hepatocellular carcinoma. <i>Hepatology</i> , 2014 , 59, 1650	11.2	10
11	Meta-analysis of the prognostic and diagnostic significance of serum/plasma osteopontin in hepatocellular carcinoma. <i>Journal of Clinical Gastroenterology</i> , 2014 , 48, 806-14	3	21
10	Major hepatectomy is safe for hepatocellular carcinoma in elderly patients with cirrhosis. <i>European Journal of Gastroenterology and Hepatology</i> , 2014 , 26, 444-51	2.2	20
9	Reduced fetal telomere length in gestational diabetes. <i>PLoS ONE</i> , 2014 , 9, e86161	3.7	42
8	Methylation levels at IGF2 and GNAS DMRs in infants born to preeclamptic pregnancies. <i>BMC Genomics</i> , 2013 , 14, 472	4.5	33
7	New progress of non-surgical treatments for hepatocellular carcinoma. <i>Medical Oncology</i> , 2013 , 30, 381	3.7	20
6	Genetic variations of mTORC1 genes and risk of gastric cancer in an Eastern Chinese population. <i>Molecular Carcinogenesis</i> , 2013 , 52 Suppl 1, E70-9	5	107
5	Association of LEP G2548A and LEPR Q223R polymorphisms with cancer susceptibility: evidence from a meta-analysis. <i>PLoS ONE</i> , 2013 , 8, e75135	3.7	20
4	Molecular cloning and characterization of a new cDNA sequence encoding a venom peptide from the centipede <i>Scolopendra subspinipes mutilans</i> . <i>Molecular Biology</i> , 2012 , 46, 508-513	1.2	3
3	Polymorphisms in the XPG gene and risk of gastric cancer in Chinese populations. <i>Human Genetics</i> , 2012 , 131, 1235-44	6.3	159
2	Placental imbalance of Th1- and Th2-type cytokines in preeclampsia	2005 , 84, 788	21
1	Increased serum levels of neopterin and soluble interleukin-2 receptor in intrahepatic cholestasis of pregnancy	2004 , 83, 1067	4